

Map Description

Magnitude >= 3.0

MAG

- 3.0 - 4.0
- 4.1 - 5.0
- 5.1 - 6.0
- 6.1 - 7.0
- 7.1 - 8.0
- SITE
- Magnitude < 3.0
- Q 768
- Q 726
- Q603
- Q 602
- Q 601
- Q 3501
- N Utah
- Tetons
- Yellowstone
- SW Montana
- Lost River - Lemhi
- Snake River Plain
- INL

0 50 100 200 Miles

0 50 100 200 Kilometers

Probabilistic Seismic Hazard Assessment for the Eagle Rock Enrichment Facility	Seismic Source Zone Model 3
WGE, Inc. Oct. 28, 2008	**FIGURE 10**



Conversions for metric and customary acceleration units								
g-units	0.00	0.001	0.05	0.10	0.15	0.20	0.50	1.00
cm/sec^2	0.00	0.981	49.03	98.07	147.10	196.13	490.33	980.67
in/sec^2	0.00	0.386	19.30	38.61	57.91	77.22	193.04	386.09

Probabilistic Seismic Hazard Assessment for the Eagle Rock Enrichment Facility, Idaho	Deterministic Earthquake Scenario 1, M=7.3, D=98 km
WGE, Inc. Oct. 28, 2008	**FIGURE 11**



Conversions for metric and customary acceleration units								
g-units	0.00	0.001	0.05	0.10	0.15	0.20	0.50	1.00
cm/sec^2	0.00	0.981	49.03	98.07	147.10	196.13	490.33	980.67
in/sec^2	0.00	0.386	19.30	38.61	57.91	77.22	193.04	386.09

Probabilistic Seismic Hazard Assessment for the Eagle Rock Enrichment Facility, Idaho	Deterministic Earthquake Scenario 2, M=7.0, D=60 km
WGE, Inc. Oct. 28, 2008	**FIGURE 12**



Conversions for metric and customary acceleration units								
g-units	0.00	0.001	0.05	0.10	0.15	0.20	0.50	1.00
cm/sec^2	0.00	0.981	49.03	98.07	147.10	196.13	490.33	980.67
in/sec^2	0.00	0.386	19.30	38.61	57.91	77.22	193.04	386.09

Probabilistic Seismic Hazard Assessment for the Eagle Rock Enrichment Facility, Idaho	Deterministic Earthquake Scenario 3, M=6.0, D=10 km
WGE, Inc. Oct. 28, 2008	**FIGURE 13**



Conversions for metric and customary acceleration units											
cm/sec²	0.0	100.0	200.0	300.0	400.0	500.0	600.0	700.0	800.0	900.0	1000.0
in/sec²	0.0	39.4	78.7	118.1	157.5	196.9	236.2	275.6	315.0	354.3	393.7
g-units	0.000	0.102	0.204	0.306	0.408	0.510	0.612	0.714	0.816	0.918	1.020

Probabilistic Seismic Hazard Assessment for the Eagle Rock Enrichment Facility, Idaho	PGA Seismic Hazard Curves
WGE, Inc. Oct. 28, 2008	**FIGURE 14**



Conversions for metric and customary acceleration units											
cm/sec²	0.0	100.0	200.0	300.0	400.0	500.0	600.0	700.0	800.0	900.0	1000.0
in/sec²	0.0	39.4	78.7	118.1	157.5	196.9	236.2	275.6	315.0	354.3	393.7
g-units	0.000	0.102	0.204	0.306	0.408	0.510	0.612	0.714	0.816	0.918	1.020

Probabilistic Seismic Hazard Assessment for the Eagle Rock Enrichment Facility, Idaho	Seismic Hazard Curves for Spectral Acceleration at 5Hz
WGE, Inc. Oct. 28, 2008	**FIGURE 15**



Conversions for metric and customary acceleration units											
cm/sec²	0.0	100.0	200.0	300.0	400.0	500.0	600.0	700.0	800.0	900.0	1000.0
in/sec²	0.0	39.4	78.7	118.1	157.5	196.9	236.2	275.6	315.0	354.3	393.7
g-units	0.000	0.102	0.204	0.306	0.408	0.510	0.612	0.714	0.816	0.918	1.020

Probabilistic Seismic Hazard Assessment for the Eagle Rock Enrichment Facility, Idaho	Seismic Hazard Curves for Spectral Acceleration at 1Hz
WGE, Inc. Oct. 28, 2008	**FIGURE 16**



Conversions for metric and customary acceleration units											
cm/sec²	0.0	100.0	200.0	300.0	400.0	500.0	600.0	700.0	800.0	900.0	1000.0
in/sec²	0.0	39.4	78.7	118.1	157.5	196.9	236.2	275.6	315.0	354.3	393.7
g-units	0.000	0.102	0.204	0.306	0.408	0.510	0.612	0.714	0.816	0.918	1.020

Probabilistic Seismic Hazard Assessment for the Eagle Rock Enrichment Facility, Idaho	Source Zone Contributions to Total PGA Seismic Hazard
WGE, Inc. Oct. 28, 2008	**FIGURE 17**



Conversions for metric and customary acceleration units											
cm/sec²	0.0	100.0	200.0	300.0	400.0	500.0	600.0	700.0	800.0	900.0	1000.0
in/sec²	0.0	39.4	78.7	118.1	157.5	196.9	236.2	275.6	315.0	354.3	393.7
g-units	0.000	0.102	0.204	0.306	0.408	0.510	0.612	0.714	0.816	0.918	1.020

Probabilistic Seismic Hazard Assessment for the Eagle Rock Enrichment Facility, Idaho	Source Zone Contributions to Total SA (1 Hz) Seismic Hazard
WGE, Inc. Oct. 28, 2008	**FIGURE 18**



Conversions for metric and customary acceleration units											
cm/sec²	0.0	100.0	200.0	300.0	400.0	500.0	600.0	700.0	800.0	900.0	1000.0
in/sec²	0.0	39.4	78.7	118.1	157.5	196.9	236.2	275.6	315.0	354.3	393.7
g-units	0.000	0.102	0.204	0.306	0.408	0.510	0.612	0.714	0.816	0.918	1.020

Probabilistic Seismic Hazard Assessment for the Eagle Rock Enrichment Facility, Idaho	UHRS in Bedrock for Annual Exceedance Frequency of 2.1×10^{-3} (475 yr earthquake)
WGE, Inc. Oct. 28, 2008	**FIGURE 19**



Conversions for metric and customary acceleration units											
cm/sec²	0.0	100.0	200.0	300.0	400.0	500.0	600.0	700.0	800.0	900.0	1000.0
in/sec²	0.0	39.4	78.7	118.1	157.5	196.9	236.2	275.6	315.0	354.3	393.7
g-units	0.000	0.102	0.204	0.306	0.408	0.510	0.612	0.714	0.816	0.918	1.020

Probabilistic Seismic Hazard Assessment for the Eagle Rock Enrichment Facility, Idaho	UHRS in Bedrock for Annual Exceedance Frequency of 10^{-3} (1,000 yr earthquake)
WGE, Inc. Oct. 28, 2008	**FIGURE 20**



Conversions for metric and customary acceleration units											
cm/sec²	0.0	100.0	200.0	300.0	400.0	500.0	600.0	700.0	800.0	900.0	1000.0
in/sec²	0.0	39.4	78.7	118.1	157.5	196.9	236.2	275.6	315.0	354.3	393.7
g-units	0.000	0.102	0.204	0.306	0.408	0.510	0.612	0.714	0.816	0.918	1.020

Probabilistic Seismic Hazard Assessment for the Eagle Rock Enrichment Facility, Idaho	UHRS in Bedrock for Annual Exceedance Frequency of 10^{-4} (10,000 yr Earthquake)
WGE, Inc. Oct. 28, 2008	**FIGURE 21**



Conversions for metric and customary acceleration units											
cm/sec²	0.0	100.0	200.0	300.0	400.0	500.0	600.0	700.0	800.0	900.0	1000.0
in/sec²	0.0	39.4	78.7	118.1	157.5	196.9	236.2	275.6	315.0	354.3	393.7
g-units	0.000	0.102	0.204	0.306	0.408	0.510	0.612	0.714	0.816	0.918	1.020

Probabilistic Seismic Hazard Assessment for the Eagle Rock Enrichment Facility, Idaho	UHRS in Bedrock for Annual Exceedance Frequency of 10^{-5} (100,000 yr earthquake)
WGE, Inc. Oct. 28, 2008	**FIGURE 22**



Conversions for metric and customary acceleration units											
cm/sec²	0.0	100.0	200.0	300.0	400.0	500.0	600.0	700.0	800.0	900.0	1000.0
in/sec²	0.0	39.4	78.7	118.1	157.5	196.9	236.2	275.6	315.0	354.3	393.7
g-units	0.000	0.102	0.204	0.306	0.408	0.510	0.612	0.714	0.816	0.918	1.020

Probabilistic Seismic Hazard Assessment for the Eagle Rock Enrichment Facility, Idaho	Horizontal Component UHRS for 475 year and 1,000 year Earthquakes
WGE, Inc. Oct. 28, 2008	**FIGURE 23**



Conversions for metric and customary acceleration units											
cm/sec^2	0.0	100.0	200.0	300.0	400.0	500.0	600.0	700.0	800.0	900.0	1000.0
in/sec^2	0.0	39.4	78.7	118.1	157.5	196.9	236.2	275.6	315.0	354.3	393.7
g-units	0.000	0.102	0.204	0.306	0.408	0.510	0.612	0.714	0.816	0.918	1.020

Probabilistic Seismic Hazard Assessment for the Eagle Rock Enrichment Facility, Idaho	Horizontal Component UHRS for 10,000 year and 100,000 year Earthquakes
WGE, Inc. Oct. 28, 2008	**FIGURE 24**



Map Description

- SITE
- INL
- 1,000 Yr pga (g)
- Q 601 Lost River F.
- Q 602 Lemhi F.
- Q 603 Beaverhead F.
- Q 726 Grand Valley F.
- Q 768 Teton F.
- Q 3501 Idaho Rift System F.
- USGS 08 Hazard Grid Points

Probabilistic Seismic Hazard Assessment for the Eagle Rock Enrichment Facility	USGS 2008 PGA Hazard 5% Exceedance in 50 Yr Annual Exceedance Frequency of 10^{-3}
WGE, Inc. Oct. 28, 2008	**FIGURE 25**



Peak Horizontal Ground Acceleration



Spectral Acceleration at 5 Hz



Spectral Acceleration at 1 Hz

Conversions for metric and customary acceleration units						
cm/sec^2	in/sec^2	g-units		cm/sec^2	in/sec^2	g-units
0.0	0.00	0.0000		0.00	0.00	0.00
50.0	19.69	0.0510		49.03	19.30	0.05
100.0	39.37	0.1020		98.07	38.61	0.10
150.0	59.06	0.1530		147.10	57.91	0.15
200.0	78.74	0.2039		196.13	77.22	0.20
250.0	98.43	0.2549		245.17	96.52	0.25
300.0	118.11	0.3059		294.20	115.83	0.30
350.0	137.80	0.3569		343.23	135.13	0.35
400.0	157.48	0.4079		392.27	154.44	0.40
450.0	177.17	0.4589		441.30	173.74	0.45
500.0	196.85	0.5099		490.33	193.04	0.50
550.0	216.54	0.5608		539.37	212.35	0.55
600.0	236.22	0.6118		588.40	231.65	0.60
650.0	255.91	0.6628		637.43	250.96	0.65
700.0	275.59	0.7138		686.47	270.26	0.70
750.0	295.28	0.7648		735.50	289.57	0.75
800.0	314.96	0.8158		784.53	308.87	0.80
850.0	334.65	0.8668		833.57	328.18	0.85
900.0	354.33	0.9177		882.60	347.48	0.90
950.0	374.02	0.9687		931.63	366.78	0.95
1000.0	393.70	1.0197		980.67	386.09	1.00
1 in = 2.54 cm, 1 g = 980.665 cm/sec^2						

Probabilistic Seismic Hazard Assessment for the Eagle Rock Enrichment Facility	Comparison of Seismic Hazard Curves for PGA, SA 5 Hz, SA 1 Hz
WGE, Inc. Oct. 28, 2008	**FIGURE 26**



Comparison with USGS at 10^{-3} per year Exceedance Probability



Comparison with USGS and INTEC UHS at 10^{-3} per year Exceedance Probability



Comparison with INTEC UHS at 10^{-4} per year Exceedance Probability

Conversions for metric and customary acceleration units					
cm/sec²	in/sec²	g-units	cm/sec²	in/sec²	g-units
0.0	0.00	0.0000	0.00	0.00	0.00
50.0	19.69	0.0510	49.03	19.30	0.05
100.0	39.37	0.1020	98.07	38.61	0.10
150.0	59.06	0.1530	147.10	57.91	0.15
200.0	78.74	0.2039	196.13	77.22	0.20
250.0	98.43	0.2549	245.17	96.52	0.25
300.0	118.11	0.3059	294.20	115.83	0.30
350.0	137.80	0.3569	343.23	135.13	0.35
400.0	157.48	0.4079	392.27	154.44	0.40
450.0	177.17	0.4589	441.30	173.74	0.45
500.0	196.85	0.5099	490.33	193.04	0.50
550.0	216.54	0.5608	539.37	212.35	0.55
600.0	236.22	0.6118	588.40	231.65	0.60
650.0	255.91	0.6628	637.43	250.96	0.65
700.0	275.59	0.7138	686.47	270.26	0.70
750.0	295.28	0.7648	735.50	289.57	0.75
800.0	314.96	0.8158	784.53	308.87	0.80
850.0	334.65	0.8668	833.57	328.18	0.85
900.0	354.33	0.9177	882.60	347.48	0.90
950.0	374.02	0.9687	931.63	366.78	0.95
1000.0	393.70	1.0197	980.67	386.09	1.00

1 in = 2.54 cm, 1 g = 980.665 cm/sec²

Probabilistic Seismic Hazard Assessment for the Eagle Rock Enrichment Facility	Comparison of UHRS for Annual Exceedance Frequencies of 10^{-3} and 10^{-4}
WGE, Inc. Oct. 28, 2008	**FIGURE 27**