

## CCNPP3COLA PEmails

---

**From:** John Rycyna  
**Sent:** Friday, February 06, 2009 12:59 PM  
**To:** Poche, Robert; McQueeney, Jennifer  
**Cc:** CCNPP3COL Resource; Robert Davis; David Terao; Michael Miernicki; Joseph Colaccino; Meena Khanna; James Biggins; Adam Gendelman  
**Subject:** Draft RAI No 68 CIB1 1559.doc (PUBLIC)  
**Attachments:** Draft RAI No 68 CIB1 1559.doc

Rob,

Attached is DRAFT RAI No. 68. You have until February 20, 2009 to review it and to decide whether you need a conference call to discuss it. After the call or after February 20, 2009 the RAI will be finalized and sent to you. You then have 30 days to respond.

John Rycyna, PE  
Sr. Project Manager  
Division of New Reactor Licensing  
Office of New Reactors  
U.S. Nuclear Regulatory Commission  
301-415-4122

**Hearing Identifier:** CalvertCliffs\_Unit3Cola\_Public\_EX  
**Email Number:** 499

**Mail Envelope Properties** (499C2FC6BB962446994CA8682D8ADF3316CBAF2A33)

**Subject:** Draft RAI No 68 CIB1 1559.doc (PUBLIC)  
**Sent Date:** 2/6/2009 12:59:05 PM  
**Received Date:** 2/6/2009 12:59:07 PM  
**From:** John Rycyna

**Created By:** John.Rycyna@nrc.gov

**Recipients:**

"CCNPP3COL Resource" <CCNPP3COL.Resource@nrc.gov>  
Tracking Status: None  
"Robert Davis" <Robert.Davis@nrc.gov>  
Tracking Status: None  
"David Terao" <David.Terao@nrc.gov>  
Tracking Status: None  
"Michael Miernicki" <Michael.Miernicki@nrc.gov>  
Tracking Status: None  
"Joseph Colaccino" <Joseph.Colaccino@nrc.gov>  
Tracking Status: None  
"Meena Khanna" <Meena.Khanna@nrc.gov>  
Tracking Status: None  
"James Biggins" <James.Biggins@nrc.gov>  
Tracking Status: None  
"Adam Gendelman" <Adam.Gendelman@nrc.gov>  
Tracking Status: None  
"Poche, Robert" <robert.poche@unistarnuclear.com>  
Tracking Status: None  
"McQueeney, Jennifer" <Jennifer.McQueeney@unistarnuclear.com>  
Tracking Status: None

**Post Office:** HQCLSTR02.nrc.gov

| Files                         | Size | Date & Time          |
|-------------------------------|------|----------------------|
| MESSAGE                       | 441  | 2/6/2009 12:59:07 PM |
| Draft RAI No 68 CIB1 1559.doc |      | 24174                |

**Options**

**Priority:** Standard  
**Return Notification:** No  
**Reply Requested:** No  
**Sensitivity:** Normal  
**Expiration Date:**  
**Recipients Received:**

Request for Additional Information No. 68

DRAFT

2/6/2009

Calvert Cliffs Unit 3

UniStar

Docket No. 52-016

SRP Section: 06.01.01 - Engineered Safety Features Materials

Application Section: 6.1

QUESTIONS for Component Integrity, Performance, and Testing Branch 1 (AP1000/EPR Projects)  
(CIB1)

06.01.01-1

The applicant's FSAR Rev.3 Section 6.1.1.1 states that Constellation Generation Group and UniStar Nuclear Operating Services shall review the fabrication and welding procedures and other QA methods of potential Engineered Safety Features (ESF) component vendors to verify conformance with Regulatory Guides 1.31 and 1.44 (NRC, 1978 and NRC, 1973) prior to their selection as ESF component vendors. Because this COL information item will not be resolved before the issuance of a license, the COL applicant is requested to modify the COL FSAR to include a description of its review and acceptance process for verifying that the guidance provided in RG 1.31 and RG 1.44 will be followed for ESF systems in order to address the resolution consistent with the guidelines in RG 1.206, Section C.III.4. Please also revise Section 6.1.1.1 to reflect the current co-applicants for the COL.