IPEC Summary for Storm & Ground Water releases (H-3, Ni-63, Sr-90), compared to site limits
Child

Sum of IPEC monitoring well calculations for units 1, 2, & 3 (Areas 2, 3a, & 3b)

Doses, in mrem

ISOTOPE	BONE	LIVER	TOT BODY	THYROID	KIDNEY	LUNG	GI-LLI	uCi
H-3	0.00E+00	5.78E-06	5.78E-06	5.78E-06	5.78E-06	5.78E-06	5.78E-06	*8.05E+05*
Ni-63	1.83E-03	9.79E-05	6.22E-05	0.00E+00	0.00E+00	0.00E+00	6.59E-06	*6.73E+02*
Sr-90	7.25E-03	0.00E+00	1.84E-03	0.00E+00	0.00E+00	0.00E+00	9.76E-05	*3.91E+02*
totals	9.08E-03	1.04E-04	1.91E-03	5.78E-06	5.78E-06	5.78E-06	1.10E-04	***8.06E+05***

Storm Drain Water from Zone B, East/West Unit 2, near MH-2, going to river directly

Doses, in mrem

ISOTOPE	BONE	LIVER	TOT BODY	THYROID	KIDNEY	LUNG	GI-LLI	uCi
H-3	0.00E+00	1.05E-07	1.05E-07	1.05E-07	1.05E-07	1.05E-07	1.05E-07	*1.46E+04*

Storm Drain Water from Zones C and D/E (Central U2 & U1/U3) to Discharge Canal

Doses, in mrem

ISOTOPE	BONE	LIVER	TOT BODY	THYROID	KIDNEY	LUNG	GI-LLI	uCi
H-3	0.00E+00	1.81E-08	1.81E-08	1.81E-08	1.81E-08	1.81E-08	1.81E-08	*1.58E+05*

Totals:

Doses, in mrem

H-3 only	0.00E+00	5.90E-06	5.90E-06	5.90E-06	5.90E-06	5.90E-06	5.90E-06	*9.77E+05*
	BONE	LIVER	TOT BODY	THYROID	KIDNEY	LUNG	GI-LLI	uCi H-3
H-3, Ni-63, Sr-90	9.08E-03	1.04E-04	1.91E-03	5.90E-06	5.90E-06	5.90E-06	1.10E-04	
% Annual Limit	*0.091*	*0.001*	*0.064*	*0.00006*	*0.00006*	*0.00006*	*0.001*	

st & West Unit 2) to the Hudson River directly

Release Rate 6.15E+07 ml/day or 1.62E+04 gpd or 11.28 gpm

Duration of Release, in days 365 Waste vol released = 5.93E+06 gal

Dilution flow 1.11E+05 gpm Dilution vol released = 5.83E+10 gal

Dil Factor 1.02E-04 *(dilution data per **IP-CHM-05-042** from Dr. John Hamawi)*

ISOTOPE	Activity Released uCi/ml	10CFR20 EC*10 conc limit	PRE DILUTION CONC/MPC	POST DILUTION uCi/ml	POST DILUTION CONC/MPC	MICRO-CURIES RELEASED
H-3	6.51E-07	1.00E-02	6.51E-05	6.62E-11	6.62E-09	1.46E+04
MN-54		3.00E-04	0.00E+00	0.00E+00	0.00E+00	0.00E+00
FE-55		1.00E-03	0.00E+00	0.00E+00	0.00E+00	0.00E+00
CO-58		2.00E-04	0.00E+00	0.00E+00	0.00E+00	0.00E+00
CO-60		3.00E-05	0.00E+00	0.00E+00	0.00E+00	0.00E+00
NI-63		1.00E-03	0.00E+00	0.00E+00	0.00E+00	0.00E+00
SR-90		5.00E-06	0.00E+00	0.00E+00	0.00E+00	0.00E+00
SB-125		3.00E-04	0.00E+00	0.00E+00	0.00E+00	0.00E+00
CS-134		9.00E-06	0.00E+00	0.00E+00	0.00E+00	0.00E+00
CS-137		1.00E-05	0.00E+00	0.00E+00	0.00E+00	0.00E+00
CO-57		6.00E-04	0.00E+00	0.00E+00	0.00E+00	0.00E+00
TOTAL	**6.51E-07**	**n/a**	**6.51E-05**	**6.62E-11**	**6.62E-09**	**1.46E+04**

NUREG 0133 "Applicable Factor" for Near Field Dilution = 1.00E+00

Child Total Body mrem

ISOTOPE	BONE	LIVER	TOT BODY	THYROID	KIDNEY	LUNG	GI-LLI
H-3	0.00E+00	1.05E-07	1.05E-07	1.05E-07	1.05E-07	1.05E-07	1.05E-07
MN-54	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
FE-55	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
CO-58	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
CO-60	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
NI-63	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
SR-90	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
SB-125	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
CS-134	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
CS-137	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
CO-57	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
TOTAL	0.00E+00	1.05E-07	1.05E-07	1.05E-07	1.05E-07	1.05E-07	1.05E-07

to the Hudson River

Release Rate 3.23E+07 ml/day or 8.54E+03 gpd or 5.93 gpm

Duration of Release, in days 365 Waste vol released = 3.12E+06 gal

Dilution flow 1.39E+06 gpm Dilution vol released = 7.31E+11 gal

Dil Factor 4.27E-06 *(dilution from actual 2005 data)*

ISOTOPE	Activity Released uCi/ml	10CFR20 EC*10 conc limit	PRE DILUTION CONC/MPC	POST DILUTION uCi/ml	POST DILUTION CONC/MPC	MICRO-CURIES RELEASED
H-3 *	2.90E-06	1.00E-02	2.90E-04	1.24E-11	1.24E-09	3.42E+04
MN-54		3.00E-04	0.00E+00	0.00E+00	0.00E+00	0.00E+00
FE-55		1.00E-03	0.00E+00	0.00E+00	0.00E+00	0.00E+00
CO-58		2.00E-04	0.00E+00	0.00E+00	0.00E+00	0.00E+00
CO-60		3.00E-05	0.00E+00	0.00E+00	0.00E+00	0.00E+00
NI-63		1.00E-03	0.00E+00	0.00E+00	0.00E+00	0.00E+00
SR-90		5.00E-06	0.00E+00	0.00E+00	0.00E+00	0.00E+00
SB-125		3.00E-04	0.00E+00	0.00E+00	0.00E+00	0.00E+00
CS-134		9.00E-06	0.00E+00	0.00E+00	0.00E+00	0.00E+00
CS-137		1.00E-05	0.00E+00	0.00E+00	0.00E+00	0.00E+00
CO-57		6.00E-04	0.00E+00	0.00E+00	0.00E+00	0.00E+00
TOTAL	**2.90E-06**	**n/a**	**2.90E-04**	**1.24E-11**	**1.24E-09**	**3.42E+04**

* No gamma identified in storm drains, and 2.9E-6 was avg effluent H-3 in 2005 from MH-4a.

NUREG 0133 "Applicable Factor" for Near Field Dilution = 5.00E+00

Child Total Body mrem

ISOTOPE	BONE	LIVER	TOT BODY	THYROID	KIDNEY	LUNG	GI-LLI
H-3	0.00E+00	3.92E-09	3.92E-09	3.92E-09	3.92E-09	3.92E-09	3.92E-09
MN-54	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
FE-55	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
CO-58	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
CO-60	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
NI-63	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
SR-90	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
SB-125	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
CS-134	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
CS-137	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
CO-57	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
TOTAL	0.00E+00	3.92E-09	3.92E-09	3.92E-09	3.92E-09	3.92E-09	3.92E-09

River via the Discharge

Release Rate 2.17E+08 ml/day or 5.72E+04 gpd or 39.75 gpm

Duration of Release, in days 365 Waste vol released = 2.09E+07 gal

Dilution flow 1.39E+06 gpm Dilution vol released = 7.31E+11 gal

Dil Factor 2.86E-05 *(dilution from actual 2005 data)*

ISOTOPE	Activity Released uCi/ml	10CFR20 EC*10 conc limit	PRE DILUTION CONC/MPC	POST DILUTION uCi/ml	POST DILUTION CONC/MPC	MICRO-CURIES RELEASED
H-3 *	1.56E-06	1.00E-02	1.56E-04	4.46E-11	4.46E-09	1.23E+05
MN-54		3.00E-04	0.00E+00	0.00E+00	0.00E+00	0.00E+00
FE-55		1.00E-03	0.00E+00	0.00E+00	0.00E+00	0.00E+00
CO-58		2.00E-04	0.00E+00	0.00E+00	0.00E+00	0.00E+00
CO-60		3.00E-05	0.00E+00	0.00E+00	0.00E+00	0.00E+00
NI-63		1.00E-03	0.00E+00	0.00E+00	0.00E+00	0.00E+00
SR-90		5.00E-06	0.00E+00	0.00E+00	0.00E+00	0.00E+00
SB-125		3.00E-04	0.00E+00	0.00E+00	0.00E+00	0.00E+00
CS-134		9.00E-06	0.00E+00	0.00E+00	0.00E+00	0.00E+00
CS-137		1.00E-05	0.00E+00	0.00E+00	0.00E+00	0.00E+00
CO-57		6.00E-04	0.00E+00	0.00E+00	0.00E+00	0.00E+00
TOTAL	**1.56E-06**	**n/a**	**1.56E-04**	**4.46E-11**	**4.46E-09**	**1.23E+05**

* No gamma identified in storm drains, and 1.56E-6 was average of effected Storm Drains in 2005

NUREG 0133 "Applicable Factor" for Near Field Dilution = 5.00E+00

Child Total Body mrem

ISOTOPE	BONE	LIVER	TOT BODY	THYROID	KIDNEY	LUNG	GI-LLI
H-3	0.00E+00	1.41E-08	1.41E-08	1.41E-08	1.41E-08	1.41E-08	1.41E-08
MN-54	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
FE-55	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
CO-58	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
CO-60	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
NI-63	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
SR-90	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
SB-125	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
CS-134	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
CS-137	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
CO-57	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
TOTAL	0.00E+00	1.41E-08	1.41E-08	1.41E-08	1.41E-08	1.41E-08	1.41E-08

dson River via Bedrock Pathway

determined by samples from Monitoring Wells - Area 3b)

Release Rate 4.26E+07 ml/day or 1.13E+04 gpd or 7.82 gpm

Duration of Release, in days 365 Waste vol released = 4.11E+06 gal

Dilution flow 1.11E+05 gpm Dilution vol released = 5.83E+10 gal

Dil Factor 7.05E-05 *(dilution data per **IP-CHM-05-042** from Dr. John Hamawi)*

ISOTOPE	*Activity Released uCi/ml*	*10CFR20 EC*10 conc limit*	*PRE DILUTION CONC/MPC*	*POST DILUTION uCi/ml*	*POST DILUTION CONC/MPC*	*MICRO-CURIES RELEASED*
H-3	6.20E-07	1.00E-02	6.20E-05	4.37E-11	4.37E-09	9.65E+03
MN-54		3.00E-04	0.00E+00	0.00E+00	0.00E+00	0.00E+00
FE-55		1.00E-03	0.00E+00	0.00E+00	0.00E+00	0.00E+00
CO-58		2.00E-04	0.00E+00	0.00E+00	0.00E+00	0.00E+00
CO-60		3.00E-05	0.00E+00	0.00E+00	0.00E+00	0.00E+00
NI-63		1.00E-03	0.00E+00	0.00E+00	0.00E+00	0.00E+00
SR-90		5.00E-06	0.00E+00	0.00E+00	0.00E+00	0.00E+00
SB-125		3.00E-04	0.00E+00	0.00E+00	0.00E+00	0.00E+00
CS-134		9.00E-06	0.00E+00	0.00E+00	0.00E+00	0.00E+00
CS-137		1.00E-05	0.00E+00	0.00E+00	0.00E+00	0.00E+00
CO-57		6.00E-04	0.00E+00	0.00E+00	0.00E+00	0.00E+00
TOTAL	**6.20E-07**	**n/a**	**6.20E-05**	**4.37E-11**	**4.37E-09**	**9.65E+03**

NUREG 0133 "Applicable Factor" for Near Field Dilution = 1.00E+00

Child Total Body mrem

ISOTOPE	BONE	LIVER	TOT BODY	THYROID	KIDNEY	LUNG	GI-LLI
H-3	0.00E+00	6.93E-08	6.93E-08	6.93E-08	6.93E-08	6.93E-08	6.93E-08
MN-54	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
FE-55	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
CO-58	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
CO-60	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
NI-63	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
SR-90	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
SB-125	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
CS-134	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
CS-137	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
CO-57	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
TOTAL	0.00E+00	6.93E-08	6.93E-08	6.93E-08	6.93E-08	6.93E-08	6.93E-08

ison River via Bedrock Pathway

determined by samples from Monitoring Wells - Area 3a)

Release Rate 3.26E+07 ml/day or 8.62E+03 gpd or 5.98 gpm

Duration of Release, in days 365 Waste vol released = 3.14E+06 gal

Dilution flow 1.11E+05 gpm Dilution vol released = 5.83E+10 gal

Dil Factor 5.39E-05 *(dilution data per **IP-CHM-05-042** from Dr. John Hamawi)*

ISOTOPE	Activity Released uCi/ml	10CFR20 EC*10 conc limit	PRE DILUTION CONC/MPC	POST DILUTION uCi/ml	POST DILUTION CONC/MPC	MICRO-CURIES RELEASED
H-3	3.41E-05	1.00E-02	3.41E-03	1.84E-09	1.84E-07	4.06E+05
MN-54		3.00E-04	0.00E+00	0.00E+00	0.00E+00	0.00E+00
FE-55		1.00E-03	0.00E+00	0.00E+00	0.00E+00	0.00E+00
CO-58		2.00E-04	0.00E+00	0.00E+00	0.00E+00	0.00E+00
CO-60		3.00E-05	0.00E+00	0.00E+00	0.00E+00	0.00E+00
NI-63	5.65E-08	1.00E-03	5.65E-05	3.05E-12	3.05E-09	6.73E+02
SR-90	3.00E-08	5.00E-06	6.00E-03	1.62E-12	3.23E-07	3.57E+02
SB-125		3.00E-04	0.00E+00	0.00E+00	0.00E+00	0.00E+00
CS-134		9.00E-06	0.00E+00	0.00E+00	0.00E+00	0.00E+00
CS-137		1.00E-05	0.00E+00	0.00E+00	0.00E+00	0.00E+00
CO-57		6.00E-04	0.00E+00	0.00E+00	0.00E+00	0.00E+00
TOTAL	**3.42E-05**	**n/a**	**9.47E-03**	**1.84E-09**	**5.10E-07**	**4.07E+05**

NUREG 0133 "Applicable Factor" for Near Field Dilution = 1.00E+00

Child Total Body mrem

ISOTOPE	BONE	LIVER	TOT BODY	THYROID	KIDNEY	LUNG	GI-LLI
H-3	0.00E+00	2.91E-06	2.91E-06	2.91E-06	2.91E-06	2.91E-06	2.91E-06
MN-54	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
FE-55	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
CO-58	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
CO-60	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
NI-63	1.83E-03	9.79E-05	6.22E-05	0.00E+00	0.00E+00	0.00E+00	6.59E-06
SR-90	6.63E-03	0.00E+00	1.69E-03	0.00E+00	0.00E+00	0.00E+00	8.92E-05
SB-125	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
CS-134	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
CS-137	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
CO-57	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
TOTAL	8.46E-03	1.01E-04	1.75E-03	2.91E-06	2.91E-06	2.91E-06	9.88E-05

o Hudson River via Bedrock Pathway

, as determined by samples from Monitoring Wells - Area 2)

Release Rate 1.84E+07 ml/day or 4.85E+03 gpd or 3.37 gpm

Duration of Release, in days 365 Waste vol released = 1.77E+06 gal

Dilution flow 1.11E+05 gpm Dilution vol released = 5.83E+10 gal

Dil Factor 3.03E-05 *(dilution data per **IP-CHM-05-042** from Dr. John Hamawi)*

ISOTOPE	*Activity Released uCi/ml*	*10CFR20 EC*10 conc limit*	*PRE DILUTION CONC/MPC*	*POST DILUTION uCi/ml*	*POST DILUTION CONC/MPC*	*MICRO-CURIES RELEASED*
H-3	5.81E-05	1.00E-02	5.81E-03	1.76E-09	1.76E-07	3.89E+05
MN-54		3.00E-04	0.00E+00	0.00E+00	0.00E+00	0.00E+00
FE-55		1.00E-03	0.00E+00	0.00E+00	0.00E+00	0.00E+00
CO-58		2.00E-04	0.00E+00	0.00E+00	0.00E+00	0.00E+00
CO-60		3.00E-05	0.00E+00	0.00E+00	0.00E+00	0.00E+00
NI-63		1.00E-03	0.00E+00	0.00E+00	0.00E+00	0.00E+00
SR-90	5.00E-09	5.00E-06	1.00E-03	1.52E-13	3.03E-08	3.35E+01
SB-125		3.00E-04	0.00E+00	0.00E+00	0.00E+00	0.00E+00
CS-134		9.00E-06	0.00E+00	0.00E+00	0.00E+00	0.00E+00
CS-137		1.00E-05	0.00E+00	0.00E+00	0.00E+00	0.00E+00
CO-57		6.00E-04	0.00E+00	0.00E+00	0.00E+00	0.00E+00
TOTAL	**5.81E-05**	**n/a**	**6.81E-03**	**1.76E-09**	**2.07E-07**	**3.89E+05**

NUREG 0133 "Applicable Factor" for Near Field Dilution = 1.00E+00

Child Total Body mrem

ISOTOPE	BONE	LIVER	TOT BODY	THYROID	KIDNEY	LUNG	GI-LLI
H-3	0.00E+00	2.80E-06	**2.80E-06**	2.80E-06	2.80E-06	2.80E-06	2.80E-06
MN-54	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
FE-55	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
CO-58	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
CO-60	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
NI-63	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
SR-90	**6.22E-04**	0.00E+00	**1.58E-04**	0.00E+00	0.00E+00	0.00E+00	8.37E-06
SB-125	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
CS-134	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
CS-137	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
CO-57	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
TOTAL	**6.22E-04**	2.80E-06	**1.61E-04**	2.80E-06	2.80E-06	2.80E-06	1.12E-05


Precipitation (inches) at IPEC
1
3
5
4
2
0

Child Dose Factors

ISOTOPE	BONE	LIVER	TOT BODY	THYROID	KIDNEY	LUNG	GI-LLI
H-3	0.00E+00	1.81E-01	1.81E-01	1.81E-01	1.81E-01	1.81E-01	1.81E-01
MN-54	0.00E+00	4.20E+03	1.12E+03	0.00E+00	1.18E+03	0.00E+00	3.53E+03
FE-55	4.55E+04	2.42E+04	7.48E+03	0.00E+00	0.00E+00	1.37E+04	4.47E+03
CO-58	0.00E+00	4.20E+02	1.29E+03	0.00E+00	0.00E+00	0.00E+00	2.45E+03
CO-60	0.00E+00	1.23E+03	3.64E+03	0.00E+00	0.00E+00	0.00E+00	6.84E+03
NI-63	6.85E+04	3.67E+03	2.33E+03	0.00E+00	0.00E+00	0.00E+00	2.47E+02
SR-90	4.68E+05	0.00E+00	1.19E+05	0.00E+00	0.00E+00	0.00E+00	6.30E+03
SB-125	4.22E+02	3.25E+00	8.85E+01	3.91E-01	0.00E+00	2.35E+02	1.01E+03
CS-134	5.15E+04	8.44E+04	1.78E+04	0.00E+00	2.62E+04	9.39E+03	4.55E+02
CS-137	7.19E+04	6.88E+04	1.02E+04	0.00E+00	2.24E+04	8.07E+03	4.31E+02
CO-57	0.00E+00	1.15E+02	2.33E+02	0.00E+00	0.00E+00	0.00E+00	9.43E+02

Precipitation (inches) at IPEC