

February 24, 2009

MEMORANDUM TO: Steven A. Reynolds, Director
Division of Nuclear Materials Safety
Region III

FROM: Keith I. McConnell, Deputy Director/**RA**/
Decommissioning and Uranium Recovery
Licensing Directorate
Division of Waste Management
and Environmental Protection
Office of Federal and State Materials
and Environmental Management Programs

SUBJECT: THE PROPOSED DERIVED CONCENTRATION GUIDELINE
LEVELS FOR THE BRECKENRIDGE DISPOSAL SITE

In response to your technical assistance request dated February 6, 2009, staff from the Division of Waste Management and Environmental Protection (DWMEP) has reviewed the proposed derived concentration guideline levels (DCGLs) for both surface and subsurface cleanup and found them acceptable technically. Please see the enclosed Technical Evaluation Report dated February 20, 2009 for more details.

However, DWMEP staff notes that the proposed subsurface soil cleanup values for thorium-232 and radium-226 trigger the need for a Level I consultation with the U.S. Environmental Protection Agency (EPA). A Level I consultation needs to take place before NRC staff approves the subsurface DCGLs to ensure that EPA's comments and expertise are considered.

Enclosure: As stated

CONTACT: Richard Chang, FSME/DWMEP
301-415-7188

MEMORANDUM TO: Steven A. Reynolds, Director
 Division of Nuclear Materials Safety
 Region III

FROM: Keith I. McConnell, Deputy Director
 Decommissioning and Uranium Recovery
 Licensing Directorate
 Division of Waste Management
 and Environmental Protection
 Office of Federal and State Materials
 and Environmental Management Programs

SUBJECT: THE PROPOSED DERIVED CONCENTRATION GUIDELINE
 LEVELS FOR THE BRECKENRIDGE DISPOSAL SITE

In response to your technical assistance request dated February 6, 2009, staff from the Division of Waste Management and Environmental Protection (DWMEP) has reviewed the proposed derived concentration guideline levels (DCGLs) for both surface and subsurface cleanup and found them acceptable technically. Please see the enclosed Technical Evaluation Report dated February 20, 2009 for more details.

However, DWMEP staff notes that the proposed subsurface soil cleanup values for thorium-232 and radium-226 trigger the need for a Level I consultation with the U.S. Environmental Protection Agency (EPA). A Level I consultation needs to take place before NRC staff approves the subsurface DCGLs to ensure that EPA's comments and expertise are considered.

Enclosure: As stated

CONTACT: Richard Chang, FSME/DWMEP
 301-415-7188

ML090510555

OFC	DWMEP	DWMEP	DWMEP	DWMEP	DWMEP
NAME	RChang	DSchmidt	SMichonski	LChang	KMcConnell
DATE	02/20/09	02/24/09	02/24/09	02/24/09	02/24/09

OFFICIAL RECORD COPY