

10 CFR 26.71(d)

RS-09-031

February 23, 2009

U. S. Nuclear Regulatory Commission
Attn: Document Control Desk
Washington, DC 20555-0001

Braidwood Station, Units 1 and 2
Facility Operating License Nos. NPF-72 and NPF-77
NRC Docket Nos. STN 50-456 and STN 50-457

Byron Station, Units 1 and 2
Facility Operating License Nos. NPF-37 and NPF-66
NRC Docket Nos. STN 50-454 and STN 50-455

Clinton Power Station
Facility Operating License No. NPF-62
NRC Docket No. 50-461

Dresden Nuclear Power Station, Units 2 and 3
Renewed Facility Operating License Nos. DPR-19 and DPR-25
NRC Docket Nos. 50-237 and 50-249

LaSalle County Station, Units 1 and 2
Facility Operating License Nos. NPF-11 and NPF-18
NRC Docket Nos. 50-373 and 50-374

Limerick Generating Station, Units 1 and 2
Facility Operating License Nos. NPF-39 and NPF-85
NRC Docket Nos. 50-352 and 50-353

Oyster Creek Generating Station
Facility Operating License No. DPR-16
NRC Docket No. 50-219

Peach Bottom Atomic Power Station, Units 2 and 3
Renewed Facility Operating License Nos. DPR-44 and DPR-56
NRC Docket Nos. 50-277 and 50-278

Quad Cities Nuclear Power Station, Units 1 and 2
Renewed Facility Operating License Nos. DPR-29 and DPR-30
NRC Docket Nos. 50-254 and 50-265

Three Mile Island Station, Unit 1
Facility Operating License No. DPR-50
NRC Docket No. 50-289

Zion Nuclear Power Station, Units 1 and 2
Facility Operating License Nos. DPR-39 and DPR-48
NRC Docket Nos. 50-295 and 50-304

Subject: Fitness for Duty Performance Data Reports – Second Period – 2008

In accordance with 10 CFR 26.71(d), "Recordkeeping requirements," Exelon Generation Company, LLC (EGC) is providing the compiled fitness-for-duty program performance data for the EGC nuclear power stations and the corporate support employees within the scope of the rule for the six-month period ending December 31, 2008.

As required by 10 CFR 26.71(d), management actions and reported events are also provided as attachments. This performance data is reported on the January 1992 revised Fitness-For-Duty (FFD) Performance Data Form developed by Nuclear Management and Resources Council (NUMARC).

There are no regulatory commitments contained in this letter. Should you have any questions, please contact Ms. Michelle Yun at (630) 657-2818.

Respectfully,



Darin M. Benyak
Director – Licensing and Regulatory Affairs

Attachment: Fitness for Duty Performance Data – Personnel Subject to 10 CFR 26

ATTACHMENT

Fitness for Duty Performance Data – Personnel Subject to 10 CFR 26

**FITNESS FOR DUTY
PERFORMANCE DATA
PERSONNEL SUBJECT TO 10 CFR 26**

Exelon
Company

December 31, 2008
Six Months Ending

KENNETT SQUARE AND WARRENVILLE OFFICES
Location

Susan Techau
Contact Name

(630) 657-2904
Phone (include area code)

Cutoffs: Screen/Confirmation (ng/ml) / Appendix A to 10 CFR 26

Marijuana 50/15 Amphetamines 1000/500 _____

Cocaine 300/150 Phencyclidine 25/25 _____

Opiates 300/300 Alcohol (% BAC) .04 _____

		Licensee Employees		Long - Term Contractor		Short - Term Contractor	
Average with Unescorted Access		731		0		65	
Categories		Number Tested	Number Positive	Number Tested	Number Positive	Number Tested	Number Positive
Pre-Access		10	0	0	0	2	0
Pre-Access Random		0	0	0	0	0	0
For Cause	Post Accident	0	0	0	0	0	0
	Observed Behavior	0	0	0	0	1	0
Random		171	0	0	0	18	0
Follow-up		7	0	0	0	1	0
Other		0	0	0	0	0	0
Total		188	0	0	0	22	0

**FITNESS FOR DUTY
PERFORMANCE DATA
PERSONNEL SUBJECT TO 10 CFR 26**

Exelon
Company

December 31, 2008
Six Months Ending

BRAIDWOOD STATION
Location

Susan Techau
Contact Name

(630) 657-2904
Phone (include area code)

Cutoffs: Screen/Confirmation (ng/ml) / Appendix A to 10 CFR 26

Marijuana 50/15 Amphetamines 1000/500 _____

Cocaine 300/150 Phencyclidine 25/25 _____

Opiates 300/300 Alcohol (% BAC) .04 _____

		Licensee Employees		Long -Term Contractor		Short -Term Contractor	
Average with Unescorted Access		824		0		172	
Categories		Number Tested	Number Positive	Number Tested	Number Positive	Number Tested	Number Positive
Pre-Access		85	0	0	0	170	0
Pre-Access Random		0	0	0	0	2	0
For Cause	Post Accident	4	0	0	0	0	0
	Observed Behavior	1	0	0	0	0	0
Random		183	0	0	0	42	0
Follow-up		7	0	0	0	7	0
Other		0	0	0	0	1	0
Total		280	0	0	0	222	0

**FITNESS FOR DUTY
PERFORMANCE DATA
PERSONNEL SUBJECT TO 10 CFR 26**

Exelon
Company

December 31, 2008
Six Months Ending

BYRON STATION
Location

Susan Techau
Contact Name

(630) 657-2904
Phone (include area code)

Cutoffs: Screen/Confirmation (ng/ml) / _____ / Appendix A to 10 CFR 26

Marijuana 50/15 Amphetamines 1000/500 _____

Cocaine 300/150 Phencyclidine 25/25 _____

Opiates 300/300 Alcohol (% BAC) .04 _____

		Licensee Employees		Long -Term Contractor		Short -Term Contractor	
Average with Unescorted Access		848		0		389	
Categories		Number Tested	Number Positive	Number Tested	Number Positive	Number Tested	Number Positive
Pre-Access		52	0	0	0	1263	11*
Pre-Access Random		0	0	0	0	3	0
For Cause	Post Accident	0	0	0	0	1	0
	Observed Behavior	1	0	0	0	3	1
Random		208	0	0	0	91	0
Follow-up		12	0	0	0	33	0
Other		0	0	0	0	4	1
Total		273	0	0	0	1398	13

* Includes one refusal to test.

**FITNESS FOR DUTY
PERFORMANCE DATA
PERSONNEL SUBJECT TO 10 CFR 26**

AmerGen Energy Company, LLC
Company

December 31, 2008
Six Months Ending

CLINTON POWER STATION
Location

Susan Techau
Contact Name

(630) 657-2904
Phone (include area code)

Cutoffs: Screen/Confirmation (ng/ml) / _____ / Appendix A to 10 CFR 26

Marijuana 50/15 Amphetamines 1000/500 _____

Cocaine 300/150 Phencyclidine 25/25 _____

Opiates 300/300 Alcohol (% BAC) .04 _____

		Licensee Employees		Long -Term Contractor		Short -Term Contractor	
Average with Unescorted Access		674		0		155	
Categories		Number Tested	Number Positive	Number Tested	Number Positive	Number Tested	Number Positive
Pre-Access		17	0	0	0	102	1
Pre-Access Random		0	0	0	0	4	0
For Cause	Post Accident	0	0	0	0	0	0
	Observed Behavior	7	0	0	0	0	0
Random		166	1	0	0	47	0
Follow-up		16	0	0	0	3	0
Other		2	0	0	0	0	0
Total		208	1	0	0	156	1

**FITNESS FOR DUTY
PERFORMANCE DATA
PERSONNEL SUBJECT TO 10 CFR 26**

Exelon
Company

December 31, 2008
Six Months Ending

DRESDEN NUCLEAR POWER STATION

Location

Susan Techau
Contact Name

(630) 657-2904
Phone (include area code)

Cutoffs: Screen/Confirmation (ng/ml) / _____ / Appendix A to 10 CFR 26

Marijuana 50/15 Amphetamines 1000/500 _____

Cocaine 300/150 Phencyclidine 25/25 _____

Opiates 300/300 Alcohol (% BAC) .04 _____

		Licensee Employees		Long -Term Contractor		Short -Term Contractor	
Average with Unescorted Access		887		0		545	
Categories		Number Tested	Number Positive	Number Tested	Number Positive	Number Tested	Number Positive
Pre-Access		67	0	0	0	1107	9
Pre-Access Random		1	0	0	0	25	0
For Cause	Post Accident	2	0	0	0	3	0
	Observed Behavior	3	1	0	0	3	3*
Random		214	1	0	0	122	1
Follow-up		21	0	0	0	30	0
Other		1	0	0	0	9	0
Total		309	2	0	0	1299	13

* Includes one refusal to test.

**FITNESS FOR DUTY
PERFORMANCE DATA
PERSONNEL SUBJECT TO 10 CFR 26**

Exelon
Company

December 31, 2008
Six Months Ending

LASALLE COUNTY STATION
Location

Susan Techau
Contact Name

(630) 657-2904
Phone (include area code)

Cutoffs: Screen/Confirmation (ng/ml) / _____ / Appendix A to 10 CFR 26

Marijuana 50/15 Amphetamines 1000/500 _____

Cocaine 300/150 Phencyclidine 25/25 _____

Opiates 300/300 Alcohol (% BAC) .04 _____

		Licensee Employees		Long -Term Contractor		Short -Term Contractor	
Average with Unescorted Access		858		0		220	
Categories		Number Tested	Number Positive	Number Tested	Number Positive	Number Tested	Number Positive
Pre-Access		45	0	0	0	381	0
Pre-Access Random		4	0	0	0	3	0
For Cause	Post Accident	3	0	0	0	1	0
	Observed Behavior	0	0	0	0	6	3
Random		205	0	0	0	54	0
Follow-up		16	0	0	0	12	0
Other		0	0	0	0	2	0
Total		273	0	0	0	459	3

**FITNESS FOR DUTY
PERFORMANCE DATA
PERSONNEL SUBJECT TO 10 CFR 26**

Exelon
Company

December 31, 2008
Six Months Ending

LIMERICK GENERATING STATION

Location

Susan Techau
Contact Name

(630) 657-2904
Phone (include area code)

Cutoffs: Screen/Confirmation (ng/ml) / _____ / Appendix A to 10 CFR 26

Marijuana 50/15 Amphetamines 1000/500 _____

Cocaine 300/150 Phencyclidine 25/25 _____

Opiates 300/300 Alcohol (% BAC) .04 _____

		Licensee Employees		Long -Term Contractor		Short -Term Contractor	
Average with Unescorted Access		861		0		186	
Categories		Number Tested	Number Positive	Number Tested	Number Positive	Number Tested	Number Positive
Pre-Access		53	0	0	0	104	0
Pre-Access Random		0	0	0	0	1	0
For Cause	Post Accident	7	0	0	0	4	0
	Observed Behavior	0	0	0	0	1	0
Random		207	0	0	0	46	0
Follow-up		33	0	0	0	5	0
Other		10	0	0	0	4	0
Total		310	0	0	0	165	0

**FITNESS FOR DUTY
PERFORMANCE DATA
PERSONNEL SUBJECT TO 10 CFR 26**

AmerGen Energy Company, LLC
Company

December 31, 2008
Six Months Ending

OYSTER CREEK GENERATING STATION
Location

Susan Techau
Contact Name

(630) 657-2904
Phone (include area code)

Cutoffs: Screen/Confirmation (ng/ml) / _____ / Appendix A to 10 CFR 26

Marijuana 50/15 Amphetamines 1000/500 _____

Cocaine 300/150 Phencyclidine 25/25 _____

Opiates 300/300 Alcohol (% BAC) .04 _____

		Licensee Employees		Long -Term Contractor		Short -Term Contractor	
Average with Unescorted Access		713		0		506	
Categories		Number Tested	Number Positive	Number Tested	Number Positive	Number Tested	Number Positive
Pre-Access		44	0	0	0	734	10
Pre-Access Random		0	0	0	0	28	0
For Cause	Post Accident	6	0	0	0	13	0
	Observed Behavior	1	0	0	0	3	2*
Random		167	1	0	0	127	1
Follow-up		44	0	0	0	55	0
Other		11	1	0	0	20	3
Total		273	2	0	0	980	16

* Includes one refusal to test.

**FITNESS FOR DUTY
PERFORMANCE DATA
PERSONNEL SUBJECT TO 10 CFR 26**

Exelon
Company

December 31, 2008
Six Months Ending

PEACH BOTTOM ATOMIC POWER STATION

Location

Susan Techau
Contact Name

(630) 657-2904
Phone (include area code)

Cutoffs: Screen/Confirmation (ng/ml) / _____ / Appendix A to 10 CFR 26

Marijuana 50/15 Amphetamines 1000/500 _____

Cocaine 300/150 Phencyclidine 25/25 _____

Opiates 300/300 Alcohol (% BAC) .04 _____

		Licensee Employees		Long -Term Contractor		Short -Term Contractor	
Average with Unescorted Access		876		0		443	
Categories		Number Tested	Number Positive	Number Tested	Number Positive	Number Tested	Number Positive
Pre-Access		74	0	0	0	1620	9
Pre-Access Random		1	0	0	0	4	0
For Cause	Post Accident	4	0	0	0	0	0
	Observed Behavior	1	0	0	0	1	0
Random		213	0	0	0	93	1
Follow-up		26	0	0	0	49	0
Other		8	0	0	0	23	0
Total		327	0	0	0	1790	10

**FITNESS FOR DUTY
PERFORMANCE DATA
PERSONNEL SUBJECT TO 10 CFR 26**

Exelon
Company

December 31, 2008
Six Months Ending

QUAD CITIES NUCLEAR POWER STATION

Location

Susan Techau
Contact Name

(630) 657-2904
Phone (include area code)

Cutoffs: Screen/Confirmation (ng/ml) / Appendix A to 10 CFR 26

Marijuana 50/15 Amphetamines 1000/500 _____

Cocaine 300/150 Phencyclidine 25/25 _____

Opiates 300/300 Alcohol (% BAC) .04 _____

		Licensee Employees		Long -Term Contractor		Short -Term Contractor	
Average with Unescorted Access		864		0		200	
Categories		Number Tested	Number Positive	Number Tested	Number Positive	Number Tested	Number Positive
Pre-Access		42	0	0	0	189	1
Pre-Access Random		3	0	0	0	2	0
For Cause	Post Accident	4	0	0	0	1	0
	Observed Behavior	0	0	0	0	0	0
Random		227	0	0	0	56	1
Follow-up		30	0	0	0	14	1
Other		0	0	0	0	0	0
Total		306	0	0	0	262	3

**FITNESS FOR DUTY
PERFORMANCE DATA
PERSONNEL SUBJECT TO 10 CFR 26**

AmerGen Energy Company, LLC
Company

December 31, 2008
Six Months Ending

THREE MILE ISLAND NUCLEAR GENERATING STATION
Location

Susan Techau
Contact Name

(630) 657-2904
Phone (include area code)

Cutoffs: Screen/Confirmation (ng/ml) / _____ / Appendix A to 10 CFR 26

Marijuana 50/15 Amphetamines 1000/500 _____

Cocaine 300/150 Phencyclidine 25/25 _____

Opiates 300/300 Alcohol (% BAC) .04 _____

		Licensee Employees		Long -Term Contractor		Short -Term Contractor	
Average with Unescorted Access		706		0		180	
Categories		Number Tested	Number Positive	Number Tested	Number Positive	Number Tested	Number Positive
Pre-Access		64	0	0	0	121	0
Pre-Access Random		2	0	0	0	3	0
For Cause	Post Accident	12	0	0	0	1	0
	Observed Behavior	1	0	0	0	1	0
Random		164	1	0	0	46	0
Follow-up		46	1	0	0	8	0
Other		6	0	0	0	7	0
Total		295	2	0	0	187	0

**FITNESS FOR DUTY
PERFORMANCE DATA
PERSONNEL SUBJECT TO 10 CFR 26**

Exelon
Company

December 31, 2008
Six Months Ending

ZION NUCLEAR POWER STATION

Location

Susan Techau
Contact Name

(630) 657-2904
Phone (include area code)

Cutoffs: Screen/Confirmation (ng/ml) / _____ / Appendix A to 10 CFR 26

Marijuana 50/15 Amphetamines 1000/500 _____

Cocaine 300/150 Phencyclidine 25/25 _____

Opiates 300/300 Alcohol (% BAC) .04 _____


		Licensee Employees		Long -Term Contractor		Short -Term Contractor	
Average with Unescorted Access		46		0		68	
Categories		Number Tested	Number Positive	Number Tested	Number Positive	Number Tested	Number Positive
Pre-Access		2	0	0	0	56	0
Pre-Access Random		0	0	0	0	0	0
For Cause	Post Accident	0	0	0	0	0	0
	Observed Behavior	0	0	0	0	0	0
Random		12	0	0	0	27	0
Follow-up		0	0	0	0	0	0
Other		0	0	0	0	0	0
Total		14	0	0	0	83	0

BREAKDOWN OF CONFIRMED POSITIVE TESTS FOR SPECIFIC SUBSTANCES –KENNETT SQUARE AND WARRENVILLE OFFICES

	Marijuana	Cocaine	Opiates	Amphetamines	Phencyclidine	Alcohol	Refusal To Test
Licensee Employees	0 0	0	0	0	0	0	0
Long -Term Contractors	0	0	0	0	0	0	0
Short -Term Contractors	0 0	0	0	0	0	0	0
TOTAL	0 0	0	0	0	0	0	0

Exelon implements a 50 ng/ml positive threshold for THC. In order to report test results for the USNRC specified level (100 ng/ml) and for the more stringent level of 50 ng/ml, the data is reported above as follows:

All Positive Tests at or above Exelon's Threshold -----




-----Positive Tests at 100 ng/ml or greater

BREAKDOWN OF CONFIRMED POSITIVE TESTS FOR SPECIFIC SUBSTANCES - BRAIDWOOD STATION

	Marijuana	Cocaine	Opiates	Amphetamines	Phencyclidine	Alcohol	Refusal To Test
Licensee Employees	0 0	0	0	0	0	0	0
Long -Term Contractors	0	0	0	0	0	0	0
Short -Term Contractors	0 0	0	0	0	0	0	0
TOTAL	0 0	0	0	0	0	0	0

Exelon implements a 50 ng/ml positive threshold for THC. In order to report test results for the USNRC specified level (100 ng/ml) and for the more stringent level of 50 ng/ml, the data is reported above as follows:

All Positive Tests at or above
Exelon's Threshold -----




-----Positive Tests at
100 ng/ml or greater

BREAKDOWN OF CONFIRMED POSITIVE TESTS FOR SPECIFIC SUBSTANCES – BYRON STATION

	Marijuana	Cocaine	Opiates	Amphetamines	Phencyclidine	Alcohol	Refusal To Test
Licensee Employees	0 0	0	0	0	0	0	0
Long -Term Contractors	0	0	0	0	0	0	0
Short -Term Contractors	8 7	3	0	0	0	1	1
TOTAL	8 7	3	0	0	0	1	1

Exelon implements a 50 ng/ml positive threshold for THC. In order to report test results for the USNRC specified level (100 ng/ml) and for the more stringent level of 50 ng/ml, the data is reported above as follows:

All Positive Tests at or above Exelon's Threshold -----




-----Positive Tests at 100 ng/ml or greater

BREAKDOWN OF CONFIRMED POSITIVE TESTS FOR SPECIFIC SUBSTANCES – CLINTON POWER STATION

	Marijuana	Cocaine	Opiates	Amphetamines	Phencyclidine	Alcohol	Refusal To Test
Licensee Employees	0 0	1	0	0	0	0	0
Long -Term Contractors	0	0	0	0	0	0	0
Short -Term Contractors	1 1	0	0	0	0	0	0
TOTAL	1 1	1	0	0	0	0	0

Exelon implements a 50 ng/ml positive threshold for THC. In order to report test results for the USNRC specified level (100 ng/ml) and for the more stringent level of 50 ng/ml, the data is reported above as follows:

All Positive Tests at or above Exelon's Threshold -----




-----Positive Tests at 100 ng/ml or greater

BREAKDOWN OF CONFIRMED POSITIVE TESTS FOR SPECIFIC SUBSTANCES – DRESDEN NUCLEAR POWER STATION

	Marijuana	Cocaine	Opiates	Amphetamines	Phencyclidine	Alcohol	Refusal To Test
Licensee Employees	2 2	0	0	0	0	0	0
Long –Term Contractors	0	0	0	0	0	0	0
Short -Term Contractors	5 4	5	0	0	0	2	1
TOTAL	7 6	5	0	0	0	2	1

Exelon implements a 50 ng/ml positive threshold for THC. In order to report test results for the USNRC specified level (100 ng/ml) and for the more stringent level of 50 ng/ml, the data is reported above as follows:

All Positive Tests at or above Exelon’s Threshold -----




-----Positive Tests at 100 ng/ml or greater

BREAKDOWN OF CONFIRMED POSITIVE TESTS FOR SPECIFIC SUBSTANCES – LASALLE COUNTY STATION

	Marijuana	Cocaine	Opiates	Amphetamines	Phencyclidine	Alcohol	Refusal To Test
Licensee Employees	0 0	0	0	0	0	0	0
Long -Term Contractors	0	0	0	0	0	0	0
Short -Term Contractors	1 1	0	0	0	0	2	0
TOTAL	1 1	0	0	0	0	2	0

Exelon implements a 50 ng/ml positive threshold for THC. In order to report test results for the USNRC specified level (100 ng/ml) and for the more stringent level of 50 ng/ml, the data is reported above as follows:

All Positive Tests at or above
Exelon's Threshold -----




-----Positive Tests at
100 ng/ml or greater

BREAKDOWN OF CONFIRMED POSITIVE TESTS FOR SPECIFIC SUBSTANCES – LIMERICK GENERATING STATION

	Marijuana	Cocaine	Opiates	Amphetamines	Phencyclidine	Alcohol	Refusal To Test
Licensee Employees	0 0	0	0	0	0	0	0
Long -Term Contractors	0	0	0	0	0	0	0
Short -Term Contractors	0 0	0	0	0	0	0	0
TOTAL	0 0	0	0	0	0	0	0

Exelon implements a 50 ng/ml positive threshold for THC. In order to report test results for the USNRC specified level (100 ng/ml) and for the more stringent level of 50 ng/ml, the data is reported above as follows:

All Positive Tests at or above Exelon's Threshold -----




-----Positive Tests at 100 ng/ml or greater

BREAKDOWN OF CONFIRMED POSITIVE TESTS FOR SPECIFIC SUBSTANCES – OYSTER CREEK GENERATING STATION

	Marijuana	Cocaine	Opiates	Amphetamines	Phencyclidine	Alcohol	Refusal To Test
Licensee Employees	0 0	0	0	0	0	2	0
Long -Term Contractors	0	0	0	0	0	0	0
Short -Term Contractors	8 4	2	0	0	0	5	1
TOTAL	8 4	2	0	0	0	7	1

Exelon implements a 50 ng/ml positive threshold for THC. In order to report test results for the USNRC specified level (100 ng/ml) and for the more stringent level of 50 ng/ml, the data is reported above as follows:

All Positive Tests at or above Exelon's Threshold -----




-----Positive Tests at 100 ng/ml or greater

**BREAKDOWN OF CONFIRMED POSITIVE TESTS FOR SPECIFIC SUBSTANCES –PEACH BOTTOM ATOMIC
POWER STATION**

	Marijuana	Cocaine	Opiates	Amphetamines	Phencyclidine	Alcohol	Refusal To Test
Licensee Employees	0 0	0	0	0	0	0	0
Long -Term Contractors	0	0	0	0	0	0	0
Short -Term Contractors	9 6	1	0	0	0	0	0
TOTAL	9 6	1	0	0	0	0	0

Exelon implements a 50 ng/ml positive threshold for THC. In order to report test results for the USNRC specified level (100 ng/ml) and for the more stringent level of 50 ng/ml, the data is reported above as follows:

All Positive Tests at or above
Exelon's Threshold -----




-----Positive Tests at
100 ng/ml or greater

BREAKDOWN OF CONFIRMED POSITIVE TESTS FOR SPECIFIC SUBSTANCES – QUAD CITIES NUCLEAR POWER STATION

	Marijuana	Cocaine	Opiates	Amphetamines	Phencyclidine	Alcohol	Refusal To Test
Licensee Employees	0 0	0	0	0	0	0	0
Long -Term Contractors	0	0	0	0	0	0	0
Short -Term Contractors	1 1	0	0	0	0	2	0
TOTAL	1 1	0	0	0	0	2	0

Exelon implements a 50 ng/ml positive threshold for THC. In order to report test results for the USNRC specified level (100 ng/ml) and for the more stringent level of 50 ng/ml, the data is reported above as follows:

All Positive Tests at or above Exelon's Threshold -----




-----Positive Tests at 100 ng/ml or greater

BREAKDOWN OF CONFIRMED POSITIVE TESTS FOR SPECIFIC SUBSTANCES – THREE MILE ISLAND NUCLEAR GENERATING STATION

	Marijuana	Cocaine	Opiates	Amphetamines	Phencyclidine	Alcohol	Refusal To Test
Licensee Employees	2 2	0	0	0	0	0	0
Long -Term Contractors	0	0	0	0	0	0	0
Short -Term Contractors	0 0	0	0	0	0	0	0
TOTAL	2 2	0	0	0	0	0	0

Exelon implements a 50 ng/ml positive threshold for THC. In order to report test results for the USNRC specified level (100 ng/ml) and for the more stringent level of 50 ng/ml, the data is reported above as follows:

All Positive Tests at or above Exelon's Threshold -----




-----Positive Tests at 100 ng/ml or greater

BREAKDOWN OF CONFIRMED POSITIVE TESTS FOR SPECIFIC SUBSTANCES – ZION NUCLEAR POWER STATION

	Marijuana	Cocaine	Opiates	Amphetamines	Phencyclidine	Alcohol	Refusal To Test
Licensee Employees	0 0	0	0	0	0	0	0
Long -Term Contractors	0	0	0	0	0	0	0
Short -Term Contractors	0 0	0	0	0	0	0	0
TOTAL	0 0	0	0	0	0	0	0

Exelon implements a 50 ng/ml positive threshold for THC. In order to report test results for the USNRC specified level (100 ng/ml) and for the more stringent level of 50 ng/ml, the data is reported above as follows:

All Positive Tests at or above Exelon's Threshold -----



-----Positive Tests at 100 ng/ml or greater

KENNETT SQUARE AND WARRENVILLE OFFICES

Management Actions and Sanctions

There were no positive tests during this reporting period.

Events Reported

There were no 24-hour reportable events during this reporting period.

Random Testing Rate

Exelon Nuclear maintains separate testing pools for employees and contractors. For the entire year of 2008 the companywide random testing rate for employees was 51.1% and for contractors the random testing rate was 52.5%.

Additional Information

During the current reporting period, i.e., July-December, 2008, twelve (12) specimens from all locations were reported as presumptive positive for cocaine as a result of on-site screening. All twelve (12) specimens were confirmed as positive by the laboratories and were verified as positive by the Medical Review Officer for a confirmation rate of 100%. This confirmation rate allows Exelon to temporarily suspend individuals from unescorted access or to take lesser administrative actions with individuals based on an unconfirmed presumptive positive test for cocaine as stated in 10 CFR 26.24(d).

During the current reporting period, i.e., July-December, 2008, thirty-nine (39) specimens from all locations were reported as presumptive positive for marijuana as a result of on-site screening. Thirty-four (34) of the thirty-nine (39) specimens were confirmed as positive by the laboratories and were verified as positive by the Medical Review Officer for a confirmation rate of 87.2%. This confirmation rate allows Exelon to temporarily suspend individuals from unescorted access or to take lesser administrative actions with individuals based on an unconfirmed presumptive positive test for marijuana as stated in 10 CFR 26.24(d).

BRAIDWOOD STATION

Management Actions and Sanctions

There were no positive tests during this reporting period.

There were two (2) appeals of FFD violations for positive tests from previous reporting periods. The appeal reviewer upheld the decisions to deny access in both cases.

Events Reported

There were no 24-hour reportable events during this reporting period.

BYRON STATION

Management Actions and Sanctions

Twelve (12) positive tests and one (1) refusal to test resulted in the denial or revocation of unescorted access. The Medical Review Officer determined there was one (1) attempt to substitute a urine specimen during testing resulting in the denial or revocation of unescorted access.

There was one (1) appeal of an FFD violation for a refusal to test during the current reporting period. The appeal reviewer upheld the decision to deny access.

Events Reported

There were no 24-hour reportable events during this reporting period.

CLINTON POWER STATION

Management Actions and Sanctions

Two (2) positive tests resulted in the denial or revocation of unescorted access.

Note on Cutoff Levels

The initial cutoff level for marijuana is 50 ng/ml for all individuals except for licensee bargaining unit personnel whose initial cutoff level for marijuana is 100 ng/ml.

Events Reported

There were no 24-hour reportable events during this reporting period.

DRESDEN NUCLEAR POWER STATION

Management Actions and Sanctions

Fourteen (14) positive tests and one (1) refusal to test resulted in the denial or revocation of unescorted access. The Medical Review Officer determined there were three (3) attempts to substitute urine specimens during testing resulting in the denial or revocation of unescorted access.

There was one (1) appeal of an FFD violation for a positive test during the current reporting period and one (1) appeal of an FFD violation for a positive test from a previous reporting period. The appeal reviewer upheld the decisions to deny access in both cases.

Events Reported

There were no 24-hour reportable events during this reporting period.

LASALLE COUNTY STATION

Management Actions and Sanctions

Three (3) positive tests resulted in the denial or revocation of unescorted access. The Medical Review Officer determined there was one (1) attempt to substitute a urine specimen during testing resulting in the denial or revocation of unescorted access.

Events Reported

There were no 24-hour reportable events during this reporting period.

LIMERICK GENERATING STATION

Management Actions and Sanctions

There were no positive tests during this reporting period.

Events Reported

There were no 24-hour reportable events during this reporting period.

OYSTER CREEK GENERATING STATION

Management Actions and Sanctions

Seventeen (17) positive tests and one (1) refusal to test resulted in the denial or revocation of unescorted access. The Medical Review Officer determined there was one (1) attempt to substitute a urine specimen during testing resulting in the denial or revocation of unescorted access.

There was one (1) appeal of an FFD violation for a positive test during the current reporting period. The appeal reviewer upheld the decision to deny access.

Note on Cutoff Levels

The initial cutoff level for marijuana is 50 ng/ml for all individuals except for licensee bargaining unit personnel whose initial cutoff level for marijuana is 100 ng/ml.

Events Reported

There were no 24-hour reportable events during this reporting period.

PEACH BOTTOM ATOMIC POWER STATION

Management Actions and Sanctions

Ten (10) positive tests resulted in the denial or revocation of unescorted access.

One (1) of the positive tests involved the random test of an FFD collection contractor. The individual was not a supervisor. A review of the individual's work revealed no discrepancies.

There was one (1) appeal of an FFD violation for a positive test during the current reporting period. The appeal reviewer upheld the decision to deny access.

Events Reported

There were no 24-hour reportable events during this reporting period.

QUAD CITIES NUCLEAR POWER STATION

Management Actions and Sanctions

Three (3) positive tests resulted in the denial or revocation of unescorted access.

Events Reported

There were no 24-hour reportable events during this reporting period.

THREE MILE ISLAND NUCLEAR GENERATING STATION

Management Actions and Sanctions

Two (2) positive tests resulted in the denial or revocation of unescorted access.

Note on Cutoff Levels

The initial cutoff level for marijuana is 50 ng/ml for all individuals except for licensee bargaining unit personnel whose initial cutoff level for marijuana is 100 ng/ml.

Events Reported

There were no 24-hour reportable events during this reporting period.

ZION NUCLEAR POWER STATION

Management Actions and Sanctions

There were no positive tests during this reporting period.

Events Reported

There were no 24-hour reportable events during this reporting period.