

Pacific Gas and Electric Company  
Humboldt Bay Power Plant  
Paul J. Roller  
Director and Plant Manager Humboldt Bay Nuclear

1000 King Salmon Avenue  
Eureka, CA 95503  
707-444-0700

February 23, 2009

PG&E Letter HIL-09-001



ATTN: Document Control Desk  
Director, Spent Fuel Project Office  
Office of Nuclear Material Safety and Safeguards  
U.S. Nuclear Regulatory Commission  
Washington, DC 20555-0001

Materials License No. SNM-2514, Docket No. 72-27  
Humboldt Bay Independent Spent Fuel Storage Installation  
Annual Radioactive Effluent Release Report for 2008

Dear Commissioners and Staff:

Pursuant to 10 CFR 72.4 and 10 CFR 72.44(d), this letter provides the report of the quantity of radionuclides released to the environment in liquid and gaseous effluents due to the operation of the Humboldt Bay (HB) Independent Spent Fuel Storage Installation (ISFSI) for the calendar year of 2008. As stated in the HB ISFSI Final Safety Analysis Report (FSAR) Section 7.2.2, the construction and testing of the HB ISFSI multi-purpose canisters (MPCs) ensure that no release of radioactive effluents will occur at the ISFSI. Section 7.7 of the FSAR further states that no radioactive gas, liquid or solid waste effluents are released from the HB ISFSI; a radioactive effluent monitoring system is not required; and routine monitoring for effluents is not performed. In addition, Section 11.1.1.2 of the NRC Safety Evaluation Report dated November 2005, states that the staff finds that the design of the seal-welded MPCs allows no generation of effluents. Therefore, there were no radionuclides released to the environment from liquid or gaseous effluents during the period of January 1, 2008 through December 31, 2008.

Sincerely,

A handwritten signature in black ink, appearing to read 'Paul J. Roller', is written over a horizontal line.

PAUL J. ROLLER

cc: Elmo E. Collins, Jr., NRC Region IV  
Shana Helton, NRC  
John B. Hickman, NRC  
PG FossilGen HBPP Humboldt Distribution

Handwritten initials 'JET' in black ink, located in the bottom right corner of the page.