U.S. NUCLEAR REGULATORY COMMISSION APPROVED BY OMB: NO. 3150-0120

EXPIRES: 08/31/2002

10 CFR 30, 32, 33, 34, 36, 36, 39, 39, and 40

Estimated burden per response to comply with this mandatory collection squaret: 7.4 hours. Submittel of the application is necessary to determine that the applicant is qualified and that adequate procedures exist to protect the public health and safety. Send comments regarding burden estimate to the Records Management Stramch (T-9 E5), U.S. Nuclear Regulatory Commission, Washington, DO 20565-#2001, or by internet e-mail to big1@nrc.gov, and to the Desk Officer, Office of Information and

APPL		-OR WATE	:RIAL LICENS	SE	Washin display	ory Affairs, NEOS-102: gion, DC 20503. If a me a currently valid OMS o erson is not required to r	ens used to im ontrol number,	pose an Information the NRC mark	nation collecti: ract conduct	a dose no
NSTRUCTION SEND TWO	NS: SEE COPIES OF THI	PROFE TEL	ICENSE ALF .I ://TI	ID GU	DE I OI	DETAILED INSTRU	CTIONS FOR	COMPLET	ING APPLIC	TION.
APPLICATION P	OR DISTRIBUTION O	F EXEMPT PRODUC	TS FILE APPLICATIONS \	MTH:	IF YOU A	RE LOCATED IN:		77_		
DIVISION OF I	INDUSTRIAL AND ME UCLEAR MATERIALI	EDICAL NUCLEAR SA S SAFETY AND SAFE	AFETY GUARDS			, INDIANA, IOWA, MICHIGA TIONS TO:	IN, MINNESOTA,	MISSOURI, OH	io, or wiscon	ःiN, 8END
U.S. NUCLEA	R REGULATORY CO N, DC 20555-0001				MATE	RIALS LICENSING BRANCI IUCLEAR REGULATORY C	H- OMMISSION, RE	BION III		
	SONS FILE APPLICA	ATIONS AS FOLLOW	'8 :		801 W	/ARRENVILLE RD. , il. 60532-4351	,·			
IF YOU ARE LOC	ATED IN:									
MASSACHUSETT RHODE ISLAND,	OŘ VERMONT, SEN	E, NEW JERSEY, NE	IW YORK, PENNSYLVANU	A.	LOUISIAN	ARIZONA, ARKANSAS, CA IA, MONTANA, NEBRASKA , PACIFIC TRUST TERRITO B, SEND APPLICATIONS 1	l, Nevada, New Mies, South D	MEDUCO, NOR	TH DAKOTA, OF	GAHONA,
NUCLEAR MA U.S. NUCLEA 475 ALLENDA	BBISTANT SECTION ITERIALS SAFETY BI R REGULATORY COI LE ROAD BBIA, PA 19408-1411	MMISSION, REGION	ı ·		U.S. N 611 R1	EAR MATERIALS LICENSII UCLEAR REGULATORY OF VAN PLAZA DRIVE, GUITE OTON, IX 78011-8084	NG SECTION DAMAISSION, RE 100	310N IV - 7		
RICO, SCUTH CA SEND APPLICATI	MOLINA, TENNIESSI IONS TO:	ee, virónila, viron	i, North Carolina, pui Hislands, or West Vir		•	7	7-191	59-07	ب	
U. S. NUCLEA 61 FORSYTH S	ILANTA PÉDERAL CI R REGULATORY CO FIREET, S.W., SUITE DRGIA 30303-8031	MM88ION, REGION				•	0303	7951	٠	
			LICATIONS TO THE U.S. I LATORY COMMISSION JU			ORY COMMISSION ONLY	F THEY WISH T	D POSSESS AN	D USE LICENS	B >
1. THIS IS AN API	PLICATION FOR (CA	eck eppropriele ilem)			2 NAME	AND MAILING ADDRESS O	F APPLICANT (nciude ZIP code		¥.
X ^ ME	EW LICENSE				Urba	an Engineers Saesafras S	of Erie,	Inc.		
☐ B. A	MENOMENT TO LICE	NSE NUMBER				e, PA 16501-1				
C. MI	ENEWAL OF LICENS	E NUMBER					v	_		
ADDRESS WH	ERE LICENSED MAT	TERIAL WILL BE USE	D OR POSSESSED		4. NAME	OF PERSON TO BE CONTA	CTED ABOUT 11	HS APPLICATIO	N	
	ssafras St A 16501-17			}	Den	nis R. Smale				
•			in state sul	biec t	TELEP	HONE NUMBER				
	s Regulato				(814) 453-5702				
		2X11"PAPER. THE	TYPE AND SCOPE OF IN	FORMATI	ON TO BE	PROVIDED IS DESCRIBED	IN THE LICENS	E APPLICATION	QUIDE.	
i. RADIOACTIVE I e. Element and which will be		imical and/or physical o time.	form; and a mebimum an	nount	L PURPO	GE(8) FOR WHICH LICENS	ED MATERIAL V	VILL BE VOED.		,
TRAINING EXPE		RADIATION SAFETY	PROGRAM AND THEIR		. TRAINE	KG FOR INDIVIDUALS WOR	iking in or fre	QUENTING RE	STAUCTED AEA	9 .
FACILITIES AND	EQUIPMENT.				IO. RADIA	TION SAFETY PROGRAM.		·		
1. WASTE MANA					PEE C	SE FEES (See 10 CFR 170 ATEGORY 3P	<u> </u>	CLOSED 2	900.00	
3. CERTIFICATION PON	N. (Must be complete	ed by applicant) THE	APPLICANT UNDERSTAN	IDS THAT	NLL STATE	EMENTS AND REPRESENT	'ATIONS MADE I	N THIS APPLICA	ITION ARE BINI	
CONFORMITY	IT AND ANY OFFICIA WITH TITLE 10, COD THE BEST OF THEIR	E OF PEDERAL REG	ULATIONS, PARTS 30, 32,	LF OF THE , 33, 34, 36	APPLICA , 30, 30, A	NT, NAMED IN ITEM 2, CEI NO 40, AND THAT ALL INFO	RTIFY THAT THIS PRIMATION CONT	APPLICATION ANED HEREIN	8 PREPARED I	N ;
ANY DEPARTM	ENT OR AGENCY O	F THE UNITED STATE	SE AS TO ANY MATTER W		JURUSCIC		LLY FALSE STAT	TEMENT OR RE	PRESENTATIO	NTO
	er – Typediprinti			8	IGNATUR	Ungett. U	1800		02/18	1/60
GEOTES	i. Villis.	L.E. V.P.		NPA I			<u> </u>		1 24/10	// J
YPE OF FEE	PEELOG	PEE CATEGORY	AMOUNT RECEIVED	NRC I	NAMES	COMMENTS		 .		
	}	1	*	1		1				ľ
PPROVED BY		-	*	DATE		1	14	3280	5	1
				L		ميرين والمساوية	-			أجساد العبي

ITEMS 5 AND 6: MATERIALS TO BE POSSESSED AND PROPOSED USES

Yés Ng	No.	Radioisotope	Manufacturet op Distributor Model No.	Quantity	Use As Listed on SSD Certificate	Specify Other a Uses Not Listed on SSD Certificate
X		Cesium-137	Sealed source manufacturer or distributor and model number: AEA TECHNOLOSY Device manufacturer or distributor and model number: POTABLE GAMES: HUMBOLOT: 5 MODEL 5001EZ TROXLER: 5 MODEL 3411B L MODEL 3450	Not to exceed either the maximum activity per source or maximum activity per device as specified in Sealed Source and Device Registration Certificate	Yes of Specific description of the gauge use: LN-PLALE DENSITY- SOILS ASPARA ALLINGUATES	□ Not applicable □ Uses are: □ (Submit safety analysis supporting safe use)
X		Americium- 241	Sealed source manufacturer or distributor and model number: AFA TECH WLOGY Device manufacturer or distributor and model number: POMABLE AMBES [AMIGOLOT: 5 MODEL 341 B 4 MODEL 3450 m.	Not to exceed either the maximum activity per source or maximum activity per device as specified in Sealed Source and Device Registration Certificate	Yes X Specific description of the gauge use: BI-PIALE MIOI SILINE- SOILS ASPARIA COURTS	□ Not. applicable □ Uses are: (Submit safety analysis supporting safe use)

APPENDIX B

Yes.	No	.Radioisotope ³	Manufactureght Distributor Model No.	Quantity	Use As Listed on SSD Certificate	Specify Other Units Not Listed on SSD "Certificate
	X	Californium- 252	Sealed source manufacturer or distributor and model number: Device manufacturer or distributor and model number:	Not to exceed either the maximum activity per source or maximum activity per device as specified in Sealed Source and Device Registration Certificate	Yes Specific description of the gauge use:	O Not applicable Uses are: (Submit safety analysis supporting safe use)
	X	Other Isotope (Specify):	Sealed source manufacturer or distributor and model number. Device manufacturer or distributor and model number.	Not to exceed either the maximum activity per source or maximum activity per device as specified in Sealed Source and Device Registration Certificate	Yes Specific description of the gauge use:	□ Not applicable. □ Uses are: (Submit safety analysis supporting safe use)
		Financial Assurance Required and Evidence of Financial Assurance Provided				

ITEMS 7 THROUGH 11: TRAINING AND EXPERIENCE, FACILITIES AND EQUIPMENT, RADIATION SAFETY PROGRAM, AND WASTE DISPOSAL

	Item No. And Title	Suggested Response	Yes	Alternative Procedures Attached
7. SH	INDIVIDUAL(S) RESPONSIBLE FOR RADIATION SAFETY PROGRAM AND THEIR TRAINING AND EXPERIENCE RADIATION SAFETY OFFICER	Before obtaining licensed materials; the proposed RSO will have successfully completed one of the training courses described in Criteria in the section entitled in dividual(s) Responsible for Radiation Safety-Program and Their Training and Experience Radiation Safety Officer" in NUREG-1556, Vol. 1, Rev. 1, dated November 2001.	*	
8.	TRAINING FOR INDIVIDUALS WORKING IN OR FREQUENTING RESTRICTED AREAS	Before using licensed materials, authorized users will have successfully completed one of the training course described in Criteria in the section entitled "Training for Individuals Working In or Frequenting Restricted Areas" in NUREG-1556, Vol. 1, Rev 1, dated November 2001.	A	0
9.	FACILITIES AND EQUIPMENT	No information needs to be submitted in response to this item; key issues are addressed under "Radiation Safety Program – Public Dose" and "Radiation Safety Program – Operating and Emergency Procedures."	Respons	e Item 9 se ot Be Submitted oplication
10.	RADIATION SAFETY PROGRAM – AUDIT PROGRAM	The applicant is <i>not</i> required to, and should not, submit its audit program to NRC for review during the licensing phase.	_ ,	ot Be Submitted oplication
10.	RADIATION SAFETY PROGRAM— TERMINATION OF ACTIVIFIES	The applicant is not required to submit a response to the termination of activities: section during the initial application. However, when the licensee ceases operation, NRC Form 314 must be submitted.		ot Be Submitted, oplication
10.	RADIATION SAFETY PROGRAM - SURVEY INSTRUMENTS	We will either possess and use, or have access to and use, a radiation survey meter that meets the Criteria in the section entitled "Radiation Safety Program – Instruments" in NUREG-1556, Vol. 1, Rev. 1, dated November 2001.	P	

APPENDIX B

Item No. And Title	Suggested Response	Yes	Alternative Procedures Attached
io. Radiation safety PROGRAM - MATERIAL RESEIVI AND ACCOUNTABILITY	Physical inventories will be conducted at intervals not to exceed 6 months, to account for all scaled sources and devices received and possessed under the license	×	
10. RADIATION SAFETY PROGRAM - OCCUPATIONAL DOSIMETRY	Either we will maintain, for inspection by NRC, documentation demonstrating that unmonitored individuals are not likely to receive a radiation dose in excess of 10 percent of the allowable limits in 10 CFR Part 20, or we will provide dosimetry processed and evaluated by an NVLAP-approved processor that is exchanged at a frequency recommended by the processor.	N	
10. RADIATION SAFETY PROGRAM - PUBLIC DOSE	The applicant is not required to submit a response to the public dose section during the licensing phase. This matter will be examined during an inspection.		nt Be Submitted polication
10. RADIATION SAFETY PROGRAM – OPERATING AND EMERGENCY PROCEDURES	We will implement and maintain the operating and emergency procedures in Appendix H of NUREG-1556, Vol. 1, Rev. 1, dated November 2001, and provide copies of these procedures to all gauge users and at each job site.	×	a
	OR Operating and emergency procedures will be developed, implemented, and maintained and will meet the criteria in the section entitled "Radiation Safety Program – Operating and Emergency Procedures" in NUREG-1556, Vol. 1, Rev. 1, dated November 2001.	o l	
10. RADIATION SARETY REGERAM = DEAK TEST	Leak-tests will be performed at intervals approved by NRC or an Agreement Sate and a specified in the Sealed Source and Device Registration Sheet. Leak tests will be performed by an organization authorized by NRC or an Agreement State to provide leak testing services for other licensees or using a leak test kit supplied by an organization authorized by NRC or an Agreement State to provide leak test kits to other licensees and according to the kit supplier's instructions.		The information in Appendix J supporting a request to perform leak testing and sample analysis is attached.

APPENDIX B

Item No. And Title	Suggested Response	Yes	Alternative Procedures Attached
10 RADIATION SAFETY PROGRAM MAINTENANCE	Routine Cleaning and Eubrication as We will implement and maintain procedures to sproutine maintenance of our sauges according to each maintenance is recommendations and instrictions. Non-Routing Maintenance.	X No.	
	We will send the gauge to the manufacturer or other person authorized by NRC or an Agreement, State to perform non-routine, maintenance or repair operations, that require the removal of the source or source rod from the gauge;		The, information listed in Appendix G supporting a request to a performation maintenance in-house is attached.
10.RADIATION SAFETY PROGRAM - TRANSPORTATION	The applicant is <i>not</i> required to submit its response to transportation during the licensing process. However, this issue will be reviewed during inspection.		ot Be Submitted pplication
11. WASTE MANAGEMENT – GAUGE DISPOSAL AND TRANSFER	The applicant is <i>not</i> required to submit a response to waste management during the licensing process. However, the licensee should develop, implement, and maintain gauge transfer and disposal procedures in its radiation protection program.	100 100 100 100 100 100 100 100 100 100	ot Be Submitted pplication