

NAPSEIS Comment Resource

From: Sierra Club Membership Services [membership.services@sierraclub.org] on behalf of Mary Grant [mclgrant@aol.com]
Sent: Friday, March 13, 2009 12:39 PM
To: NorthAnnaCOLEIS Resource
Subject: No New Nuclear Reactor at North Anna

Mar 13, 2009

Chief, Rules and Directives Branch, U.S. Nuclear Regulatory Commission Mailstop TWB-05-B01M
Washington, DC 20555-0001

Dear U.S. Nuclear Regulatory Commission,

Please do not allow a third nuclear reactor at the North Anna site in Louisa County, VA, about 30 miles east of Charlottesville.

The North Anna Power Station is not currently in full compliance with the federal Clean Water Act and a third reactor will add to the problems already occurring with warm lake temperatures and downstream flow.

Existing wetlands, streams, and woodlands on the site may be adversely affected by the construction and operation of a new reactor. The semi-permanent storage of radioactive waste at the North Anna site presents health and safety threats to the thousands of people of central Virginia.

A third reactor should not be built at North Anna. It will put unreasonable stress on water resources and jeopardize the health and safety of Virginia citizens. At the very least, since Dominion Power is choosing a new reactor model, a totally new environmental assessment should be conducted. Say no to a new nuclear reactor at North Anna.

Sincerely,

Mrs. Mary Grant
222 Colony Point Rd
Williamsburg, VA 23185-3806

Federal Register Notice: 73FR79196
Comment Number: 19

Mail Envelope Properties (5760954.1236962317610.JavaMail.www)

Subject: No New Nuclear Reactor at North Anna
Sent Date: 3/13/2009 12:38:37 PM
Received Date: 3/13/2009 12:38:39 PM
From: Sierra Club Membership Services

Created By: membership.services@sierraclub.org

Recipients:
"NorthAnnaCOLEIS Resource" <NorthAnnaCOLEIS@nrc.gov>
Tracking Status: None

Post Office: app30

Files	Size	Date & Time
MESSAGE	1250	3/13/2009 12:38:39 PM

Options
Priority: Standard
Return Notification: No
Reply Requested: No
Sensitivity: Normal
Expiration Date:
Recipients Received: