

Orton, Sara/NWO

From: Kammerer, Laura [LKammerer@dos.state.fl.us]
Sent: Tuesday, July 15, 2008 9:59 AM
To: Orton, Sara/NWO
Cc: Smith, Greg
Subject: RE: Levy County site
Follow Up Flag: Follow up
Flag Status: Red

Ms. Orton,

I have reviewed again the paragraph in the referenced letter dated May 23, 2008, regarding "inadvertent discoveries during construction activities". This office concurs and approves the proposed procedures for the Levy Nuclear Plant Site and associated facilities covered by the current cultural resource assessments.

Are you aware of any instructional printed or verbal information that is provided upfront to the contractors and employees regarding identification of artifacts, archaeological sites, historic sites, etc, while in the field on this project? We have had consultants provide in-person or DVD informational instruction on other types of projects. However, if a local contractor is used, using local employees, those people will most likely know what artifacts or archaeological sites are and be able to identify them.

If you have any questions, please contact me.

Sincerely,
Laura Kammerer

Laura A. Kammerer
Deputy State Historic Preservation Officer for
Review and Compliance
Division of Historical Resources
500 South Bronough Street - Room 423
Tallahassee, FL 32399-0250
Phone: (850)245-6333
Fax: (850)245-6438

Please take a few minutes to provide feedback on the quality of service you received from our staff. The Florida Department of State values your feedback as a customer. Kurt Browning, Florida's Secretary of State, is committed to continuously assessing and improving the level and quality of services provided to you. Simply click on the link to the "DOS Customer Satisfaction Survey." Thank you in advance for your participation. [DOS Customer Satisfaction Survey](#)

From: Sara.Orton@CH2M.com [mailto:Sara.Orton@CH2M.com]
Sent: Thursday, July 10, 2008 5:19 PM
To: Kammerer, Laura
Cc: Westerman, April M.
Subject: RE: Levy County site

Laura - Attached is the original cover letter asking for concurrence on the report findings as well as the inadvertent discoveries process, as we discussed on our call. Please let me know if you need anything else.
Thank you.

Sara Orton
Cultural Resource Specialist

From: Kammerer, Laura [mailto:LKammerer@dos.state.fl.us]
Sent: Thursday, July 03, 2008 12:50 PM
To: Orton, Sara/NWO

7/17/2008

Cc: Westerman, April M.
Subject: RE: Levy County site

Sara,
You can assume concurrence. We concurred with all findings and determinations of the survey results.
For future reference, specific concurrences like this example, or general eligibility and/or effects findings should be addressed in a cover letter and request SHPO concurrence. I don't recall that there was a cover letter with that language. I don't have the project in my office, April Westerman was the reviewer.
Have a good 4th!
Sincerely,
Laura

Laura A. Kammerer
Deputy State Historic Preservation Officer for
Review and Compliance
Division of Historical Resources
500 South Bronough Street - Room 423
Tallahassee, FL 32399-0250
Phone: (850)245-6333
Fax: (850)245-6438

Please take a few minutes to provide feedback on the quality of service you received from our staff. The Florida Department of State values your feedback as a customer. Kurt Browning, Florida's Secretary of State, is committed to continuously assessing and improving the level and quality of services provided to you. Simply click on the link to the "DOS Customer Satisfaction Survey." Thank you in advance for your participation. [DOS Customer Satisfaction Survey](#)

From: Sara.Orton@CH2M.com [mailto:Sara.Orton@CH2M.com]
Sent: Thursday, July 03, 2008 9:28 AM
To: Kammerer, Laura
Subject: Levy County site

Laura - Thank you for getting back to me last week. We did receive the letter Monday addressing our findings. There was one additional question from the original letter that was not addressed directly. If it is not discussed specifically in your response letter, can we assume concurrence? The paragraph from the May 23, 2008 letter is below requesting approval/concurrence on the process for inadvertent finds during construction. This language is also included in the report. I am in the office all day today, so call me at the number below if you can. Thank you.

"We would also appreciate knowing if you concur with our planned procedures for inadvertent discoveries during construction activities. PEF has guidelines for employees and contractors designed to protect historic sites, historic landmarks, and artifacts or archaeological sites during land-disturbing activities. If a project or work activity inadvertently uncovers an archaeological site or other historical artifacts, activities in the site area will be halted, and the appropriate PEF Environmental Support Organization (ESO) will be contacted. For the LNP project, Environmental Health and Safety Services (EHSS) would be the PEF ESO and thus would be contacted. In the event of an inadvertent find, a cultural resource assessment will be performed, and PEF, through EHSS, will consult with the SHPO, as necessary, to determine appropriate steps to be taken prior to resuming site activities. PEF will coordinate directly with the Florida SHPO to determine appropriate mitigation or other measures, as needed, in accordance with federal and state regulations and PEF policy."

Sara S. Orton
Cultural Resource Specialist
CH2MHILL
1515 Poydras Street, Suite 2110
New Orleans, Louisiana 70112
sara.orton@ch2m.com
504.593.9421, ext. 51



Please consider the environment before printing this email.