

CCNPP3COLA PEmails

From: John Rycyna
Sent: Wednesday, February 25, 2009 4:15 PM
To: 'Poche, Robert'; 'Jennifer.McQueeney@unistarnuclear.com'
Cc: Seshagiri Tammara; Charles Cox; Joseph Colaccino; CCNPP3COL Resource; James Biggins; Adam Gendelman
Subject: Draft RAI No 73 RSAC 1603.doc (PUBLIC)
Attachments: Draft RAI No 73 RSAC 1603.doc

Rob,

Attached is DRAFT RAI No. 73. You have until March 11, 2009 to review it and to decide whether you need a conference call to discuss it. After the call or after March 11, 2009 the RAI will be finalized and sent to you. You then have 30 days to respond.

John Rycyna, PE
Sr. Project Manager
Division of New Reactor Licensing
Office of New Reactors
U.S. Nuclear Regulatory Commission
301-415-4122

Hearing Identifier: CalvertCliffs_Unit3Cola_Public_EX
Email Number: 583

Mail Envelope Properties (499C2FC6BB962446994CA8682D8ADF331719EF278D)

Subject: Draft RAI No 73 RSAC 1603.doc (PUBLIC)
Sent Date: 2/25/2009 4:15:19 PM
Received Date: 2/25/2009 4:15:19 PM
From: John Rycyna

Created By: John.Rycyna@nrc.gov

Recipients:

"Seshagiri Tammara" <Seshagiri.Tammara@nrc.gov>
Tracking Status: None
"Charles Cox" <Charles.Cox@nrc.gov>
Tracking Status: None
"Joseph Colaccino" <Joseph.Colaccino@nrc.gov>
Tracking Status: None
"CCNPP3COL Resource" <CCNPP3COL.Resource@nrc.gov>
Tracking Status: None
"James Biggins" <James.Biggins@nrc.gov>
Tracking Status: None
"Adam Gendelman" <Adam.Gendelman@nrc.gov>
Tracking Status: None
"Poche, Robert" <robert.poche@unistarnuclear.com>
Tracking Status: None
"Jennifer.McQueeney@unistarnuclear.com" <Jennifer.McQueeney@unistarnuclear.com>
Tracking Status: None

Post Office: HQCLSTR02.nrc.gov

Files	Size	Date & Time
MESSAGE	434	2/25/2009 4:15:19 PM
Draft RAI No 73 RSAC 1603.doc		27130

Options

Priority: Standard
Return Notification: No
Reply Requested: No
Sensitivity: Normal
Expiration Date:
Recipients Received:

Request for Additional Information No. 73

DRAFT

2/25/2009

Calvert Cliffs Unit 3

UniStar

Docket No. 52-016

SRP Section: 03.05.01.05 - Site Proximity Missiles (Except Aircraft)

Application Section: 3.5.1.5

QUESTIONS for Siting and Accident Consequence Branch (RSAC)

03.05.01.05-1

RG 1.206 (Standard Review Plan) section C.I. 3.5.1.5 provides guidance regarding the information that is needed to ensure potential hazards in the site vicinity are identified and evaluated to meet the siting criteria in 10 CFR 100.20 and 10 CFR 100.21. Provide an assessment of the potential for the turbine missile generation of Units 1 and 2 affecting the safe operation of the proposed Unit 3, or justify an alternative.