Greg Gibson Vice President, Regulatory Affairs 250 West Pratt Street, Suite 2000 Baltimore, Maryland 21201



10 CFR 50.4 10 CFR 52.79

March 19, 2009

UN#09-129

ATTN: Document Control Desk U.S. Nuclear Regulatory Commission Washington, DC 20555-0001

Subject: UniStar Nuclear Energy, NRC Docket No. 52-016 Response to Request for Additional Information for the Calvert Cliffs Nuclear Power Plant, Unit 3, RAI No. 61, Questions 17.04-1 and 17.04-2, Reliability Assurance Program

References: 1) John Rycyna (NRC) to Robert Poche (UniStar), "RAI No. 61 SPLA 1843.doc (PUBLIC)" email dated February 17, 2009

The purpose of this letter is to respond to the request for additional information (RAI) identified in the NRC e-mail correspondence to UniStar Nuclear, dated February 17, 2009 (Reference 1). This RAI addresses the Reliability Assurance Program, as discussed in Section 17.4 of the Final Safety Analysis Report (FSAR), as submitted in Part 2 of the Calvert Cliffs Nuclear Power Plant (CCNPP) Unit 3 Combined License Application (COLA), Revision 4. Reference 1 requested UniStar to respond to the RAI within 30 days.

UniStar requires additional time to complete the response to RAI 61, Questions 17.04-1 and .17.04-2. A response to this question will be provided to the NRC by April 30, 2009.

There are no regulatory commitments identified in this letter.

If there are any questions regarding this transmittal, please contact me at (410) 470-4205, or Mr. Michael J. Yox at (410) 495-2436.

UN#09-129 March 19, 2009 Page 2

I declare under penalty of perjury that the foregoing is true and correct.

Executed on March 19, 2009

Greg Gibson

 cc: John Rycyna, NRC Project Manager, U.S. EPR COL Application Thomas Fredrichs, NRC Environmental Project Manager, U.S. EPR COL Application Getachew Tesfaye, NRC Project Manager, U.S. EPR DC Application (w/o enclosure) Loren Plisco, Deputy Regional Administrator, NRC Region II (w/o enclosure) Silas Kennedy, U.S. NRC Resident Inspector, CCNPP, Units 1 and 2 U.S. NRC Region I Office