CCNPP3COLA PEmails

From: John Rycyna
Sent: Tuesday, March 24, 2009 1:47 PM
To: Poche, Robert; McQueeney, Jennifer; katie.thurstin@unistarnuclear.com
Cc: CCNPP3COL Resource; Thinh Dinh; Ronaldo Jenkins; James Steckel; Joseph Colaccino; James Biggins; Adam Gendelman
Subject: RAI No 91 EEB 1995.doc (PUBLIC)
Attachments: RAI No 91 EEB 1995.doc

Rob,

Attached please find the subject request for additional information (RAI). A draft of the RAI was provided to you on March 10, 2009. No conference call was requested to discuss this RAI. The schedule we have established for review of your application assumes technically correct and complete responses within 30 days of receipt of RAIs. For any RAIs that cannot be answered within 30 days, it is expected that a date for receipt of this information will be provided to the staff within the 30 day period so that the staff can assess how this information will impact the published schedule.

John Rycyna, PE
Sr. Project Manager
Division of New Reactor Licensing
Office of New Reactors
U.S. Nuclear Regulatory Commission
301-415-4122

Hearing Identifier: CalvertCliffs_Unit3Cola_Public_EX
Email Number: 604

Mail Envelope Properties (499C2FC6BB962446994CA8682D8ADF331740A8BC25)

Subject: RAI No 91 EEB 1995.doc (PUBLIC)
Sent Date: 3/24/2009 1:46:53 PM
Received Date: 3/24/2009 1:47:02 PM
From: John Rycyna

Created By: John.Rycyna@nrc.gov

Recipients:
"CCNPP3COL Resource" <CCNPP3COL.Resource@nrc.gov>
Tracking Status: None
"Thinh Dinh" <Thinh.Dinh@nrc.gov>
Tracking Status: None
"Ronaldo Jenkins" <Ronaldo.Jenkins@nrc.gov>
Tracking Status: None
"James Steckel" <James.Steckel@nrc.gov>
Tracking Status: None
"Joseph Colaccino" <Joseph.Colaccino@nrc.gov>
Tracking Status: None
"James Biggins" <James.Biggins@nrc.gov>
Tracking Status: None
"Adam Gendelman" <Adam.Gendelman@nrc.gov>
Tracking Status: None
"Poche, Robert" <robert.poche@unistarnuclear.com>
Tracking Status: None
"McQueeney, Jennifer" <Jennifer.McQueeney@unistarnuclear.com>
Tracking Status: None
"katie.thurstin@unistarnuclear.com" <katie.thurstin@unistarnuclear.com>
Tracking Status: None

Post Office: HQCLSTR02.nrc.gov

Files	**Size**	**Date & Time**
MESSAGE	767	3/24/2009 1:47:02 PM
RAI No 91 EEB 1995.doc	24174	

Options
Priority: Standard
Return Notification: No
Reply Requested: No
Sensitivity: Normal
Expiration Date:
Recipients Received:

Request for Additional Information No. 91
3/24/2009

Calvert Cliffs Unit 3
UniStar
Docket No. 52-016
SRP Section: 08.01 - Electric Power - Introduction
Application Section: 8.1

QUESTIONS for Electrical Engineering Branch (EEB)

08.01-1

CCNPP Unit 3 FSAR Sections 8.1.4.4 and 8.2.1.1 adequately described agreements and protocols that are in place between CCNPP Unit 3 and the transmission system operator (TSO) to provide safe and reliable operation of the transmission system and equipment at CCNPP Unit 3. However, a description of the communication procedures between the TSO and CCNPP Unit 3, and the associated training and testing of operators and maintenance personnel as requested in GL 2006-02 questions 1(b), 1(c) and 1(d) are not provided in the COL application. Please provide the requested information in a future revision of the FSAR.