GEOVision Borehole Geophysics depth wheel verification

Performed by Robert Steller on September 23, 2006

	Depth reading in #1	Depth reading out	Depth reading in #2
Depth wheel S/N 101 500 pulse/revolution Circumference = 983mm (3225.07 millifeet)	100.1 feet (30.51 m)	99.95 feet (30.46 m)	100.05 feet (30.50 m)
Depth wheel S/N 102 500 pulse/revolution Circumference = 994mm (3261.15 millifeet)	100.00 feet (30.48) m	100.05 feet (30.50 m)	100.00 feet (30.48) m
Aries winch 200 pulse/revolution Circumference = 305.9mm (1003.51 millifeet)	100.05 feet (30.50) m	100.05 feet (30.50 m)	100.00 feet (30.48) m
Depth wheel S/N 103 500 pulse/revolution Circumference = 1000mm (3.281 feet)			
Comprobe winch 500 pulse/revolution Circumference = 1000mm (3.281 feet)			

All measurements taken with a Stanley 100ft flexible stainless steel tape model number 34-130, and a Keeson 300 foot fiberglass tape, both marked in feet, inches and 1/8ths of inches. Enough cable was spooled off of the winch to allow the cable and tape measures to be laid flat on the parking lot surface side-by-side. A permanent marker was used to mark a 100.0 foot interval on the cable, and the marks were also tagged with electrical tape for visibility. The cable was then spooled back onto the winch. When the first mark was at the top of the measuring wheel, a matching permanent mark was placed, and the recording system (Robertson Micrologger) was set to 0.0 feet depth. The cable was spooled in to the second mark, and the distance was recorded. The recording system was set to 0.0 feet again, and the cable spooled out to the first mark again, and the distance was recorded. The process was repeated one more time to spool the cable back onto the winch, and the distance was recorded.

Estimated accuracy is of these measurements is +/- 0.1 foot or +/- 0.03m.

GEOVision Suspension PS probe Receiver 1–Receiver 2 (R1-R2) spacing verification

Performed by Robert Steller on September 23, 2006

	R2 center to R1 center hanging dry	R2 center to R1 center hanging submerged	R1 bottom to source center hanging submerged with 1m isolation tube S/N 280068
Receiver S/N 30086	40.2in 1.02m	40.0in 1.02m	76.0in 1.93m
Receiver S/N 20042	39.8in 1.01m	39.6in 1.01m	75.7in 1.92m
Receiver S/N 12008	40.2in 1.02m	40.0in 1.02m	76.0in 1.93m

All measurements taken with a Lufkin 3.7m flexible steel tape model number HV1034DM, marked in mm and 100th of feet. Probe suspended in 3-inch diameter clear PVC pipe, using chain clamp placed between bottom and center of Receiver 2 hard section (See Figure). Probe "bounced" to establish unrestricted hanging length before measurement. Probe allowed to relax for 5 minutes prior to each measurement. Water level set to submerge bottom of Receiver 2 hard section.. Estimated accuracy due to hysterisis in rubber section approximately +/- 0.01' or +/- 0.003m.

APPENDIX D

BORING GEOPHYSICAL LOGGING FIELD DATA LOGS

GEOVision
geophysical services

B-301 BORING GEOPHYSICS FIELD LOG SUMMARY

SITE: CCNPP COLA DATE: 6/5/2008
CLIENT: SCHNABEL JOB: 8185
AUTHOR: R. STELLER PAGE 1 OF 2

CONTACT: RUBEN TARUSELLI PHONE: 703-906-1797

BOREHOLE CONSTRUCTION: CASED ____ UNCASED ✓
DIAMETERS AND DEPTH RANGES: 6" 0 TO 20' ; 4 1/4" 20' TO 403'
BOREHOLE TOTAL DEPTH AS DRILLED: 403'
CONDUCTOR CASING?: YES ____ DEPTH TO BOTTOM OF CASING ____ ; NO ✓
DEPTH TO BEDROCK: NA
BOREHOLE FLUID: WATER ____ ; FRESH WATER MUD ✓ ; SALT WATER MUD ____

LOGGING CREW: R. STELLER

LOG TYPE	FILE NAME	DEPTH RANGE	DATE	TIMES
DGA 9-5 V60	001 ~ 23B	0.6' – 390.4'	6/5/06	10:10 – 12:30
DEVIATION	B301DEVIATION01	0' – 402.5'	6/5/06	13:05 – 13:50
GLOG/GAMMA	B301GLOG_P01	402.0' – 1.7'	6/5/06	14:20 – 15:02
GLOG/GAMMA	B301GLOG_P02	402.0' – 1.7'	6/5/06	15:14 – 15:45
CAL. TEST	B301TESTCAL01	-0-	6/5/06	16:05 – 16:10
CALIPER	B301CALIP01	402.0' – (-1.0)	6/5/06	16:25 – 16:55
CAL. TEST	B301TESTCAL_02	-0-	6/5/06	17:00 – 17:05

1121 Cannon Road, Unit B, Corona, CA 92882 Ph: (951) 549-1234 Fx: (951) 549-1256

GEOVision
geophysical services

P-S SUSPENSION VELOCITY FIELD LOG

SITE: CALVERT CLIFFS COLA B-401 301 DATE: 6/5/06
CLIENT: SCHNABEL JOB: 6165
AUTHOR: R. STELLER PAGE 1 OF 2

CONTACT: _____ OFFICE PHONE: _____
CELL PHONE: _____
CONTACT: _____ OFFICE PHONE: _____
PHONE: _____
CONTACT: _____ PHONE: _____
PHONE: _____
CONTACT: _____ PHONE: _____
PHONE: _____
DRILLER: _____ PHONE: _____
COMPANY: _____ PHONE: _____

DIRECTIONS TO SITE: _____

GENERAL SITE CONDITIONS/LOCATION: _____

EA#: _____
BOREHOLE DESIGNATION: B-401 301 LOCATION: _____

COUNTY: _____ RANGE: _____ TOWNSHIP: _____ SECTION: _____
BOREHOLE CONSTRUCTION: CASED ____ UNCASED ✓
DIAMETERS AND DEPTH RANGES: 6" 0 TO 40'20"; 4 1/4" 30 TO 402'403'
BOREHOLE TOTAL DEPTH AS DRILLED: 402' 403'
CONDUCTOR CASING?: YES ____ DEPTH TO BOTTOM OF CASING ____; NO ✓
DEPTH TO BEDROCK: NA DEPTH TO WATER TABLE: @ 30'
BOREHOLE FLUID: WATER ____; FRESH WATER MUD ✓; SALT WATER MUD ____;
OTHER: _____
DEPTH TO BOREHOLE FLUID: 0 TIME SINCE LAST CIRCULATION: 1/2 HR

GEOVision
geophysical services

SITE: CALVERT CLIFFS COLA B-Ave 301 DATE: 6/5/06
CLIENT: SCHNABEL JOB: 6165
AUTHOR: R. STELLER PAGE 2 OF 8

LOGGING CREW: R. Steller
VEHICLE(S) USED AND MILEAGE: Pickup
MOBILIZED FROM: Lexington Park DEPARTURE TIME: 7:30
ARRIVED ON SITE: 8:00
STANDBY TIME: CAUSE:
LOGGING STARTED: 10:10 LOGGING COMPLETED: 12:30
STANDBY TIME: CAUSE:
LOGGING STARTED: LOGGING COMPLETED:
DEMOBILIZED TO: ARRIVAL TIME:
ADDITIONAL DEMOB TIME: REASON:

BATTERIES CHANGED BEFORE LOGGING: YES ✓ ; NO ; STORED WITH NEW

WINCH	COMPROBE	☐	GREY	☐	OYO	☐	RG	☐	OTH	✓	
INSTRUMENT	OYO 12004	☐	15014	☐	19029	☐	RG 160023	✓	160024	☐	
RECEIVER S/N	12008	☐	20042	✓	26066	☐	11001	☐	23053	☐	

MAINTENANCE PERFORMED ON SITE:

EQUIPMENT PROBLEMS OR FAILURES:

SUGGESTIONS, ADDITIONS, CHANGES:

COMMENTS:

GEOVISION SUSPENSION LOGGING FIELD NOTES

SITE: CALVERT CLIFFS COLA B-402301 DATE: 6/5/06
CLIENT: SCHNABEL JOB: 6165
AUTHOR: R. STELLER PAGE 3 OF 8

DEPTH METERS	DEPTH FEET	UNFILTERED FILE NO.	FILTERED FILE NO.	COMMENTS CASING, WATER, ROCK, ETC
0.5	1.64	1		
1.0	3.28	2		
1.5	4.92	3		
2.0	6.56	4		
2.5	8.20	5		
3.0	9.84	6		
3.5	11.48	7		
4.0	13.12	8		
4.5	14.76	9		
5.0	16.40	10		
5.5	18.04	11		
6.0	19.69	12		
6.5	21.33	13		
7.0	22.97	14		
7.5	24.61	15		
8.0	26.25	16		
8.5	27.89	17		
9.0	29.53	18		
9.5	31.17	19		
10.0	32.81	20		
10.5	34.45	21		
11.0	36.09	22		
11.5	37.73	23		
12.0	39.37	24		
12.5	41.01	25		
13.0	42.65	26		
13.5	44.29	27		
14.0	45.93	28		
14.5	47.57	29		
15.0	49.21	30		
15.5	50.85	31		
16.0	52.49	32		
16.5	54.13	33		
17.0	55.77	34		
17.5	57.41	35		
18.0	59.06	36		
18.5	60.70	37		
19.0	62.34	38		
19.5	63.98	39		
20.0	65.62	40		

GEOVISION SUSPENSION LOGGING FIELD NOTES

SITE: CALVERT CLIFFS COLA B-401 201 DATE: 6/5/06
CLIENT: SCHNABEL JOB: 6165
AUTHOR: R. STELLER PAGE 4 OF 8

DEPTH METERS	DEPTH FEET	UNFILTERED FILE NO.	FILTERED FILE NO.	COMMENTS CASING, WATER, ROCK, ETC
20.5	67.26	41		
21.0	68.90	42		
21.5	70.54	43		
22.0	72.18	44		
22.5	73.82	45		
23.0	75.46	46		
23.5	77.10	47		
24.0	78.74	48		
24.5	80.38	49		
25.0	82.02	50		
25.5	83.66	51		
26.0	85.30	52		
26.5	86.94	53		
27.0	88.58	54		
27.5	90.22	55		
28.0	91.86	56		
28.5	93.50	57		
29.0	95.14	58		
29.5	96.78	59		
30.0	98.43	60		
30.5	100.07	61		
31.0	101.71	62		
31.5	103.35	63		
32.0	104.99	64		
32.5	106.63	65		
33.0	108.27	66		
33.5	109.91	67		
34.0	111.55	68		
34.5	113.19	69		
35.0	114.83	70		
35.5	116.47	71		
36.0	118.11	72		
36.5	119.75	73		
37.0	121.39	74		
37.5	123.03	75		
38.0	124.67	76		
38.5	126.31	77		
39.0	127.95	78		
39.5	129.59	79		
40.0	131.23	80		

GEOVISION SUSPENSION LOGGING FIELD NOTES

SITE: CALVERT CLIFFS COLA B-4a+ 301 DATE: 6/5/06
CLIENT: SCHNABEL JOB: 6165
AUTHOR: R. STELLER PAGE 5 OF 8

DEPTH METERS	DEPTH FEET	UNFILTERED FILE NO.	FILTERED FILE NO.	COMMENTS CASING, WATER, ROCK, ETC
40.5	132.87	81		
41.0	134.51	82		
41.5	136.15	83		
42.0	137.80	84		
42.5	139.44	85		
43.0	141.08	86		
43.5	142.72	87		
44.0	144.36	88		
44.5	146.00	89		
45.0	147.64	90		
45.5	149.28	91		
46.0	150.92	92		
46.5	152.56	93		
47.0	154.20	94		
47.5	155.84	95		
48.0	157.48	96		
48.5	159.12	97		
49.0	160.76	98		
49.5	162.40	99		
50.0	164.04	100		
50.5	165.68	101		
51.0	167.32	102		
51.5	168.96	103		
52.0	170.60	104		
52.5	172.24	105		
53.0	173.88	106		
53.5	175.52	107		
54.0	177.17	108		
54.5	178.81	109		
55.0	180.45	110		
55.5	182.09	111		
56.0	183.73	112		
56.5	185.37	113		
57.0	187.01	114		—
57.5	188.65	115		
58.0	190.29	116		
58.5	191.93	117		
59.0	193.57	118		
59.5	195.21	119		
60.0	196.85	120		

GEOVISION SUSPENSION LOGGING FIELD NOTES

SITE: CALVERT CLIFFS COLA B-4or 301 DATE: 6/5/06
CLIENT: SCHNABEL JOB: 6165
AUTHOR: R. STELLER PAGE 6e OF 8

DEPTH METERS	DEPTH FEET	UNFILTERED FILE NO.	FILTERED FILE NO.	COMMENTS CASING, WATER, ROCK, ETC
60.5	198.49	121		
61.0	200.13	122		
61.5	201.77	123		
62.0	203.41	124		
62.5	205.05	125		
63.0	206.69	126		
63.5	208.33	127		
64.0	209.97	128		
64.5	211.61	129		
65.0	213.25	130		
65.5	214.90	131		
66.0	216.54	132		
66.5	218.18	133		
67.0	219.82	134		
67.5	221.46	135		
68.0	223.10	136		
68.5	224.74	137		
69.0	226.38	138		
69.5	228.02	139		
70.0	229.66	140		
70.5	231.30	141		
71.0	232.94	142		
71.5	234.58	143		
72.0	236.22	144		
72.5	237.86	145		
73.0	239.50	146		
73.5	241.14	147		
74.0	242.78	148		
74.5	244.42	149		
75.0	246.06	150		
75.5	247.70	151		
76.0	249.34	152		
76.5	250.98	153		
77.0	252.62	154		
77.5	254.27	155		
78.0	255.91	156		
78.5	257.55	157		
79.0	259.19	158		
79.5	260.83	159		
80.0	262.47	160		

GEOVISION SUSPENSION LOGGING FIELD NOTES

SITE: CALVERT CLIFFS COLA G-461-301 DATE: 10/5/06
CLIENT: SCHNABEL JOB: 6165
AUTHOR: R. STELLER PAGE 7 OF 8

DEPTH METERS	DEPTH FEET	UNFILTERED FILE NO.	FILTERED FILE NO.	COMMENTS CASING, WATER, ROCK, ETC
80.5	264.11	161		
81.0	265.75	162		
81.5	267.39	163		
82.0	269.03	164		
82.5	270.67	165		
83.0	272.31	166		
83.5	273.95	167		
84.0	275.59	168		
84.5	277.23	169		
85.0	278.87	170		
85.5	280.51	171		
86.0	282.15	172		
86.5	283.79	173		
87.0	285.43	174		
87.5	287.07	175		
88.0	288.71	176		
88.5	290.35	177		
89.0	291.99	178		
89.5	293.64	179		
90.0	295.28	180		CHANGE J
90.5	296.92	181		
91.0	298.56	182		
91.5	300.20	183		
92.0	301.84	184		
92.5	303.48	185		
93.0	305.12	186		
93.5	306.76	187		
94.0	308.40	188		
94.5	310.04	189		
95.0	311.68	190		
95.5	313.32	191		
96.0	314.96	192		
96.5	316.60	193		
97.0	318.24	194		
97.5	319.88	195		
98.0	321.52	196		
98.5	323.16	197		
99.0	324.80	198		
99.5	326.44	199		
100.0	328.08	200		

GEOVISION SUSPENSION LOGGING FIELD NOTES

SITE: CALVERT CLIFFS COLA G-4or 301 DATE: 6/5/06
CLIENT: SCHNABEL JOB: 6165
AUTHOR: R. STELLER PAGE 8 OF 8

DEPTH METERS	DEPTH FEET	UNFILTERED FILE NO.	FILTERED FILE NO.	COMMENTS CASING, WATER, ROCK, ETC
100.5	329.72	201		
101.0	331.36	202		
101.5	333.01	203		
102.0	334.65	204		
102.5	336.29	205		
103.0	337.93	206		
103.5	339.57	207		
104.0	341.21	208		
104.5	342.85	209		
105.0	344.49	210		
105.5	346.13	211		
106.0	347.77	212		
106.5	349.41	213		
107.0	351.05	214		
107.5	352.69	215		
108.0	354.33	216		
108.5	355.97	217		
109.0	357.61	218		
109.5	359.25	219		
110.0	360.89	220		
110.5	362.53	221		
111.0	364.17	222		
111.5	365.81	223		
112.0	367.45	224		
112.5	369.09	225		
113.0	370.73	226		
113.5	372.38	227		
114.0	374.02	228		
114.5	375.66	229		
115.0	377.30	230		
115.5	378.94	231		
116.0	380.58	232		
116.5	382.22	233		
117.0	383.86	234		
117.5	385.50	235		
118.0	387.14	236		Bottom measurement:
118.5	388.78	237		Hit bottom @ 119.2m = TD @ 403.2'
119.0	390.42	238		
119.5	392.06			
120.0	393.70			

GEOVision
geophysical services

B-301 ACOUSTIC TELEVIEWER FIELD LOG

SITE: CCNPP COLA DATE: 6/5/2006
CLIENT: SCHNABEL JOB: 6165
AUTHOR: R. STELLER PAGE 1 OF 2

CONTACT: RUBEN TARUSELLI OFFICE PHONE:
CELL PHONE: 703-906-1797
CONTACT: OFFICE PHONE:
PHONE:
CONTACT: PHONE:
PHONE:
CONTACT: PHONE:
PHONE:
DRILLER: PHONE:
COMPANY: PHONE:

DIRECTIONS TO SITE:

GENERAL SITE CONDITIONS/LOCATION:

BOREHOLE DESIGNATION: B-301 LOCATION:

COUNTY: RANGE: TOWNSHIP: SECTION:
BOREHOLE CONSTRUCTION: CASED UNCASED ✓
DIAMETERS AND DEPTH RANGES: 6" 0 TO 20' ; 4 3/4" 20' TO 405'
BOREHOLE TOTAL DEPTH AS DRILLED: 405'
CONDUCTOR CASING?: YES DEPTH TO BOTTOM OF CASING ; NO ✓
DEPTH TO BEDROCK: N/A DEPTH TO WATER TABLE: ≈ 30'
BOREHOLE FLUID: WATER ; FRESH WATER MUD ✓ ; SALT WATER MUD ;
OTHER:
DEPTH TO BOREHOLE FLUID: 0 TIME SINCE LAST CIRCULATION: ≈ 4 HR.

11661 Pomona Road, Unit B, Corona, CA 92882 Ph (951) 549-1234 Fx (951) 549-1236

GEOVision
geophysical services

SITE: CCNPP COLA B-381 DATE: 6/5/2008
CLIENT: SCHNABEL JOB: 8165
AUTHOR: R. STELLER PAGE 2 OF 2

LOGGING CREW: R. STELLER
VEHICLE(S) USED AND MILEAGE: RENTAL
MOBILIZED FROM: LEXINGTON PARK. DEPARTURE TIME: 7:30
ARRIVED ON SITE: 8:00
STANDBY TIME: CAUSE:
LOGGING STARTED: 13:05 LOGGING COMPLETED: 13:50

WINCH: COMPROBE ___ SILVER ✓ OYO ___ OTHER ___
MICROLOGGER 5301 ✓ OTHER ___
TELEVIEWER OPTICAL #5117 ___ ACOUSTIC #5174 ✓ OTHER ___

PROBE TILT TEST 89.2 BRUNTON TILT 89°
PROBE AZIMUTH TEST 356.2 BRUNTON AZIMUTH 357° PROBE MAGNETICS 0.1°

PROBE OFFSET	OPTICAL 1.88M(6.17FT)	ACOUSTIC 1.44M(4.72FT)
CASING STICK-UP	-	- 1.50 FT
DEPTH REF. OFFSET		3.22 FT.

LOG NAME	START DEPTH	START TIME	END DEPTH	END TIME
B381-08MAY31	0'	13:05	462.5'	13:50

MAINTENANCE PERFORMED ON SITE:

EQUIPMENT PROBLEMS OR FAILURES:

SUGGESTIONS, ADDITIONS, CHANGES:

1151 Pomona Road, Unit F, Corona, CA 92882 Ph (951) 549-1234 Fx (951) 549-1235

GEVision
geophysical services

B-301 ELOG FIELD LOG

SITE: CCNPP COLA DATE: 6/5/2006
CLIENT: SCHNABEL JOB: 6165
AUTHOR: R. STELLER PAGE 1 OF 2

CONTACT: RUBEN TARUSELLI OFFICE PHONE:
CELL PHONE: 703-906-1797
CONTACT: OFFICE PHONE:
PHONE:
CONTACT: PHONE:
PHONE:
CONTACT: PHONE:
PHONE:
DRILLER: PHONE:
COMPANY: PHONE:

GENERAL SITE CONDITIONS/LOCATION:

BOREHOLE DESIGNATION: B-301 LOCATION:

COUNTY: RANGE: TOWNSHIP: SECTION:
BOREHOLE CONSTRUCTION: CASED UNCASED ✓
DIAMETERS AND DEPTH RANGES: 6" 0 TO 20' ; 4 3/4" 20' TO 403'
BOREHOLE TOTAL DEPTH AS DRILLED:
CONDUCTOR CASING?: YES DEPTH TO BOTTOM OF CASING ; NO ✓
DEPTH TO BEDROCK: UK DEPTH TO WATER TABLE: 230'
BOREHOLE FLUID: WATER ; FRESH WATER MUD ✓ ; SALT WATER MUD ;
OTHER:
DEPTH TO BOREHOLE FLUID: 0 TIME SINCE LAST CIRCULATION: 2 HR

LOGGING CREW: R. STELLER
VEHICLE(S) USED AND MILEAGE: RENTAL
MOBILIZED FROM: LEWISTON, PA DEPARTURE TIME: 7:30
ARRIVED ON SITE: 9:00
STANDBY TIME: CAUSE:
LOGGING STARTED: 14:20 LOGGING COMPLETED: 15:45

2155 Pomona Road, Unit B, Corona, CA 92882 Ph (951) 549-1234 Fx (951) 549-1236

SITE: CCNPP COLA 13-301 DATE: 6/7/2006
CLIENT: SCHNABEL JOB: 8185
AUTHOR: R. STELLER PAGE 2 OF 2

WINCH: COMPROBE ____ SILVER ✓ OYO ____ OTHER ____
MICROLOGGER 5301 ✓ OTHER ____
ELOG PROBE 5490 ✓ OTHER ____

PROBE OFFSET CASING STICK-UP DEPTH REF. OFFSET	2.50M(8.20 FT) -1.50 6.70 FT.	

LOG NAME	START DEPTH	START TIME	END DEPTH	END TIME
B301B-06 up 01	14:20	40z'	1.7'	1.7' 15:02
B301B-06 up 02	15:14	40z'	1.7'	15:45

MAINTENANCE PERFORMED ON SITE: ____

EQUIPMENT PROBLEMS OR FAILURES: ____

SUGGESTIONS, ADDITIONS, CHANGES: ____

GEOVision Geophysical Services 1121 Fullerton Road, Unit E, Corona, CA 92882 Ph (951) 549-1234 Fx (951) 549-1236

GEOVision
geophysical services

B-301 CALIPER FIELD LOG

SITE: CCNPP COLA DATE: 6/6/2008
CLIENT: SCHNABEL JOB: 6165
AUTHOR: R. STELLER PAGE 1 OF 2

CONTACT: RUBEN TARUSELLI OFFICE PHONE:
CELL PHONE: 703-906-1797
CONTACT: OFFICE PHONE:
PHONE:
CONTACT: PHONE:
PHONE:
CONTACT: PHONE:
PHONE:
DRILLER: PHONE:
COMPANY: PHONE:

GENERAL SITE CONDITIONS/LOCATION:

BOREHOLE DESIGNATION: B-301 LOCATION:

COUNTY: RANGE: TOWNSHIP: SECTION:
BOREHOLE CONSTRUCTION: CASED UNCASED ✓
DIAMETERS AND DEPTH RANGES: 6 7/8" 0 TO ~~44 3/4" 26'~~ 4 3/4" 30' TO 405'
BOREHOLE TOTAL DEPTH AS DRILLED: 403'
CONDUCTOR CASING?: YES DEPTH TO BOTTOM OF CASING ; NO ✓
DEPTH TO BEDROCK: N/A DEPTH TO WATER TABLE: @ 30'
BOREHOLE FLUID: WATER ; FRESH WATER MUD ✓ ; SALT WATER MUD ;
OTHER:
DEPTH TO BOREHOLE FLUID: 0 TIME SINCE LAST CIRCULATION: 6 HR.

LOGGING CREW: R. STELLER
VEHICLE(S) USED AND MILEAGE: RENTAL
MOBILIZED FROM: LEXINGTON, PARK DEPARTURE TIME: 7:30
ARRIVED ON SITE: 8:00
STANDBY TIME: CAUSE:
LOGGING STARTED: 10:20 LOGGING COMPLETED: 17:05

GEOVision Geophysical Services 1121 Pomona Road, Unit P, Corona, CA 92882 Ph: (951) 549-1256 Fx: (951) 549-1216

SITE: CCNPP COLA B-301 DATE: 6/5/2008
CLIENT: SCHNABEL JOB: 8165
AUTHOR: R. STELLER PAGE 2 OF 2

WINCH: COMPROBE ____ SILVER ✓ OYO ____ OTHER ____
MICROLOGGER 5301 ✓ OTHER ____
CALIPER PROBE 5368 ✓ OTHER ____

PROBE OFFSET CASING STICK-UP DEPTH REF. OFFSET	12 IN MAX 2.08M(6.82 FT) ARMS - 1.5 5.32 T	24 IN MAX ARMS - ____

LOG NAME	START DEPTH	START TIME	END DEPTH	END TIME
B301TEST CAL 01	0	16:05	0	16:10
B301 CAL 02	40Z'	16:25	~1.0	16:55
B301TEST CAL 02	0	17:00	0	17:05

CALIBRATION PLATE S/N 201

		AS BUILT		
		1.968 IN	3.937 IN	8.000 IN
	FILE NAME	(50 MM)	(100 MM)	203.2 MM
AS MEAS.	B301TEST CAL 01	1.97	3.91	8.02
AS MEAS.	B301TEST CAL 02	1.98	3.94	8.03
AS MEAS.				
AS MEAS.				
AS MEAS.				
AS MEAS.				

MAINTENANCE PERFORMED ON SITE: ____

EQUIPMENT PROBLEMS OR FAILURES: ____

SUGGESTIONS, ADDITIONS, CHANGES: ____

GEOVision Geophysical Services 1121 Fullerton Road, Unit F, Corona, CA 92882 Ph (951) 549-1234, Fx (951) 549-1236

GEOVision
geophysical services

B-304 BORING GEOPHYSICS FIELD LOG SUMMARY

SITE: CCNPP COLA DATE: 6/1-2/2006
CLIENT: SCHNABEL JOB: 6165
AUTHOR: R. STELLER PAGE 1 OF 2

CONTACT: RUBEN TARUSELLI PHONE: 703-906-1797

BOREHOLE CONSTRUCTION: CASED ____ UNCASED ✓
DIAMETERS AND DEPTH RANGES: 4 1/4 0 TO 200' ; ____ ____ TO ____
BOREHOLE TOTAL DEPTH AS DRILLED: 200'
CONDUCTOR CASING?: YES ____ DEPTH TO BOTTOM OF CASING ____ ; NO ✓
DEPTH TO BEDROCK: N/A
BOREHOLE FLUID: WATER ____ ; FRESH WATER MUD ✓ ; SALT WATER MUD ____ ;

LOGGING CREW: R. STELLER

LOG TYPE	FILE NAME	DEPTH RANGE	DATE	TIMES
Comp Pt.	001 – 112	1.6 – 182.1'	6/1/06	11:00 – 13:30
BG PC	201 – 311	1.6 – 180.5'	6/1/06	14:05 – 15:35
Magn calc	B304A-MAG-CAL	0.2 – 2.0'	6/1/06	16:10 – 16:12
40cm Cal/Res	B304 DEN01 01	0.0 – 194.0	6/1/06	16:20 – 17:20
Mag Cal	B304 MAG-CAL	1.8 – (-1.0)	6/1/06	17:32 – 17:34
Fluid/Caliper	B304-FLUID-CAL01	48.5 – 195.4	6/1/06	18:00 – 18:20
Fluid/Caliper	B304-FLUID-CAL01	195.4 – 20.2	6/1/06	18:25 – 18:45
3.5 Dens Conv	B304 TEST-DEN.01	Ø	6/2/06	11:25 – 11:30
5.5 Dens Conv	B304-CAL-UP01	186 – Ø	6/2/06	11:33 – 11:53
3.5 Dens Cal	B304 TEST-CAL.02	Ø	6/2/06	11:55 – 12:00
5.5 Dens Cal	B304 TEST-CAL.02	Ø	6/2/06	12:05 – 12:10
3.5 Dens Cal	B304-CAL-UP02	184.8 – Ø	6/2/06	12:13 – 12:32
3.5 Dens Cal	B304-GRAT CAL.04	Ø	6/2/06	12:40 – 12:45

GEOVision
geophysical services

P-S SUSPENSION VELOCITY FIELD LOG

SITE: CALVERT CLIFFS COLA B-304 DATE: 6/1/06
CLIENT: SCHNABEL JOB: 6165
AUTHOR: R. STELLER PAGE 1 OF 5

CONTACT: _____ OFFICE PHONE: _____
CELL PHONE: _____
CONTACT: _____ OFFICE PHONE: _____
_____ PHONE: _____
CONTACT: _____ _____ PHONE: _____
_____ PHONE: _____
CONTACT: _____ _____ PHONE: _____
_____ PHONE: _____
DRILLER: _____ _____ PHONE: _____
COMPANY: _____ _____ PHONE: _____

DIRECTIONS TO SITE: _____

GENERAL SITE CONDITIONS/LOCATION: _____

EA#: _____
BOREHOLE DESIGNATION: _____ LOCATION: _____
COUNTY: _____ RANGE: _____ TOWNSHIP: _____ SECTION: _____
BOREHOLE CONSTRUCTION: CASED ____ UNCASED ✓
DIAMETERS AND DEPTH RANGES: 4 1/4" 0 TO 200' : ____, ____ TO ____
BOREHOLE TOTAL DEPTH AS DRILLED: 200'
CONDUCTOR CASING?: YES ____ DEPTH TO BOTTOM OF CASING ____; NO ✓
DEPTH TO BEDROCK: N/A DEPTH TO WATER TABLE: ≈ 60'
BOREHOLE FLUID: WATER ____; FRESH WATER MUD ✓; SALT WATER MUD ____;
OTHER: _____
DEPTH TO BOREHOLE FLUID: _____ TIME SINCE LAST CIRCULATION: 2 HRS

GEOVision
geophysical services

SITE: CALVERT CLIFFS COLA B-204 DATE: 6/1/06
CLIENT: SCHNABEL JOB: 6165
AUTHOR: R. STELLER PAGE 2 OF 5

LOGGING CREW: R. Steller
VEHICLE(S) USED AND MILEAGE: Rental
MOBILIZED FROM: Lexington Park DEPARTURE TIME: 6:00
ARRIVED ON SITE: 7:00
STANDBY TIME: ~ CAUSE: Site-related, wait on site
LOGGING STARTED: 11:00 LOGGING COMPLETED: 13:30
STANDBY TIME: CAUSE:
LOGGING STARTED: 14:05 LOGGING COMPLETED: 15:35
DEMOBILIZED TO: ARRIVAL TIME:
ADDITIONAL DEMOB TIME: REASON:

BATTERIES CHANGED BEFORE LOGGING: YES ____; NO ✓; STORED WITH NEW ____

WINCH		COMPROBE ☐		GREY ☐		OYO ☐	RG ☐		OTH ✓	
INSTRUMENT	OYO 12004 ☐	15014 ☐	19029 ✓			RG 160023 ✓	160024 ☐			
RECEIVER S/N	12008 ☐	20042 ✓	26066 ☐	11001 ☐	23053 ☐					

MAINTENANCE PERFORMED ON SITE:
OYO Data Files: 001 – 112
Connection Data
EQUIPMENT PROBLEMS OR FAILURES: Files: 201 – 311

SUGGESTIONS, ADDITIONS, CHANGES:

COMMENTS: Rec 240 on left-lay = +0.03 m Roll-along 1 0.5 FT Base Line
Roll-along 240 on centerline = 0.3 FT.

11151 Pomona Road, Suite R, Corona, CA 92882 Ph (951) 549-1234 Fx (951) 549-1235

GEOVISION SUSPENSION LOGGING FIELD NOTES

SITE: CALVERT CLIFFS COLA B-304 DATE: 6/1/06

CLIENT: SCHNABEL JOB: 6165

AUTHOR: R. STELLER PAGE 5 OF 5

DEPTH METERS	DEPTH FEET	UNFILTERED FILE NO.	FILTERED FILE NO.	COMMENTS CASING, WATER, ROCK, ETC
0.5	1.64	201	201	
1.0	3.28	2	202	
1.5	4.92	3	203	
2.0	6.56	4	204	
2.5	8.20	5	205	
3.0	9.84	6	206	
3.5	11.48	7	207	
4.0	13.12	8	208	
4.5	14.76	9	209	
5.0	16.40	10	210	
5.5	18.04	11	211	
6.0	19.69	12 13	212, 213	
6.5	21.33	14	214	
7.0	22.97	15	215	
7.5	24.61	16	216	
8.0	26.25	17	217	
8.5	27.89	18	218	
9.0	29.53	19	219	
9.5	31.17	20	220	
10.0	32.81	21	221	
10.5	34.45	22	222	Sea water
11.0	36.09	23	223	
11.5	37.73	24	224	
12.0	39.37	25	225	
12.5	41.01	26	226	
13.0	42.65	27	227	
13.5	44.29	28	228	
14.0	45.93	29	229	
14.5	47.57	30	230	
15.0	49.21	31	231	
15.5	50.85	32	232	
16.0	52.49	33	233	
16.5	54.13	34	234	
17.0	55.77	35	235	
17.5	57.41	36	236	
18.0	59.05	37	237	
18.5	60.79	38	238	
19.0	62.34	39	239	
19.5	63.98	40	240	
20.0	65.62	41	241	

GEOVISION SUSPENSION LOGGING FIELD NOTES

SITE: CALVERT CLIFFS COLA B-304 DATE: 6/1/06
CLIENT: SCHNABEL JOB: 6165
AUTHOR: R. STELLER PAGE 4 OF 5

Rodgers Dal

DEPTH METERS	DEPTH FEET	UNFILTERED FILE NO. 040	FILTERED FILE NO.	COMMENTS CASING, WATER, ROCK, ETC
20.5	67.26	42	242	
21.0	68.90	43	243	
21.5	70.54	44	244	
22.0	72.18	45	245	
22.5	73.82	46	246	
23.0	75.46	47	247	
23.5	77.10	48	248	
24.0	78.74	49	249	
24.5	80.38	50	250	
25.0	82.02	51	251	
25.5	83.66	52	252	
26.0	85.30	53	253	
26.5	86.94	54	254	
27.0	88.58	55	255	
27.5	90.22	56	256	
28.0	91.86	57	257	
28.5	93.50	58	258	Vp = 140 m/s
29.0	95.14	59	259	
29.5	96.78	60	260	
30.0	98.43	61	261	
30.5	100.07	62	262	
31.0	101.71	63	263 Clipped	
31.5	103.35	64	264	
32.0	104.99	65	265	
32.5	106.63	66	266 Clipped	
33.0	108.27	67	267	
33.5	109.91	68	268	
34.0	111.55	69	269 Clipped	
34.5	113.19	70	270	
35.0	114.83	71	271	
35.5	116.47	72	272 Clipped	
36.0	118.11	73	273	
36.5	119.75	74	274	
37.0	121.39	75	275	
37.5	123.03	76	276	
38.0	124.67	77	277	
38.5	126.31	78	278	
39.0	127.95	79	279	
39.5	129.59	80	280	
40.0	131.23	81	281	

GEOVISION SUSPENSION LOGGING FIELD NOTES

SITE: CALVERT CLIFFS COLA R-304 DATE: 6/1/06
CLIENT: SCHNABEL JOB: 6165
AUTHOR: R. STELLER PAGE 5 OF 9

DEPTH METERS	DEPTH FEET	CCD UNFILTERED FILE NO.	RADIATION FILTERED FILE NO.	COMMENTS CASING, WATER, ROCK, ETC
40.5	132.87	81	281	
41.0	134.51	82	282	
41.5	136.15	83	283 CASED	
42.0	137.80	84	284 "	
42.5	139.44	85	285 "	
43.0	141.08	86	286 "	
43.5	142.72	87	287 "	
44.0	144.36	88	288 "	
44.5	146.00	89	289 "	
45.0	147.64	90	290 "	
45.5	149.28	91	291 "	
46.0	150.92	92	292 "	
46.5	152.56	93	293	
47.0	154.20	94	294	
47.5	155.84	95	295	
48.0	157.48	96	296	
48.5	159.12	97	297	
49.0	160.76	98	298	
49.5	162.40	99	299	
50.0	164.04	100	300 CASED	
50.5	165.68	101	301 "	DISC. & de wtr. WATER.
51.0	167.32	102	302 "	
51.5	168.96	103	303	
52.0	170.60	104	304	
52.5	172.24	105	305	
53.0	173.88	106	306	
53.5	175.52	107	307	
54.0	177.17	108	308	
54.5	178.81	109	309	
55.0	180.45	110	310	
55.5	182.09	111	311	
56.0	183.73			LOST RECEIVER AT 55.1m (TIP @ 183.9')
56.5	185.37			CCD HIT @ 56.58 m (TIP @ 185.7')
57.0	187.01			BOTTOM MEASURED. ?
57.5	188.65			
58.0	190.29			
58.5	191.93			
59.0	193.57			
59.5	195.21			
60.0	196.85			

GEOVision
geophysical services

Acoustic TELEVIEWER FIELD LOG

SITE: ~~GRAND GULF COL~~ CcNP COA B-304 DATE: 6/1/2006
CLIENT: WLA JOB: 6242
AUTHOR: R. STELLER PAGE 1 OF 2

CONTACT: JIM HENGISH _OFFICE_ PHONE: 601-437-7354
CELL PHONE: 415-488-7382
CONTACT: _____ _OFFICE_ PHONE: _____
_____ PHONE: _____
CONTACT: _____ _____ PHONE: _____
_____ PHONE: _____
CONTACT: _____ _____ PHONE: _____
_____ PHONE: _____
DRILLER: _____ _____ PHONE: _____
COMPANY: _____ _____ PHONE: _____

DIRECTIONS TO SITE: _____

GENERAL SITE CONDITIONS/LOCATION: _____

BOREHOLE DESIGNATION: B-304 LOCATION: _____

COUNTY: _____ RANGE: _____ TOWNSHIP: _____ SECTION: _____
BOREHOLE CONSTRUCTION: CASED _____ UNCASED ✓
DIAMETERS AND DEPTH RANGES: 4 7/8" 0 TO 200' ; _____, _____ TO _____
BOREHOLE TOTAL DEPTH AS DRILLED: 200'
CONDUCTOR CASING?: YES _____ DEPTH TO BOTTOM OF CASING _____ ; NO ✓
DEPTH TO BEDROCK: N/A DEPTH TO WATER TABLE: 60'
BOREHOLE FLUID: WATER _____ ; FRESH WATER MUD ✓ ; SALT WATER MUD _____ ;
OTHER: _____
DEPTH TO BOREHOLE FLUID: _____ TIME SINCE LAST CIRCULATION: 6 HRS

1121 Cameron Road, Unit B, Corona, CA 92882 Ph (951) 549-1234 Fx (951) 549-1236

GEOVision
geophysical services

SITE: GRAND GULF COL B-304 DATE: 6/1/2006
CLIENT: WLA JOB: 6242
AUTHOR: R. STELLER PAGE 2 OF 2

LOGGING CREW: R. STELLER
VEHICLE(S) USED AND MILEAGE: RENTAL
MOBILIZED FROM: LEXINGTON, SC DEPARTURE TIME: 6:00
ARRIVED ON SITE: 7:00
STANDBY TIME: CAUSE:
LOGGING STARTED: 16:10 LOGGING COMPLETED:

WINCH: COMPROBE ___ SILVER ✓ OYO ___ OTHER ___
MICROLOGGER 5301 ✓ OTHER ___
TELEVIEWER OPTICAL #5117 ___ ACOUSTIC #5174 ✓ OTHER ___

PROBE TILT TEST 85.2° BRUNTON TILT 84° PROBE HOUSING 0.4°
PROBE AZIMUTH TEST 295.5° BRUNTON AZIMUTH 298°

PROBE OFFSET CASING STICK-UP DEPTH REF. OFFSET	OPTICAL 1.88M(6.17FT) - 	ACOUSTIC 1.44M(4.72FT) - 1.50' 3.22 ✓

LOG NAME	START DEPTH	START TIME	END DEPTH	END TIME
B304 Repeat	2.0	16:10	0'	16:12
B304 Ba Down	0.0	16:20	84'	17:20
B304 Pos Log	1.0	17:32	-1.0	17:34
B304 Elog Down	40.5	18:00	195.4	18:20
B304 Elog up 01	195.4	18:25	20.2	18:45

MAINTENANCE PERFORMED ON SITE:

EQUIPMENT PROBLEMS OR FAILURES: Elog Down and Elog up01 Differ in depth by ~ 10' Due to log w/ with incorrect direction? Check in Analysis.

SUGGESTIONS, ADDITIONS, CHANGES: Elog Extension 32.8'
Stick-up = 1.50' Probe length = 9.6 Brunton 9.2 - 1.5' = 7.7'
16:45 hr

GEOVision
geophysical services

B-304 CALIPER FIELD LOG

SITE: CCNPP COLA DATE: 6/2/2008
CLIENT: SCHNABEL JOB: 6185
AUTHOR: R. STELLER

CONTACT: RUBEN TARUSELLI OFFICE PHONE:
CELL PHONE: 703-906-1797
CONTACT: OFFICE PHONE:
PHONE:
CONTACT: PHONE:
PHONE:
CONTACT: PHONE:
PHONE:
DRILLER: PHONE:
COMPANY: PHONE:

GENERAL SITE CONDITIONS/LOCATION:

BOREHOLE DESIGNATION: B-304 LOCATION:

COUNTY: RANGE: TOWNSHIP: SECTION:
BOREHOLE CONSTRUCTION: CASED UNCASED ✓
DIAMETERS AND DEPTH RANGES: 4.25" 0 TO 200' ; TO
BOREHOLE TOTAL DEPTH AS DRILLED: 200'
CONDUCTOR CASING?: YES DEPTH TO BOTTOM OF CASING ; NO ✓
DEPTH TO BEDROCK: NA DEPTH TO WATER TABLE: 6.68'
BOREHOLE FLUID: WATER ; FRESH WATER MUD ✓ ; SALT WATER MUD ;
OTHER:
DEPTH TO BOREHOLE FLUID: 0 TIME SINCE LAST CIRCULATION: 4½ HR

LOGGING CREW: R. STELLER
VEHICLE(S) USED AND MILEAGE: RENTAL
MOBILIZED FROM: LEXINGTON PARK DEPARTURE TIME: 10:15
ARRIVED ON SITE: 10:45
STANDBY TIME: — CAUSE: —
LOGGING STARTED: 11:50 LOGGING COMPLETED: 12:40

7651 Pannon Rock, Unit P, Corona, CA 92882 Ph (951) 549-1238 Fx (951) 549-1236

SITE: CCNPP COLA R- 304 DATE: 6 / 2 /2006
CLIENT: SCHNABEL JOB: 8165
AUTHOR: R. STELLER PAGE 2 OF 2

WINCH: COMPROBE ____ SILVER √ OYO ____ OTHER ____
MICROLOGGER 5301 √ OTHER ____
CALIPER PROBE 5368 √ OTHER ____

PROBE OFFSET CASING STICK-UP DEPTH REF. OFFSET	12 IN MAX 2.08M(6.82 FT) ARMS - 1.50 5.32 FT	24 IN MAX ARMS - ____

LOG NAME	START DEPTH	START TIME	END DEPTH	END TIME
B304-TEST CAL 01	0	11:25 20:15	0	11:30 20:18
B 304 CAL UP 01	188.45	11:33 20:34	0	11:53 20:44
B304-TEST CAL 02	0	11:55 20:48	0	12:00 21:50
B 304 TEST CAL 03	0	12:05	0	12:10
B 304 CAL UP 02	189'	12:15	0	12:32
B 304 CAL TEST CAL 04	0	12:40	0	12:45

CALIBRATION PLATE S/N 201

		AS BUILT		
		1.968 IN	3.937 IN	8.000 IN
	FILE NAME	(50 MM)	(100 MM)	203.2 MM
AS MEAS.	B 304 TEST CAL 01	1.97	3.92	8.00
AS MEAS.	B 304 TEST CAL 02	1.92	3.87	7.88
AS MEAS.	B 304 TEST CAL 03	1.97	3.97	8.00
AS MEAS.	B 304 TEST CAL 04	1.96	3.96	8.00
AS MEAS.				
AS MEAS.				

1.96 3.93 7.00
1.94 3.96 8.04
1.97 3.95 8.03

MAINTENANCE PERFORMED ON SITE: ____

EQUIPMENT PROBLEMS OR FAILURES: ____

SUGGESTIONS, ADDITIONS, CHANGES: ____

GEOVision
geophysical services

B-307 BORING GEOPHYSICS FIELD LOG SUMMARY

SITE: CCNPP COLA DATE: 6/15/2006
CLIENT: SCHNABEL JOB: 6165
AUTHOR: R. STELLER PAGE 1 OF 2

CONTACT: RUBEN TARUSELLI PHONE: 703-906-1797

BOREHOLE CONSTRUCTION: CASED ____ UNCASED ✓
DIAMETERS AND DEPTH RANGES: 6" 0 TO 20' ; 4 1/4" 20 TO 200'
BOREHOLE TOTAL DEPTH AS DRILLED: 200'
CONDUCTOR CASING?: YES ____ DEPTH TO BOTTOM OF CASING ____ ; NO ✓
DEPTH TO BEDROCK: UNK
BOREHOLE FLUID: WATER ____ ; FRESH WATER MUD ✓ ; SALT WATER MUD ____ ;

LOGGING CREW: R. STELLER

LOG TYPE	FILE NAME	DEPTH RANGE	DATE	TIMES
SUSCEPTIBILITY	001 - 114	1.6' - 197.0'	6/15/06	20:00 - 21:05
CALIPER TEST	B307TEST CAL.01	0	6/15/06	21:25 - 21:35
CALIPER	B307 CALIP 01	197.0 - (-0.5)	6/15/06	21:45 - 22:05
CALIPER TEST	B307TEST CAL.02	0	6/15/06	22:10 - 22:15
GLOBAL/MAGNA	B307 GLOB CAL01	200.0' - 4.0'	6/15/06	22:27 - 22:50
DEVIATION	B307 DEV DOWN01	0 - 195.0'	6/15/06	23:20 - 0:15

GEOVision
geophysical services

P-S SUSPENSION VELOCITY FIELD LOG

SITE: CALVERT CLIFFS COLA B-307 DATE: 6/15/06
CLIENT: SCHNABEL JOB: 6165
AUTHOR: R. STELLER PAGE 1 OF 5

CONTACT: _____ OFFICE PHONE: _____
CELL PHONE: _____
CONTACT: _____ OFFICE PHONE: _____
PHONE: _____
CONTACT: _____ PHONE: _____
PHONE: _____
CONTACT: _____ PHONE: _____
PHONE: _____
DRILLER: _____ PHONE: _____
COMPANY: _____ PHONE: _____

DIRECTIONS TO SITE: _____

GENERAL SITE CONDITIONS/LOCATION: _____

EA#: _____
BOREHOLE DESIGNATION: B-307 LOCATION: _____

COUNTY: _____ RANGE: _____ TOWNSHIP: _____ SECTION: _____
BOREHOLE CONSTRUCTION: CASED ____ UNCASED ✓
DIAMETERS AND DEPTH RANGES: 8" Ø 0 TO 200' 2.5"; 4 1/4" 20 TO 200'
BOREHOLE TOTAL DEPTH AS DRILLED: 200'
CONDUCTOR CASING?: YES ____ DEPTH TO BOTTOM OF CASING ____; NO ✓
DEPTH TO BEDROCK: N/A DEPTH TO WATER TABLE: _____
BOREHOLE FLUID: WATER ____; FRESH WATER MUD ✓; SALT WATER MUD ____;
OTHER: _____
DEPTH TO BOREHOLE FLUID: 0 TIME SINCE LAST CIRCULATION: N/A

GEOVision
geophysical services

SITE: CALVERT CLIFFS COLA B-307 DATE: 6/15/06
CLIENT: SCHNABEL JOB: 6166
AUTHOR: R. STELLER PAGE 2 OF 5

LOGGING CREW: R. STELLER
VEHICLE(S) USED AND MILEAGE: RENTAL
MOBILIZED FROM: LEXINGTON PARK DEPARTURE TIME: 17:00
ARRIVED ON SITE: 19:30
STANDBY TIME: CAUSE:
LOGGING STARTED: LOGGING COMPLETED:
STANDBY TIME: CAUSE:
LOGGING STARTED: 20:00 LOGGING COMPLETED: 21:05
DEMOBILIZED TO: ARRIVAL TIME:
ADDITIONAL DEMOB TIME: REASON:

BATTERIES CHANGED BEFORE LOGGING: YES ____ ; NO ✓ ; STORED WITH NEW ____

WINCH	COMPROBE ☐		GREY ☐	OYO ☐	RG ☐	OTH ☑				
INSTRUMENT	OYO 12004 ☐	15014 ☐	19029 ☐		RG 160023 ☑	160024 ☐				
RECEIVER S/N	12008 ☐	20042 ☐	26066 ☐	11001 ☐	23053 ☐	30086 ☑				

MAINTENANCE PERFORMED ON SITE:

EQUIPMENT PROBLEMS OR FAILURES:

SUGGESTIONS, ADDITIONS, CHANGES:

COMMENTS: DEPTH OFFSET = 8.14' − 1.5' = 6.64' ≈ 2.02m

1151 Fourneys Road, Suite F, Corona, CA 92882 Ph (951) 549-1234 Fax (951) 549-1235

GEOVISION SUSPENSION LOGGING FIELD NOTES

SITE: CALVERT CLIFFS COLA B-307 DATE: 6/15/06

CLIENT: SCHNABEL JOB: 6165

AUTHOR: R. STELLER PAGE 3 OF 15

DEPTH METERS	DEPTH FEET	UNFILTERED FILE NO.	FILTERED FILE NO.	COMMENTS CASING, WATER, ROCK, ETC
0.5	1.64	1		
1.0	3.28	2		
1.5	4.92	3		
2.0	6.56	4		
2.5	8.20	5		
3.0	9.84	6		
3.5	11.48	7		
4.0	13.12	8		
4.5	14.76	9		
5.0	16.40	10		
5.5	18.04	11		
6.0	19.69	12		
6.5	21.33	13		
7.0	22.97	14		
7.5	24.61	15		
8.0	26.25	16		
8.5	27.89	17		
9.0	29.53	18		
9.5	31.17	19		
10.0	32.81	20		
10.5	34.45	21		
11.0	36.09	22		
11.5	37.73	23		
12.0	39.37	24		
12.5	41.01	25		
13.0	42.65	26		
13.5	44.29	27		
14.0	45.93	28		
14.5	47.57	29		
15.0	49.21	30		
15.5	50.85	31		
16.0	52.49	32		
16.5	54.13	33		
17.0	55.77	34		
17.5	57.41	35		
18.0	59.06	36		
18.5	60.70	37		
19.0	62.34	38		
19.5	63.98	39		
20.0	65.62	40		

GEOVISION SUSPENSION LOGGING FIELD NOTES

SITE: CALVERT CLIFFS COLA B-307 DATE: 6/15/06

CLIENT: SCHNABEL JOB: 6165

AUTHOR: R. STELLER PAGE 4 OF 5

DEPTH METERS	DEPTH FEET	UNFILTERED FILE NO.	FILTERED FILE NO.	COMMENTS CASING, WATER, ROCK, ETC
20.5	67.26	41		
21.0	68.90	42		
21.5	70.54	43		
22.0	72.18	44		
22.5	73.82	45		
23.0	75.46	46		
23.5	77.10	47		
24.0	78.74	48		
24.5	80.38	49		
25.0	82.02	50		
25.5	83.66	51		
26.0	85.30	52		
26.5	86.94	53		
27.0	88.58	54		
27.5	90.22	55		
28.0	91.86	56		
28.5	93.50	57		
29.0	95.14	58		
29.5	96.78	59		
30.0	98.43	60		
30.5	100.07	61		
31.0	101.71	62		
31.5	103.35	63		
32.0	104.99	64		
32.5	106.63	65		
33.0	108.27	66		
33.5	109.91	67		
34.0	111.55	68		
34.5	113.19	69		
35.0	114.83	70		
35.5	116.47	71		
36.0	118.11	72		
36.5	119.75	73		
37.0	121.39	74		
37.5	123.03	75		
38.0	124.67	76		
38.5	126.31	77		
39.0	127.95	78		
39.5	129.59	79		
40.0	131.23	80		

GEOVISION SUSPENSION LOGGING FIELD NOTES

SITE: CALVERT CLIFFS COLA B-307 DATE: 6/05/06
CLIENT: SCHNABEL JOB: 6165
AUTHOR: R. STELLER PAGE 5 OF 5

DEPTH METERS	DEPTH FEET	UNFILTERED FILE NO.	FILTERED FILE NO.	COMMENTS CASING, WATER, ROCK, ETC
40.5	132.87	81		
41.0	134.51	82		
41.5	136.15	83		
42.0	137.80	84		
42.5	139.44	85		
43.0	141.08	86		
43.5	142.72	87		
44.0	144.36	88		
44.5	146.00	89		
45.0	147.64	90		
45.5	149.28	91		
46.0	150.92	92		
46.5	152.56	93		
47.0	154.20	94		
47.5	155.84	95		
48.0	157.48	96		
48.5	159.12	97		
49.0	160.76	98		
49.5	162.40	99		
50.0	164.04	100		
50.5	165.68	101		
51.0	167.32	102		
51.5	168.96	103		
52.0	170.60	104		
52.5	172.24	105		
53.0	173.88	106		
53.5	175.52	107		
54.0	177.17	108		
54.5	178.81	109		
55.0	180.45	110		
55.5	182.09	111		
56.0	183.73	112		
56.5	185.37	113		
57.0	187.01	114		Bottom measurement ?
57.5	188.65			Hit Bottom @ 57.5m = Tip Rt Sea.
58.0	190.29			
58.5	191.93			
59.0	193.57			
59.5	195.21			
60.0	196.85			

GEOVision
geophysical services

B-307 CALIPER FIELD LOG

SITE: CCNPP COLA DATE: 4/15/2008
CLIENT: SCHNABEL JOB: 6165
AUTHOR: R. STELLER PAGE 1 OF 2

CONTACT: RUBEN TARUSELLI OFFICE PHONE:
CELL PHONE: 703-906-1797
CONTACT: OFFICE PHONE:
PHONE:
CONTACT: PHONE:
PHONE:
CONTACT: PHONE:
PHONE:
DRILLER: PHONE:
COMPANY: PHONE:

GENERAL SITE CONDITIONS/LOCATION:

BOREHOLE DESIGNATION: B-307 LOCATION:

COUNTY: RANGE: TOWNSHIP: SECTION:
BOREHOLE CONSTRUCTION: CASED UNCASED ✓
DIAMETERS AND DEPTH RANGES: 6" 0 TO 60' ; 4¼" 80 TO 200'
BOREHOLE TOTAL DEPTH AS DRILLED: 200'
CONDUCTOR CASING?: YES DEPTH TO BOTTOM OF CASING ; NO ✓
DEPTH TO BEDROCK: 52' DEPTH TO WATER TABLE:
BOREHOLE FLUID: WATER ; FRESH WATER MUD ✓ ; SALT WATER MUD ;
OTHER:
DEPTH TO BOREHOLE FLUID: 0 TIME SINCE LAST CIRCULATION: 2 hr

LOGGING CREW: R. STELLER
VEHICLE(S) USED AND MILEAGE: RENTAL
MOBILIZED FROM: Lexington, Penn. DEPARTURE TIME: 17:00
ARRIVED ON SITE: 10:30
STANDBY TIME: CAUSE:
LOGGING STARTED: 21:25 LOGGING COMPLETED: 22:15

SITE: CCNPP COLA B-307 DATE: 6/15/2006
CLIENT: SCHNABEL JOB: 6165
AUTHOR: R. STELLER PAGE 2 OF 2

WINCH: COMPROBE ___ SILVER ✓ OYO ___ OTHER ___
MICROLOGGER 5301 ✓ OTHER ___
CALIPER PROBE 5368 ✓ OTHER ___

PROBE OFFSET CASING STICK-UP DEPTH REF. OFFSET	12 IN MAX 2.08M(6.82 FT) ARMS - 1.5' 5.32'	24 IN MAX ARMS - ___

LOG NAME	START DEPTH	START TIME	END DEPTH	END TIME
B307 TEMP 01	0	21:25	0	21:35
B307 CALIP 01	117.0	21:45	~0.5	22:05
B307 TEMP 02	0	22:10	0	22:15

CALIBRATION PLATE S/N 201

		AS BUILT		
		1.968 IN	3.937 IN	8.000 IN
	FILE NAME	(50 MM)	(100 MM)	203.2 MM
AS MEAS.	B307 TEMP 01	1.94	3.94	8.01
AS MEAS.	B307 TEMP 02	1.93	3.87	7.94
AS MEAS.				
AS MEAS.				
AS MEAS.				
AS MEAS.				

MAINTENANCE PERFORMED ON SITE: ___

EQUIPMENT PROBLEMS OR FAILURES: ___

SUGGESTIONS, ADDITIONS, CHANGES: ___

GEOVision
geophysical services

B-307 ELOG FIELD LOG

SITE: CCNPP COLA DATE: 6/15/2006
CLIENT: SCHNABEL JOB: 6165
AUTHOR: R. STELLER PAGE 1 OF 2

CONTACT: RUBEN TARUSELLI OFFICE PHONE:
CELL PHONE: 703-906-1797
CONTACT: OFFICE PHONE:
PHONE:
CONTACT: PHONE:
PHONE:
CONTACT: PHONE:
PHONE:
DRILLER: PHONE:
COMPANY: PHONE:

GENERAL SITE CONDITIONS/LOCATION:

BOREHOLE DESIGNATION: B-307 LOCATION:

COUNTY: RANGE: TOWNSHIP: SECTION:
BOREHOLE CONSTRUCTION: CASED UNCASED ✓
DIAMETERS AND DEPTH RANGES: 6" 0 TO 20' ; 4 1/4" 20' TO 200'
BOREHOLE TOTAL DEPTH AS DRILLED: 200'
CONDUCTOR CASING?: YES DEPTH TO BOTTOM OF CASING ; NO ✓
DEPTH TO BEDROCK: NA DEPTH TO WATER TABLE:
BOREHOLE FLUID: WATER ; FRESH WATER MUD ✓ ; SALT WATER MUD ;
OTHER:
DEPTH TO BOREHOLE FLUID: 0 TIME SINCE LAST CIRCULATION: 4 HR.

LOGGING CREW: R. STELLER
VEHICLE(S) USED AND MILEAGE: RENTAL
MOBILIZED FROM: LEXINGTON PARK DEPARTURE TIME: 17:00
ARRIVED ON SITE: 8:30
STANDBY TIME: CAUSE:
LOGGING STARTED: 22:27 LOGGING COMPLETED: 22:50

SITE: CCNPP COLA B-307 DATE: 6/15/2006
CLIENT: SCHNABEL JOB: 6165
AUTHOR: R. STELLER PAGE 2 OF 2

WINCH: COMPROBE ____ SILVER V OYO ____ OTHER ____
MICROLOGGER 5301 V OTHER ____
ELOG PROBE 5490 V OTHER ____

PROBE OFFSET	2.50M(8.20 FT)	
CASING STICK-UP	-1.5	
DEPTH REF. OFFSET	6.7 Ft.	

LOG NAME	START DEPTH	START TIME	END DEPTH	END TIME
B307 Base w/ pu	200'	22:27	4.05'	22:50

MAINTENANCE PERFORMED ON SITE: ____

EQUIPMENT PROBLEMS OR FAILURES: ____

SUGGESTIONS, ADDITIONS, CHANGES: ____

GEOVision
geophysical services

B-307 DEVIATION ~~ACOUSTIC TELEVIEWER~~ FIELD LOG

SITE: CCNPP COLA DATE: 6/15/2006
CLIENT: SCHNABEL JOB: 6165
AUTHOR: R. STELLER PAGE 1 OF 2

CONTACT: RUBEN TARUSELLI OFFICE PHONE:
CELL PHONE: 703-906-1797
CONTACT: OFFICE PHONE:
PHONE:
CONTACT: PHONE:
PHONE:
CONTACT: PHONE:
PHONE:
DRILLER: PHONE:
COMPANY: PHONE:

DIRECTIONS TO SITE:

GENERAL SITE CONDITIONS/LOCATION:

BOREHOLE DESIGNATION: B-307 LOCATION:

COUNTY: RANGE: TOWNSHIP: SECTION:
BOREHOLE CONSTRUCTION: CASED UNCASED ✓
DIAMETERS AND DEPTH RANGES: 12" 0 TO 20' ; 4 3/4" 20 TO 200'
BOREHOLE TOTAL DEPTH AS DRILLED: 200
CONDUCTOR CASING?: YES DEPTH TO BOTTOM OF CASING ; NO ✓
DEPTH TO BEDROCK: N/A DEPTH TO WATER TABLE:
BOREHOLE FLUID: WATER ; FRESH WATER MUD ✓ ; SALT WATER MUD ;
OTHER:
DEPTH TO BOREHOLE FLUID: 17 TIME SINCE LAST CIRCULATION: 2 HRS

GEOVision
geophysical services

SITE: CCNPP COLA B-307 DATE: 6/15/2006
CLIENT: SCHNABEL JOB: 6165
AUTHOR: R. STELLER PAGE 2 OF 2

LOGGING CREW: R. STELLER
VEHICLE(S) USED AND MILEAGE: RENTAL
MOBILIZED FROM: Livingston PARK DEPARTURE TIME: 17:00
ARRIVED ON SITE: 18:30
STANDBY TIME: CAUSE:
LOGGING STARTED: 23:20 LOGGING COMPLETED:

WINCH: COMPROBE ___ SILVER ___ OYO ___ OTHER Colog mAYTE
MICROLOGGER 5301 ___ OTHER mAYTE
TELEVIEWER OPTICAL #5117 ___ ACOUSTIC #5174 ___ OTHER Colog Dwiz

PROBE TILT TEST 87.7 BRUNTON TILT 88 Inclined 0.6°
PROBE AZIMUTH TEST 292.1 BRUNTON AZIMUTH 270

PROBE OFFSET CASING STICK-UP DEPTH REF. OFFSET	OPTICAL 1.88M(6.17FT) -	ACOUSTIC 1.44M(4.72FT) -

Zero @ -1.5'

LOG NAME	START DEPTH	START TIME	END DEPTH	END TIME
B307Recon				
B307 Deviation01	0	08:10	195	12:15

MAINTENANCE PERFORMED ON SITE:

EQUIPMENT PROBLEMS OR FAILURES:

SUGGESTIONS, ADDITIONS, CHANGES:

GEVision
geophysical services

B-318 BORING GEOPHYSICS FIELD LOG SUMMARY

SITE: CCNPP COLA DATE: 6/4/2008
CLIENT: SCHNABEL JOB: 6165
AUTHOR: R. STELLER PAGE 1 OF 2

CONTACT: RUBEN TARUSELLI PHONE: 703-906-1797

BOREHOLE CONSTRUCTION: CASED ____ UNCASED ✓
DIAMETERS AND DEPTH RANGES: 4¼ 0 TO 201 ; ____ ____ TO ____
BOREHOLE TOTAL DEPTH AS DRILLED: 201'
CONDUCTOR CASING?: YES ____ DEPTH TO BOTTOM OF CASING ____ ; NO ✓
DEPTH TO BEDROCK: ____
BOREHOLE FLUID: WATER ____ ; FRESH WATER MUD ✓ ; SALT WATER MUD ____ ;

LOGGING CREW: R. STELLER

LOG TYPE	FILE NAME	DEPTH RANGE	DATE	TIMES
16" SC	001 - 116	1.6 - 190.3	6/4/08	14:30 - 16:00
DEVIATION	B318_DEVIATION_01	0 - 81.4	6/4/08	16:20 - 16:50
DEVIATION	B318_DEVIATION_02	83.5 - 198.5	6/4/08	16:00 - 18:32
BLOCK/GAMMA	B318_BLOCK_01	180 - 197.0	6/4/08	19:05 - 19:24
BLOCK/GAMMA	B318_BLOCK_UP_01	197.0 - 40.0	6/4/08	19:25 - 19:45
GAMMA	B318_BLOCK_UP_02	40.0 - 0	6/4/08	19:50 - 20:10
3 ARM CAL	B318_TEMPCAL_01	0	6/4/08	20:15 - 20:18
3 ARM CAL	B318_CAL_UP_01	195.0 - 0	6/4/08	20:26 - 20:44
3 ARM CAL	B318_TEMPCAL_02	0	6/4/08	20:46 - 20:50

GEOVision
geophysical services

P-S SUSPENSION VELOCITY FIELD LOG

SITE: CALVERT CLIFFS COLA B-318 DATE: 6/4/06
CLIENT: SCHNABEL JOB: 6165
AUTHOR: R. STELLER PAGE 1 OF 5

CONTACT: _____ OFFICE PHONE: _____
CELL PHONE: _____
CONTACT: _____ OFFICE PHONE: _____
_____ PHONE: _____
CONTACT: _____ _____ PHONE: _____
_____ PHONE: _____
CONTACT: _____ _____ PHONE: _____
_____ PHONE: _____
DRILLER: _____ _____ PHONE: _____
COMPANY: _____ _____ PHONE: _____

DIRECTIONS TO SITE: _____

GENERAL SITE CONDITIONS/LOCATION: _____

EA#: _____
BOREHOLE DESIGNATION: B-3+4-318 LOCATION: _____

COUNTY: _____ RANGE: _____ TOWNSHIP: _____ SECTION: _____
BOREHOLE CONSTRUCTION: CASED ____ UNCASED ✓
DIAMETERS AND DEPTH RANGES: 4 1/2 0 TO 280'2a'; _____, _____ TO _____
BOREHOLE TOTAL DEPTH AS DRILLED: 280' 2a'
CONDUCTOR CASING?: YES ____ DEPTH TO BOTTOM OF CASING _____; NO ____
DEPTH TO BEDROCK: N/A DEPTH TO WATER TABLE: ~ 40'
BOREHOLE FLUID: WATER ____; FRESH WATER MUD ✓; SALT WATER MUD ____;
OTHER: _____
DEPTH TO BOREHOLE FLUID: 0 TIME SINCE LAST CIRCULATION: 1/2 HR

GEOVision
geophysical services

SITE: CALVERT CLIFFS COLA B-21B DATE: 6/4/06
CLIENT: SCHNABEL JOB: 6165
AUTHOR: R. STELLER PAGE 2 OF 5

LOGGING CREW: R. STELLER
VEHICLE(S) USED AND MILEAGE: CENTRAL
MOBILIZED FROM: LEXINGTON PARK DEPARTURE TIME: 1:00 PM
ARRIVED ON SITE: 13:30
STANDBY TIME: CAUSE:
LOGGING STARTED: 14:30 LOGGING COMPLETED: 16:00
STANDBY TIME: CAUSE:
LOGGING STARTED: LOGGING COMPLETED:
DEMOBILIZED TO: ARRIVAL TIME:
ADDITIONAL DEMOB TIME: REASON:

BATTERIES CHANGED BEFORE LOGGING: YES ✓; NO ; STORED WITH NEW

WINCH		COMPROBE ☐		GREY ☐	OYO ☐	RG ☐	OTH ☑			
INSTRUMENT	OYO	12004 ☐	15014 ☐	19029 ☐		RG	160023 ☑	160024 ☐		
RECEIVER S/N		12008 ☐	20042 ☑	26086 ☐	11001 ☐	23053 ☐				

MAINTENANCE PERFORMED ON SITE:

EQUIPMENT PROBLEMS OR FAILURES:

SUGGESTIONS, ADDITIONS, CHANGES:

COMMENTS:

GEOVISION SUSPENSION LOGGING FIELD NOTES

SITE: CALVERT CLIFFS COLA B-319 DATE: 6/4/06

CLIENT: SCHNABEL JOB: 6165

AUTHOR: R. STELLER PAGE 3 OF 5

DEPTH METERS	DEPTH FEET	UNFILTERED FILE NO.	FILTERED FILE NO.	COMMENTS CASING, WATER, ROCK, ETC
0.5	1.64	1		
1.0	3.28	2		
1.5	4.92	3		
2.0	6.56	4		
2.5	8.20	5		
3.0	9.84	6		
3.5	11.48	7		
4.0	13.12	8		
4.5	14.76	9		
5.0	16.40	10		
5.5	18.04	11		
6.0	19.69	12		
6.5	21.33	13		
7.0	22.97	14		
7.5	24.61	15		
8.0	26.25	16		
8.5	27.89	17		
9.0	29.53	18		
9.5	31.17	19		
10.0	32.81	20		
10.5	34.45	21		
11.0	36.09	22		
11.5	37.73	23		
12.0	39.37	24		
12.5	41.01	25		
13.0	42.65	26		
13.5	44.29	27		
14.0	45.93	28		
14.5	47.57	29		
15.0	49.21	30		
15.5	50.85	31		
16.0	52.49	32		
16.5	54.13	33		
17.0	55.77	34		
17.5	57.41	35		
18.0	59.06	36		
18.5	60.70	37		
19.0	62.34	38		
19.5	63.98	39		
20.0	65.62	40		

GEOVISION SUSPENSION LOGGING FIELD NOTES

SITE: CALVERT CLIFFS COLA B-319 DATE: 6/4/06
CLIENT: SCHNABEL JOB: 6165
AUTHOR: R. STELLER PAGE 4 OF 5

DEPTH METERS	DEPTH FEET	UNFILTERED FILE NO.	FILTERED FILE NO.	COMMENTS CASING, WATER, ROCK, ETC
20.5	67.26	41		
21.0	68.90	42		
21.5	70.54	43		
22.0	72.18	44		
22.5	73.82	45		
23.0	75.46	46		
23.5	77.10	47		
24.0	78.74	48		
24.5	80.38	49		
25.0	82.02	50		
25.5	83.66	51		
26.0	85.30	52		
26.5	86.94	53		
27.0	88.58	54		
27.5	90.22	55		
28.0	91.86	56		
28.5	93.50	57		
29.0	95.14	58		
29.5	96.78	59		
30.0	98.43	60		
30.5	100.07	61		
31.0	101.71	62		
31.5	103.35	63		
32.0	104.99	64		
32.5	106.63	65		
33.0	108.27	66		
33.5	109.91	67		
34.0	111.55	68		
34.5	113.19	69		
35.0	114.83	70		
35.5	116.47	71		
36.0	118.11	72		
36.5	119.75	73		
37.0	121.39	74		
37.5	123.03	75		
38.0	124.67	76		
38.5	126.31	77		
39.0	127.95	78		
39.5	129.59	79		
40.0	131.23	80		

GEOVISION SUSPENSION LOGGING FIELD NOTES

SITE: CALVERT CLIFFS COLA B-318 DATE: 6/4/06
CLIENT: SCHNABEL JOB: 6165
AUTHOR: R. STELLER PAGE 5 OF 5

DEPTH METERS	DEPTH FEET	UNFILTERED FILE NO.	FILTERED FILE NO.	COMMENTS CASING, WATER, ROCK, ETC
40.5	132.87	81		
41.0	134.51	82		
41.5	136.15	83		
42.0	137.80	84		
42.5	139.44	85		
43.0	141.08	86		
43.5	142.72	87		
44.0	144.36	88		
44.5	146.00	89		
45.0	147.64	90		
45.5	149.28	91		
46.0	150.92	92		
46.5	152.56	93		
47.0	154.20	94		
47.5	155.84	95		
48.0	157.48	96		
48.5	159.12	97		
49.0	160.76	98		
49.5	162.40	99		
50.0	164.04	100		
50.5	165.68	101		
51.0	167.32	102		
51.5	168.96	103		
52.0	170.60	104		
52.5	172.24	105		
53.0	173.88	106		
53.5	175.52	107		
54.0	177.17	108		
54.5	178.81	109		
55.0	180.45	110		
55.5	182.09	111		
56.0	183.73	112		
56.5	185.37	113		
57.0	187.01	114		Bottom measurement?
57.5	188.65	115		
58.0	190.29	116		Bottom @ 58.2m
58.5	191.93			
59.0	193.57			
59.5	195.21			
60.0	196.85			

GEOVision
geophysical services

B-318 Acoustic TELEVIEWER FIELD LOG

SITE: GRAND GULF COL Claiborne County, MS DATE: 6/4/2006
CLIENT: WEA Services JOB: 6242 6165
AUTHOR: R. STELLER PAGE 1 OF 2

CONTACT: JIM HENGISH OFFICE PHONE: 601-437-7354
CELL PHONE: 415-488-7382
CONTACT: OFFICE PHONE:
PHONE:
CONTACT: PHONE:
PHONE:
CONTACT: PHONE:
PHONE:
DRILLER: PHONE:
COMPANY: PHONE:

DIRECTIONS TO SITE:

GENERAL SITE CONDITIONS/LOCATION:

BOREHOLE DESIGNATION: B-318 LOCATION:

COUNTY: RANGE: TOWNSHIP: SECTION:
BOREHOLE CONSTRUCTION: CASED ___ UNCASED ✓
DIAMETERS AND DEPTH RANGES: 4½ 0 TO ~~450~~ 201' ___, ___ TO ___
BOREHOLE TOTAL DEPTH AS DRILLED: 201'
CONDUCTOR CASING?: YES ___ DEPTH TO BOTTOM OF CASING ___; NO ✓
DEPTH TO BEDROCK: N/A DEPTH TO WATER TABLE: 490' ?
BOREHOLE FLUID: WATER Ø; FRESH WATER MUD ✓; SALT WATER MUD ___;
OTHER:
DEPTH TO BOREHOLE FLUID: ___ TIME SINCE LAST CIRCULATION: 1½ hrs

GEOVision
geophysical services

SITE: GRAND GULF COL B-318 DATE: 6/4/2006
CLIENT: WLA JOB: 6242 & 6165
AUTHOR: R. STELLER PAGE 2 OF 2

LOGGING CREW: R. STELLER
VEHICLE(S) USED AND MILEAGE: RENTAL
MOBILIZED FROM: [illegible] DEPARTURE TIME: 8:00PM
ARRIVED ON SITE: 12:30
STANDBY TIME: CAUSE:
LOGGING STARTED: 16:20 LOGGING COMPLETED: 20:00

WINCH: COMPROBE ___ SILVER ✓ OYO ___ OTHER ___
MICROLOGGER 5301 ✓ OTHER ___
TELEVIEWER OPTICAL #5117 ___ ACOUSTIC #5174 ✓ OTHER ___

PROBE TILT TEST 87.6 BRUNTON TILT 88.0 HANGING 0-2.6°
PROBE AZIMUTH TEST 34.2 BRUNTON AZIMUTH 37.0

PROBE OFFSET CASING STICK-UP DEPTH REF. OFFSET	OPTICAL 1.88M(6.17FT) - -	ACOUSTIC 1.44M(4.72FT) - 1.50FT 3.22'

BLOCK (8.2 FT
- 1.50
+ 52.6
59.3'

LOG NAME	START DEPTH	START TIME	END DEPTH	END TIME
6"/18" Down 01	0'	16:20	83.4'	16:50
6"/18" UP 02	83.5	16:50	148.5	16:32
6"/18" Step Down 03	148.0	17:05	197	17:24
6"/18" Step UP 04	197	17:25	40'	17:45
6"/18" Step 05&2	40	19:50	0'	20:00

MAINTENANCE PERFORMED ON SITE:

EQUIPMENT PROBLEMS OR FAILURES:

SUGGESTIONS, ADDITIONS, CHANGES:

GEOVision
geophysical services

B-318 CALIPER FIELD LOG

SITE: CCNPP COLA DATE: 6/4/2006
CLIENT: SCHNABEL JOB: 6165
AUTHOR: R. STELLER PAGE 1 OF 2

CONTACT: RUBEN TARUSELLI OFFICE PHONE:
CELL PHONE: 703-906-1797
CONTACT: OFFICE PHONE:
PHONE:
CONTACT: PHONE:
PHONE:
CONTACT: PHONE:
PHONE:
DRILLER: PHONE:
COMPANY: PHONE:

GENERAL SITE CONDITIONS/LOCATION:

BOREHOLE DESIGNATION: LOCATION:

COUNTY: RANGE: TOWNSHIP: SECTION:
BOREHOLE CONSTRUCTION: CASED UNCASED ✓
DIAMETERS AND DEPTH RANGES: 4 1/4 0 TO 201' : TO
BOREHOLE TOTAL DEPTH AS DRILLED: 201
CONDUCTOR CASING?: YES DEPTH TO BOTTOM OF CASING : NO ✓
DEPTH TO BEDROCK: DEPTH TO WATER TABLE:
BOREHOLE FLUID: WATER ; FRESH WATER MUD ✓ ; SALT WATER MUD ;
OTHER:
DEPTH TO BOREHOLE FLUID: TIME SINCE LAST CIRCULATION: 4 HRS

LOGGING CREW: R. STELLER
VEHICLE(S) USED AND MILEAGE: RENTAL
MOBILIZED FROM: LEHIGH TOWN PA DEPARTURE TIME: 15:00
ARRIVED ON SITE: 15:30
STANDBY TIME: CAUSE:
LOGGING STARTED: 20:15 LOGGING COMPLETED: SAME 20:50

SITE: CCNPP COLA B-318 DATE: 6 / 4 /2008
CLIENT: SCHNABEL JOB: 6165
AUTHOR: R. STELLER PAGE 2 OF 2

WINCH: COMPROBE ____ SILVER ✓ OYO ____ OTHER ____
MICROLOGGER 5301 ✓ OTHER ____
CALIPER PROBE 5368 ✓ OTHER ____

PROBE OFFSET CASING STICK-UP DEPTH REF. OFFSET	12 IN MAX 2.06M(6.82 FT) ARMS - 1.50 3.32'	24 IN MAX ARMS - ____

LOG NAME	START DEPTH	START TIME	END DEPTH	END TIME
B318TCALO1	0	20:15	0	20:18
B318CALUP01	195'	20:21	0	20:44
B318-TCAL02	0	20:46	0	20:50

CALIBRATION PLATE S/N 201

		AS BUILT		
	FILE NAME	1.968 IN (50 MM)	3.937 IN (100 MM)	8.000 IN 203.2 MM
AS MEAS.	B318-CALUP01 TCALO1	1.96	3.97	8.00
AS MEAS.	B318-TCAL02	1.97	3.95	8.03
AS MEAS.				
AS MEAS.				
AS MEAS.				
AS MEAS.				

MAINTENANCE PERFORMED ON SITE: ____

EQUIPMENT PROBLEMS OR FAILURES: ____

SUGGESTIONS, ADDITIONS, CHANGES: ____

1121 Pomona Road, Unit F, Corona, CA 92882 Ph (951) 549-1234 Fx (951) 549-1236

GEOVision
geophysical services

B-323 BORING GEOPHYSICS FIELD LOG SUMMARY

SITE: CCNPP COLA DATE: 6/13/2006
CLIENT: SCHNABEL JOB: 6165
AUTHOR: R. STELLER PAGE 1 OF 2

CONTACT: RUBEN TARUSELLI PHONE: 703-906-1797

BOREHOLE CONSTRUCTION: CASED ____ UNCASED ✓
DIAMETERS AND DEPTH RANGES: 4 ½ 0 TO 200' ; ____, ____ TO ____
BOREHOLE TOTAL DEPTH AS DRILLED: 200'
CONDUCTOR CASING?: YES ____ DEPTH TO BOTTOM OF CASING ____ ; NO ✓
DEPTH TO BEDROCK: N/A
BOREHOLE FLUID: WATER ____ ; FRESH WATER MUD ✓ ; SALT WATER MUD ____

LOGGING CREW: R. STELLER

LOG TYPE	FILE NAME	DEPTH RANGE	DATE	TIMES
Fluid Resistivity	B323 001 - 002	1.6' - 198.3'	6/13/2006	09:00 - 11:00
Caliper-Test	B323TEST001.001	0	6/13/2006	11:15 - 11:25
Caliper	B323CAL-UP001	203.5' - 0	6/13/2006	11:40 - 12:02
Caliper-Test	B323TEST004.002	0	6/13/2006	12:05 - 12:08
Gamma	B323 GL04UP001	203.5' - 18.5'	6/13/2006	12:27 - 12:47
Deviation	B323 DEV 001	190.0 - 190.0'	6/13/2006	14:35 - 14:35
Deviation	B323 DEV UP002	190.0 - 0	6/13/2006	14:40 - 15:30

GEOVision
geophysical services

P-S SUSPENSION VELOCITY FIELD LOG

SITE: CALVERT CLIFFS COLA B-323 DATE: 6/13/06
CLIENT: SCHNABEL JOB: 6165
AUTHOR: R. STELLER PAGE 1 OF 5

CONTACT: OFFICE PHONE:
CELL PHONE:
CONTACT: OFFICE PHONE:
PHONE:
CONTACT: PHONE:
PHONE:
CONTACT: PHONE:
PHONE:
DRILLER: PHONE:
COMPANY: PHONE:

DIRECTIONS TO SITE:

GENERAL SITE CONDITIONS/LOCATION:

EA#:
BOREHOLE DESIGNATION: B-323 LOCATION:

COUNTY: RANGE: TOWNSHIP: SECTION:
BOREHOLE CONSTRUCTION: CASED UNCASED ✓
DIAMETERS AND DEPTH RANGES: 4¼" 0 TO 200' ; TO
BOREHOLE TOTAL DEPTH AS DRILLED: 200'
CONDUCTOR CASING?: YES DEPTH TO BOTTOM OF CASING ; NO ✓
DEPTH TO BEDROCK: N/A DEPTH TO WATER TABLE:
BOREHOLE FLUID: WATER ; FRESH WATER MUD ✓ ; SALT WATER MUD ;
OTHER:
DEPTH TO BOREHOLE FLUID: 0 TIME SINCE LAST CIRCULATION: 1/2 HR

GEOVision
geophysical services

SITE: CALVERT CLIFFS COLA B-323 DATE: 6/12/06
CLIENT: SCHNABEL JOB: 6165
AUTHOR: R. STELLER PAGE 2 OF 5

LOGGING CREW: R. Steller
VEHICLE(S) USED AND MILEAGE: Pickup
MOBILIZED FROM: LEXINGTON PARK DEPARTURE TIME: 7:00
ARRIVED ON SITE: 7:30
STANDBY TIME: CAUSE:
LOGGING STARTED: LOGGING COMPLETED:
STANDBY TIME: CAUSE:
LOGGING STARTED: 09:00 LOGGING COMPLETED: 11:00
DEMOBILIZED TO: ARRIVAL TIME:
ADDITIONAL DEMOB TIME: REASON:

BATTERIES CHANGED BEFORE LOGGING: YES ✓ ; NO ; STORED WITH NEW
WINCH COMPROBE ☐ GREY ☐ OYO ☐ RG ☐ OTH ☐
INSTRUMENT OYO 12004 ☐ 15014 ☐ 19029 ☐ RG 160023 ☑ 160024 ☐
RECEIVER S/N 12008 ☐ 20042 ☐ 26066 ☐ 11001 ☐ 23053 ☐ See Bo ☑

MAINTENANCE PERFORMED ON SITE:

EQUIPMENT PROBLEMS OR FAILURES:

SUGGESTIONS, ADDITIONS, CHANGES:

COMMENTS: mud Bay = 1.7' = .518m. TOC = 8.14' - 6.44'
= 1.96m offset TO TOP OF TOOL
Ground TOP = 2.04m.

GEOVISION SUSPENSION LOGGING FIELD NOTES

SITE: CALVERT CLIFFS COLA B-323 DATE: 6/15/06
CLIENT: SCHNABEL JOB: 6165
AUTHOR: R. STELLER PAGE 5 OF 5

DEPTH METERS	DEPTH FEET	UNFILTERED FILE NO.	FILTERED FILE NO.	COMMENTS CASING, WATER, ROCK, ETC
0.5	1.64	opt		
1.0	3.28	2		
1.5	4.92	3		
2.0	6.56	4		
2.5	8.20	5		
3.0	9.84	6		
3.5	11.48	7		
4.0	13.12	8		
4.5	14.76	9		
5.0	16.40	10		
5.5	18.04	11		
6.0	19.69	12		
6.5	21.33	13		
7.0	22.97	14		
7.5	24.61	15		
8.0	26.25	16		
8.5	27.89	17		
9.0	29.53	18		
9.5	31.17	19		
10.0	32.81	20		
10.5	34.45	21		
11.0	36.09	22		
11.5	37.73	23		
12.0	39.37	24		
12.5	41.01	25		
13.0	42.65	26		
13.5	44.29	27		
14.0	45.93	28		
14.5	47.57	29		
15.0	49.21	30		
15.5	50.85	31		
16.0	52.49	32		
16.5	54.13	33		
17.0	55.77	34		
17.5	57.41	35		
18.0	59.06	36		
18.5	60.70	37		
19.0	62.34	38		
19.5	63.98	39		
20.0	65.62	40		

GEOVISION SUSPENSION LOGGING FIELD NOTES

SITE: CALVERT CLIFFS COLA B-323 DATE: 6/13/06

CLIENT: SCHNABEL JOB: 6165

AUTHOR: R. STELLER PAGE 4 OF 5

DEPTH METERS	DEPTH FEET	UNFILTERED FILE NO.	FILTERED FILE NO.	COMMENTS CASING, WATER, ROCK, ETC
20.5	67.26	41		
21.0	68.90	42		
21.5	70.54	43		
22.0	72.18	44		
22.5	73.82	45		
23.0	75.46	46		
23.5	77.10	47		
24.0	78.74	48		
24.5	80.38	49		
25.0	82.02	50		
25.5	83.66	51		
26.0	85.30	52		
26.5	86.94	53		
27.0	88.58	54		
27.5	90.22	55		
28.0	91.86	56		
28.5	93.50	57		
29.0	95.14	58		
29.5	96.78	59		
30.0	98.43	60		
30.5	100.07	61		
31.0	101.71	62		
31.5	103.35	63		
32.0	104.99	64		
32.5	106.63	65		
33.0	108.27	66		
33.5	109.91	67		
34.0	111.55	68		
34.5	113.19	69		
35.0	114.83	70		
35.5	116.47	71		
36.0	118.11	72		
36.5	119.75	73		
37.0	121.39	74		
37.5	123.03	75		
38.0	124.67	76		
38.5	126.31	77		
39.0	127.95	78		
39.5	129.59	79		
40.0	131.23	80		

GEOVISION SUSPENSION LOGGING FIELD NOTES

SITE: CALVERT CLIFFS COLA B-322 DATE: 6/13/06
CLIENT: SCHNABEL JOB: 6165
AUTHOR: R. STELLER PAGE 5 OF 5

DEPTH METERS	DEPTH FEET	UNFILTERED FILE NO.	FILTERED FILE NO.	COMMENTS CASING, WATER, ROCK, ETC
40.5	132.87	81		
41.0	134.51	82		
41.5	136.15	83		
42.0	137.80	84		
42.5	139.44	85		
43.0	141.08	86		
43.5	142.72	87		
44.0	144.36	88		
44.5	146.00	89		
45.0	147.64	90		
45.5	149.28	91		
46.0	150.92	92		
46.5	152.56	93		
47.0	154.20	94		
47.5	155.84	95		
48.0	157.48	96		
48.5	159.12	97		
49.0	160.76	98		
49.5	162.40	99		
50.0	164.04	100		
50.5	165.68	101		
51.0	167.32	102		
51.5	168.96	103		
52.0	170.60	104		
52.5	172.24	105		
53.0	173.88	106		
53.5	175.52	107		
54.0	177.17	108		
54.5	178.81	109		
55.0	180.45	110		
55.5	182.09	111		
56.0	183.73	112		
56.5	185.37	113		
57.0	187.01	114		BOTTOM MARKER ?
57.5	188.65	115		
58.0	190.29	116		HIT BOTTOM @ SB 3m - TAG @ 0234' ?
58.5	191.93			
59.0	193.57			
59.5	195.21			
60.0	196.85			

GEOVision
geophysical services

B-323 CALIPER FIELD LOG

SITE: CCNPP COLA DATE: 6 / 13 /2006
CLIENT: SCHNABEL JOB: 6165
AUTHOR: R. STELLER PAGE 1 OF 2

CONTACT: RUBEN TARUSELLI OFFICE PHONE:
CELL PHONE: 703-906-1797
CONTACT: OFFICE PHONE:
PHONE:
CONTACT: PHONE:
PHONE:
CONTACT: PHONE:
PHONE:
DRILLER: PHONE:
COMPANY: PHONE:

GENERAL SITE CONDITIONS/LOCATION:

BOREHOLE DESIGNATION: B-323 LOCATION:

COUNTY: RANGE: TOWNSHIP: SECTION:
BOREHOLE CONSTRUCTION: CASED UNCASED ✓
DIAMETERS AND DEPTH RANGES: 4.5" 0 TO 200' ; TO
BOREHOLE TOTAL DEPTH AS DRILLED: 200'
CONDUCTOR CASING?: YES DEPTH TO BOTTOM OF CASING ; NO ✓
DEPTH TO BEDROCK: N/A DEPTH TO WATER TABLE:
BOREHOLE FLUID: WATER ; FRESH WATER MUD ✓ ; SALT WATER MUD ;
OTHER:
DEPTH TO BOREHOLE FLUID: TIME SINCE LAST CIRCULATION: 2 HRS

LOGGING CREW: R. STELLER
VEHICLE(S) USED AND MILEAGE: RENTAL
MOBILIZED FROM: LEXINGTON PARK DEPARTURE TIME: 7:00
ARRIVED ON SITE: 7:30
STANDBY TIME: CAUSE:
LOGGING STARTED: 11:30 LOGGING COMPLETED:

SITE: CCNPP COLA B-323 DATE: 6/13/2008
CLIENT: SCHNABEL JOB: 6165
AUTHOR: R. STELLER

WINCH: COMPROBE ____ SILVER ✓ OYO ____ OTHER ____
MICROLOGGER 5301 ✓ OTHER ____
CALIPER PROBE 5368 ✓ OTHER ____

PROBE OFFSET CASING STICK-UP DEPTH REF. OFFSET	12 IN MAX 2.08M(6.82 FT) ARMS - 13' 5.1'	24 IN MAX ARMS - ____

LOG NAME	START DEPTH	START TIME	END DEPTH	END TIME
B323TOTCAL.01	0	11:15	0	11:25
B323CALIP01	203.5	11:40	0	12:02
B323TEMPCAL.02	0	12:05	0	12:08

CALIBRATION PLATE S/N 201

		AS BUILT		
		1.968 IN	3.937 IN	8.000 IN
	FILE NAME	(50 MM)	(100 MM)	203.2 MM
AS MEAS.	B323TOTCAL.01	1.96	3.94	7.97
AS MEAS.	B323TEMPCAL.02	1.00	3.92	8.02
AS MEAS.				
AS MEAS.				
AS MEAS.				
AS MEAS.				

MAINTENANCE PERFORMED ON SITE: ____

EQUIPMENT PROBLEMS OR FAILURES: ____

SUGGESTIONS, ADDITIONS, CHANGES: ____

GEOVision
geophysical services

B-323 ELOG FIELD LOG

SITE: CCNPP COLA DATE: 6/13/2006
CLIENT: SCHNABEL JOB: 6165
AUTHOR: R. STELLER PAGE 1 OF 2

CONTACT: RUBEN TARUSELLI OFFICE PHONE:
CELL PHONE: 703-906-1797
CONTACT: OFFICE PHONE:
PHONE:
CONTACT: PHONE:
PHONE:
CONTACT: PHONE:
PHONE:
DRILLER: PHONE:
COMPANY: PHONE:

GENERAL SITE CONDITIONS/LOCATION:

BOREHOLE DESIGNATION: B-323 LOCATION:

COUNTY: RANGE: TOWNSHIP: SECTION:
BOREHOLE CONSTRUCTION: CASED UNCASED ✓
DIAMETERS AND DEPTH RANGES: 4½ 0 TO 203' ; TO
BOREHOLE TOTAL DEPTH AS DRILLED: 203
CONDUCTOR CASING?: YES DEPTH TO BOTTOM OF CASING ; NO ✓
DEPTH TO BEDROCK: NA DEPTH TO WATER TABLE:
BOREHOLE FLUID: WATER ; FRESH WATER MUD ✓ ; SALT WATER MUD ;
OTHER:
DEPTH TO BOREHOLE FLUID: 0 TIME SINCE LAST CIRCULATION: 6 HR.

LOGGING CREW: R. STELLER
VEHICLE(S) USED AND MILEAGE: RENTAL
MOBILIZED FROM: Lexington Park DEPARTURE TIME: 7:00
ARRIVED ON SITE: 7:30
STANDBY TIME: CAUSE:
LOGGING STARTED: 12:30 LOGGING COMPLETED:

SITE: CCNPP COLA B-323 DATE: 6/13/2006
CLIENT: SCHNABEL JOB: 6165
AUTHOR: R. STELLER PAGE 2 OF 2

WINCH: COMPROBE ___ SILVER ✓ OYO ___ OTHER ___
MICROLOGGER 5301 ✓ OTHER ___
ELOG PROBE 5490 ✓ OTHER ___

PROBE OFFSET	2.50M(8.20 FT)	
CASING STICK-UP	- 1.5' +	32.8
DEPTH REF. OFFSET	34.5'	TO WELL TOP.

LOG NAME	START DEPTH	START TIME	END DEPTH	END TIME
B323Geo up 01	202.5'	12:27	18.5'	12:47

MAINTENANCE PERFORMED ON SITE: ___

EQUIPMENT PROBLEMS OR FAILURES: ___

SUGGESTIONS, ADDITIONS, CHANGES: ___

GEOVision
geophysical services

B-323 (revised) ACOUSTIC TELEVIEWER FIELD LOG

SITE: CCNPP COLA DATE: / /2006
CLIENT: SCHNABEL JOB: 6165
AUTHOR: R. STELLER PAGE 1 OF 2

CONTACT: RUBEN TARUSELLI OFFICE PHONE:
CELL PHONE: 703-906-1797
CONTACT: OFFICE PHONE:
PHONE:
CONTACT: PHONE:
PHONE:
CONTACT: PHONE:
PHONE:
DRILLER: PHONE:
COMPANY: PHONE:

DIRECTIONS TO SITE:

GENERAL SITE CONDITIONS/LOCATION:

BOREHOLE DESIGNATION: B-323 LOCATION:

COUNTY: RANGE: TOWNSHIP: SECTION:
BOREHOLE CONSTRUCTION: CASED ____ UNCASED ✓
DIAMETERS AND DEPTH RANGES: 4½ 0 TO 203 ; ____, ____ TO ____
BOREHOLE TOTAL DEPTH AS DRILLED: 203'
CONDUCTOR CASING?: YES ____ DEPTH TO BOTTOM OF CASING ____; NO ✓
DEPTH TO BEDROCK: NA DEPTH TO WATER TABLE:
BOREHOLE FLUID: WATER ____; FRESH WATER MUD ✓; SALT WATER MUD ____;
OTHER:
DEPTH TO BOREHOLE FLUID: 0 TIME SINCE LAST CIRCULATION: 5 HRS

GEOVision
geophysical services

SITE: CCNPP COLA B-323 DATE: Oct 13/2006
CLIENT: SCHNABEL JOB: 6165
AUTHOR: R. STELLER PAGE 2 OF 2

LOGGING CREW: R. STELLER
VEHICLE(S) USED AND MILEAGE: RENTAL
MOBILIZED FROM: DEPARTURE TIME:
ARRIVED ON SITE:
STANDBY TIME: CAUSE:
LOGGING STARTED: LOGGING COMPLETED:

WINCH: COMPROBE ____ SILVER ____ OYO ____ OTHER Mady II
MICROLOGGER 5301 ____ OTHER Mady II
TELEVIEWER OPTICAL #5117 ____ ACOUSTIC #5174 ____ OTHER Imp Scipas OE-Partner

PROBE TILT TEST 88.9 BRUNTON TILT 89°
PROBE AZIMUTH TEST 265° BRUNTON AZIMUTH 270°

PROBE OFFSET CASING STICK-UP DEPTH REF. OFFSET	OPTICAL 1.88M(6.17FT) - -	ACOUSTIC 1.44M(4.72FT) - 1.80 -1.5

Ø @ end of probe.

LOG NAME	START DEPTH	START TIME	END DEPTH	END TIME
B32.3Dup01	190.0	14:33	180'	14:55
B32.3Dup02	190.0	9:46	0	15:30

MAINTENANCE PERFORMED ON SITE: W.C. Bottom @ 190.1' (Tot of Probe.
Zero @ 0-0 -3.13'

EQUIPMENT PROBLEMS OR FAILURES:

SUGGESTIONS, ADDITIONS, CHANGES:

GEOVision
geophysical services

B-401 BORING GEOPHYSICS FIELD LOG SUMMARY

SITE: CCNPP COLA DATE: 6/28/2006
CLIENT: SCHNABEL JOB: 6165
AUTHOR: R. STELLER PAGE 1 OF 2

CONTACT: RUBEN TARUSELLI PHONE: 703-908-1787

BOREHOLE CONSTRUCTION: CASED ____ UNCASED ✓
DIAMETERS AND DEPTH RANGES: 4½" 0 TO 400' ; ____, ____ TO ____
BOREHOLE TOTAL DEPTH AS DRILLED: 400'
CONDUCTOR CASING?: YES ____ DEPTH TO BOTTOM OF CASING ____ ; NO ✓
DEPTH TO BEDROCK: N/A
BOREHOLE FLUID: WATER ____ ; FRESH WATER MUD ✓ ; SALT WATER MUD ____ ;

LOGGING CREW: R. STELLER, C. CAMPBELL

LOG TYPE	FILE NAME	DEPTH RANGE	DATE	TIMES
SUSCEPTIBILITY	B401 - 2ST.GP	1.6' - 398.8'	6/28/06	13:05 - 14:37
NATURAL GAMMA	B401 NG DOWN 01	5.2' - 401.0'	6/28/06	15:05 - 16:39
CALIPER TEST	B401CALTEST 01	ø	6/28/06	17:17 - 17:20
CALIPER/GAMMA	B401 CAL-NG 01	397.0' - ø'	6/28/06	17:28 - 17:46
CALIPER TEST	B401CALTEST 02	ø	6/28/06	17:50 - 17:55
FLUID	B401FLUID 01	399.5' - 1.5'	6/28/06	18:34 - 19:14

GEOVision
geophysical services

P-S SUSPENSION VELOCITY FIELD LOG

SITE: CALVERT CLIFFS COLA B-401 DATE: 6/28/06
CLIENT: SCHNABEL JOB: 6165
AUTHOR: R. STELLER PAGE 1 OF 2

CONTACT: _____ OFFICE PHONE: _____
CELL PHONE: _____
CONTACT: _____ OFFICE PHONE: _____
PHONE: _____
CONTACT: _____ PHONE: _____
PHONE: _____
CONTACT: _____ PHONE: _____
PHONE: _____
DRILLER: _____ PHONE: _____
COMPANY: _____ PHONE: _____

DIRECTIONS TO SITE: _____

GENERAL SITE CONDITIONS/LOCATION: _____

EA#: _____
BOREHOLE DESIGNATION: B-401 LOCATION: _____

COUNTY: _____ RANGE: _____ TOWNSHIP: _____ SECTION: _____
BOREHOLE CONSTRUCTION: CASED ____ UNCASED ✓
DIAMETERS AND DEPTH RANGES: 4 1/2" 0 TO 400' : _____, _____ TO _____
BOREHOLE TOTAL DEPTH AS DRILLED: 400'
CONDUCTOR CASING?: YES ____ DEPTH TO BOTTOM OF CASING _____; NO ✓
DEPTH TO BEDROCK: N/A DEPTH TO WATER TABLE: _____
BOREHOLE FLUID: WATER ____; FRESH WATER MUD ✓; SALT WATER MUD ____;
OTHER: _____
DEPTH TO BOREHOLE FLUID: ✓ TIME SINCE LAST CIRCULATION: 1/2 hr.

GEOVision
geophysical services

SITE: CALVERT CLIFFS COLA B-401 DATE: 6/28/06
CLIENT: SCHNABEL JOB: 6165
AUTHOR: R. STELLER PAGE 2 OF 8

LOGGING CREW: R. STELLER, C. CASTLE
VEHICLE(S) USED AND MILEAGE: RENTAL
MOBILIZED FROM: LEXINGTON PARK DEPARTURE TIME: 8:30
ARRIVED ON SITE: 9:00
STANDBY TIME: CAUSE:
LOGGING STARTED: 12:05 LOGGING COMPLETED: 14:30
STANDBY TIME: CAUSE:
LOGGING STARTED: LOGGING COMPLETED:
DEMOBILIZED TO: ARRIVAL TIME:
ADDITIONAL DEMOB TIME: REASON:

BATTERIES CHANGED BEFORE LOGGING: YES ; NO ✓ ; STORED WITH NEW

WINCH	COMPROBE ☐		GREY ☐	OYO ☐	RG ☐	OTH ☑					
INSTRUMENT	OYO 12004 ☐	16014 ☐	19029 ☐		RG 160023 ☑	160024 ☐					
RECEIVER S/N	12008 ☐	20042 ☐	28066 ☐	11001 ☐	23053 ☐	30056 ☑					

MAINTENANCE PERFORMED ON SITE:

EQUIPMENT PROBLEMS OR FAILURES:

SUGGESTIONS, ADDITIONS, CHANGES:

COMMENTS: 2500 @ 8.16' – 1.5' = 6.66' = 2.02m, 2.04m ON ENT

GEOVISION SUSPENSION LOGGING FIELD NOTES

SITE: CALVERT CLIFFS COLA B-401 DATE: 6/28/02
CLIENT: SCHNABEL JOB: 6165
AUTHOR: R. STELLER PAGE 1 OF 5

DEPTH METERS	DEPTH FEET	UNFILTERED FILE NO.	FILTERED FILE NO.	COMMENTS CASING, WATER, ROCK, ETC
0.5	1.64	1		
1.0	3.28	2		
1.5	4.92	3		
2.0	6.56	4		
2.5	8.20	5		
3.0	9.84	6		
3.5	11.48	7		
4.0	13.12	8		
4.5	14.76	9		
5.0	16.40	10		
5.5	18.04	11		
6.0	19.69	12		
6.5	21.33	13		
7.0	22.97	14		
7.5	24.61	15		
8.0	26.25	16		
8.5	27.89	17		
9.0	29.53	18		
9.5	31.17	19		
10.0	32.81	20		
10.5	34.45	21		
11.0	36.09	22		
11.5	37.73	23		
12.0	39.37	24		
12.5	41.01	25		
13.0	42.65	26		
13.5	44.29	27		
14.0	45.93	28		
14.5	47.57	29		
15.0	49.21	30		
15.5	50.85	31		
16.0	52.49	32		
16.5	54.13	33		
17.0	55.77	34		
17.5	57.41	35		
18.0	59.06	36		
18.5	60.70	37		
19.0	62.34	38		
19.5	63.98	39		
20.0	65.62	40		

GEOVISION SUSPENSION LOGGING FIELD NOTES

SITE: CALVERT CLIFFS COLA B-401 DATE: 6/28/06
CLIENT: SCHNABEL JOB: 6165
AUTHOR: R. STELLER PAGE 4 OF 5

DEPTH METERS	DEPTH FEET	UNFILTERED FILE NO.	FILTERED FILE NO.	COMMENTS CASING, WATER, ROCK, ETC
20.5	67.26	41		
21.0	68.90	42		
21.5	70.54	43		
22.0	72.18	44		
22.5	73.82	45		
23.0	75.46	46		
23.5	77.10	47		
24.0	78.74	48		
24.5	80.38	49		
25.0	82.02	50		
25.5	83.66	51		
26.0	85.30	52		
26.5	86.94	53		
27.0	88.58	54		
27.5	90.22	55		
28.0	91.86	56		
28.5	93.50	57		
29.0	95.14	58		
29.5	96.78	59		
30.0	98.43	60		
30.5	100.07	61		
31.0	101.71	62		
31.5	103.35	63		
32.0	104.99	64		
32.5	106.63	65		
33.0	108.27	66		
33.5	109.91	67		
34.0	111.55	68		
34.5	113.19	69		
35.0	114.83	70		
35.5	116.47	71		
36.0	118.11	72		
36.5	119.75	73		
37.0	121.39	74		
37.5	123.03	75		
38.0	124.67	76		
38.5	126.31	77		
39.0	127.95	78		
39.5	129.59	79		
40.0	131.23	80		

GEOVISION SUSPENSION LOGGING FIELD NOTES

SITE: CALVERT CLIFFS COLA R-401 DATE: 6/22/06
CLIENT: SCHNABEL JOB: 6165
AUTHOR: R. STELLER PAGE 5 OF 6

DEPTH METERS	DEPTH FEET	UNFILTERED FILE NO.	FILTERED FILE NO.	COMMENTS CASING, WATER, ROCK, ETC
40.5	132.87	81		
41.0	134.51	82		
41.5	136.15	83		
42.0	137.80	84		
42.5	139.44	85		
43.0	141.08	86		
43.5	142.72	87		
44.0	144.36	88		
44.5	146.00	89		
45.0	147.64	90		
45.5	149.28	91		
46.0	150.92	92		
46.5	152.56	93		
47.0	154.20	94		
47.5	155.84	95		
48.0	157.48	96		
48.5	159.12	97		
49.0	160.76	98		
49.5	162.40	99		
50.0	164.04	100		
50.5	165.68	101		
51.0	167.32	102		
51.5	168.96	103		
52.0	170.60	104		
52.5	172.24	105		
53.0	173.88	106		
53.5	175.52	107		
54.0	177.17	108		
54.5	178.81	109		
55.0	180.45	110		
55.5	182.09	111		
56.0	183.73	112		
56.5	185.37	113		
57.0	187.01	114		
57.5	188.65	115		
58.0	190.29	116		
58.5	191.93	117		
59.0	193.57	118		
59.5	195.21	119		
60.0	196.85	120		

GEOVISION SUSPENSION LOGGING FIELD NOTES

SITE: CALVERT CLIFFS COLA B-401 DATE: 6/28/06

CLIENT: SCHNABEL JOB: 6165

AUTHOR: R. STELLER PAGE 6 OF 15

DEPTH METERS	DEPTH FEET	UNFILTERED FILE NO.	FILTERED FILE NO.	COMMENTS CASING, WATER, ROCK, ETC
60.5	198.49	121		
61.0	200.13	122		
61.5	201.77	123		
62.0	203.41	124		
62.5	205.05	125		
63.0	206.69	126		
63.5	208.33	127		
64.0	209.97	128		
64.5	211.61	129		
65.0	213.25	130		
65.5	214.90	131		
66.0	216.54	132		
66.5	218.18	133		
67.0	219.82	134		
67.5	221.46	135		
68.0	223.10	136		
68.5	224.74	137		
69.0	226.38	138		
69.5	228.02	139		
70.0	229.66	140		
70.5	231.30	141		
71.0	232.94	142		
71.5	234.58	143		
72.0	236.22	144		
72.5	237.86	145		
73.0	239.50	146		
73.5	241.14	147		
74.0	242.78	148		
74.5	244.42	149		
75.0	246.06	150		
75.5	247.70	151		
76.0	249.34	152		
76.5	250.98	153		
77.0	252.62	154		
77.5	254.27	155		
78.0	255.91	156		
78.5	257.55	157		
79.0	259.19	158		
79.5	260.83	159		
80.0	262.47	160		

GEOVISION SUSPENSION LOGGING FIELD NOTES

SITE: CALVERT CLIFFS COLA L-Boa
CLIENT: SCHNABEL
AUTHOR: R. STELLER
DATE: 6/28/06
JOB: 6165
PAGE 7 OF 8

DEPTH METERS	DEPTH FEET	UNFILTERED FILE NO.	FILTERED FILE NO.	COMMENTS CASING, WATER, ROCK, ETC
80.5	264.11	161		
81.0	265.75	162		
81.5	267.39	163		
82.0	269.03	164		
82.5	270.67	165		
83.0	272.31	166		
83.5	273.95	167		
84.0	275.59	168		
84.5	277.23	169		
85.0	278.87	170		
85.5	280.51	171		
86.0	282.15	172		
86.5	283.79	173		
87.0	285.43	174		
87.5	287.07	175		
88.0	288.71	176		
88.5	290.35	177		
89.0	291.99	178		
89.5	293.64	179		
90.0	295.28	180		
90.5	296.92	181		
91.0	298.56	182		
91.5	300.20	183		
92.0	301.84	184		
92.5	303.48	185		
93.0	305.12	186		
93.5	306.76	187		
94.0	308.40	188		
94.5	310.04	189		
95.0	311.68	190		
95.5	313.32	191		
96.0	314.96	192		
96.5	316.60	193		
97.0	318.24	194		
97.5	319.88	195		
98.0	321.52	196		
98.5	323.16	197		
99.0	324.80	198		
99.5	326.44	199		
100.0	328.08	200		