



University of Connecticut Health Center

Office of the
Associate Vice President
for Research Administration

Br 4

March 19, 2009

Nuclear Materials Safety Branch
United States Nuclear Regulatory Commission, Region I
475 Allendale Road
King of Prussia, PA 19406-1415

RE: USNRC License #06-13022-02

03001295

RECEIVED
REGION 1
2009 MAR 23 AM 11:13

Gentlemen,

The University of Connecticut Health Center requests a license amendment for our Plutonium-239 instrument calibration sources. Specifically we request removal of license item 6.0. for Pu-239 sources from our license. These sources were transferred to the State of Connecticut, Department of Environmental Protection, License # 06-27895-02 on March 19, 2009. The transfer document for these sources is provided as Attachment #1.

Please contact Kenneth Price, The University of Connecticut Health Center Radiation Safety Officer, at (860) 679-2250 if you require further information.

Respectfully,

Leonard P. Paplauskas
Associate V.P. for Research, Emeritus

Attachment

Copy to: J. Fomenko
K. Price
R. Ryan
J. Small

An Equal Opportunity Employer
263 Farmington Avenue
Farmington, Connecticut 06030-1920

Telephone: (860) 679-3173
Facsimile: (860) 679-1371
e-mail: paplauskas@adp.uconn.edu


143589

NOSED/DOU/101/1000000000

PU-239 Instrument Calibration Source Set Transfer

The Pu-239 Instrument Calibration Source set consisting of four Pu-239 **electroplated** disk sources (**Eberline** Instrument Corporation, Model **S94-1**, SN's 7812, 7813, 7854 and 7815) were received by an authorized individual from the Connecticut **State** Department of Environmental Protection (DEP) (License **#06-27895-02**) from the University of Connecticut Health Center (License # 06-13022-02) on 3/19/09.
Total activity = 1.265 μ Ci.

Received by: CT State DEP

 Michael E. Firsick Supervising Radiation Control Physician 3/19/09
Signature Print Name Title Date

Received from: University of Connecticut Health Center

 Jim Fomenko Asst. RSO 3/19/09
Signature Print Name Title Date

This is to acknowledge the receipt of your letter/application dated

3/19/2009, and to inform you that the initial processing which includes an administrative review has been performed.

☒ AMEND. 06-13022-02
There were no administrative omissions. Your application was assigned to a technical reviewer. Please note that the technical review may identify additional omissions or require additional information.

☐ Please provide to this office within 30 days of your receipt of this card

A copy of your action has been forwarded to our License Fee & Accounts Receivable Branch, who will contact you separately if there is a fee issue involved.

Your action has been assigned **Mail Control Number** 143589.
When calling to inquire about this action, please refer to this control number.
You may call us on (610) 337-5398, or 337-5260.