

U.S. NUCLEAR REGULATORY COMMISSION

MATERIALS LICENSE

Pursuant to the Atomic Energy Act of 1954, as amended, the Energy Reorganization Act of 1974 (Public Law 93-438), and Title 10, Code of Federal Regulations, Chapter I, Parts 30, 31, 32, 33, 34, 35, 36, 39, 40, and 70, and in reliance on statements and representations heretofore made by the licensee, a license is hereby issued authorizing the licensee to receive, acquire, possess, and transfer byproduct, source, and special nuclear material designated below; to use such material for the purpose(s) and at the place(s) designated below; to deliver or transfer such material to persons authorized to receive it in accordance with the regulations of the applicable Part(s). This license shall be deemed to contain the conditions specified in Section 183 of the Atomic Energy Act of 1954, as amended, and is subject to all applicable rules, regulations, and orders of the Nuclear Regulatory Commission now or hereafter in effect and to any conditions specified below.

Licensee 1. University of Puerto Rico Mayagüez Campus Health and Safety Office 2. P.O. Box 9050 Mayagüez, Puerto Rico 00681-9050		In accordance with the letter dated February 12, 2009, 3. License number 52-10510-04 is amended in its entirety to read as follows: 4. Expiration date October 31, 2015 5. Docket No. 030-14313 Reference No.	
6. Byproduct, source, and/or special nuclear material A. Hydrogen 3 B. Carbon 14 C. Phosphorus 32 D. Sulfur 35 E. Nickel 63 F. Iodine 125 G. Technetium 99m H. Cobalt 57 I. Nickel 63 J. Tin 119m K. Americium 241 L. Hydrogen 3 M. Hydrogen 3	7. Chemical and/or physical form A. Any B. Any C. Any D. Any E. Any F. Any G. Any H. Sealed Source (WEB Research Co., Inc. Model MCo7series) I. Foils or Plated Source (Hewlett Packard Models 19233 and G2397A) J. Sealed Source (WEB Research Co., Inc. Model MSn9 series) K. Sealed Neutron Source (CPN International Model CPN-131) L. Plated Foils (UPR ID Nos. 56- 626 F1, 56-626 F2 and 96- 111) M. Polymer Form (UPR ID No. R2075)	8. Maximum amount that licensee may possess at any one time under this license A. 30 millicuries B. 65 millicuries C. 10 millicuries D. 10 millicuries E. 0.005 microcuries F. 150 microcuries G. 2 millicuries H. 100 millicuries I. 15 millicuries per source and 60 millicuries total J. 33 millicuries per source and 50 millicuries total K. 50 millicuries L. 1 curie per source and 3 curies total M. 65 microcuries	

MATERIALS LICENSE SUPPLEMENTARY SHEET

License Number
52-10510-04

Docket or Reference Number
030-14313

Amendment No. 22

- | | | |
|---|---|--|
| 6. Byproduct, source, and/or special nuclear material | 7. Chemical and/or physical form | 8. Maximum amount that licensee may possess at any one time under this license |
| N. Cobalt 60 | N. Sealed Source (UPR ID Nos. B1, B2, B3, B4, and B5) | N. 10 microcuries per source and 100 microcuries total |
| O. Strontium 90 | O. Sealed Source (UPR ID Nos. D-1 5615 and D-2 587) | O. 0.5 millicuries per source and 1 millicurie total |
| P. Cesium 137 | P. Sealed Source (UPR ID Nos. RT2.587, RT2.36, RT2.492 and #2491) | P. 1 microcurie per source and 5 microcuries total |
| Q. Americium 241 | Q. Sealed Source (UPR ID No. SRM4904L-F-88) | Q. 0.1 millicuries per source and 0.1 millicuries total |

9. Authorized use:

- A. through F. Research and development as defined in 10 CFR 30.4; teaching and training of students; and calibration and checking of the licensee's Instruments.
- G. Calibration of instruments.
- H. and J. For use in a Mössbauer Spectrometer for research purposes.
- I. To be used for sample analysis in compatible gas chromatography devices that have been registered either with the U.S. Nuclear Regulatory Commission under 10 CFR 32.210 or with an Agreement State.
- K. In Campbell Pacific Nuclear International Model No. 503DR portable gauging devices for possession and storage only.
- L. through Q. Possession and storage only, incident to disposal

CONDITIONS

10. Licensed material may be used or stored only at the licensee's facilities located at the University of Puerto Rico, Mayagüez Campus; College Station, Mayagüez; and the Marine Sciences Laboratory, Magueyes Island, La Parguera, Puerto Rico.
11. A. Licensed material shall only be used by, or under the supervision of, individuals designated, in writing, by the Radiation Safety Committee. The licensee shall maintain records of individuals designated as users for 3 years following the last use of licensed material by the individual.
- B. The Radiation Safety Officer for this license is Roberto Torres-Martinez.
12. The licensee shall not use licensed material in or on human beings.
13. The licensee shall not use licensed material in field applications where it is released except as provided otherwise by specific condition of this license.

**MATERIALS LICENSE
SUPPLEMENTARY SHEET**License Number
52-10510-04Docket or Reference Number
030-14313

Amendment No. 22

14. A. Sealed sources shall be tested for leakage and/or contamination at intervals not to exceed six months or at the intervals specified in the certificate of registration issued by the U.S. Nuclear Regulatory Commission under 10 CFR 32.210 or under equivalent regulations of an Agreement State.
- B. Notwithstanding Paragraph A of this Condition, sealed sources designed to primarily emit alpha particles shall be tested for leakage and/or contamination at intervals not to exceed 3 months.
- C. In the absence of a certificate from a transferor indicating that a leak test has been made within the intervals specified in the certificate of registration issued by the U.S. Nuclear Regulatory Commission under 10 CFR 32.210 or under equivalent regulations of an Agreement State, prior to the transfer, a sealed source received from another person shall not be put into use until tested and the test results received.
- D. Sealed sources need not be tested if they contain only hydrogen-3; or they contain only a radioactive gas; or the half-life of the isotope is 30 days or less; or they contain not more than 100 microcuries of beta- and/or gamma-emitting material or not more than 10 microcuries of alpha-emitting material.
- E. Sealed sources need not be tested if they are in storage and are not being used; however, when they are removed from storage for use or transferred to another person and have not been tested within the required leak test interval, they shall be tested before use or transfer. No sealed source shall be stored for a period of more than 10 years without being tested for leakage and/or contamination.
- F. The leak test shall be capable of detecting the presence of 0.005 microcurie (185 becquerels) of radioactive material on the test sample. If the test reveals the presence of 0.005 microcurie (185 becquerels) or more of removable contamination, a report shall be filed with the U.S. Nuclear Regulatory Commission in accordance with 10 CFR 30.50(c)(2), and the source shall be removed immediately from service and decontaminated, repaired, or disposed of in accordance with Commission regulations.
- G. Tests for leakage and/or contamination, including leak test sample collection and analysis, shall be performed by the licensee or by other persons specifically licensed by the U.S. Nuclear Regulatory Commission or an Agreement State to perform such services.
- H. Records of leak test results shall be kept in units of microcuries and shall be maintained for 5 years.
15. Sealed sources or detector cells containing licensed material shall not be opened or sources removed from source holders by the licensee.

**MATERIALS LICENSE
SUPPLEMENTARY SHEET**License Number
52-10510-04Docket or Reference Number
030-14313

Amendment No. 22

16. The licensee shall conduct a physical inventory every six months, or at other intervals approved by the U.S. Nuclear Regulatory Commission, to account for all sources and/or devices received and possessed under the license. Records of inventories shall be maintained for 5 years from the date of each inventory and shall include the radionuclides, quantities, manufacturer's name and model numbers, and the date of the inventory.
17. Sealed sources or source rods containing licensed material shall not be opened or sources removed or detached from source rods or gauges by the licensee, except as specifically authorized.
18. The licensee is authorized to transport licensed material in accordance with the provisions of 10 CFR Part 71, "Packaging and Transportation of Radioactive Material."
19. Except as specifically provided otherwise in this license, the licensee shall conduct its program in accordance with the statements, representations, and procedures contained in the documents, including any enclosures, listed below. The U.S. Nuclear Regulatory Commission's regulations shall govern unless the statements, representations, and procedures in the licensee's application and correspondence are more restrictive than the regulations.
- A. Application dated January 28, 2005 (ML050340437)
- B. Letter dated September 28, 2005 (ML052780142)

For the U.S. Nuclear Regulatory Commission

Date April 3, 2009

By

Original signed by Dennis R. Lawyer

Dennis R. Lawyer
Commercial and R&D Branch
Division of Nuclear Materials Safety
Region I
King of Prussia, Pennsylvania 19406