

Estimated burden per response to comply with this mandatory collection request: 4.4 hours. Submittal of the application is necessary to determine that the applicant is qualified and that adequate procedures exist to protect the public health and safety. Send comments regarding burden estimate to the Records and FOIA/Privacy Services Branch (T-5 F53), U.S. Nuclear Regulatory Commission, Washington, DC 20555-0001, or by internet e-mail to infocollects@nrc.gov, and to the Desk Officer, Office of Information and Regulatory Affairs, NEOB-10202, (3150-0120), Office of Management and Budget, Washington, DC 20503. If a means used to impose an information collection does not display a currently valid OMB control number, the NRC may not conduct or sponsor, and a person is not required to respond to, the information collection.

# APPLICATION FOR MATERIAL LICENSE

**INSTRUCTIONS: SEE THE APPROPRIATE LICENSE APPLICATION GUIDE FOR DETAILED INSTRUCTIONS FOR COMPLETING APPLICATION. SEND TWO COPIES OF THE ENTIRE COMPLETED APPLICATION TO THE NRC OFFICE SPECIFIED BELOW.**

APPLICATION FOR DISTRIBUTION OF EXEMPT PRODUCTS FILE APPLICATIONS WITH:

IF YOU ARE LOCATED IN:

DIVISION OF INDUSTRIAL AND MEDICAL NUCLEAR SAFETY  
OFFICE OF NUCLEAR MATERIALS SAFETY AND SAFEGUARDS  
U.S. NUCLEAR REGULATORY COMMISSION  
WASHINGTON, DC 20555-0001

ILLINOIS, INDIANA, IOWA, MICHIGAN, MINNESOTA, MISSOURI, OHIO, or WISCONSIN, SEND APPLICATIONS TO:

RECEIVED

MATERIALS LICENSING BRANCH  
U.S. NUCLEAR REGULATORY COMMISSION, REGION III  
2443 WARRENVILLE ROAD, SUITE 210  
LISLE, IL 60532-4352

2009

ALL OTHER PERSONS FILE APPLICATIONS AS FOLLOWS:

IF YOU ARE LOCATED IN:

DNMS

ALABAMA, CONNECTICUT, DELAWARE, DISTRICT OF COLUMBIA, FLORIDA, GEORGIA, KENTUCKY, MAINE, MARYLAND, MASSACHUSETTS, MISSISSIPPI, NEW HAMPSHIRE, NEW JERSEY, NEW YORK, NORTH CAROLINA, PENNSYLVANIA, PUERTO RICO, RHODE ISLAND, SOUTH CAROLINA, TENNESSEE, VERMONT, VIRGINIA, VIRGIN ISLANDS, OR WEST VIRGINIA, SEND APPLICATIONS TO:

ALASKA, ARIZONA, ARKANSAS, CALIFORNIA, COLORADO, HAWAII, IDAHO, KANSAS, LOUISIANA, MONTANA, NEBRASKA, NEVADA, NEW MEXICO, NORTH DAKOTA, OKLAHOMA, OREGON, PACIFIC TRUST TERRITORIES, SOUTH DAKOTA, TEXAS, UTAH, WASHINGTON, OR WYOMING, SEND APPLICATIONS TO:

LICENSING ASSISTANCE TEAM  
DIVISION OF NUCLEAR MATERIALS SAFETY  
U.S. NUCLEAR REGULATORY COMMISSION, REGION I  
475 ALLENDALE ROAD  
KING OF PRUSSIA, PA 19406-1415

NUCLEAR MATERIALS LICENSING BRANCH  
U.S. NUCLEAR REGULATORY COMMISSION, REGION IV  
611 RYAN PLAZA DRIVE, SUITE 400  
ARLINGTON, TX 76011-4005

PERSONS LOCATED IN AGREEMENT STATES SEND APPLICATIONS TO THE U.S. NUCLEAR REGULATORY COMMISSION ONLY IF THEY WISH TO POSSESS AND USE LICENSED MATERIAL IN STATES SUBJECT TO U.S. NUCLEAR REGULATORY COMMISSION JURISDICTIONS.

1. THIS IS AN APPLICATION FOR (Check appropriate item)

A. NEW LICENSE

B. AMENDMENT TO LICENSE NUMBER

C. RENEWAL OF LICENSE NUMBER

2. NAME AND MAILING ADDRESS OF APPLICANT (Include ZIP code)

PROGRESSIVE ENGINEERING GROUP  
1208 IDAHO ST.  
LEWISTON ID 83501

3. ADDRESS WHERE LICENSED MATERIAL WILL BE USED OR POSSESSED

1208 IDAHO STREET  
LEWISTON ID. 83501

4. NAME OF PERSON TO BE CONTACTED ABOUT THIS APPLICATION

N. MARK WEMPLER RSO

TELEPHONE NUMBER

208 746-5406

SUBMIT ITEMS 5 THROUGH 11 ON 8-1/2 X 11" PAPER. THE TYPE AND SCOPE OF INFORMATION TO BE PROVIDED IS DESCRIBED IN THE LICENSE APPLICATION GUIDE.

5. RADIOACTIVE MATERIAL

a. Element and mass number; b. chemical and/or physical form; and c. maximum amount which will be possessed at any one time.

CESIUM-137 Am 241 Be MATERIAL TESTING (DENSITY)

7. INDIVIDUAL(S) RESPONSIBLE FOR RADIATION SAFETY PROGRAM AND THEIR TRAINING EXPERIENCE.

N. MARK WEMPLER

8. TRAINING FOR INDIVIDUALS WORKING IN OR FREQUENTING RESTRICTED AREAS.

YES

9. FACILITIES AND EQUIPMENT.

CPN MC-3 DENSITY MONITORING

10. RADIATION SAFETY PROGRAM.

YES

11. WASTE MANAGEMENT.

NONE

12. LICENSE FEES (See 10 CFR 170 and Section 170.31)

FEE CATEGORY AMOUNT ENCLOSED \$

13. CERTIFICATION. (Must be completed by applicant) THE APPLICANT UNDERSTANDS THAT ALL STATEMENTS AND REPRESENTATIONS MADE IN THIS APPLICATION ARE BINDING UPON THE APPLICANT.

THE APPLICANT AND ANY OFFICIAL EXECUTING THIS CERTIFICATION ON BEHALF OF THE APPLICANT, NAMED IN ITEM 2, CERTIFY THAT THIS APPLICATION IS PREPARED IN CONFORMITY WITH TITLE 10, CODE OF FEDERAL REGULATIONS, PARTS 30, 32, 33, 34, 35, 36, 39, AND 40, AND THAT ALL INFORMATION CONTAINED HEREIN IS TRUE AND CORRECT TO THE BEST OF THEIR KNOWLEDGE AND BELIEF.

WARNING: 18 U.S.C. SECTION 1001 ACT OF JUNE 25, 1948 62 STAT. 749 MAKES IT A CRIMINAL OFFENSE TO MAKE A WILLFULLY FALSE STATEMENT OR REPRESENTATION TO ANY DEPARTMENT OR AGENCY OF THE UNITED STATES AS TO ANY MATTER WITHIN ITS JURISDICTION.

CERTIFYING OFFICER -- TYPED/PRINTED NAME AND TITLE

N. MARK WEMPLER RSO

SIGNATURE

*N. Mark Wempler*

DATE

02-09-09

### FOR NRC USE ONLY

TYPE OF FEE	FEE LOG	FEE CATEGORY	AMOUNT RECEIVED	CHECK NUMBER	COMMENTS
			\$		

APPROVED BY

DATE

472193

# PROGRESSIVE ENGINEERING GROUP, INC.

1208 Idaho Street  
Lewiston, Idaho 83501

Phone (208) 746-5406  
Fax (208) 746-9732  
progress@clearwire.net

## FAX TRANSMITTAL SHEET RECEIVED

MAR 23 2009

DATE: 03-23-09

JOB NO: \_\_\_\_\_

**DNMS**

TO: JACQUELINE D. COOK

COMPANY: USNRC RIV

FAX NUMBER: 817 860 8263 PHONE NUMBER: 817 860 8132

NUMBER OF PAGES (INCLUDING THIS PAGE): 9

FROM: MARK WEMPLE

SUBJECT: APPLICATION FOR LICENSE RENEWAL

REMARKS: DEAR JACQUELINE:

ATTACHED ARE THE APPENDIX B PAGES

COMPLETED AS REQUESTED.

IF YOU HAVE ANY QUESTIONS PLEASE GIVE ME  
A CALL.

THANKS FOR ALL YOUR HELP & PATIENCE.

Mark

IF YOU DO NOT RECEIVE ALL PAGES OR THE TRANSMISSION IS UNCLEAR,  
PLEASE CALL (208) 746-5406.

=== COVER PAGE ===

**RECEIVED**

MAR 23 2009

TO: JACQUELINE DICKOOK

**DNMS**

FROM: USNRC RIV

FAX: 8178608263

TEL:

COMMENT: WE ONLY POSSESS ONE GAUGE,  
A CPN INTERNATIONAL INC, MODEL MC-3 PORTA PROBE



UNITED STATES  
NUCLEAR REGULATORY COMMISSION  
REGION IV  
612 EAST LAMAR BLVD., SUITE 400  
ARLINGTON, TEXAS 76011-4125

RECEIVED

MAR 23 2009

FACSIMILE



**Name:** Mark Wemple License No. 11-27629-01  
**Organization:** Progressive Engineering Group, Inc. Docket No. 030-35017  
**Fax:** 208-746-9732  
**Phone:** 208-746-5406  
**From:** Jacqueline D. Cook  
**Date:** March 16, 2009  
**Subject:** Application dated February 9, 2009 for License Renewal  
**Pages:** 2 (7 with Appendix B included)

Mr. Wemple:

Per your application dated February 9, 2009, the item on the next page are deficiency which requires your response. **Please respond to this fax by Tuesday, March 31, 2009.** If you are unable to respond by this due date, please don't hesitate to contact me so we can discuss an extension to the date. Our fax number is (817) 860-8263. You may respond by email in pdf format if you'd like. My email address is [Jackie.Cook@nrc.gov](mailto:Jackie.Cook@nrc.gov). If you have any questions regarding this fax, please call me at (817) 860-8132. When responding to this fax, please include the license and docket numbers located at the top of this page.

Thanking you in advance for your cooperation, assistance, and prompt response in this matter.

Jacqueline D. Cook  
Senior Health Physicist

Progressive Engineering Group, Inc.

-2-

1. Please resubmit your license renewal application utilizing NUREG-1556, Vol. 1, Rev. 1, Consolidated Guidance About Materials Licenses: Program-Specific Guidance About Portable Gauge Licenses, Appendix B as guidance (attached).

**RECEIVED**

MAR 23 2009

APPENDIX B

**DNMS  
ITEMS 5 AND 6: MATERIALS TO BE POSSESSED AND PROPOSED  
USES**

Yes	No	Radioisotope	Manufacturer or Distributor Model No.	Quantity	Use As Listed on SSD Certificate	Specify Other Uses Not Listed on SSD Certificate
		Cesium-137	Sealed source manufacturer or distributor and model number: <u>CPN INTERNATIONAL INC</u>  Device manufacturer or distributor and model number: <u>MC-3 PORTA PROBE</u>	Not to exceed either the maximum activity per source or maximum activity per device as specified in Sealed Source and Device Registration Certificate	Yes <input checked="" type="checkbox"/>  Specific description of the gauge use: <u>MOISTURE DENSITY TESTS ON SOILS, AGGREGATE &amp; ASPHALT</u>	<input checked="" type="checkbox"/> Not applicable  <input type="checkbox"/> Uses are:  (Submit safety analysis supporting safe use)
		Americium-241	Sealed source manufacturer or distributor and model number: <u>CPN INTERNATIONAL INC</u>  Device manufacturer or distributor and model number: <u>MC-3 PORTA PROBE</u>	Not to exceed either the maximum activity per source or maximum activity per device as specified in Sealed Source and Device Registration Certificate	Yes <input checked="" type="checkbox"/>  Specific description of the gauge use: <u>SAME LIMITS AS ABOVE</u>	<input checked="" type="checkbox"/> Not applicable  <input type="checkbox"/> Uses are:  (Submit safety analysis supporting safe use)

X  
X  
IN SAME GAUGE

RECEIVED

MAR 23 2009

APPENDIX B

DNMS

Yes	No	Radioisotope	Manufacturer or Distributor Model No.	Quantity	Uses As Listed on SSD Certificate	Specify Other Uses Not Listed on SSD Certificate
	X	Californium-252	Sealed source manufacturer or distributor and model number:  Device manufacturer or distributor and model number:	Not to exceed either the maximum activity per source or maximum activity per device as specified in Sealed Source and Device Registration Certificate	Yes <input type="checkbox"/> Specific description of the gauge use: _____ _____ _____ _____	<input checked="" type="checkbox"/> Not applicable  <input type="checkbox"/> Uses are:  (Submit safety analysis supporting safe use)
	X	Other Isotope (Specify):	Sealed source manufacturer or distributor and model number:  Device manufacturer or distributor and model number:	Not to exceed either the maximum activity per source or maximum activity per device as specified in Sealed Source and Device Registration Certificate	Yes <input type="checkbox"/> Specific description of the gauge use: _____ _____ _____ _____	<input checked="" type="checkbox"/> Not applicable  <input type="checkbox"/> Uses are:  (Submit safety analysis supporting safe use)
<i>Financial Assurance Required and Evidence of Financial Assurance Provided</i>						

**RECEIVED**

MAR 23 2009

APPENDIX B

**ITEMS 7 THROUGH 11: TRAINING AND EXPERIENCE, FACILITIES AND EQUIPMENT, RADIATION SAFETY PROGRAM, AND WASTE DISPOSAL**

Item No. And Title	Suggested Response	Yes	Alternative Procedures Attached
<p>7. INDIVIDUAL(S) RESPONSIBLE FOR RADIATION SAFETY PROGRAM AND THEIR TRAINING AND EXPERIENCE - RADIATION SAFETY OFFICER</p> <p>Name:</p>	<p>Before obtaining licensed materials, the proposed RSO will have successfully completed one of the training courses described in Criteria in the section entitled "Individual(s) Responsible for Radiation Safety Program and Their Training and Experience - Radiation Safety Officer" in NUREG-1556, Vol. 1, Rev. 1, dated November 2001.</p>	<p><input checked="" type="checkbox"/></p>	<p><input type="checkbox"/></p>
<p>8. TRAINING FOR INDIVIDUALS WORKING IN OR FREQUENTING RESTRICTED AREAS</p>	<p>Before using licensed materials, authorized users will have successfully completed one of the training course described in Criteria in the section entitled "Training for Individuals Working In or Frequenting Restricted Areas" in NUREG-1556, Vol. 1, Rev 1, dated November 2001.</p>	<p><input checked="" type="checkbox"/></p>	<p><input type="checkbox"/></p>
<p>9. FACILITIES AND EQUIPMENT</p>	<p>No information needs to be submitted in response to this item; key issues are addressed under "Radiation Safety Program - Public Dose" and "Radiation Safety Program - Operating and Emergency Procedures."</p>	<p>Separate Item 9 Response</p>	<p>Need Not Be Submitted With Application</p>
<p>10. RADIATION SAFETY PROGRAM - AUDIT PROGRAM</p>	<p>The applicant is <i>not</i> required to, and should not, submit its audit program to NRC for review during the licensing phase.</p>		<p>Need Not Be Submitted With Application</p>
<p>10. RADIATION SAFETY PROGRAM - TERMINATION OF ACTIVITIES</p>	<p>The applicant is <i>not</i> required to submit a response to the termination of activities section during the initial application. However, when the license expires when the licensee ceases operation, NRC Form 514 must be submitted.</p>		<p>Need Not Be Submitted With Application</p>
<p>10. RADIATION SAFETY PROGRAM - SURVEY INSTRUMENTS</p>	<p>We will either possess and use, or have access to and use, a radiation survey meter that meets the Criteria in the section entitled "Radiation Safety Program - Instruments" in NUREG-1556, Vol. 1, Rev. 1, dated November 2001.</p>	<p><input checked="" type="checkbox"/></p>	<p><input type="checkbox"/></p>

**RECEIVED**

MAR 23 2009

APPENDIX B

Item No. And Title	Suggested Response	DNMS	Alternative Procedures Attached
10. RADIATION SAFETY PROGRAM - MATERIAL RECEIPT AND ACCOUNTABILITY	Physical inventories will be conducted at intervals that do not exceed 6 months to account for all sealed sources and devices received and possessed under the license.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
10. RADIATION SAFETY PROGRAM - OCCUPATIONAL DOSIMETRY	Either we will maintain, for inspection by NRC, documentation demonstrating that unmonitored individuals are not likely to receive a radiation dose in excess of 10 percent of the allowable limits in 10 CFR Part 20, or we will provide dosimetry processed and evaluated by an NVLAP-approved processor that is exchanged at a frequency recommended by the processor.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
10. RADIATION SAFETY PROGRAM - PUBLIC DOSE	The applicant is not required to submit a response to the public dose section during the licensing phase. This matter will be examined during an inspection.	Need Not Be Submitted With Application	
10. RADIATION SAFETY PROGRAM - OPERATING AND EMERGENCY PROCEDURES	We will implement and maintain the operating and emergency procedures in Appendix H of NUREG-1556, Vol. 1, Rev. 1, dated November 2001, and provide copies of these procedures to all gauge users and at each job site.  OR  Operating and emergency procedures will be developed, implemented, and maintained and will meet the criteria in the section entitled "Radiation Safety Program - Operating and Emergency Procedures" in NUREG-1556, Vol. 1, Rev. 1, dated November 2001.	<input type="checkbox"/>  <input checked="" type="checkbox"/>	<input type="checkbox"/>
10. RADIATION SAFETY PROGRAM - LEAK TEST	Leak tests will be performed at intervals approved by NRC or an Agreement State and specified in the Sealed Source and Device Registration Sheet. Leak tests will be performed by an organization authorized by NRC or an Agreement State to provide leak testing services for other licensees or using a leak test kit supplied by an organization authorized by NRC or an Agreement State to provide leak test kits to other licensees and according to the kit supplier's instructions.	<input checked="" type="checkbox"/>	<input type="checkbox"/>  The information in Appendix I supporting a request to perform leak testing and sample analysis is attached.

RECEIVED

MAR 23 2009

APPENDIX B

DNMS

Item No. And Title	Suggested Response	Yes	Alternative Procedures Attached
<p><b>10. RADIATION SAFETY PROGRAM - MAINTENANCE</b></p>	<p><i>Routine Cleaning and Lubrication</i>                      We will implement and maintain procedures for routine maintenance of oil gauges according to each manufacturer's recommendations and instructions.</p> <p><i>Non-Routine Maintenance</i>                      We will send the gauge to the manufacturer or other person authorized by NRC or an Agreement State to perform non-routine maintenance or repair operations that require the removal of the source or source rod from the gauge.</p>	<p><input checked="" type="checkbox"/></p> <p><input checked="" type="checkbox"/></p>	<p><input type="checkbox"/></p> <p><input type="checkbox"/></p> <p>The information listed in Appendix G supporting a request to perform non-routine maintenance in-house is attached.</p>
<p><b>10. RADIATION SAFETY PROGRAM - TRANSPORTATION</b></p>	<p>The applicant is <i>not</i> required to submit its response to transportation during the licensing process. However, this issue will be reviewed during inspection.</p>		<p>Need Not Be Submitted With Application</p>
<p><b>11. WASTE MANAGEMENT - GAUGE DISPOSAL AND TRANSFER</b></p>	<p>The applicant is <i>not</i> required to submit a response to waste management during the licensing process. However, the licensee should develop, implement, and maintain gauge transfer and disposal procedures in its radiation protection program.</p>		<p>Need Not Be Submitted With Application</p>



UNITED STATES  
NUCLEAR REGULATORY COMMISSION

REGION IV  
612 EAST LAMAR BLVD., SUITE 400  
ARLINGTON, TEXAS 76011-4125

FACSIMILE



**Name:** Mark Wemple License No. 11-27629-01  
**Organization:** Progressive Engineering Group, Inc. Docket No. 030-35017  
**Fax:** 208-746-9732  
**Phone:** 208-746-5406  
**From:** Jacqueline D. Cook  
**Date:** March 16, 2009  
**Subject:** Application dated February 9, 2009 for License Renewal  
**Pages:** 2 (7 with Appendix B included)

Mr. Wemple:

Per your application dated February 9, 2009, the item on the next page are deficiency which requires your response. **Please respond to this fax by Tuesday, March 31, 2009.** If you are unable to respond by this due date, please don't hesitate to contact me so we can discuss an extension to the date. Our fax number is (817) 860-8263. You may respond by email in pdf format if you'd like. My email address is [Jackie.Cook@nrc.gov](mailto:Jackie.Cook@nrc.gov). If you have any questions regarding this fax, please call me at (817) 860-8132. When responding to this fax, please include the license and docket numbers located at the top of this page.

Thanking you in advance for your cooperation, assistance, and prompt response in this matter.

Jacqueline D. Cook  
Senior Health Physicist

4 7 2 1 9 3

mL090760581

1. Please resubmit your license renewal application utilizing NUREG-1556, Vol. 1, Rev. 1, Consolidated Guidance About Materials Licenses: Program-Specific Guidance About Portable Gauge Licenses, Appendix B as guidance (attached).

# ACCEPTANCE REVIEW MEMO (ARM)

**Licensee:** Progressive Engineering Grp, Inc      **License No.:** 11-27629-01  
**Docket No.:** 030-35017      **Mail Control No.:** 472193  
**Type of Action:** Renewal      **Date of Requested Action:** 2/09/09  
**Reviewer Assigned:** ARM reviewer(s): Torres

Response	Deficiencies Noted During Acceptance Review
<div style="position: relative; height: 100px;"> </div>	<ul style="list-style-type: none"> <li><input checked="" type="checkbox"/> Open ended possession limits. <u>Submit inventory.</u> Limit possession.</li> <li><input type="checkbox"/> Submit copies of latest leak test results.</li> <li><input type="checkbox"/> Add IC L.C./Fingerprint LC, add SUNSI markings to license.</li> <li><input checked="" type="checkbox"/> Confirm with licensee if they have NARM material.</li> </ul>
<b>REVIEWER</b> →	Licensee needs to commit to Operating, Emergency & <u>"Security"</u> procedures.

**Reviewer's Initials:** \_\_\_\_\_ *RTC* **Date:** 3-27-09

<input type="checkbox"/> Yes	<input type="checkbox"/> No	Request for unrestricted release Group 2 or >. Consult with Bravo Branch.
<input type="checkbox"/> Yes	<input type="checkbox"/> No	Termination request < 90 days from date of expiration
<input type="checkbox"/> Yes	<input type="checkbox"/> No	Expedite (medical emergency, no RSO, location of use/storage not on license, RAM in possession not on license, other)
<input type="checkbox"/> Yes	<input type="checkbox"/> No	TAR needed to complete action.

**Branch Chief's and/or HP's Initials:** \_\_\_\_\_ **Date:** \_\_\_\_\_

**SUNSI Screening according to RIS 2005-31**

Yes     No    **Sensitive and Non-Publicly Available** if any item below is checked

General guidance:

- \_\_\_\_\_ RAM = or > than Category 3 (Table 1, RIS 2005-31), use Unity Rule
- \_\_\_\_\_ Exact location of RAM [suite #, bldg. #, location different from mailing address] (whether = or > than Category 3 or not)
- \_\_\_\_\_ Design of structure and/or equipment (site specific)
- \_\_\_\_\_ Information on nearby facilities
- \_\_\_\_\_ Detailed design drawings and/or performance information
- \_\_\_\_\_ Emergency planning and/or fire protection systems

Specific guidance for medical, industrial and academic (above Category 3):

- \_\_\_\_\_ RAM quantities and inventory
- \_\_\_\_\_ Manufacturer's name and model number of sealed sources & devices
- \_\_\_\_\_ Site drawings with exact location of RAM, description of facility
- \_\_\_\_\_ RAM security program information (locks, alarms, etc.)
- \_\_\_\_\_ Emergency Plan specifics (routes to/from RAM, response to security events)
- \_\_\_\_\_ Vulnerability/security assessment/accident-safety analysis/risk assess
- \_\_\_\_\_ Mailing lists related to security response

**Branch Chief's and/or HP's Initials:** *RTC* **Date:** 3-27-09



UNITED STATES  
NUCLEAR REGULATORY COMMISSION  
REGION IV  
612 EAST LAMAR BLVD, SUITE 400  
ARLINGTON, TEXAS 76011-4125

March 30, 2009

Progressive Engineering Group, Inc.  
ATTN: N. Mark Wemple  
Radiation Safety Officer  
1208 Idaho Street  
Lewiston, Idaho 83501

SUBJECT: DEEMED TIMELY LETTER

We acknowledge receipt of your application dated February 9, 2009, requesting your byproduct materials license be renewed. Your application is deemed timely filed and, accordingly, the license will not expire until final action has been taken by this office.

We have completed a preliminary review of your submittal. This review was cursory in nature and should not be considered a complete technical review. A complete technical review of the submitted information will be conducted within 180 days.

Any correspondence regarding this application should reference the identifying numbers specified below. If you have questions or require clarification on any of the information stated above, we encourage you to contact us at (817) 860-8103. Thank you for your cooperation.

Sincerely,

A handwritten signature in cursive script that reads "Colleen Murnahan".

Colleen Murnahan,  
Licensing Assistant  
Nuclear Materials Safety Branch B

Docket: 030-35017  
License: 11-27629-01  
Control: 472193

BETWEEN: : (FOR LFMS USE)  
 : INFORMATION FROM LTS  
 : -----  
 :  
 License Fee Management Branch, ARM : Program Code: 03121  
 and : Status Code: 0  
 Regional Licensing Sections : Fee Category: 3P  
 : Exp. Date: 20090531  
 : Fee Comments: \_\_\_\_\_  
 : Decom Fin Assur Req: N  
 : .....

LICENSE FEE TRANSMITTAL

A. REGION

1. APPLICATION ATTACHED  
 Applicant/Licensee: PROGRESSIVE ENGINEERING GROUP, INC.  
 Received Date: 20090220  
 Docket No: 3035017  
 Control No.: 472193  
 License No.: 11-27629-01  
 Action Type: Renewal

2. FEE ATTACHED  
 Amount: \_\_\_\_\_  
 Check No.:       /      

3. COMMENTS

Signed Colleen Murnahan  
 Date 3-25-09

B. LICENSE FEE MANAGEMENT BRANCH (Check when milestone 03 is entered /\_/)

1. Fee Category and Amount: \_\_\_\_\_

2. Correct Fee Paid. Application may be processed for:  
 Amendment \_\_\_\_\_  
 Renewal \_\_\_\_\_  
 License \_\_\_\_\_

3. OTHER \_\_\_\_\_


Signed \_\_\_\_\_  
 Date \_\_\_\_\_

**PROGRESSIVE ENGINEERING GROUP, INC.**

1208 Idaho Street  
Lewiston, Idaho 83501

TO: Nuclear Materials Licensing Branch  
U.S. Nuclear Regulatory Commission  
Region IV  
601 Ryan Plaza Dr., Suite 400  
Arlington, TX 76011-4005





08029

**PROGRESSIVE ENGINEERING GROUP, INC.**

1208 Idaho Street  
Lewiston, Idaho 83501

TO: Nuclear Materials Licensing Branch  
U.S. Nuclear Regulatory Commission  
Region IV  
1011 Ryan Plaza Dr., Suite 400  
Arlington, TX 76011-4005

