CCNPP3COLA PEmails

From: John Rycyna
Sent: Thursday, April 16, 2009 9:27 AM
To: Poche, Robert; McQueeney, Jennifer; katie.thurstin@unistarnuclear.com
Cc: CCNPP3COL Resource; Edmund Kleeh; Omid Tabatabai; Michael Miernicki; Joseph Colaccino; James Biggins; Adam Gendelman
Subject: RAI No 97 CCIB 1742.doc (PUBLIC)
Attachments: RAI No 97 CCIB 1742.doc

Rob,

Attached please find the subject request for additional information (RAI). A draft of the RAI was provided to you on April 2, 2009. No conference call was requested to discuss this RAI. The schedule we have established for review of your application assumes technically correct and complete responses within 30 days of receipt of RAIs. For any RAIs that cannot be answered within 30 days, it is expected that a date for receipt of this information will be provided to the staff within the 30 day period so that the staff can assess how this information will impact the published schedule.

John Rycyna, PE
Sr. Project Manager
Division of New Reactor Licensing
Office of New Reactors
U.S. Nuclear Regulatory Commission
301-415-4122

Hearing Identifier: CalvertCliffs_Unit3Cola_Public_EX
Email Number: 694

Mail Envelope Properties (499C2FC6BB962446994CA8682D8ADF33178E72909A)

Subject: RAI No 97 CCIB 1742.doc (PUBLIC)
Sent Date: 4/16/2009 9:26:46 AM
Received Date: 4/16/2009 9:26:48 AM
From: John Rycyna

Created By: John.Rycyna@nrc.gov

Recipients:
"CCNPP3COL Resource" <CCNPP3COL.Resource@nrc.gov>
Tracking Status: None
"Edmund Kleeh" <Edmund.Kleeh@nrc.gov>
Tracking Status: None
"Omid Tabatabai" <Omid.Tabatabai@nrc.gov>
Tracking Status: None
"Michael Miernicki" <Michael.Miernicki@nrc.gov>
Tracking Status: None
"Joseph Colaccino" <Joseph.Colaccino@nrc.gov>
Tracking Status: None
"James Biggins" <James.Biggins@nrc.gov>
Tracking Status: None
"Adam Gendelman" <Adam.Gendelman@nrc.gov>
Tracking Status: None
"Poche, Robert" <Robert.Poche@constellation.com>
Tracking Status: None
"McQueeney, Jennifer" <Jennifer.McQueeney@unistarnuclear.com>
Tracking Status: None
"katie.thurstin@unistarnuclear.com" <katie.thurstin@unistarnuclear.com>
Tracking Status: None

Post Office: HQCLSTR02.nrc.gov

Files	**Size**	**Date & Time**
MESSAGE	766	4/16/2009 9:26:48 AM
RAI No 97 CCIB 1742.doc	23662	

Options
Priority: Standard
Return Notification: No
Reply Requested: No
Sensitivity: Normal
Expiration Date:
Recipients Received:

Request for Additional Information No. 97
4/16/2009

Calvert Cliffs Unit 3
UniStar
Docket No. 52-016
SRP Section: 14.03.02 - Structural and Systems Engineering - Inspections, Tests, Analyses, and Acceptance Criteria
Application Section: Part 10 of Application - ITAAC, Appendix B

QUESTIONS for Construction Inspection and Allegations Branch (CCIB)

14.03.02-1

ITAAC Item 2 in Table 2.4-1

The values for soil densities indicated in the Commitment Wording should also be shown in the AC. The Commitment Wording can not be more specific than the AC. If the AC is more specific than the Commitment Wording, that is acceptable.

Evaluate and resolve this discrepancy.