

## Hambrick, Gordon A SAJ

---

**From:** Hambrick, Gordon A SAJ  
**Sent:** Wednesday, April 01, 2009 7:41 AM  
**To:** 'Richard Vaughn'  
**Subject:** RE: Public Notice; 20090316-saj-2008-490

Dear Mr. and Mrs. Vaughn:

Thank you for your comments. In answer to Question 2, it appears at this time that the pipelines are proposed to be installed on the north side of the barge canal to the point where the line turns south across the barge canal, as shown on Sheet 4 of 18 of the public notice. As stated in the public notice, your comments will be forwarded to the NRC to be addressed in the EIS.

Sincerely,  
Don Hambrick

Gordon A. "Don" Hambrick, III  
Senior Project Manager  
US Army Corps of Engineers  
Jacksonville District  
1002 West 23rd Street, Suite 350  
Panama City, Florida 32401

Office: 850-763-0717, ext. 25  
Fax: 850-872-0231

Please assist us in better serving you! Please complete our customer survey by clicking on the following link:  
<http://regulatory.usacesurvey.com/>

-----Original Message-----

**From:** Richard Vaughn [mailto:rlvsvm@gmail.com]  
**Sent:** Wednesday, April 01, 2009 4:20 AM  
**To:** Hambrick, Gordon A SAJ  
**Subject:** Public Notice; 20090316-saj-2008-490

Dear Mr. Hambrick,

I am responding to the public notice as requested.

I do have immediate concern regarding the project portion located on the north side of the barge canal within the Harris Greenway Park. I live at 12481 West Foss Grove Path. I have approximately 700 feet which boundaries' the park property.

My concerns are:

1. The Harris Greenway has never had a controlled burn. This actual statement was delivered to me by the park manager Chris Mckendree. With all of this current activity with vehicles and such I deeply fear a wild fire will erupt. I and my neighbors have only one access road to leave and only one access road for the emergency vehicles to enter. I would deeply appreciate for you to address the issue of establishing a controlled burn program by the park management. The Park management are a very conscientious neighbor to our community. We trust them.
2. What side of the barge canal are the pipes going to be installed?
3. I would like to see our road, West Foss Grove Path maintained and/or assistance funding for maintenance by the Power Company due to emergency purposes. Currently the Park maintenance does utilize our road as an access road to their park. We maintain this road directly out of our pockets with no participation from the state. During the surveying by the power companies survey team spent many hours utilizing our self maintained road.
4. I would like to see the park property posted or notice posted on their boundaries of their utilization for the pipes and other purposes.

5. I would like to keep access points to and from the park for our community on West Foss Grove Path.

Thank You,

Regards,

Richard & Michelle Vaughn  
12481 West Foss Grove Path  
Inglis, FL 34449