

CCNPP3COLA PEmails

From: John Rycyna
Sent: Thursday, April 30, 2009 10:11 AM
To: Poche, Robert; McQueeney, Jennifer; katie.thurstin@unistarnuclear.com
Cc: CCNPP3COL Resource; Sara Bernal; Timothy Frye; Jason Jennings; Joseph Colaccino; James Biggins; Adam Gendelman
Subject: RAI No 111 CHPB 2216.doc (PUBLIC)
Attachments: RAI No 111 CHPB 2216.doc

Rob,

Attached please find the subject request for additional information (RAI). A draft of the RAI was provided to you on April 16, 2009. No conference call was requested to discuss this RAI. The schedule we have established for review of your application assumes technically correct and complete responses within 30 days of receipt of RAIs. For any RAIs that cannot be answered within 30 days, it is expected that a date for receipt of this information will be provided to the staff within the 30 day period so that the staff can assess how this information will impact the published schedule.

John Rycyna, PE
Sr. Project Manager
Division of New Reactor Licensing
Office of New Reactors
U.S. Nuclear Regulatory Commission
301-415-4122

Hearing Identifier: CalvertCliffs_Unit3Cola_Public_EX
Email Number: 714

Mail Envelope Properties (499C2FC6BB962446994CA8682D8ADF331830CA5EED)

Subject: RAI No 111 CHPB 2216.doc (PUBLIC)
Sent Date: 4/30/2009 10:11:16 AM
Received Date: 4/30/2009 10:11:19 AM
From: John Rycyna

Created By: John.Rycyna@nrc.gov

Recipients:

"CCNPP3COL Resource" <CCNPP3COL.Resource@nrc.gov>
Tracking Status: None
"Sara Bernal" <Sara.Bernal@nrc.gov>
Tracking Status: None
"Timothy Frye" <Timothy.Frye@nrc.gov>
Tracking Status: None
"Jason Jennings" <Jason.Jennings@nrc.gov>
Tracking Status: None
"Joseph Colaccino" <Joseph.Colaccino@nrc.gov>
Tracking Status: None
"James Biggins" <James.Biggins@nrc.gov>
Tracking Status: None
"Adam Gendelman" <Adam.Gendelman@nrc.gov>
Tracking Status: None
"Poche, Robert" <Robert.Poche@constellation.com>
Tracking Status: None
"McQueeney, Jennifer" <Jennifer.McQueeney@unistarnuclear.com>
Tracking Status: None
"katie.thurstin@unistarnuclear.com" <katie.thurstin@unistarnuclear.com>
Tracking Status: None

Post Office: HQCLSTR02.nrc.gov

Files	Size	Date & Time
MESSAGE	767	4/30/2009 10:11:19 AM
RAI No 111 CHPB 2216.doc	24174	

Options

Priority: Standard
Return Notification: No
Reply Requested: No
Sensitivity: Normal
Expiration Date:
Recipients Received:

Request for Additional Information No. 111
4/30/2009

Calvert Cliffs Unit 3
UniStar
Docket No. 52-016

SRP Section: 12.01 - Assuring that Occupational Radiation Exposures Are as Low as is Reasonably Achievable

Application Section: Section 12.1, Ensuring that Occupational Radiation Exposures are ALARA

QUESTIONS for Health Physics Branch (CHPB)

12.01-3

Compliance with 10 CFR 20.1101(b) and 10 CFR 19.12 requires that an ALARA program (including procedures and training) be implemented by a licensee. The operational Radiation Protection Program implementation discussed in CCNPP FSAR Section 12.1 does not state when the appropriate ALARA program procedures will be implemented. Also, according to Table 13.4-1, Operational Programs Required by NRC Regulations and Program Implementation, FSAR Section 12.1, ALARA program implementation is not specifically required by any milestone.

Accordingly, please update CCNPP FSAR Section 12.1 and Table 13.4-1 (for example by adding the ALARA program parenthetically under the Radiation Protection Program in Table 13.4-1) to clarify the applicant's commitment to the final ALARA program implementation. When, for example, will the applicant implement ALARA procedures for planning prior to receipt of radioactive material or fuel?