

Exelon Generation Company, LLC
LaSalle County Station
2601 North 21st Road
Marseilles, IL 61341-9757

www.exeloncorp.com

RA09-042

10 CFR 50 Appendix I

May 15, 2009

U. S. Nuclear Regulatory Commission
Attention: Document Control Desk
Washington, D.C. 20555

LaSalle County Station, Units 1 and 2
Facility Operating License Nos. NPF-11 and NPF-18
NRC Docket Nos. 50-373 and 50-374


Subject: 2008 Annual Radiological Environmental Operating Report

Enclosed is the Exelon Generation Company, LLC, LaSalle County Station 2008 Annual Radiological Environmental Operating Report, submitted in accordance with Technical Specification 5.6.2, "Annual Radiological Environmental Operating Report." This report contains the results of the Radiological Environmental and Meteorological Monitoring Programs. This report is enclosed as an attachment.

In addition, this attachment contains the results of groundwater monitoring conducted in accordance with Exelon's Radiological Groundwater Protection Program, which is a voluntary program implemented in 2006. This information is being reported in accordance with a nuclear industry initiative.

Should you have any questions concerning this letter, please contact Mr. Terrence W. Simpkin, Regulatory Assurance Manager, at (815) 415-2800.

Respectfully,



David B. Wozniak
Site Vice President
LaSalle County Station

Attachment

cc: Regional Administrator - NRC Region III
NRC Senior Resident Inspector - LaSalle County Station

Docket No: 50-373
50-374

LASALLE COUNTY STATION UNITS 1 and 2

Annual Radiological
Environmental Operating Report

1 January Through 31 December 2008

Prepared By

Teledyne Brown Engineering
Environmental Services

Exel nSM

Nuclear

LaSalle County Station
Marseilles, IL 61341

May 2009

Table Of Contents

I. Summary and Conclusions	1
II. Introduction	2
A. Objectives of the REMP	2
B. Implementation of the Objectives	2
III. Program Description.....	2
A. Sample Collection.....	2
B. Sample Analysis	4
C. Data Interpretation.....	5
D. Program Exceptions.....	6
E. Program Changes	8
IV. Results and Discussion	8
A. Aquatic Environment	8
1. Surface Water.....	8
2. Ground/well Water.....	9
3. Fish	9
4. Sediment.....	10
B. Atmospheric Environment	10
1. Airborne	10
a. Air Particulates	10
b. Airborne Iodine	11
2. Terrestrial.....	11
a. Milk	11
b. Food Products	12
C. Ambient Gamma Radiation	12
D. Land Use Survey.....	12
E. Summary of Results – Inter-laboratory Comparison Program.....	13

Appendices

Appendix A Radiological Environmental Monitoring Report Summary

Tables

Table A-1 Radiological Environmental Monitoring Program Summary for the LaSalle County Station, 2008

Appendix B Location Designation, Distance & Direction, and Sample Collection & Analytical Methods

Tables

Table B-1: Radiological Environmental Monitoring Program - Sampling Locations, Distance and Direction, LaSalle County Station, 2008

Table B-2: Radiological Environmental Monitoring Program - Summary of Sample Collection and Analytical Methods, LaSalle County Station, 2008

Figures

Figure B-1: Inner Ring TLD Locations of the LaSalle County Station, 2008

Figure B-2: Outer Ring TLD Locations of the LaSalle County Station, 2008

Figure B-3: Fixed Air Sampling Locations of the LaSalle County Station, 2008

Figure B-4: Ingestion and Waterborne Exposure Pathway Sample Locations of the LaSalle County Station, 2008

Appendix C Data Tables and Figures - Primary Laboratory

Tables

Table C-I.1 Concentrations of Gross Beta in Surface Water Samples Collected in the Vicinity of LaSalle County Station, 2008.

Table C-I.2 Concentrations of Tritium in Surface Water Samples Collected in the Vicinity of LaSalle County Station, 2008.

Table C-I.3 Concentrations of Gamma Emitters in Surface Water Samples Collected in the Vicinity of LaSalle County Station, 2008.

Table C-II.1 Concentrations of Tritium in Ground/well Water Samples Collected in the Vicinity of LaSalle County Station, 2008

Table C-II.2	Concentrations of Gamma Emitters in Ground/well Water Samples Collected in the Vicinity of LaSalle County Station, 2008.
Table C-III.1	Concentrations of Gamma Emitters in Fish Samples Collected in the Vicinity of LaSalle County Station, 2008.
Table C-IV.1	Concentrations of Gamma Emitters in Sediment Samples Collected in the Vicinity of LaSalle County Station, 2008.
Table C-V.1	Concentrations of Gross Beta in Air Particulate Samples Collected in the Vicinity of LaSalle County Station, 2008.
Table C-V.2	Monthly and Yearly Mean Values of Gross Beta Concentrations (E-3 pCi/cu meter) in Air Particulate Samples Collected in the Vicinity of LaSalle County Station, 2008.
Table C-V.3	Concentrations of Gamma Emitters in Air Particulate Samples Collected in the Vicinity of LaSalle County Station, 2008.
Table C-VI.1	Concentrations of I-131 in Air Iodine Samples Collected in the Vicinity of LaSalle County Station, 2008.
Table C-VII.1	Concentrations of I-131 in Milk Samples Collected in the Vicinity of LaSalle County Station, 2008.
Table C-VII.2	Concentrations of Gamma Emitters in Milk Samples Collected in the Vicinity of LaSalle County Station, 2008.
Table C-VIII.1	Concentrations of Gamma Emitters in Vegetation Samples Collected in the Vicinity of LaSalle County Station, 2008.
Table C-IX.1	Quarterly TLD Results for LaSalle County Station, 2008.
Table C-IX.2	Mean Quarterly TLD Results for the Inner Ring, Outer Ring, Other and Control Locations for LaSalle County Station, 2008.
Table C-IX.3	Summary of the Ambient Dosimetry Program for LaSalle County Station, 2008.

Figures

Figure C-1	Surface Water - Gross Beta – Stations L-21 (C) and L-40 Collected in the Vicinity of LCS, 2000 - 2008.
Figure C-2	Surface Water - Tritium – Stations L-21 (C) and L-40 Collected in the Vicinity of LCS, 2000 - 2008.
Figure C-3	Air Particulate - Gross Beta – Stations L-01 and L-03 Collected in the Vicinity of LCS, 2000 - 2008.
Figure C-4	Air Particulate - Gross Beta – Stations L-05 and L-06 Collected in the Vicinity of LCS, 2000 - 2008.
Figure C-5	Air Particulate - Gross Beta – Station L-10 (C) Collected in the Vicinity of LCS, 2000 - 2008.

Figure C-6 Air Particulate - Gross Beta – Station L-04 and L-07 Collected in the Vicinity of LCS, 2008.

Figure C-7 Air Particulate - Gross Beta – Station L-08 and L-11 Collected in the Vicinity of LCS, 2008.

Appendix D Inter-Laboratory Comparison Program

Tables

Table D-1 Analytics Environmental Radioactivity Cross Check Program
Teledyne Brown Engineering, 2008

Table D-2 ERA Environmental Radioactivity Cross Check Program
Teledyne Brown Engineering, 2008

Table D-3 DOE's Mixed Analyte Performance Evaluation Program (MAPEP)
Teledyne Brown Engineering, 2008

Table D-4 ERA Statistical Summary Proficiency Testing Program
Environmental, Inc., 2008

Table D-5 DOE's Mixed Analyte Performance Evaluation Program (MAPEP)
Environmental, Inc., 2008

Appendix E Effluent Data

Appendix F Meteorological Data

Appendix G Annual Radiological Groundwater Protection Program Report (ARGPPR)

I. Summary and Conclusions

This report on the Radiological Environmental Monitoring Program conducted for the LaSalle County Station (LCS) by Exelon covers the period 1 January 2008 through 31 December 2008. During that time period, 1,451 analyses were performed on 1,351 samples. In assessing all the data gathered for this report and comparing these results with preoperational data, it was concluded that the operation of LCS had no adverse radiological impact on the environment.

Surface water samples were analyzed for concentrations of gross beta, tritium and gamma emitting nuclides. Ground/well water samples were analyzed for concentrations of tritium and gamma emitting nuclides. No fission or activation products were detected. Gross beta and tritium activities detected were consistent with those detected in previous years.

Fish (commercially and recreationally important species) and sediment samples were analyzed for concentrations of gamma emitting nuclides. No fission or activation products were detected in fish or sediment. Sediment samples had Cs-137 concentrations consistent with levels observed during the preoperational years. No plant produced fission or activation products were found in sediment.

Air particulate samples were analyzed for concentrations of gross beta and gamma emitting nuclides. No fission or activation products were detected.

High sensitivity I-131 analyses were performed on weekly air samples. All results were less than the minimum detectable activity.

Cow milk samples were analyzed for concentrations of I-131 and gamma emitting nuclides. All I-131 results were below the minimum detectable activity. Concentrations of naturally occurring K-40 were consistent with those detected in previous years. No fission or activation products were found.

Food product samples were analyzed for concentrations of gamma emitting nuclides. No fission or activation products were detected.

Environmental gamma radiation measurements were performed quarterly using thermoluminescent dosimeters. Levels detected were consistent with those observed in previous years.

II. Introduction

The LaSalle County Station (LCS), consisting of two boiling water reactors, each rated for 3489 MWt, owned and operated by Exelon Corporation, is located in LaSalle County, Illinois. Unit No. 1 went critical on 16 March 1982. Unit No. 2 went critical on 02 December 1983. The site is located in northern Illinois, approximately 75 miles southwest of Chicago, Illinois.

A Radiological Environmental Monitoring Program (REMP) for LCS was initiated in 1982. (The preoperational period for most media covers the periods 1 January 1979 through 26 December 1981 and was summarized in a separate report.) This report covers those analyses performed by Teledyne Brown Engineering (TBE), Global Dosimetry, and Environmental Inc. (Midwest Labs) on samples collected during the period 1 January 2008 through 31 December 2008.

A. Objective of the REMP

The objectives of the REMP are to:

1. Provide data on measurable levels of radiation and radioactive materials in the site environs.
2. Evaluate the relationship between quantities of radioactive material released from the plant and resultant radiation doses to individuals from principal pathways of exposure.

B. Implementation of the Objectives

The implementation of the objectives is accomplished by:

1. Identifying significant exposure pathways.
2. Establishing baseline radiological data of media within those pathways.
3. Continuously monitoring those media before and during Station operation to assess Station radiological effects (if any) on man and the environment.

III. Program Description

A. Sample Collection

Samples for the LCS REMP were collected for Exelon Nuclear by

Environmental Inc. (Midwest Labs). This section describes the general collection methods used by Environmental Inc. (Midwest Labs) to obtain environmental samples for the LCS REMF in 2008. Sample locations and descriptions can be found in Tables B-1 and B-2, and Figures B-1 through B-4, Appendix B.

Aquatic Environment

The aquatic environment was evaluated by performing radiological analyses on samples of surface water, ground/well water, fish, and sediment. Two gallon water samples were collected weekly from two surface water locations (L-21 and L-40) and composited for monthly and quarterly required analyses. Control location was L-21. Two ground/well water locations (L-27 and L-28) were also grab sampled quarterly. All samples were collected in new unused plastic bottles, which were rinsed with source water prior to collection. Fish samples comprising the flesh of channel catfish, freshwater drum, largemouth bass, and smallmouth buffalo were collected semiannually at three locations, L-34, L-35 and L-36 (Control). Sediment samples composed of recently deposited substrate were collected at three locations semiannually, L-21 (Control), L-40 and L-41.

Atmospheric Environment

The atmospheric environment was evaluated by performing radiological analyses on samples of air particulate, airborne iodine, milk and food products. Airborne iodine and particulate samples were collected and analyzed weekly at nine locations (L-01, L-03, L-04, L-05, L-06, L-07, L-08, L-10 and L-11). The control location was L-10. Airborne iodine and particulate samples were obtained at each location, using a vacuum pump with charcoal and glass fiber filters attached. The pumps were run continuously and sampled air at the rate of approximately one cubic foot per minute. The air filters and air iodine samples were replaced weekly and sent to the laboratory for analysis.

Milk samples were collected biweekly at one location (L-42) from May through October, and monthly from November through April. The control location was L-42. All samples were collected in new unused two gallon plastic bottles from the bulk tank at each location, preserved with sodium bisulfite, and shipped promptly to the laboratory.

Food products were collected annually in September at five locations (L-Quad C, L-Quad 1, L-Quad 2, L-Quad 3, and L-Quad 4). The control location was L-Quad C. Various types of samples were collected and placed in new unused plastic bags, and sent to the laboratory for analysis.

Ambient Gamma Radiation

Direct radiation measurements were made using CaF₂ thermoluminescent dosimeters (TLD). Each location consisted of 2 TLD sets. The TLD locations were placed on and around the LCS site as follows:

An inner ring consisting of 16 locations (L-101, L-102, L-103, L-104, L-105, L-106, L-107, L-108, L-109, L-110, L-111B, L-112, L-113A, L-114, L-115 and L-116) near and within the site perimeter representing fence post doses (i.e., at locations where the doses will be potentially greater than maximum annual off-site doses) from LCS release.

An outer ring consisting of 16 locations (L-201, L-202, L-203, L-204, L-205, L-206, L-207, L-208, L-209, L-210, L-211, L-212, L-213, L-214, L-215 and L-216) extending to approximately 5 miles from the site designed to measure possible exposures to close-in population.

An other set consisting of eight locations (L-01, L-03, L-04, L-05, L-06, L-07, L-08 and L-11).

The balance of one location (L-10) representing the control area.

The specific TLD locations were determined by the following criteria:

1. The presence of relatively dense population;
2. Site meteorological data taking into account distance and elevation for each of the sixteen–22 1/2 degree sectors around the site, where estimated annual dose from LCS, if any, would be most significant;
3. On hills free from local obstructions and within sight of the vents (where practical);
4. And near the closest dwelling to the vents in the prevailing downwind direction.

(Two TLDs – each comprised of two CaF₂ thermoluminescent phosphors enclosed in plastic – were placed at each location approximately six feet above ground level. The TLDs were exchanged quarterly and sent to Global Dosimetry for analysis.)

B. Sample Analysis

This section describes the general analytical methodologies used by TBE and Environmental Inc (Midwest Labs) to analyze the environmental

samples for radioactivity for the LCS REMP in 2008. The analytical procedures used by the laboratories are listed in Table B-2.

In order to achieve the stated objectives, the current program includes the following analyses:

1. Concentrations of beta emitters in surface water and air particulates.
2. Concentrations of gamma emitters in ground/well and surface water, air particulates, milk, fish, sediment and vegetation.
3. Concentrations of tritium in ground/well and surface water.
4. Concentrations of I-131 in air and milk.
5. Ambient gamma radiation levels at various site environs.

C. Data Interpretation

The radiological and direct radiation data collected prior to LaSalle County Station becoming operational were used as a baseline with which these operational data were compared. For the purpose of this report, LaSalle County Station was considered operational at initial criticality. In addition, data were compared to previous years' operational data for consistency and trending. Several factors were important in the interpretation of the data:

1. Lower Limit of Detection and Minimum Detectable Concentration

The lower limit of detection (LLD) was defined as the smallest concentration of radioactive material in a sample that would yield a net count (above background) that would be detected with only a 5% probability of falsely concluding that a blank observation represents a "real" signal. The LLD was intended as a before the fact estimate of a system (including instrumentation, procedure and sample type) and not as an after the fact criteria for the presence of activity. All analyses were designed to achieve the required LCS detection capabilities for environmental sample analysis.

The minimum detectable concentration (MDC) is defined above with the exception that the measurement is an after the fact estimate of the presence of activity.

2. Net Activity Calculation and Reporting of Results

Net activity for a sample was calculated by subtracting background activity from the sample activity. Since the REMP measures extremely small changes in radioactivity in the environment, background variations may result in sample activity being lower than the background activity effecting a negative number. An MDC was reported in all cases where positive activity was not detected.

Gamma spectroscopy results for each type of sample were grouped as follows:

For surface water and food product 12 nuclides, Mn-54, Co-58, Fe-59, Co-60, Zn-65, Zr-95, Nb-95, I-131, Cs-134, Cs-137, Ba-140, and La-140 were reported.

For ground/well water, fish, sediment, air particulate and milk 11 nuclides, Mn-54, Co-58, Fe-59, Co-60, Zn-65, Zr-95, Nb-95, Cs-134, Cs-137, Ba-140, and La-140 were reported.

Means and standard deviations of the results were calculated. The standard deviations represent the variability of measured results for different samples rather than single analysis uncertainty.

D. Program Exceptions

For 2008 the LCS REMP had a sample recovery rate in excess of 99%. Sample anomalies and missed samples are listed in the tables below:

Table D-1 LISTING OF SAMPLE ANOMALIES

Sample Type	Location Code	Collection Date	Reason
A/I	L-03	05/01/08	Low timer reading of 158.9; possibly due to work on the lines in area.
A/I	L-05	05/01/08	Low timer reading of 93.6; hours due to power outage.
A/I	L-05	05//15/08	Low timer reading of 49.8; hours due to recent power restoration.
A/I	L-04	09/04/08	Low reading of 166.5 hours; possibly due to storms in the area

Table D-1 LISTING OF SAMPLE ANOMALIES (continued)

Sample Type	Location Code	Collection Date	Reason
A/I	L-05	09/04/08	Low reading of 165.4 hours; possibly due to storms in the area.
A/I	L-06	09/04/08	Low reading of 165.4 hours; possibly due to storms in area.
A/I	L-07	09/04/08	Low reading of 167.1 hours; possibly due to storms in the area.
A/I	L-08	09/04/08	Low reading of 167.1 hours; possibly due to storms in the area.
A/I	L-03	09/11/08	No electricity; station notified; estimated flowrate of 60 cfh.
A/I	L-03	09/18/08	Low reading of 23.4 hours; due to recent power restoration.
WWI	L-28	10/08/08	No one available to open pump house; sample collected 10/16/08.
A/I	L-05	12/04/08	Eight-day collection period; low reading of 191.2 hours; possibly due to power outages in the area.
A/I	L-07	12/04/08	Eight-day collection period; low reading of 191.1 hours; possibly due to power outages in the area.
A/I	L-08	12/04/08	Eight-day collection period; low reading of 191.0 hours; possibly due to power outages in the area.
A/I	L-10	12/24/08	Low reading of 135.1 hours; possibly due to power failure.
A/I	L-11	12/31/08	No electricity, breaker off; collector reset breaker.

Table D-2 LISTING OF MISSED SAMPLES

Sample Type	Location Code	Collection Date	Reason
A/I	L-05	05/07/08	No sample; power out.
TLD	L-106-2	07/01/08	Element damaged, could not be reprocessed.

Each program exception was reviewed to understand the causes of the program exception. Occasional equipment breakdowns and power outages were unavoidable.

The overall sample recovery rate indicates that the appropriate procedures and equipment are in place to assure reliable program implementation.

E. Program Changes

There were no program changes in 2008.

IV. Results and Discussion

A. Aquatic Environment

1. Surface Water

Samples were taken weekly and composited monthly at two locations (L-21 and L-40). Of these locations only L-40 located downstream, could be affected by LaSalle's effluent releases. The following analyses were performed.

Gross Beta

Samples from all locations were analyzed for concentrations of gross beta (Table C-I.1, Appendix C). Gross beta was detected in all samples with a range of 4.6 to 10.5 pCi/l. Concentrations detected were consistent with those detected in previous years (Figure C-1, Appendix C). The required LLD was met.

Tritium

Quarterly composites of weekly collections were analyzed for tritium activity (Table C-I.2, Appendix C). Tritium was detected in

five of eight samples with a range of 127 to 332 pCi/l. Concentrations detected were consistent with those detected in previous years (Figure C-2, Appendix C). The 2000 pCi/L OCDM and contractually required 200 pCi/L LLDs were met.

Gamma Spectrometry

Samples from both locations were analyzed for gamma emitting nuclides (Table C-I.3, Appendix C). No nuclides were detected, and all required LLDs were met.

2. Ground/well Water

Quarterly grab samples were collected at two locations (L-27 and L-28). Wells 4, 5, 6 are associated with L-28. L-27 and L-28 well 6 could be affected by LaSalle's effluent releases. The following analyses were performed:

Tritium

Quarterly grab samples from the locations were analyzed for tritium activity (Table C-II.1, Appendix C). No tritium was detected and the 2000 pCi/L OCDM and contractually required 200 pCi/L LLDs were met.

Gamma Spectrometry

Samples from all locations were analyzed for gamma emitting nuclides (Table C-II.2, Appendix C). No nuclides were detected, and all required LLDs were met.

3. Fish

Fish samples comprised of channel catfish, freshwater drum, largemouth bass, and smallmouth buffalo were collected at three locations (L-34, L-35 and L-36) semiannually. Locations L-34 and L-35 could be affected by LaSalle's effluent releases. The following analysis was performed:

Gamma Spectrometry

The edible portion of fish samples from both locations was analyzed for gamma emitting nuclides (Table C-III.1, Appendix C). Naturally occurring K-40 was found at all stations and ranged from 2,380 to 3,340 pCi/kg wet. No fission or activation products were

found.

4. Sediment

Aquatic sediment samples were collected at three locations (L-21, L-40 and L-41) semiannually. Locations L-40 and L-41, located downstream, could be affected by LaSalle's effluent releases. The following analysis was performed:

Gamma Spectrometry

Sediment samples from both locations were analyzed for gamma emitting nuclides (Table C-IV.1, Appendix C). Nuclides detected were naturally occurring K-40 and Cs-137.

Potassium-40 was found at all stations and ranged from 7,890 to 16,500 pCi/kg dry. Cs-137 was found in two samples with a range of 77 to 83 pCi/kg dry. The activity detected was consistent with those detected in previous years and is likely due to fallout from above-ground nuclear weapons testing. No LaSalle fission or activation products were found.

B. Atmospheric Environment

1. Airborne

a. Air Particulates

Continuous air particulate samples were collected from nine locations on a weekly basis. The nine locations were separated into four groups: Group I (onsite) represents locations within the LCS site boundary (L-03 and L-05), Group II (near site) represents the locations near the LCS site (L-01 and L-06), Group III (far field) represents the control location at an intermediate distance from LCS (L-04, L-07, L-08 and L-11) and Group IV (Control) represents the control location at a remote distance (L-10). The following analyses were performed:

Gross Beta

Weekly samples were analyzed for concentrations of beta emitters (Table C-V.1 and C-V.2, Appendix C). Detectable gross beta activity was observed at all locations. Comparison of results among the four groups aid in

determining the effects, if any, resulting from the operation of LCS. The results from the OnSite locations (Group I) ranged from <5 to 45 E-3 pCi/m³ with a mean of 20 E-3 pCi/m³. The results from the near site location (Group II) ranged from <5 to 38 E-3 pCi/m³ with a mean of 20 E-3 pCi/m³. The results from the far field locations (Group III) ranged from <37 to 45 E-3 pCi/m³ with a mean of 21 E-3 pCi/m³. The results from the Control location (Group IV) ranged from 6 to 41 E-3 pCi/m³ with a mean of 20 E-3 pCi/m³. Comparison of the 2008 air particulate data with previous years data indicate no effects from the operation of LCS (Figures C-3 through C-7, Appendix C). In addition a comparison of the weekly mean values for 2008 indicate no notable differences among the three groups.

Gamma Spectrometry

Weekly samples were composited quarterly and analyzed for gamma emitting nuclides (Table C-V.3, Appendix C). Naturally occurring Be-7 due to cosmic ray activity was detected in 31 of 36 samples. These values ranged from 89 to 310 E-3 pCi/m³. Naturally occurring K-40 was not detected in any samples. All other nuclides were less than the MDC.

b. Airborne Iodine

Continuous air samples were collected from nine locations (L-01, L-03, L-04, L-05, L-06, L-07, L-08, L-10, and L-11) and analyzed weekly for I-131 (Table C-VI.1, Appendix C). No nuclides were detected, and all required LLDs were met.

2. Terrestrial

a. Milk

Samples were collected from one location (L-42) biweekly May through October and monthly November through April. The following analyses were performed:

Iodine-131

Milk samples from the location were analyzed for concentrations of I-131 (Table C-VII.1, Appendix C). No nuclides were detected, and all required LLDs were met.

Gamma Spectrometry

Each milk sample was analyzed for concentrations of gamma emitting nuclides (Table C–VII.2, Appendix C).

Naturally occurring K-40 activity was found in all samples and ranged from 1,090 to 1,340 pCi/l. No other nuclides were detected, and all required LLDs were met.

b. Food Products

Food product samples were collected at five locations (L-Quad C, L-Quad 1, L-Quad 2, L-Quad 3 and L-Quad 4) when available. Four locations, (L-Quad 1, L-Quad 2, L-Quad 3 and L-Quad 4) could be affected by LaSalle's effluent releases. The following analysis was performed:

Gamma Spectrometry

Samples from all locations were analyzed for gamma emitting nuclides (Table C–VIII.1, Appendix C). No nuclides were detected, and all required LLDs were met.

C. Ambient Gamma Radiation

Ambient gamma radiation levels were measured utilizing Panasonic 814 (CaF₂) thermoluminescent dosimeters. Forty-one TLD locations were established around the site. Results of TLD measurements are listed in Tables C–IX.1 to C–IX.3, Appendix C.

Most TLD measurements were below 30 mR/standard month, with a range of 18 to 32 mR/quarter. A comparison of the Inner Ring, Outer Ring, and Other data to the Control Location data, indicate that the ambient gamma radiation levels from the Control Location L-10 were comparable.

D. Land Use Survey

A Land Use Survey conducted during the August 2008 growing season around the LaSalle County Station (LCS) was performed by Environmental Inc. (Midwest Labs) for Exelon Nuclear to comply with Radiological Effluent Control 12.5.2 of the LaSalle's Offsite Dose Calculation Manual. The purpose of the survey was to document the nearest resident, milk producing animal and garden of greater than 500 ft² in each of the sixteen 22 ½ degree sectors around the site. The distance

and direction of all locations from the LCS reactor buildings were positioned using Global Positioning System (GPS) technology. There were no changes required to the LCS REMP, as a result of this survey. The results of this survey are summarized below.

Distance in Miles from the LCS Reactor Buildings			
Sector	Residence Miles	Livestock Miles	Milk Farm Miles
A N	3.9	4.0	-
B NNE	1.6	1.7	-
C NE	2.1	3.5	-
D ENE	3.3	3.8	-
E E	3.2	-	12.6
F ESE	1.4	-	-
G SE	1.7	4.7	-
H SSE	1.8	4.7	-
J S	1.5	4.7	-
K SSW	0.7	-	-
L SW	1.0	5.8	-
M WSW	1.5	1.5	-
N W	1.5	3.0	-
P WNW	0.9	3.0	-
Q NW	1.8	4.0	-
R NNW	1.7	4.6	-

E. Summary of Results – Inter-Laboratory Comparison Program

The primary and secondary laboratories analyzed Performance Evaluation (PE) samples of air particulate, air iodine, milk, soil, vegetation and water matrices (Appendix D). The PE samples, supplied by Analytics Inc., Environmental Resource Associates (ERA) and DOE’s Mixed Analyte Performance Evaluation Program (MAPEP), were evaluated against the following pre-set acceptance criteria:

1. Analytics Evaluation Criteria

Analytics’ evaluation report provides a ratio of laboratory results and Analytics’ known value. Since flag values are not assigned by Analytics, TBE-ES evaluates the reported ratios based on internal QC requirements, which are based on the DOE MAPEP criteria.

2. ERA Evaluation Criteria

ERA’s evaluation report provides an acceptance range for control and warning limits with associated flag values. ERA’s acceptance limits are established per the USEPA, NELAC, state specific PT

program requirements or ERA's SOP for the Generation of Performance Acceptance Limits, as applicable. The acceptance limits are either determined by a regression equation specific to each analyte or a fixed percentage limit promulgated under the appropriate regulatory document.

3. DOE Evaluation Criteria

MAPEP's evaluation report provides an acceptance range with associated flag values.

The MAPEP defines three levels of performance: Acceptable (flag = "A"), Acceptable with Warning (flag = "W"), and Not Acceptable (flag = "N"). Performance is considered acceptable when a mean result for the specified analyte is $\pm 20\%$ of the reference value. Performance is acceptable with warning when a mean result falls in the range from $\pm 20\%$ to $\pm 30\%$ of the reference value (i.e., $20\% < \text{bias} < 30\%$). If the bias is greater than 30%, the results are deemed not acceptable.

For the primary laboratory, 16 out of 18 analytes met the specified acceptance criteria. Two samples did not meet the specified acceptance criteria for the following reasons:

1. Teledyne Brown Engineering's Analytics December 2008 Sr-89 in milk result of 18.0 pCi/L was higher than the known value of 12.6 pCi/L, resulting in a found to known ratio of 1.43. NCR 09-02 was initiated to investigate this failure.
2. Teledyne Brown Engineering's Analytics' ERA Quik Response water sample January 2008 Sr-89 result of 37.33 pCi/L exceeded the upper acceptance limit of 25.2 pCi/L. No cause could be found for the failure. Studies bracketing these results, RAD 71 and RAD 72 had acceptable Sr-89 results. NCR 08-03

For the secondary laboratory, all of the 15 analytes met the specified acceptance criteria.

The Inter-Laboratory Comparison Program provides evidence of "in control" counting systems and methods, and that the laboratories are producing accurate and reliable data.

APPENDIX A

RADIOLOGICAL ENVIRONMENTAL MONITORING REPORT SUMMARY

**TABLE A-1 RADIOLOGICAL ENVIRONMENTAL MONITORING PROGRAM ANNUAL SUMMARY FOR
THE LASALLE COUNTY STATION, 2008**

NAME OF FACILITY: LASALLE		DOCKET NUMBER: 50-373 & 50-374		REPORTING PERIOD: ANNUAL 2008		LOCATION WITH HIGHEST ANNUAL MEAN (M)		NUMBER OF NONROUTINE REPORTED MEASUREMENTS
LOCATION OF FACILITY: MARSEILLES IL		INDICATOR CONTROL		LOCATION WITH HIGHEST ANNUAL MEAN (M)		STATION # NAME DISTANCE AND DIRECTION		
MEDIUM OR PATHWAY SAMPLED (UNIT OF MEASUREMENT)	TYPES OF ANALYSIS PERFORMED	NUMBER OF ANALYSIS PERFORMED	REQUIRED LOWER LIMIT OF DETECTION (LLD)	LOCATIONS MEAN(M) (F) RANGE	CONTROL MEAN(M) (F) RANGE	MEAN(M) (F) RANGE	STATION # NAME DISTANCE AND DIRECTION	NUMBER OF NONROUTINE REPORTED MEASUREMENTS
SURFACE WATER (PCI/LITER)	GR-B	24	4	7.5 (12/12) (4.7/10.5)	7.3 (12/12) (4.6/9.9)	7.5 (12/12) (4.7/10.5)	L-40 INDICATOR ILLINOIS RIVER - DOWNSTREAM 5.2 MILES NNW OF SITE	0
	H-3	8	200	214 (2/4) (181/246)	214 (3/4) (127/332)	214 (3/4) (127/332)	L-21 CONTROL ILLINOIS RIVER AT SENECA - UPSTREAM 4.0 MILES NE OF SITE	0
	GAMMA MN-54	24	15	<LLD	<LLD	-		0
	CO-58		15	<LLD	<LLD	-		0
	FE-59		30	<LLD	<LLD	-		0
	CO-60		15	<LLD	<LLD	-		0
	ZN-65		30	<LLD	<LLD	-		0

* THE MEAN AND 2 STANDARD DEVIATION VALUES ARE CALCULATED USING THE POSITIVE VALUES
FRACTION OF DETECTABLE MEASUREMENTS AT SPECIFIED LOCATIONS IS INDICATED IN PARENTHESES (F)

**TABLE A-1 RADIOLOGICAL ENVIRONMENTAL MONITORING PROGRAM ANNUAL SUMMARY FOR
THE LASALLE COUNTY STATION, 2008**

MEDIUM OR PATHWAY SAMPLED (UNIT OF MEASUREMENT)	TYPES OF ANALYSIS PERFORMED	NUMBER OF ANALYSIS PERFORMED	REQUIRED LOWER LIMIT OF DETECTION (LLD)	LOCATIONS		INDICATOR CONTROL		DOCKET NUMBER: 50-373 & 50-374 ANNUAL 2008		STATION # NAME DISTANCE AND DIRECTION	NUMBER OF NONROUTINE REPORTED MEASUREMENTS
				MEAN(M) (F) RANGE	MEAN(M) (F) RANGE	MEAN(M) (F) RANGE	MEAN(M) (F) RANGE	LOCATION WITH HIGHEST ANNUAL MEAN (M)			
SURFACE WATER (PCI/LITER)	NB-95		15	<LLD	<LLD	<LLD	<LLD	-	-		0
	ZR-95		30	<LLD	<LLD	<LLD	<LLD	-	-		0
	I-131		15	<LLD	<LLD	<LLD	<LLD	-	-		0
	CS-134		15	<LLD	<LLD	<LLD	<LLD	-	-		0
	CS-137		18	<LLD	<LLD	<LLD	<LLD	-	-		0
	BA-140		60	<LLD	<LLD	<LLD	<LLD	-	-		0
	LA-140		15	<LLD	<LLD	<LLD	<LLD	-	-		0
GROUND WATER (PCI/LITER)	H-3	12	200	<LLD	<LLD	<LLD	<LLD	-	-		0

* THE MEAN AND 2 STANDARD DEVIATION VALUES ARE CALCULATED USING THE POSITIVE VALUES
FRACTION OF DETECTABLE MEASUREMENTS AT SPECIFIED LOCATIONS IS INDICATED IN PARENTHESES (F)

**TABLE A-1 RADIOLOGICAL ENVIRONMENTAL MONITORING PROGRAM ANNUAL SUMMARY FOR
THE LASALLE COUNTY STATION, 2008**

MEDIUM OR PATHWAY SAMPLED (UNIT OF MEASUREMENT)	TYPES OF ANALYSIS PERFORMED	NUMBER OF ANALYSIS PERFORMED	REQUIRED LOWER LIMIT OF DETECTION (LLD)	LOCATIONS		INDICATOR	CONTROL		DOCKET NUMBER: 50-373 & 50-374 ANNUAL 2008		STATION # NAME DISTANCE AND DIRECTION	NUMBER OF NONROUTINE REPORTED MEASUREMENTS
				MEAN(M) (F) RANGE	MEAN(M) (F) RANGE		MEAN(M) (F) RANGE	MEAN(M) (F) RANGE	LOCATION WITH HIGHEST ANNUAL MEAN (M)			
GROUND WATER (PCI/LITER)	GAMMA MN-54	12	15	<LLD	<LLD	<LLD	<LLD	<LLD	<LLD	-	-	0
	CO-58		15	<LLD	<LLD	<LLD	<LLD	<LLD	<LLD	-	-	0
	FE-59		30	<LLD	<LLD	<LLD	<LLD	<LLD	<LLD	-	-	0
	CO-60		15	<LLD	<LLD	<LLD	<LLD	<LLD	<LLD	-	-	0
	ZN-65		30	<LLD	<LLD	<LLD	<LLD	<LLD	<LLD	-	-	0
	NB-95		15	<LLD	<LLD	<LLD	<LLD	<LLD	<LLD	-	-	0
	ZR-95		30	<LLD	<LLD	<LLD	<LLD	<LLD	<LLD	-	-	0

* THE MEAN AND 2 STANDARD DEVIATION VALUES ARE CALCULATED USING THE POSITIVE VALUES
FRACTION OF DETECTABLE MEASUREMENTS AT SPECIFIED LOCATIONS IS INDICATED IN PARENTHESES (F)

**TABLE A-1 RADIOLOGICAL ENVIRONMENTAL MONITORING PROGRAM ANNUAL SUMMARY FOR
THE LASALLE COUNTY STATION, 2008**

NAME OF FACILITY: LOCATION OF FACILITY:		LASALLE MARSEILLES IL		DOCKET NUMBER: REPORTING PERIOD:		50-373 & 50-374 ANNUAL 2008		LOCATION WITH HIGHEST ANNUAL MEAN (M)				
MEDIUM OR PATHWAY SAMPLED (UNIT OF MEASUREMENT)	TYPES OF ANALYSIS PERFORMED	NUMBER OF ANALYSIS PERFORMED	REQUIRED LOWER LIMIT OF DETECTION (LLD)	LOCATIONS		CONTROL		STATION # NAME	MEAN(M) (F)	RANGE	DISTANCE AND DIRECTION	NUMBER OF NONROUTINE REPORTED MEASUREMENTS
				MEAN(M) (F)	RANGE	MEAN(M) (F)	RANGE					
GROUND WATER (PCI/LITER)	CS-134		15	<LLD	<LLD	<LLD	<LLD		-			0
	CS-137		18	<LLD	<LLD	<LLD	<LLD		-			0
	BA-140		60	<LLD	<LLD	<LLD	<LLD		-			0
	LA-140		15	<LLD	<LLD	<LLD	<LLD		-			0
FISH (PCI/KG WET)	GAMMA MN-54	12	130	<LLD	<LLD	<LLD	<LLD		-			0
	CO-58		130	<LLD	<LLD	<LLD	<LLD		-			0
	FE-59		260	<LLD	<LLD	<LLD	<LLD		-			0

* THE MEAN AND 2 STANDARD DEVIATION VALUES ARE CALCULATED USING THE POSITIVE VALUES FRACTION OF DETECTABLE MEASUREMENTS AT SPECIFIED LOCATIONS IS INDICATED IN PARENTHESES (F)

**TABLE A-1 RADIOLOGICAL ENVIRONMENTAL MONITORING PROGRAM ANNUAL SUMMARY FOR
THE LASALLE COUNTY STATION, 2008**

MEDIUM OR PATHWAY SAMPLED (UNIT OF MEASUREMENT)	TYPES OF ANALYSIS PERFORMED	NUMBER OF ANALYSIS PERFORMED	REQUIRED LOWER LIMIT OF DETECTION (LLD)	INDICATOR CONTROL		DOCKET NUMBER: 50-373 & 50-374 ANNUAL 2008		STATION # NAME DISTANCE AND DIRECTION	NUMBER OF NONROUTINE REPORTED MEASUREMENTS
				LOCATIONS MEAN(M) (F) RANGE	LOCATION MEAN(M) (F) RANGE	MEAN(M) (F) RANGE	LOCATION WITH HIGHEST ANNUAL MEAN (M)		
FISH (PCI/KG WET)	CO-60		130	<LLD	<LLD	<LLD	-		0
	ZN-65		260	<LLD	<LLD	<LLD	-		0
	NB-95		NA	<LLD	<LLD	<LLD	-		0
	ZR-95		NA	<LLD	<LLD	<LLD	-		0
	CS-134		130	<LLD	<LLD	<LLD	-		0
	CS-137		150	<LLD	<LLD	<LLD	-		0
	BA-140		NA	<LLD	<LLD	<LLD	-		0
	LA-140		NA	<LLD	<LLD	<LLD	-		0

* THE MEAN AND 2 STANDARD DEVIATION VALUES ARE CALCULATED USING THE POSITIVE VALUES
FRACTION OF DETECTABLE MEASUREMENTS AT SPECIFIED LOCATIONS IS INDICATED IN PARENTHESES (F)

TABLE A-1 RADIOLOGICAL ENVIRONMENTAL MONITORING PROGRAM ANNUAL SUMMARY FOR
THE LASALLE COUNTY STATION, 2008

NAME OF FACILITY: LASALLE		DOCKET NUMBER: 50-373 & 50-374		REPORTING PERIOD: ANNUAL 2008		LOCATION WITH HIGHEST ANNUAL MEAN (M)		NUMBER OF NONROUTINE REPORTED MEASUREMENTS
LOCATION OF FACILITY: MARSEILLES IL		INDICATOR CONTROL		LOCATION WITH HIGHEST ANNUAL MEAN (M)		STATION #		
MEDIUM OR PATHWAY SAMPLED (UNIT OF MEASUREMENT)	TYPES OF ANALYSIS PERFORMED	NUMBER OF ANALYSIS PERFORMED	REQUIRED LOWER LIMIT (LLD)	LOCATIONS		MEAN(M) (F)		STATION # NAME DISTANCE AND DIRECTION
				MEAN(M) (F)	RANGE	MEAN(M) (F)	RANGE	
SEDIMENT (PCI/KG DRY)	GAMMA MN-54	6	NA	<LLD	<LLD	-	-	0
	CO-58		NA	<LLD	<LLD	-	-	0
	FE-59		NA	<LLD	<LLD	-	-	0
	CO-60		NA	<LLD	<LLD	-	-	0
	ZN-65		NA	<LLD	<LLD	-	-	0
	NB-95		NA	<LLD	<LLD	-	-	0
	ZR-95		NA	<LLD	<LLD	-	-	0

* THE MEAN AND 2 STANDARD DEVIATION VALUES ARE CALCULATED USING THE POSITIVE VALUES
FRACTION OF DETECTABLE MEASUREMENTS AT SPECIFIED LOCATIONS IS INDICATED IN PARENTHESES (F)

**TABLE A-1 RADIOLOGICAL ENVIRONMENTAL MONITORING PROGRAM ANNUAL SUMMARY FOR
THE LASALLE COUNTY STATION, 2008**

MEDIUM OR PATHWAY SAMPLED (UNIT OF MEASUREMENT)	TYPES OF ANALYSIS PERFORMED	NUMBER OF ANALYSIS PERFORMED	REQUIRED LOWER LIMIT OF DETECTION (LLD)	INDICATOR CONTROL		LOCATION WITH HIGHEST ANNUAL MEAN (M)		STATION # NAME DISTANCE AND DIRECTION	NUMBER OF NONROUTINE REPORTED MEASUREMENTS
				MEAN(M) (F) RANGE	MEAN(M) (F) RANGE	MEAN(M) (F) RANGE	MEAN(M) (F) RANGE		
NAME OF FACILITY: LASALLE LOCATION OF FACILITY: MARSEILLES IL	DOCKET NUMBER: 50-373 & 50-374		REPORTING PERIOD: ANNUAL 2008						
SEDIMENT (PCI/KG DRY)	CS-134		150	<LLD	<LLD	<LLD	-		0
	CS-137		180	80 (2/4) (77/83)	<LLD	80 (2/2) (77/83)		L-41 INDICATOR ILLINOIS RIVER - DOWNSTREAM 4.6 MILES NNW OF SITE	0
	BA-140		NA	<LLD	<LLD	-			0
	LA-140		NA	<LLD	<LLD	-			0
AIR PARTICULATE (E-3 PCI/CU.METER)	GR-B	466	10	20 (410/414) (6/45)	20 (52/52) (6/41)	21 (52/52) (6/42)		L-08 INDICATOR MARSEILLES 6.0 MILES NNW OF SITE	0
	GAMMA MN-54	36	NA	<LLD	<LLD	-			0
	CO-58		NA	<LLD	<LLD	-			0

* THE MEAN AND 2 STANDARD DEVIATION VALUES ARE CALCULATED USING THE POSITIVE VALUES
FRACTION OF DETECTABLE MEASUREMENTS AT SPECIFIED LOCATIONS IS INDICATED IN PARENTHESES (F)

**TABLE A-1 RADIOLOGICAL ENVIRONMENTAL MONITORING PROGRAM ANNUAL SUMMARY FOR
THE LASALLE COUNTY STATION, 2008**

MEDIUM OR PATHWAY SAMPLED (UNIT OF MEASUREMENT)	TYPES OF ANALYSIS PERFORMED	NUMBER OF ANALYSIS PERFORMED	REQUIRED LOWER LIMIT OF DETECTION (LLD)	INDICATOR CONTROL		LOCATION WITH HIGHEST ANNUAL MEAN (M)		STATION # NAME DISTANCE AND DIRECTION	NUMBER OF NONROUTINE REPORTED MEASUREMENTS
				LOCATIONS MEAN(M) (F) RANGE	CONTROL MEAN(M) (F) RANGE	MEAN(M) (F) RANGE	LOCATION WITH HIGHEST ANNUAL MEAN (M)		
AIR PARTICULATE (E-3 PCI/CU.METER)	FE-59		NA	<LLD	<LLD	-			0
	CO-60		NA	<LLD	<LLD	-			0
	ZN-65		NA	<LLD	<LLD	-			0
	NB-95		NA	<LLD	<LLD	-			0
	ZR-95		NA	<LLD	<LLD	-			0
	CS-134		50	<LLD	<LLD	-			0
	CS-137		60	<LLD	<LLD	-			0
	BA-140		NA	<LLD	<LLD	-			0

* THE MEAN AND 2 STANDARD DEVIATION VALUES ARE CALCULATED USING THE POSITIVE VALUES FRACTION OF DETECTABLE MEASUREMENTS AT SPECIFIED LOCATIONS IS INDICATED IN PARENTHESES (F)

**TABLE A-1 RADIOLOGICAL ENVIRONMENTAL MONITORING PROGRAM ANNUAL SUMMARY FOR
THE LASALLE COUNTY STATION, 2008**

NAME OF FACILITY: LASALLE LOCATION OF FACILITY: MARSEILLES IL		DOCKET NUMBER: 50-373 & 50-374 REPORTING PERIOD: ANNUAL 2008		LOCATION WITH HIGHEST ANNUAL MEAN (M)		NUMBER OF NONROUTINE REPORTED MEASUREMENTS	
MEDIUM OR PATHWAY SAMPLED (UNIT OF MEASUREMENT)	TYPES OF ANALYSIS PERFORMED	NUMBER OF ANALYSIS PERFORMED	REQUIRED LOWER LIMIT OF DETECTION (LLD)	INDICATOR CONTROL LOCATIONS MEAN(M) (F) RANGE	MEAN(M) (F) RANGE		STATION # NAME DISTANCE AND DIRECTION
AIR PARTICULATE (E-3 PCI/CU.METER)	LA-140		NA	<LLD	<LLD	-	0
AIR IODINE (E-3 PCI/CU.METER)	GAMMA I-131	466	70	<LLD	<LLD	-	0
MILK (PCI/LITER)	I-131	20	1	NA	<LLD	-	0
MILK (PCI/LITER)	GAMMA MN-54	20	NA	NA	<LLD	-	0
MILK (PCI/LITER)	CO-58		NA	NA	<LLD	-	0
MILK (PCI/LITER)	FE-59		NA	NA	<LLD	-	0
MILK (PCI/LITER)	CO-60		NA	NA	<LLD	-	0

* THE MEAN AND 2 STANDARD DEVIATION VALUES ARE CALCULATED USING THE POSITIVE VALUES
FRACTION OF DETECTABLE MEASUREMENTS AT SPECIFIED LOCATIONS IS INDICATED IN PARENTHESES (F)

**TABLE A-1 RADIOLOGICAL ENVIRONMENTAL MONITORING PROGRAM ANNUAL SUMMARY FOR
THE LASALLE COUNTY STATION, 2008**

NAME OF FACILITY: LASALLE		DOCKET NUMBER: 50-373 & 50-374		REPORTING PERIOD: ANNUAL 2008		LOCATION WITH HIGHEST ANNUAL MEAN (M)		NUMBER OF NONROUTINE REPORTED MEASUREMENTS
LOCATION OF FACILITY: MARSEILLES IL		INDICATOR CONTROL		MEAN(M) (F) RANGE		STATION # NAME DISTANCE AND DIRECTION		
MEDIUM OR PATHWAY SAMPLED (UNIT OF MEASUREMENT)	TYPES OF ANALYSIS PERFORMED	NUMBER OF ANALYSIS PERFORMED	REQUIRED LOWER LIMIT OF DETECTION (LLD)	LOCATIONS MEAN(M) (F) RANGE	CONTROL MEAN(M) (F) RANGE	LOCATION WITH HIGHEST ANNUAL MEAN (M)	STATION # NAME DISTANCE AND DIRECTION	NUMBER OF NONROUTINE REPORTED MEASUREMENTS
MILK (PC/LITER)	ZN-65	NA	NA	NA	<LLD	-		0
	NB-95	NA	NA	NA	<LLD	-		0
	ZR-95	NA	NA	NA	<LLD	-		0
	CS-134	15	15	NA	<LLD	-		0
	CS-137	18	18	NA	<LLD	-		0
	BA-140	60	60	NA	<LLD	-		0
	LA-140	15	15	NA	<LLD	-		0

* THE MEAN AND 2 STANDARD DEVIATION VALUES ARE CALCULATED USING THE POSITIVE VALUES
FRACTION OF DETECTABLE MEASUREMENTS AT SPECIFIED LOCATIONS IS INDICATED IN PARENTHESES (F)

**TABLE A-1 RADIOLOGICAL ENVIRONMENTAL MONITORING PROGRAM ANNUAL SUMMARY FOR
THE LASALLE COUNTY STATION, 2008**

NAME OF FACILITY: LASALLE LOCATION OF FACILITY: MARSEILLES IL		DOCKET NUMBER: 50-373 & 50-374		REPORTING PERIOD: ANNUAL 2008		LOCATION WITH HIGHEST ANNUAL MEAN (M)		NUMBER OF NONROUTINE REPORTED MEASUREMENTS
MEDIUM OR PATHWAY SAMPLED (UNIT OF MEASUREMENT)	TYPES OF ANALYSIS PERFORMED	NUMBER OF ANALYSIS PERFORMED	REQUIRED LOWER LIMIT OF DETECTION (LLD)	LOCATIONS MEAN(M) (F) RANGE	CONTROL LOCATION MEAN(M) (F) RANGE	MEAN(M) (F) RANGE	STATION # NAME DISTANCE AND DIRECTION	
VEGETATION (PCI/KG WET)	GAMMA MN-54	10	NA	<LLD	<LLD	-		0
	CO-58		NA	<LLD	<LLD	-		0
	FE-59		NA	<LLD	<LLD	-		0
	CO-60		NA	<LLD	<LLD	-		0
	ZN-65		NA	<LLD	<LLD	-		0
	NB-95		NA	<LLD	<LLD	-		0
	ZR-95		NA	<LLD	<LLD	-		0

* THE MEAN AND 2 STANDARD DEVIATION VALUES ARE CALCULATED USING THE POSITIVE VALUES
FRACTION OF DETECTABLE MEASUREMENTS AT SPECIFIED LOCATIONS IS INDICATED IN PARENTHESES (F)

**TABLE A-1 RADIOLOGICAL ENVIRONMENTAL MONITORING PROGRAM ANNUAL SUMMARY FOR
THE LASALLE COUNTY STATION, 2008**

MEDIUM OR PATHWAY SAMPLED (UNIT OF MEASUREMENT)	TYPES OF ANALYSIS PERFORMED	NUMBER OF ANALYSIS PERFORMED	REQUIRED LOWER LIMIT OF DETECTION (LLD)	INDICATOR CONTROL		LOCATION WITH HIGHEST ANNUAL MEAN (M)		STATION # NAME DISTANCE AND DIRECTION	NUMBER OF NONROUTINE REPORTED MEASUREMENTS
				MEAN(M) (F) RANGE	MEAN(M) (F) RANGE	MEAN(M) (F) RANGE	MEAN(M) (F) RANGE		
VEGETATION (PCI/KG WET)	I-131		60	<LLD	<LLD	-	-		0
	CS-134		60	<LLD	<LLD	-	-		0
	CS-137		80	<LLD	<LLD	-	-		0
	BA-140		NA	<LLD	<LLD	-	-		0
	LA-140		NA	<LLD	<LLD	-	-		0
DIRECT RADIATION (MILLI-ROENTGEN/QTR.)	TLD-QUARTERLY	335	NA	24.6 (327/327) (19/32)	21.1 (8/8) (18/24)	27 (4/4) (23/32)	L-102-2 INDICATOR 0.6 MILES NNE		0

* THE MEAN AND 2 STANDARD DEVIATION VALUES ARE CALCULATED USING THE POSITIVE VALUES
FRACTION OF DETECTABLE MEASUREMENTS AT SPECIFIED LOCATIONS IS INDICATED IN PARENTHESES (F)

APPENDIX B

LOCATION DESIGNATION, DISTANCE & DIRECTION, AND SAMPLE COLLECTION & ANALYTICAL METHODS

TABLE B-1: Radiological Environmental Monitoring Program - Sampling Locations, Distance and Direction, LaSalle County Station, 2008


Location	Location Description	Distance & Direction From Site
<u>A. Surface Water</u>		
L-21	Illinois River at Seneca, Upstream (control)	4.0 miles NE
L-40	Illinois River, Downstream (indicator)	5.2 miles NNW
<u>B. Ground/Well Water</u>		
L-27	LSCS Onsite Well (indicator)	0 miles at station
L-28-W4	Marseilles Well (control)	7.0 miles NW
L-28-W5	Marseilles Well (control)	6.7 miles NW
L-28-W6	Marseilles Well (indicator)	4.1 miles NNE
<u>C. Milk - bi-weekly / monthly</u>		
L-42	Biros Farm (control)	14.2 miles E
<u>D. Air Particulates / Air Iodine</u>		
L-01	Nearsite 1 (indicator)	1.5 miles NNW
L-03	Onsite 3 (indicator)	1.0 miles ENE
L-04	Rte. 170 (indicator)	3.2 miles E
L-05	Onsite 5 (indicator)	0.3 miles ESE
L-06	Nearsite 6 (indicator)	0.4 miles WSW
L-07	Seneca (indicator)	5.2 miles NNE
L-08	Marseilles (indicator)	6.0 miles NNW
L-10	Streator (control)	13.5 miles SW
L-11	Ransom (indicator)	6.0 miles S
<u>E. Fish</u>		
L-34	LaSalle Cooling Lake (indicator)	2.0 miles E
L-35	Marseilles Pool of Illinois River, Downstream (indicator)	6.5 miles NW
L-36	Illinois River, Upstream of Discharge (control)	4.3 miles NNE
<u>F. Sediment</u>		
L-21	Illinois River at Seneca, Upstream (control)	4.0 miles NE
L-40	Illinois River, Downstream (indicator)	5.2 miles NNW
L-41	Illinois River, Downstream (indicator)	4.6 miles NNW
<u>G. Food Products</u>		
Quadrant 1	Diane Partridge	4.5 miles NE
Quadrant 2	Mike and Gina Welbourne	3.8 miles ESE
Quadrant 3	Michael Olson	1.5 miles WSW
Quadrant 4	Robert Eisers	4.5 miles NW
Control	Eugene Clements	10.0 miles NW

TABLE B-1: Radiological Environmental Monitoring Program - Sampling Locations, Distance and Direction, LaSalle County Station, 2008

Location	Location Description	Distance & Direction From Site
<u>H. Environmental Dosimetry - TLD</u>		
<u>Inner Ring</u>		
L-101-1 and -2		0.5 miles N
L-102-1 and -2		0.6 miles NNE
L-103-1 and -2		0.7 miles NE
L-104-1 and -2		0.8 miles ENE
L-105-1 and -2		0.7 miles E
L-106-1 and -2		1.4 miles ESE
L-107-1 and -2		0.8 miles SE
L-108-1 and -2		0.5 miles SSE
L-109-1 and -2		0.6 miles S
L-110-1 and -2		0.6 miles SSW
L-111b-1 and -2		0.8 miles SW
L-112-1 and -2		0.9 miles WSW
L-113a-1 and -2		0.8 miles W
L-114-1 and -2		0.9 miles WNW
L-115-1 and -2		0.7 miles NW
L-116-1 and -2		0.6 miles NNW
<u>Outer Ring</u>		
L-201-3 and -4		4.0 miles N
L-202-3 and -4		3.6 miles NNE
L-203-1 and -2		4.0 miles NE
L-204-1 and -2		3.2 miles ENE
L-205-1 and -2		3.2 miles ESE
L-205-3 and -4		5.1 miles E
L-206-1 and -2		4.3 miles SE
L-207-1 and -2		4.5 miles SSE
L-208-1 and -2		4.5 miles S
L-209-1 and -2		4.0 miles SSW
L-210-1 and -2		3.3 miles SW
L-211-1 and -2		4.5 miles WSW
L-212-1 and -2		4.0 miles WSW
L-213-3 and -4		4.9 miles W
L-214-3 and -4		5.1 miles WNW
L-215-3 and -4		5.0 miles NW
L-216-3 and -4		5.0 miles NNW
<u>Other</u>		
L-01-1 and -2	Nearsite 1 (indicator)	1.5 miles NNW
L-03-1 and -2	Onsite 3 (indicator)	1.0 miles ENE
L-04-1 and -2	Rte. 170 (indicator)	3.2 miles E
L-05-1 and -2	Onsite 5 (indicator)	0.3 miles ESE
L-06-1 and -2	Nearsite 6 (indicator)	0.4 miles WSW
L-07-1 and -2	Seneca (indicator)	5.2 miles NNE
L-08-1 and -2	Marseilles (indicator)	6.0 miles NNW
L-11-1 and -2	Ransom	6.0 miles S
<u>Control and Special Interest</u>		
L-10-1 and -2	Streator	13.5 miles SW

TABLE B-2: Radiological Environmental Monitoring Program – Summary of Sample Collection and Analytical Methods, LaSalle County Station, 2008

Sample Medium	Analysis	Sampling Method	Analytical Procedure Number
Surface Water	Gamma Spectroscopy	Monthly composite from weekly grab samples.	TBE, TBE-2007 Gamma emitting radioisotope analysis Env. Inc., GS-01 Determination of gamma emitters by gamma spectroscopy
Surface Water	Gross Beta	Monthly composite from weekly grab samples.	TBE, TBE-2008 Gross Alpha and/or gross beta activity in various matrices Env. Inc., W(DS)-01 Determination of gross alpha and/or gross beta in water (dissolved solids or total residue)
Surface Water	Tritium	Quarterly composite from weekly grab samples.	TBE, TBE-2011 Tritium analysis in drinking water by liquid scintillation Env. Inc., T-02 Determination of tritium in water (direct method)
Ground/Well Water	Gamma Spectroscopy	Quarterly grab samples.	TBE, TBE-2007 Gamma emitting radioisotope analysis Env. Inc., GS-01 Determination of gamma emitters by gamma spectroscopy
Ground/Well Water	Tritium	Quarterly grab samples.	TBE, TBE-2011 Tritium analysis in drinking water by liquid scintillation Env. Inc., T-02 Determination of tritium in water (direct method)
Fish	Gamma Spectroscopy	Semi-annual samples collected via electroshocking or other techniques	TBE-2007 Gamma emitting radioisotope analysis Env. Inc., GS-01 Determination of gamma emitters by gamma spectroscopy
Sediment	Gamma Spectroscopy	Semi-annual grab samples	TBE, TBE-2007 Gamma emitting radioisotope analysis Env. Inc., GS-01 Determination of gamma emitters by gamma spectroscopy
Air Particulates	Gross Beta	One-week composite of continuous air sampling through glass fiber filter paper	TBE, TBE-2008 Gross Alpha and/or gross beta activity in various matrices Env. Inc., AP-02 Determination of gross alpha and/or gross beta in air particulate filters
Air Particulates	Gamma Spectroscopy	Quarterly composite of each station	TBE, TBE-2007 Gamma emitting radioisotope analysis Env. Inc., GS-01 Determination of gamma emitters by gamma spectroscopy
Air Iodine	Gamma Spectroscopy	Bi-weekly composite of continuous air sampling through charcoal filter	TBE, TBE-2007 Gamma emitting radioisotope analysis Env. Inc., I-131-02 Determination of I-131 in charcoal canisters by gamma spectroscopy (batch method)
Milk	I-131	Bi-weekly grab sample when cows are on pasture. Monthly all other times	TBE, TBE-2012 Radioiodine in various matrices Env. Inc., I-131-01 Determination of I-131 in milk by anion exchange
Milk	Gamma Spectroscopy	Bi-weekly grab sample when cows are on pasture. Monthly all other times	TBE, TBE-2007 Gamma emitting radioisotope analysis Env. Inc., GS-01 Determination of gamma emitters by gamma spectroscopy
Food Products	Gamma Spectroscopy	Annual grab samples.	TBE, TBE-2007 Gamma emitting radioisotope analysis Env. Inc., GS-01 Determination of gamma emitters by gamma spectroscopy
TLD	Thermoluminescence Dosimetry	Quarterly TLDs comprised of two Global Dosimetry CaF ₂ elements.	Global Dosimetry



■ TLD Location

Figure B-1
 Inner Ring TLD Locations
 of the LaSalle County Station, 2008




Figure B-2
Outer Ring TLD Locations
of the LaSalle County Station, 2008




Figure B-3
 Fixed Air Sampling Locations
 of the LaSalle County Station, 2008




Figure B-4
 Ingestion and Waterborne Exposure Pathway Sample Locations
 of the LaSalle County Station, 2008

APPENDIX C

DATA TABLES AND FIGURES PRIMARY LABORATORY

TABLE C-I.1

**CONCENTRATIONS OF GROSS BETA IN SURFACE WATER SAMPLES
COLLECTED IN THE VICINITY OF LASALLE COUNTY STATION, 2008**

RESULTS IN UNITS OF PCI/LITER ± 2 SIGMA

COLLECTION PERIOD	L-21	L-40
01/03/08 - 01/31/08	9.9 ± 2.2	8.5 ± 2.1
02/07/08 - 02/28/08	6.8 ± 2.2	6.7 ± 2.1
03/06/08 - 03/27/08	6.1 ± 2.7	8.1 ± 2.9
04/03/08 - 04/24/08	5.9 ± 2.0	4.7 ± 1.9
05/01/08 - 05/29/08	6.3 ± 3.1	4.7 ± 2.9
06/05/08 - 06/26/08	4.6 ± 2.1	5.7 ± 2.2
07/03/08 - 07/31/08	7.3 ± 2.2	6.1 ± 2.1
08/06/08 - 08/28/08	8.6 ± 2.7	11 ± 2.9
09/04/08 - 09/25/08	8.5 ± 2.4	9.4 ± 2.4
10/02/08 - 10/30/08	6.7 ± 2.0	10 ± 2.3
11/06/08 - 11/26/08	7.2 ± 2.3	7.6 ± 2.2
12/04/08 - 12/31/08	9.1 ± 2.4	8.2 ± 2.4
MEAN	7.3 ± 3.0	7.5 ± 3.9

TABLE C-I.2

**CONCENTRATIONS OF TRITIUM IN SURFACE WATER SAMPLES
COLLECTED IN THE VICINITY OF LASALLE COUNTY STATION, 2008**

RESULTS IN UNITS OF PCI/LITER ± 2 SIGMA

COLLECTION PERIOD	L-21	L-40
01/03/08 - 03/27/08	182 ± 110	< 166
04/03/08 - 06/26/08	332 ± 123	246 ± 117
07/03/08 - 09/25/08	< 175	< 173
10/02/08 - 12/31/08	127 ± 83	181 ± 88
MEAN	214 ± 212	214 ± 92

* THE MEAN AND 2 STANDARD DEVIATION VALUES ARE CALCULATED USING THE POSITIVE VALUES

TABLE C-I.3 **CONCENTRATIONS OF GAMMA EMITTERS IN SURFACE WATER SAMPLES**
COLLECTED IN THE VICINITY OF LASALLE COUNTY STATION, 2008

RESULTS IN UNITS OF PCI/LITER ± 2 SIGMA

STC	COLLECTION PERIOD	Mn-54	Co-58	Fe-59	Co-60	Zn-65	Nb-95	Zr-95	I-131	Cs-134	Cs-137	Ba-140	La-140
L-21	01/03/08 - 01/31/08	< 1	< 2	< 4	< 2	< 3	< 2	< 3	< 14	< 1	< 1	< 19	< 7
	02/07/08 - 02/28/08	< 2	< 3	< 5	< 2	< 4	< 3	< 5	< 12	< 2	< 2	< 22	< 7
	03/06/08 - 03/27/08	< 3	< 3	< 8	< 3	< 6	< 3	< 6	< 14	< 3	< 3	< 25	< 9
	04/03/08 - 04/24/08	< 3	< 3	< 7	< 3	< 6	< 3	< 5	< 14	< 3	< 3	< 28	< 9
	05/01/08 - 05/29/08	< 1	< 2	< 3	< 1	< 3	< 2	< 3	< 9	< 1	< 2	< 15	< 4
	06/05/08 - 06/26/08	< 2	< 3	< 5	< 2	< 4	< 2	< 4	< 13	< 2	< 2	< 23	< 7
	07/03/08 - 07/31/08	< 2	< 2	< 5	< 2	< 4	< 2	< 4	< 12	< 2	< 2	< 21	< 5
	08/06/08 - 08/28/08	< 1	< 1	< 3	< 1	< 1	< 1	< 2	< 14	< 1	< 1	< 18	< 5
	09/04/08 - 09/25/08	< 2	< 2	< 4	< 2	< 3	< 2	< 3	< 14	< 1	< 2	< 22	< 7
	10/02/08 - 10/30/08	< 1	< 1	< 3	< 1	< 2	< 1	< 2	< 14	< 1	< 1	< 42	< 11
	11/06/08 - 11/26/08	< 1	< 1	< 3	< 1	< 2	< 1	< 2	< 7	< 1	< 1	< 40	< 14
	12/04/08 - 12/31/08	< 1	< 1	< 3	< 1	< 2	< 1	< 2	< 12	< 1	< 1	< 17	< 5
	MEAN	-	-	-	-	-	-	-	-	-	-	-	-
L-40	01/03/08 - 01/31/08	< 2	< 2	< 4	< 1	< 3	< 2	< 3	< 14	< 1	< 1	< 21	< 7
	02/07/08 - 02/28/08	< 3	< 3	< 8	< 3	< 6	< 4	< 6	< 14	< 3	< 3	< 30	< 9
	03/06/08 - 03/27/08	< 3	< 3	< 6	< 3	< 6	< 4	< 7	< 13	< 3	< 3	< 29	< 8
	04/03/08 - 04/24/08	< 3	< 3	< 7	< 3	< 5	< 3	< 6	< 15	< 3	< 3	< 25	< 9
	05/01/08 - 05/29/08	< 2	< 2	< 4	< 2	< 4	< 2	< 4	< 11	< 2	< 2	< 18	< 5
	06/05/08 - 06/26/08	< 2	< 2	< 5	< 2	< 4	< 3	< 4	< 14	< 2	< 2	< 23	< 7
	07/03/08 - 07/31/08	< 2	< 2	< 4	< 1	< 3	< 2	< 3	< 10	< 1	< 2	< 16	< 5
	08/06/08 - 08/28/08	< 1	< 1	< 3	< 1	< 2	< 1	< 2	< 15	< 1	< 1	< 19	< 6
	09/04/08 - 09/25/08	< 1	< 1	< 3	< 1	< 2	< 1	< 2	< 12	< 1	< 1	< 16	< 5
	10/02/08 - 10/30/08	< 1	< 1	< 2	< 1	< 2	< 1	< 2	< 15	< 1	< 1	< 40	< 11
	11/06/08 - 11/26/08	< 1	< 1	< 3	< 1	< 1	< 1	< 2	< 7	< 1	< 1	< 41	< 14
	12/04/08 - 12/31/08	< 1	< 1	< 3	< 1	< 2	< 1	< 2	< 11	< 1	< 1	< 15	< 5
	MEAN	-	-	-	-	-	-	-	-	-	-	-	-

TABLE C-II.1

**CONCENTRATIONS OF TRITIUM IN GROUND/WELL WATER SAMPLES
COLLECTED IN THE VICINITY OF LASALLE COUNTY STATION, 2008**

RESULTS IN UNITS OF PCI/LITER ± 2 SIGMA

COLLECTION PERIOD	L-27	L-28-W4	* L-28-W5	* L-28-W6 *
01/10/08 - 01/10/08	< 153	< 152		< 152
04/03/08 - 04/03/08	< 167		< 166	< 168
07/10/08 - 07/10/08	< 176	< 179		< 177
10/16/08 - 10/16/08	< 171	< 169		< 171
MEAN	-	-	-	-

* THERE ARE THREE WELLS ASSOCIATED WITH LOCATION L-28

TABLE C-II.2 CONCENTRATIONS OF GAMMA EMITTERS IN GROUNDWELL WATER SAMPLES COLLECTED IN THE VICINITY OF LASALLE COUNTY STATION, 2008

RESULTS IN UNITS OF PCI/LITER ± 2 SIGMA

STC	COLLECTION PERIOD	Mn-54	Co-58	Fe-59	Co-60	Zn-65	Nb-95	Zr-95	Cs-134	Cs-137	Ba-140	La-140
L-27	01/10/08 - 01/10/08	< 4	< 3	< 7	< 4	< 7	< 4	< 6	< 3	< 4	< 21	< 6
	04/03/08 - 04/03/08	< 6	< 5	< 14	< 6	< 13	< 7	< 10	< 5	< 6	< 31	< 11
	07/10/08 - 07/10/08	< 3	< 3	< 8	< 4	< 7	< 4	< 6	< 3	< 4	< 28	< 10
	10/08/08 - 10/08/08	< 1	< 1	< 3	< 1	< 2	< 1	< 2	< 1	< 1	< 20	< 6
MEAN	-	-	-	-	-	-	-	-	-	-	-	-
L-28-W4*	01/10/08 - 01/10/08	< 5	< 4	< 11	< 6	< 10	< 5	< 8	< 5	< 5	< 27	< 10
	07/10/08 - 07/10/08	< 3	< 3	< 7	< 3	< 6	< 4	< 6	< 3	< 3	< 28	< 8
	10/16/08 - 10/16/08	< 1	< 2	< 3	< 1	< 3	< 2	< 3	< 1	< 1	< 16	< 6
	MEAN	-	-	-	-	-	-	-	-	-	-	-
L-28-W5*	04/03/08 - 04/03/08	< 7	< 7	< 15	< 6	< 13	< 7	< 12	< 6	< 7	< 38	< 12
	MEAN	-	-	-	-	-	-	-	-	-	-	-
	01/10/08 - 01/10/08	< 4	< 5	< 10	< 4	< 9	< 5	< 8	< 4	< 4	< 26	< 9
	04/03/08 - 04/03/08	< 8	< 8	< 15	< 8	< 14	< 8	< 13	< 6	< 8	< 32	< 12
07/10/08 - 07/10/08	< 4	< 4	< 9	< 4	< 7	< 4	< 7	< 3	< 4	< 29	< 10	
10/16/08 - 10/16/08	< 1	< 1	< 4	< 1	< 3	< 2	< 3	< 1	< 2	< 18	< 5	
MEAN	-	-	-	-	-	-	-	-	-	-	-	

* THERE ARE THREE WELLS ASSOCIATED WITH LOCATION L-28

**TABLE C-III.1
CONCENTRATIONS OF GAMMA EMITTERS IN FISH SAMPLES COLLECTED
IN THE VICINITY OF LASALLE COUNTY STATION, 2008**

RESULTS IN UNITS OF PC/KG WET ± 2 SIGMA

STC	COLLECTION PERIOD	Mn-54	Co-58	Fe-59	Co-60	Zn-65	Nb-95	Zr-95	Cs-134	Cs-137	Ba-140	La-140
L-34												
Channel Catfish	05/21/08	< 41	< 59	< 117	< 51	< 115	< 68	< 91	< 38	< 49	< 1120	< 459
Largemouth Bass	05/21/08	< 23	< 40	< 107	< 34	< 87	< 48	< 79	< 30	< 27	< 1050	< 283
Channel Catfish	10/15/08	< 36	< 42	< 118	< 43	< 81	< 45	< 75	< 36	< 32	< 675	< 189
Largemouth Bass	10/15/08	< 41	< 53	< 129	< 37	< 87	< 51	< 91	< 41	< 46	< 963	< 206
	MEAN	-	-	-	-	-	-	-	-	-	-	-
L-35												
Channel Catfish	05/22/08	< 36	< 47	< 100	< 48	< 81	< 49	< 80	< 31	< 33	< 927	< 233
Smallmouth Buffalo	05/22/08	< 42	< 60	< 128	< 35	< 93	< 66	< 88	< 38	< 39	< 1050	< 336
Freshwater Drum	10/16/08	< 62	< 70	< 200	< 64	< 139	< 76	< 131	< 57	< 58	< 1300	< 374
Smallmouth Buffalo	10/16/08	< 37	< 47	< 114	< 31	< 94	< 52	< 83	< 36	< 37	< 879	< 255
	MEAN	-	-	-	-	-	-	-	-	-	-	-
L-36												
Channel Catfish	05/22/08	< 55	< 59	< 160	< 50	< 117	< 64	< 105	< 42	< 46	< 1270	< 647
Smallmouth Buffalo	05/22/08	< 38	< 58	< 94	< 44	< 85	< 53	< 91	< 39	< 39	< 1150	< 249
Largemouth Bass	10/16/08	< 47	< 40	< 124	< 41	< 70	< 48	< 85	< 39	< 46	< 913	< 245
Smallmouth Buffalo	10/16/08	< 47	< 49	< 113	< 41	< 91	< 52	< 93	< 35	< 44	< 1040	< 325
	MEAN	-	-	-	-	-	-	-	-	-	-	-

TABLE C-IV.1 CONCENTRATIONS OF GAMMA EMITTERS IN SEDIMENT SAMPLES COLLECTED IN THE VICINITY OF LASALLE COUNTY STATION, 2008

RESULTS IN UNITS OF PC/KG DRY \pm 2 SIGMA

STC	COLLECTION PERIOD	Mn-54	Co-58	Fe-59	Co-60	Zn-65	Nb-95	Zr-95	Cs-134	Cs-137	Ba-140	La-140
L-21	05/15/08	< 59	< 79	< 211	< 59	< 149	< 87	< 153	< 53	< 79	< 1560	< 453
	10/02/08	< 46	< 47	< 139	< 42	< 94	< 61	< 112	< 38	< 42	< 845	< 254
	MEAN	-	-	-	-	-	-	-	-	-	-	-
L-40	05/15/08	< 65	< 65	< 136	< 69	< 152	< 79	< 124	< 56	< 74	< 516	< 96
	10/02/08	< 49	< 61	< 156	< 41	< 106	< 69	< 117	< 47	< 70	< 1050	< 328
	MEAN	-	-	-	-	-	-	-	-	-	-	-
L-41	05/15/08	< 69	< 62	< 179	< 66	< 134	< 82	< 137	< 59	77 \pm 67	< 567	< 129
	10/02/08	< 63	< 71	< 211	< 60	< 165	< 99	< 138	< 53	83 \pm 48	< 1260	< 338
	MEAN	-	-	-	-	-	-	-	-	80 \pm 8	-	-

* THE MEAN AND 2 STANDARD DEVIATION VALUES ARE CALCULATED USING THE POSITIVE VALUES

TABLE C-V.1 CONCENTRATIONS OF GROSS BETA IN AIR PARTICULATE SAMPLES COLLECTED IN THE VICINITY OF LASALLE COUNTY STATION, 2008

RESULTS IN UNITS OF E-3 PCI/CU METER ± 2 SIGMA

COLLECTION PERIOD	GROUP I		GROUP II		GROUP III			GROUP IV	
	L-03	L-05	L-01	L-06	L-04	L-07	L-08	L-11	L-10
01/03/08 - 01/10/08	19 ± 4	22 ± 4	18 ± 4	17 ± 4	19 ± 4	11 ± 4	20 ± 4	19 ± 4	21 ± 4
01/10/08 - 01/17/08	32 ± 5	30 ± 5	26 ± 5	29 ± 5	32 ± 5	36 ± 6	36 ± 5	36 ± 5	36 ± 6
01/17/08 - 01/24/08	28 ± 5	29 ± 5	35 ± 5	29 ± 5	24 ± 5	27 ± 5	26 ± 5	29 ± 5	31 ± 5
01/24/08 - 01/31/08	24 ± 5	31 ± 5	32 ± 5	30 ± 5	32 ± 5	37 ± 5	32 ± 5	30 ± 5	36 ± 5
01/31/08 - 02/07/08	16 ± 4	14 ± 4	14 ± 4	15 ± 4	17 ± 4	13 ± 4	18 ± 4	16 ± 4	16 ± 4
02/07/08 - 02/14/08	33 ± 5	33 ± 5	25 ± 5	34 ± 5	27 ± 5	35 ± 5	38 ± 6	32 ± 5	33 ± 5
02/14/08 - 02/21/08	22 ± 5	24 ± 5	26 ± 5	22 ± 5	24 ± 5	19 ± 5	24 ± 5	22 ± 5	24 ± 5
02/21/08 - 02/28/08	15 ± 4	16 ± 4	13 ± 4	16 ± 4	13 ± 4	12 ± 4	14 ± 4	14 ± 4	15 ± 4
02/28/08 - 03/06/08	19 ± 4	21 ± 5	23 ± 5	23 ± 5	21 ± 5	19 ± 4	21 ± 5	24 ± 5	21 ± 5
03/06/08 - 03/13/08	25 ± 5	27 ± 5	27 ± 5	27 ± 5	25 ± 5	26 ± 5	29 ± 5	27 ± 5	26 ± 5
03/13/08 - 03/20/08	15 ± 4	14 ± 4	12 ± 4	16 ± 4	18 ± 4	12 ± 4	16 ± 4	15 ± 4	15 ± 4
03/20/08 - 03/27/08	13 ± 4	14 ± 4	17 ± 4	17 ± 4	18 ± 4	14 ± 4	17 ± 4	14 ± 4	17 ± 4
03/27/08 - 04/03/08	14 ± 4	12 ± 4	8 ± 3	16 ± 4	14 ± 4	11 ± 4	10 ± 4	13 ± 4	13 ± 4
04/03/08 - 04/09/08	13 ± 4	17 ± 5	23 ± 5	13 ± 4	17 ± 4	18 ± 5	20 ± 5	17 ± 4	17 ± 4
04/09/08 - 04/17/08	9 ± 3	11 ± 3	10 ± 3	13 ± 4	10 ± 3	11 ± 3	10 ± 3	10 ± 3	13 ± 4
04/17/08 - 04/24/08	17 ± 4	20 ± 4	23 ± 5	17 ± 4	18 ± 4	24 ± 5	22 ± 4	18 ± 4	17 ± 4
04/24/08 - 05/01/08	17 ± 5	20 ± 7	18 ± 5	17 ± 5	16 ± 4	24 ± 5	19 ± 5	22 ± 5	16 ± 4
05/01/08 - 05/07/08	18 ± 4	(1)	22 ± 5	20 ± 5	21 ± 5	22 ± 5	19 ± 4	17 ± 4	21 ± 5
05/07/08 - 05/15/08	8 ± 3	(1)	10 ± 4	9 ± 4	13 ± 4	11 ± 4	12 ± 4	9 ± 3	8 ± 4
05/15/08 - 05/22/08	12 ± 4	12 ± 4	13 ± 4	10 ± 4	12 ± 4	11 ± 4	13 ± 4	11 ± 4	11 ± 4
05/22/08 - 05/29/08	< 5	7 ± 4	< 5	6 ± 4	6 ± 4	6 ± 4	6 ± 4	7 ± 4	6 ± 4
05/29/08 - 06/05/08	14 ± 4	16 ± 4	15 ± 4	14 ± 4	16 ± 4	13 ± 4	13 ± 4	21 ± 5	19 ± 4
06/05/08 - 06/12/08	13 ± 4	14 ± 4	12 ± 4	15 ± 4	9 ± 4	9 ± 4	14 ± 4	11 ± 4	13 ± 4
06/12/08 - 06/19/08	14 ± 4	14 ± 4	14 ± 4	14 ± 4	15 ± 4	13 ± 4	14 ± 4	14 ± 4	13 ± 4
06/19/08 - 06/26/08	15 ± 4	14 ± 4	15 ± 4	16 ± 4	13 ± 4	17 ± 4	19 ± 4	18 ± 5	13 ± 4
06/26/08 - 07/03/08	19 ± 4	13 ± 4	14 ± 4	15 ± 4	16 ± 4	15 ± 4	15 ± 4	17 ± 4	15 ± 4
07/03/08 - 07/10/08	12 ± 4	12 ± 4	12 ± 4	11 ± 4	10 ± 4	10 ± 4	14 ± 4	14 ± 4	13 ± 4
07/10/08 - 07/17/08	17 ± 4	18 ± 4	17 ± 5	17 ± 4	19 ± 4	22 ± 5	19 ± 4	20 ± 4	17 ± 4
07/17/08 - 07/24/08	17 ± 4	18 ± 4	17 ± 4	18 ± 4	20 ± 5	20 ± 5	23 ± 5	22 ± 5	18 ± 4
07/24/08 - 07/31/08	20 ± 4	17 ± 4	21 ± 4	19 ± 4	18 ± 4	16 ± 4	22 ± 4	23 ± 5	18 ± 4
07/31/08 - 08/06/08	18 ± 4	23 ± 5	19 ± 4	21 ± 5	21 ± 5	25 ± 5	26 ± 5	20 ± 5	25 ± 5
08/06/08 - 08/13/08	14 ± 4	16 ± 4	20 ± 4	15 ± 4	17 ± 4	18 ± 4	15 ± 4	17 ± 4	15 ± 4
08/13/08 - 08/21/08	23 ± 4	24 ± 5	29 ± 5	21 ± 4	28 ± 5	25 ± 5	31 ± 5	24 ± 5	25 ± 5
08/21/08 - 08/28/08	23 ± 4	19 ± 4	19 ± 4	22 ± 4	18 ± 4	23 ± 4	19 ± 4	23 ± 4	21 ± 4
08/28/08 - 09/04/08	30 ± 5	25 ± 5	29 ± 5	30 ± 5	35 ± 5	35 ± 5	34 ± 5	38 ± 6	32 ± 5
09/04/08 - 09/11/08	16 ± 4	17 ± 4	23 ± 5	19 ± 4	19 ± 4	15 ± 4	16 ± 4	17 ± 4	13 ± 4
09/11/08 - 09/18/08	< 39 (1)	12 ± 4	13 ± 4	13 ± 4	11 ± 4	13 ± 4	12 ± 4	12 ± 4	12 ± 4
09/18/08 - 09/25/08	43 ± 6	45 ± 6	38 ± 6	38 ± 6	45 ± 6	43 ± 6	38 ± 6	44 ± 6	38 ± 6
09/25/08 - 10/02/08	36 ± 5	29 ± 5	27 ± 5	29 ± 5	38 ± 5	31 ± 5	32 ± 5	32 ± 5	31 ± 5
10/02/08 - 10/08/08	22 ± 5	21 ± 5	27 ± 5	23 ± 5	21 ± 5	17 ± 5	19 ± 5	15 ± 4	26 ± 5
10/08/08 - 10/16/08	19 ± 4	20 ± 4	23 ± 4	23 ± 4	23 ± 4	19 ± 4	20 ± 4	21 ± 4	20 ± 4
10/16/08 - 10/23/08	12 ± 4	15 ± 4	13 ± 4	12 ± 4	16 ± 4	14 ± 4	13 ± 4	17 ± 4	14 ± 4
10/23/08 - 10/30/08	18 ± 5	13 ± 4	13 ± 4	15 ± 5	15 ± 4	19 ± 5	18 ± 5	14 ± 5	18 ± 5
10/30/08 - 11/06/08	34 ± 5	32 ± 5	36 ± 5	38 ± 6	41 ± 6	37 ± 5	42 ± 6	36 ± 5	41 ± 6
11/06/08 - 11/13/08	15 ± 4	17 ± 4	14 ± 4	17 ± 4	10 ± 4	16 ± 4	14 ± 4	14 ± 4	16 ± 4
11/13/08 - 11/20/08	16 ± 4	18 ± 4	15 ± 4	21 ± 4	22 ± 4	22 ± 5	22 ± 4	20 ± 4	21 ± 4
11/20/08 - 11/26/08	17 ± 5	18 ± 5	21 ± 5	23 ± 5	19 ± 5	22 ± 5	16 ± 5	23 ± 5	17 ± 5
11/26/08 - 12/04/08	21 ± 4	18 ± 4	19 ± 4	15 ± 4	17 ± 4	17 ± 4	16 ± 4	18 ± 4	19 ± 4
12/04/08 - 12/11/08	24 ± 5	26 ± 5	23 ± 5	19 ± 5	21 ± 5	21 ± 5	24 ± 5	22 ± 5	21 ± 5
12/11/08 - 12/18/08	29 ± 5	30 ± 5	28 ± 5	32 ± 5	31 ± 5	29 ± 5	31 ± 5	30 ± 5	27 ± 5
12/18/08 - 12/24/08	22 ± 5	35 ± 6	23 ± 5	30 ± 5	27 ± 5	32 ± 6	27 ± 5	28 ± 5	22 ± 5
12/24/08 - 12/31/08	33 ± 5	42 ± 6	34 ± 5	30 ± 5	30 ± 5	37 ± 5	37 ± 5	< 37 (1)	32 ± 5
MEAN	20 ± 15	20 ± 16	20 ± 15	20 ± 15	20 ± 16	21 ± 18	21 ± 17	21 ± 16	20 ± 16

* THE MEAN AND 2 STANDARD DEVIATION VALUES ARE CALCULATED USING THE POSITIVE VALUES
(1) SEE PROGRAM EXCEPTIONS SECTION FOR EXPLANATION

TABLE C-V.2 MONTHLY AND YEARLY MEAN VALUES OF GROSS BETA CONCENTRATIONS IN AIR PARTICULATE SAMPLES COLLECTED IN THE VICINITY OF LASALLE COUNTY STATION, 2008

RESULTS IN UNITS OF E-3 PCI/CU METER ± 2 SIGMA

GROUP I - NEAR-SITE LOCATIONS				GROUP II - FAR-FIELD LOCATIONS				GROUP III - FAR-FIELD LOCATIONS				GROUP IV - CONTROL LOCATION			
COLLECTION PERIOD	MIN MAX	MEAN ± 2SD		COLLECTION PERIOD	MIN MAX	MEAN ± 2SD		COLLECTION PERIOD	MIN MAX	MEAN ± 2SD		COLLECTION PERIOD	MIN MAX	MEAN ± 2SD	
01/03/08 - 01/31/08	19 32	27 ± 9		01/03/08 - 01/31/08	17 35	27 ± 13		01/03/08 - 01/31/08	11 37	28 ± 15		01/03/08 - 01/31/08	21 36	31 ± 14	
01/31/08 - 02/28/08	14 33	21 ± 16		01/31/08 - 02/28/08	13 34	21 ± 15		01/31/08 - 02/28/08	12 38	21 ± 16		01/31/08 - 02/28/08	15 33	22 ± 17	
02/28/08 - 04/03/08	12 27	17 ± 11		02/28/08 - 04/03/08	8 27	19 ± 12		02/28/08 - 04/03/08	10 29	18 ± 11		02/28/08 - 04/03/08	13 26	19 ± 10	
04/03/08 - 05/01/08	9 20	15 ± 8		04/03/08 - 05/01/08	10 23	17 ± 9		04/03/08 - 05/01/08	10 24	17 ± 10		04/03/08 - 05/01/08	13 17	16 ± 4	
05/01/08 - 05/29/08	< 5 18	11 ± 8		05/01/08 - 05/29/08	< 5 22	13 ± 12		05/01/08 - 05/29/08	6 22	12 ± 10		05/01/08 - 05/29/08	6 21	11 ± 13	
05/29/08 - 07/03/08	13 19	14 ± 4		05/29/08 - 07/03/08	12 16	14 ± 2		05/29/08 - 07/03/08	9 21	15 ± 6		05/29/08 - 07/03/08	13 19	14 ± 6	
07/03/08 - 07/31/08	12 20	16 ± 6		07/03/08 - 07/31/08	11 21	16 ± 7		07/03/08 - 07/31/08	10 23	18 ± 9		07/03/08 - 07/31/08	13 18	16 ± 4	
07/31/08 - 08/28/08	14 24	20 ± 8		07/31/08 - 08/28/08	15 29	21 ± 8		07/31/08 - 08/28/08	15 31	22 ± 9		07/31/08 - 08/28/08	15 25	22 ± 9	
08/28/08 - 10/02/08	< 39 45	28 ± 23		08/28/08 - 10/02/08	13 38	26 ± 18		08/28/08 - 10/02/08	11 45	28 ± 24		08/28/08 - 10/02/08	12 38	25 ± 24	
10/02/08 - 10/30/08	12 22	17 ± 8		10/02/08 - 10/30/08	12 27	19 ± 12		10/02/08 - 10/30/08	13 23	18 ± 6		10/02/08 - 10/30/08	14 26	19 ± 10	
10/30/08 - 12/04/08	15 34	21 ± 14		10/30/08 - 12/04/08	14 38	22 ± 17		10/30/08 - 12/04/08	10 42	22 ± 19		10/30/08 - 12/04/08	16 41	23 ± 21	
12/04/08 - 12/31/08	22 42	30 ± 13		12/04/08 - 12/31/08	19 34	27 ± 10		12/04/08 - 12/31/08	< 37 37	29 ± 10		12/04/08 - 12/31/08	21 32	26 ± 11	
01/03/08 - 12/31/08	< 5 45	20 ± 16		01/03/08 - 12/31/08	< 5 38	20 ± 15		01/03/08 - 12/31/08	< 37 45	21 ± 17		01/03/08 - 12/31/08	6 41	20 ± 16	

* THE MEAN AND 2 STANDARD DEVIATION VALUES ARE CALCULATED USING THE POSITIVE VALUES

TABLE C-V.3 CONCENTRATIONS OF GAMMA EMITTERS IN AIR PARTICULATE SAMPLES COLLECTED IN THE VICINITY OF LASALLE COUNTY STATION, 2008

RESULTS IN UNITS OF E-3 PC/1CU METER ± 2 SIGMA

STC	COLLECTION PERIOD	Mn-54	Co-58	Fe-59	Co-60	Zn-65	Nb-95	Zr-95	Cs-134	Cs-137	Ba-140	La-140
L-01	01/03/08 - 04/03/08	< 3	< 5	< 14	< 1	< 6	< 6	< 9	< 3	< 2	< 583	< 184
	04/03/08 - 07/03/08	< 3	< 5	< 19	< 3	< 8	< 6	< 11	< 2	< 2	< 797	< 270
	07/03/08 - 10/02/08	< 5	< 12	< 92	< 3	< 13	< 14	< 26	< 4	< 3	< 58800	< 14500
	10/02/08 - 12/31/08	< 4	< 4	< 22	< 3	< 10	< 6	< 10	< 3	< 3	< 578	< 175
	MEAN	-	-	-	-	-	-	-	-	-	-	-
L-03	01/03/08 - 04/03/08	< 4	< 6	< 11	< 4	< 11	< 7	< 13	< 3	< 3	< 921	< 336
	04/03/08 - 07/03/08	< 3	< 6	< 19	< 3	< 7	< 7	< 8	< 3	< 2	< 685	< 269
	07/03/08 - 10/02/08	< 3	< 10	< 51	< 3	< 9	< 12	< 25	< 2	< 2	< 43700	< 21100
	10/02/08 - 12/31/08	< 3	< 5	< 15	< 3	< 6	< 4	< 7	< 3	< 2	< 458	< 97
	MEAN	-	-	-	-	-	-	-	-	-	-	-
L-04	01/03/08 - 04/03/08	< 3	< 5	< 12	< 2	< 8	< 5	< 9	< 3	< 3	< 521	< 240
	04/03/08 - 07/03/08	< 3	< 6	< 21	< 2	< 10	< 7	< 12	< 4	< 3	< 782	< 451
	07/03/08 - 10/02/08	< 4	< 11	< 71	< 2	< 8	< 19	< 27	< 4	< 2	< 69600	< 20200
	10/02/08 - 12/31/08	< 2	< 5	< 14	< 2	< 7	< 4	< 6	< 2	< 2	< 417	< 68
	MEAN	-	-	-	-	-	-	-	-	-	-	-
L-05	01/03/08 - 04/03/08	< 2	< 6	< 21	< 5	< 8	< 8	< 11	< 3	< 3	< 854	< 260
	04/03/08 - 07/03/08	< 3	< 6	< 13	< 3	< 8	< 6	< 8	< 4	< 2	< 835	< 504
	07/03/08 - 10/02/08	< 4	< 12	< 39	< 3	< 8	< 14	< 26	< 3	< 3	< 52900	< 21600
	10/02/08 - 12/31/08	< 3	< 6	< 16	< 4	< 7	< 6	< 10	< 3	< 3	< 615	< 200
	MEAN	-	-	-	-	-	-	-	-	-	-	-

TABLE C-V.3 CONCENTRATIONS OF GAMMA EMITTERS IN AIR PARTICULATE SAMPLES COLLECTED IN THE VICINITY OF LASALLE COUNTY STATION, 2008

RESULTS IN UNITS OF E-3 PCI/CU METER ± 2 SIGMA

STC	COLLECTION PERIOD	Mn-54	Co-58	Fe-59	Co-60	Zn-65	Nb-95	Zr-95	Cs-134	Cs-137	Ba-140	La-140
L-06	01/03/08 - 04/03/08	< 3	< 5	< 19	< 3	< 7	< 6	< 9	< 3	< 3	< 619	< 268
	04/03/08 - 07/03/08	< 4	< 7	< 23	< 4	< 12	< 9	< 13	< 4	< 4	< 853	< 362
	07/03/08 - 10/02/08	< 4	< 13	< 61	< 3	< 7	< 16	< 16	< 3	< 2	< 43500	< 24100
	10/02/08 - 12/31/08	< 3	< 4	< 16	< 2	< 5	< 5	< 8	< 3	< 3	< 420	< 159
	MEAN	-	-	-	-	-	-	-	-	-	-	-
L-07	01/03/08 - 04/03/08	< 2	< 4	< 16	< 2	< 5	< 4	< 8	< 3	< 2	< 493	< 194
	04/03/08 - 07/03/08	< 4	< 6	< 18	< 2	< 6	< 7	< 12	< 4	< 2	< 983	< 352
	07/03/08 - 10/02/08	< 5	< 16	< 87	< 3	< 11	< 18	< 28	< 3	< 3	< 73400	< 23600
	10/02/08 - 12/31/08	< 3	< 5	< 18	< 3	< 6	< 6	< 11	< 3	< 3	< 472	< 156
	MEAN	-	-	-	-	-	-	-	-	-	-	-
L-08	01/03/08 - 04/03/08	< 4	< 6	< 23	< 3	< 11	< 5	< 12	< 3	< 4	< 760	< 364
	04/03/08 - 07/03/08	< 2	< 5	< 17	< 2	< 6	< 6	< 10	< 3	< 2	< 745	< 280
	07/03/08 - 10/02/08	< 3	< 12	< 68	< 4	< 11	< 15	< 19	< 3	< 2	< 44000	< 29500
	10/02/08 - 12/31/08	< 3	< 4	< 10	< 3	< 4	< 4	< 7	< 2	< 2	< 355	< 120
	MEAN	-	-	-	-	-	-	-	-	-	-	-
L-10	01/03/08 - 04/03/08	< 3	< 4	< 14	< 3	< 8	< 5	< 8	< 2	< 2	< 561	< 225
	04/03/08 - 07/03/08	< 4	< 6	< 21	< 3	< 8	< 8	< 12	< 3	< 3	< 940	< 444
	07/03/08 - 10/02/08	< 4	< 15	< 70	< 2	< 11	< 18	< 31	< 4	< 3	< 73300	< 25500
	10/02/08 - 12/31/08	< 3	< 5	< 23	< 3	< 6	< 6	< 11	< 3	< 4	< 463	< 178
	MEAN	-	-	-	-	-	-	-	-	-	-	-

TABLE C-V.3 CONCENTRATIONS OF GAMMA EMITTERS IN AIR PARTICULATE SAMPLES COLLECTED IN THE VICINITY OF LASALLE COUNTY STATION, 2008

RESULTS IN UNITS OF E-3 PCI/CU METER ± 2 SIGMA

STC	COLLECTION PERIOD	Mn-54	Co-58	Fe-59	Co-60	Zn-65	Nb-95	Zr-95	Cs-134	Cs-137	Ba-140	La-140
L-11	01/03/08 - 04/03/08	< 3	< 8	< 19	< 3	< 9	< 7	< 12	< 3	< 3	< 935	< 379
	04/03/08 - 07/03/08	< 3	< 7	< 16	< 3	< 9	< 6	< 11	< 3	< 3	< 857	< 352
	07/03/08 - 10/02/08	< 2	< 10	< 50	< 3	< 7	< 10	< 19	< 2	< 2	< 47900	< 18000
	10/02/08 - 12/31/08	< 3	< 5	< 13	< 3	< 8	< 5	< 8	< 3	< 3	< 363	< 136
	MEAN	-	-	-	-	-	-	-	-	-	-	-

TABLE C-VI.1 CONCENTRATIONS OF I-131 IN AIR IODINE SAMPLES COLLECTED IN THE VICINITY OF LASALLE COUNTY STATION, 2008

RESULTS IN UNITS OF E-3 PCI/CU METER ± 2 SIGMA

COLLECTION PERIOD	GROUP I		GROUP II		GROUP III			GROUP IV	
	L-03	L-05	L-01	L-06	L-04	L-07	L-08	L-11	L-10
01/03/08 - 01/10/08	< 66	< 65	< 36	< 65	< 67	< 54	< 56	< 53	< 53
01/10/08 - 01/17/08	< 50	< 50	< 34	< 51	< 51	< 62	< 62	< 60	< 62
01/17/08 - 01/24/08	< 28	< 27	< 14	< 28	< 28	< 25	< 25	< 24	< 25
01/24/08 - 01/31/08	< 61	< 59	< 34	< 61	< 61	< 61	< 61	< 59	< 61
01/31/08 - 02/07/08	< 52	< 52	< 31	< 52	< 52	< 60	< 60	< 60	< 60
02/07/08 - 02/14/08	< 38	< 37	< 23	< 38	< 38	< 48	< 48	< 48	< 48
02/14/08 - 02/21/08	< 21	< 36	< 35	< 35	< 35	< 31	< 31	< 31	< 31
02/21/08 - 02/28/08	< 32	< 33	< 20	< 32	< 31	< 43	< 43	< 42	< 43
02/28/08 - 03/06/08	< 36	< 36	< 36	< 34	< 21	< 47	< 47	< 46	< 46
03/06/08 - 03/13/08	< 30	< 30	< 15	< 30	< 30	< 24	< 24	< 24	< 24
03/13/08 - 03/20/08	< 48	< 46	< 48	< 29	< 48	< 43	< 42	< 42	< 42
03/20/08 - 03/27/08	< 63	< 64	< 35	< 63	< 63	< 67	< 67	< 65	< 67
03/27/08 - 04/03/08	< 27	< 16	< 26	< 26	< 27	< 30	< 30	< 30	< 30
04/03/08 - 04/09/08	< 56	< 57	< 34	< 57	< 57	< 65	< 65	< 65	< 65
04/09/08 - 04/17/08	< 53	< 54	< 55	< 62	< 54	< 34	< 63	< 63	< 63
04/17/08 - 04/24/08	< 23	< 24	< 13	< 23	< 24	< 61	< 61	< 60	< 61
04/24/08 - 05/01/08	< 36	< 62	< 19	< 34	< 34	< 58	< 58	< 57	< 57
05/01/08 - 05/07/08	< 52	(1)	< 51	< 48	< 51	< 50	< 32	< 47	< 48
05/07/08 - 05/15/08	< 43	(1)	< 34	< 44	< 43	< 52	< 51	< 49	< 51
05/15/08 - 05/22/08	< 46	< 45	< 29	< 47	< 47	< 44	< 44	< 44	< 44
05/22/08 - 05/29/08	< 43	< 43	< 18	< 43	< 43	< 25	< 25	< 25	< 25
05/29/08 - 06/05/08	< 69	< 69	< 40	< 70	< 70	< 65	< 64	< 66	< 66
06/05/08 - 06/12/08	< 14	< 14	< 8	< 14	< 14	< 16	< 16	< 16	< 16
06/12/08 - 06/19/08	< 69	< 70	< 38	< 70	< 68	< 64	< 60	< 62	< 62
06/19/08 - 06/26/08	< 44	< 44	< 26	< 43	< 45	< 33	< 33	< 34	< 33
06/26/08 - 07/03/08	< 62	< 61	< 37	< 61	< 61	< 66	< 68	< 68	< 68
07/03/08 - 07/10/08	< 56	< 56	< 30	< 56	< 56	< 35	< 35	< 35	< 35
07/10/08 - 07/17/08	< 63	< 63	< 34	< 63	< 63	< 51	< 51	< 49	< 50
07/17/08 - 07/24/08	< 16	< 17	< 11	< 16	< 16	< 20	< 19	< 19	< 20
07/24/08 - 07/31/08	< 41	< 40	< 24	< 40	< 40	< 51	< 50	< 50	< 52
07/31/08 - 08/06/08	< 66	< 66	< 28	< 66	< 65	< 63	< 61	< 61	< 61
08/06/08 - 08/13/08	< 61	< 62	< 34	< 62	< 61	< 48	< 48	< 48	< 48
08/13/08 - 08/21/08	< 35	< 36	< 20	< 35	< 36	< 39	< 38	< 38	< 38
08/21/08 - 08/28/08	< 66	< 67	< 42	< 67	< 65	< 66	< 66	< 65	< 65
08/28/08 - 09/04/08	< 60	< 62	< 37	< 63	< 61	< 50	< 50	< 49	< 49
09/04/08 - 09/11/08	< 54	< 54	< 29	< 54	< 52	< 33	< 33	< 32	< 32
09/11/08 - 09/18/08	< 362 (1)	< 51	< 52	< 22	< 52	< 41	< 41	< 41	< 41
09/18/08 - 09/25/08	< 54	< 55	< 30	< 55	< 55	< 60	< 60	< 59	< 59
09/25/08 - 10/02/08	< 67	< 67	< 41	< 66	< 66	< 56	< 57	< 57	< 57
10/02/08 - 10/08/08	< 69	< 69	< 38	< 69	< 69	< 61	< 62	< 60	< 60
10/08/08 - 10/16/08	< 57	< 56	< 31	< 57	< 56	< 56	< 56	< 54	< 54
10/16/08 - 10/23/08	< 67	< 67	< 67	< 63	< 37	< 53	< 50	< 53	< 53
10/23/08 - 10/30/08	< 39	< 39	< 21	< 39	< 39	< 64	< 63	< 64	< 64
10/30/08 - 11/06/08	< 69	< 70	< 38	< 69	< 68	< 68	< 68	< 68	< 68
11/06/08 - 11/13/08	< 64	< 65	< 35	< 64	< 64	< 67	< 69	< 69	< 69
11/13/08 - 11/20/08	< 65	< 66	< 39	< 66	< 62	< 54	< 54	< 54	< 54
11/20/08 - 11/26/08	< 60	< 60	< 40	< 60	< 60	< 57	< 57	< 57	< 57
11/26/08 - 12/04/08	< 68	< 68	< 54	< 68	< 68	< 68	< 67	< 67	< 67
12/04/08 - 12/11/08	< 68	< 69	< 35	< 69	< 69	< 67	< 66	< 66	< 66
12/11/08 - 12/18/08	< 70	< 70	< 46	< 70	< 70	< 61	< 61	< 60	< 60
12/18/08 - 12/24/08	< 53	< 52	< 29	< 52	< 53	< 55	< 54	< 54	< 58
12/24/08 - 12/31/08	< 43	< 45	< 25	< 45	< 45	< 42	< 42	< 384 (1)	< 42
MEAN	-	-	-	-	-	-	-	-	-

(1) SEE PROGRAM EXCEPTIONS SECTION FOR EXPLANATION

**TABLE C-VII.1 CONCENTRATIONS OF I-131 IN MILK SAMPLES
IN THE VICINITY OF LASALLE COUNTY STATION, 2008**

RESULTS IN UNITS OF PCI/LITER \pm 2 SIGMA

COLLECTION PERIOD	CONTROL FARM
	L-42
01/03/08	< 0.6
02/01/08	< 0.8
03/06/08	< 0.5
04/03/08	< 0.8
05/01/08	< 0.7
05/15/08	< 0.7
05/29/08	< 0.8
06/12/08	< 0.7
06/26/08	< 0.7
07/10/08	< 0.7
07/24/08	< 0.7
08/06/08	< 0.8
08/21/08	< 0.8
09/04/08	< 0.7
09/18/08	< 0.9
10/02/08	< 0.8
10/16/08	< 0.8
10/30/08	< 0.9
11/13/08	< 0.7
12/04/08	< 0.9
MEAN	-

TABLE C-VII.2 CONCENTRATIONS OF GAMMA EMITTERS IN MILK SAMPLES COLLECTED IN THE VICINITY OF LASALLE COUNTY STATION, 2008

RESULTS IN UNITS OF PCI/LITER ± 2 SIGMA

STC	COLLECTION PERIOD	Mn-54	Co-58	Fe-59	Co-60	Zn-65	Nb-95	Zr-95	Cs-134	Cs-137	Ba-140	La-140
L-42	01/03/08	< 7	< 7	< 13	< 7	< 18	< 9	< 14	< 6	< 9	< 31	< 10
	02/01/08	< 5	< 5	< 12	< 7	< 13	< 6	< 10	< 5	< 6	< 34	< 12
	03/06/08	< 5	< 5	< 12	< 6	< 12	< 6	< 7	< 5	< 6	< 26	< 9
	04/03/08	< 5	< 5	< 12	< 5	< 13	< 5	< 8	< 5	< 5	< 24	< 8
	05/01/08	< 6	< 7	< 16	< 8	< 17	< 7	< 12	< 8	< 7	< 43	< 11
	05/15/08	< 7	< 7	< 15	< 6	< 15	< 6	< 12	< 6	< 6	< 37	< 13
	05/29/08	< 4	< 5	< 11	< 4	< 10	< 5	< 9	< 5	< 5	< 34	< 9
	06/12/08	< 6	< 7	< 16	< 6	< 16	< 6	< 12	< 6	< 6	< 40	< 12
	06/26/08	< 4	< 5	< 11	< 5	< 11	< 5	< 9	< 4	< 5	< 33	< 10
	07/10/08	< 7	< 7	< 16	< 6	< 17	< 7	< 14	< 6	< 7	< 37	< 13
	07/24/08	< 3	< 3	< 8	< 3	< 6	< 4	< 6	< 3	< 3	< 43	< 10
	08/06/08	< 7	< 7	< 17	< 6	< 16	< 6	< 13	< 5	< 7	< 46	< 9
	08/21/08	< 4	< 4	< 9	< 5	< 9	< 5	< 8	< 3	< 4	< 24	< 6
	09/04/08	< 6	< 7	< 17	< 6	< 12	< 7	< 13	< 5	< 6	< 52	< 15
	09/18/08	< 5	< 5	< 14	< 4	< 11	< 6	< 9	< 4	< 4	< 46	< 12
	10/02/08	< 2	< 3	< 8	< 2	< 5	< 3	< 6	< 2	< 2	< 51	< 14
	10/16/08	< 4	< 5	< 10	< 5	< 10	< 5	< 9	< 4	< 5	< 44	< 13
	10/30/08	< 2	< 2	< 6	< 2	< 3	< 2	< 4	< 1	< 2	< 46	< 15
	11/13/08	< 1	< 2	< 5	< 1	< 3	< 2	< 3	< 1	< 1	< 47	< 13
	12/04/08	< 6	< 6	< 14	< 5	< 11	< 6	< 9	< 5	< 5	< 31	< 4
	MEAN	-	-	-	-	-	-	-	-	-	-	-

TABLE C-VIII.1 CONCENTRATIONS OF GAMMA EMITTERS IN FOOD PRODUCT SAMPLES COLLECTED IN THE VICINITY OF LASALLE COUNTY STATION, 2008

RESULTS IN UNITS OF PCI/KG WET ± 2 SIGMA

STC	COLLECTION PERIOD	Mn-54	Co-58	Fe-59	Co-60	Zn-65	Nb-95	Zr-95	I-131	Cs-134	Cs-137	Ba-140	La-140
L-CONTROL													
Cabbage	09/13/08	< 8	< 8	< 20	< 7	< 19	< 9	< 14	< 29	< 7	< 8	< 58	< 18
Carrots	09/13/08	< 16	< 18	< 41	< 17	< 32	< 15	< 31	< 59	< 13	< 14	< 116	< 41
	MEAN	-	-	-	-	-	-	-	-	-	-	-	-
L-QUAD 1													
Cabbage	09/11/08	< 9	< 9	< 28	< 9	< 21	< 10	< 17	< 37	< 8	< 9	< 74	< 19
Onions	09/11/08	< 12	< 11	< 30	< 12	< 26	< 14	< 23	< 51	< 10	< 11	< 110	< 32
	MEAN	-	-	-	-	-	-	-	-	-	-	-	-
L-QUAD 2													
Cabbage	09/11/08	< 10	< 10	< 28	< 9	< 21	< 11	< 21	< 54	< 10	< 10	< 102	< 27
Onions	09/11/08	< 10	< 11	< 28	< 13	< 26	< 14	< 23	< 49	< 10	< 12	< 100	< 35
	MEAN	-	-	-	-	-	-	-	-	-	-	-	-
L-QUAD 3													
Beet greens	09/11/08	< 12	< 12	< 33	< 11	< 27	< 14	< 23	< 58	< 10	< 13	< 107	< 26
Beets	09/11/08	< 9	< 11	< 28	< 9	< 23	< 10	< 21	< 44	< 9	< 11	< 79	< 20
	MEAN	-	-	-	-	-	-	-	-	-	-	-	-
L-QUAD 4													
Cabbage	09/13/08	< 7	< 8	< 21	< 8	< 20	< 9	< 13	< 29	< 6	< 8	< 58	< 16
Onions	09/13/08	< 8	< 10	< 23	< 10	< 18	< 11	< 17	< 41	< 8	< 9	< 71	< 21
	MEAN	-	-	-	-	-	-	-	-	-	-	-	-

TABLE C-IX.1 QUARTERLY TLD RESULTS FOR LASALLE COUNTY STATION, 2008

RESULTS IN UNITS OF MILLI-ROETGEN/QUARTER ± 2 STANDARD DEVIATIONS

STATION CODE	MEAN ± 2 S.D.	JAN - MAR	APR - JUN	JUL - SEP	OCT - DEC
L-01-1	24.5 ± 5.3	25	22	23	28
L-01-2	24.5 ± 3.5	25	22	25	26
L-03-1	24.0 ± 6.3	25	22	21	28
L-03-2	24.0 ± 4.9	26	21	23	26
L-04-1	24.5 ± 6.8	25	21	23	29
L-04-2	23.0 ± 5.9	23	20	22	27
L-05-1	23.0 ± 4.9	24	21	21	26
L-05-2	23.8 ± 7.9	27	22	19	27
L-06-1	25.5 ± 3.5	25	24	25	28
L-06-2	24.3 ± 4.4	25	23	22	27
L-07-1	25.5 ± 6.2	25	24	23	30
L-07-2	23.0 ± 5.9	26	20	21	25
L-08-1	23.3 ± 4.1	25	21	22	25
L-08-2	23.8 ± 1.9	24	23	23	25
L-10-1	21.5 ± 3.8	23	21	19	23
L-10-2	20.8 ± 5.0	21	18	20	24
L-11-1	22.5 ± 4.2	23	20	22	25
L-11-2	21.0 ± 4.3	21	19	20	24
L-101-1	24.8 ± 4.4	26	22	24	27
L-101-2	25.5 ± 5.3	26	24	23	29
L-102-1	26.0 ± 6.3	27	23	24	30
L-102-2	27.0 ± 7.5	26	23	27	32
L-103-1	24.5 ± 4.2	24	22	25	27
L-103-2	26.8 ± 7.0	25	25	25	32
L-104-1	24.0 ± 5.2	25	23	21	27
L-104-2	23.5 ± 3.8	24	22	22	26
L-105-1	26.3 ± 8.7	27	22	24	32
L-105-2	25.0 ± 4.3	25	23	24	28
L-106-1	24.5 ± 4.2	25	24	22	27
L-106-2	24.0 ± 5.3	23	22	(1)	27
L-107-1	24.5 ± 5.0	24	22	24	28
L-107-2	25.3 ± 3.4	26	25	23	27
L-108-1	25.0 ± 8.6	25	23	21	31
L-108-2	21.0 ± 5.7	21	19	19	25
L-109-1	25.8 ± 3.0	25	27	24	27
L-109-2	27.0 ± 5.7	27	25	25	31
L-110-1	25.0 ± 3.3	25	23	25	27
L-110-2	25.5 ± 5.8	26	22	25	29
L-112-1	24.3 ± 6.6	26	21	22	28
L-112-2	26.8 ± 4.4	29	26	24	28
L-114-1	26.3 ± 7.9	25	23	25	32
L-114-2	24.0 ± 4.3	24	23	22	27
L-115-1	23.3 ± 5.7	24	21	21	27
L-115-2	22.5 ± 6.0	21	21	21	27
L-116-1	23.8 ± 6.0	23	20	25	27
L-116-2	24.5 ± 5.3	25	22	23	28

(1) SEE PROGRAM EXCEPTIONS SECTION FOR EXPLANATION

TABLE C-IX.1 QUARTERLY TLD RESULTS FOR LASALLE COUNTY STATION, 2008

RESULTS IN UNITS OF MILLI-ROETGEN/QUARTER \pm 2 STANDARD DEVIATIONS

STATION CODE	MEAN \pm 2 S.D.	JAN - MAR	APR - JUN	JUL - SEP	OCT - DEC
L-201-3	22.3 \pm 6.0	23	19	21	26
L-201-4	24.5 \pm 3.8	25	23	23	27
L-202-3	23.5 \pm 4.2	24	23	21	26
L-202-4	22.0 \pm 7.1	24	19	19	26
L-203-1	24.0 \pm 1.6	24	24	23	25
L-203-2	24.3 \pm 3.8	24	23	23	27
L-204-1	24.8 \pm 5.0	24	22	25	28
L-204-2	25.3 \pm 5.3	25	23	24	29
L-205-1	25.5 \pm 2.0	25	25	25	27
L-205-2	25.8 \pm 5.7	28	22	25	28
L-205-3	24.5 \pm 5.0	24	22	24	28
L-205-4	24.5 \pm 8.9	23	23	21	31
L-206-1	25.8 \pm 7.7	24	22	26	31
L-206-2	25.0 \pm 7.1	28	23	21	28
L-207-1	25.3 \pm 5.3	28	23	23	27
L-207-2	24.0 \pm 4.3	24	22	23	27
L-208-1	24.0 \pm 4.3	24	22	23	27
L-208-2	25.5 \pm 2.0	25	25	25	27
L-209-1	24.8 \pm 6.6	25	24	21	29
L-209-2	25.0 \pm 3.3	25	25	23	27
L-210-1	26.5 \pm 6.2	26	25	24	31
L-210-2	25.5 \pm 5.0	25	23	25	29
L-211-1	26.8 \pm 7.7	29	23	24	31
L-211-2	25.5 \pm 3.5	28	25	25	24
L-212-1	25.0 \pm 3.7	27	23	24	26
L-212-2	25.3 \pm 5.3	25	23	24	29
L-213-3	23.5 \pm 3.8	24	22	22	26
L-213-4	23.3 \pm 3.4	24	21	23	25
L-214-3	23.8 \pm 3.4	24	22	23	26
L-214-4	24.5 \pm 5.3	28	22	23	25
L-215-3	25.3 \pm 5.3	25	23	24	29
L-215-4	24.8 \pm 5.5	26	22	23	28
L-216-3	24.8 \pm 3.0	26	23	24	26
L-216-4	24.0 \pm 5.2	27	21	23	25
L-111B-1	25.5 \pm 3.8	27	23	25	27
L-111B-2	26.8 \pm 2.5	25	27	27	28
L-113A-1	24.8 \pm 2.5	25	23	25	26
L-113A-2	25.0 \pm 5.9	25	22	24	29

TABLE C-IX.2 MEAN QUARTERLY TLD RESULTS FOR THE INNER RING, OUTER RING, OTHER AND CONTROL LOCATIONS FOR LASALLE COUNTY STATION, 2008

RESULTS IN UNITS OF MILLI-ROETGEN/QUARTER ± 2 STANDARD DEVIATIONS OF THE STATION DATA

COLLECTION PERIOD	INNER RING ± 2 S.D.	OUTER RING	OTHER	CONTROL
JAN-MAR	25.0 ± 3.3	25.3 ± 3.3	24.6 ± 2.8	22.0 ± 2.8
APR-JUN	22.9 ± 3.6	22.7 ± 2.9	21.6 ± 2.9	19.5 ± 4.2
JUL-SEP	23.6 ± 3.7	23.2 ± 3.0	22.2 ± 3.2	19.5 ± 1.4
OCT-DEC	28.2 ± 3.9	27.4 ± 3.8	26.6 ± 3.3	23.5 ± 1.4

TABLE C-IX.3 SUMMARY OF THE AMBIENT DOSIMETRY PROGRAM FOR LASALLE COUNTY STATION, 2008

RESULTS IN UNITS OF MILLI-ROENTGEN/QUARTER

LOCATION	SAMPLES ANALYZED	PERIOD MINIMUM	PERIOD MAXIMUM	PERIOD MEAN ± 2 S.D.
INNER RING	127	19	32	24.9 ± 5.5
OUTER RING	136	19	31	24.7 ± 4.9
OTHER	64	19	30	23.8 ± 5.1
CONTROL	8	18	24	21.1 ± 4.2

INNER RING STATIONS - L-101-1, L-101-2, L-102-1, L-102-2, L-103-1, L-103-2, L-104-1, L-104-2, L-105-1, L-105-2, L-106-1, L-106-2, L-107-1, L-107-2, L-108-1, L-108-2, L-109-1, L-109-2, L-110-1, L-110-2, L-111B-1, L-111B-2, L-112-1, L-112-2, L-113A-1, L-113A-2, L-114-1, L-114-2, L-115-1, L-115-2, L-116-1, L-116-2


OUTER RING STATIONS - L-201-3, L-201-4, L-202-3, L-202-4, L-203-1, L-203-2, L-204-1, L-204-2, L-205-1, L-205-2, L-205-3, L-205-4, L-206-1, L-206-2, L-207-1, L-207-2, L-208-1, L-208-2, L-209-1, L-209-2, L-210-1, L-210-2, L-211-1, L-211-2, L-212-1, L-212-2, L-213-3, L-213-4, L-214-3, L-214-4, L-215-3, L-215-4, L-216-3, L-216-4

OTHER STATIONS - L-01-1, L-01-2, L-03-1, L-03-2, L-04-1, L-04-2, L-05-1, L-05-2, L-06-1, L-06-2, L-07-1, L-07-2, L-08-1, L-08-2, L-11-1, L-11-2

CONTROL STATIONS - L-10-1, L-10-2

FIGURE C-1
Surface Water - Gross Beta - Station L-21 and L-40
Collected in the Vicinity of LCS, 2000 - 2004

L-21 Illinois River at Seneca



L-40 Illinois River Downstream






FIGURE C-1 (cont.)
Surface Water - Gross Beta - Station L-21 and L-40
Collected in the Vicinity of LCS, 2005 - 2008

L-21 Illinois River at Seneca




L-40 Illinois River Downstream




DUE TO VENDOR CHANGE IN 2005, < VALUES ARE LLD VALUES JANUARY THROUGH JUNE 2005 AND MDC VALUES AFTER JUNE 2005

FIGURE C-2
Surface Water - Tritium - Station L-21 (C) and L-40
Collected in the Vicinity of LCS, 2000 - 2004

L-21(C) Illinois River at Seneca




L-40 Illinois River Downstream




**FIGURE C-2 (cont.)
Surface Water - Tritium - Station L-21 (C) and L-40
Collected in the Vicinity of LCS, 2005 - 2008**

L-21 Illinois River at Seneca




L-40 Illinois River Downstream



DUE TO VENDOR CHANGE IN 2005, < VALUES ARE LLD VALUES JANUARY THROUGH JUNE 2005 AND MDC VALUES AFTER JUNE 2005

FIGURE C-3
Air Particulates - Gross Beta - Stations L-01 and L-03
Collected in the Vicinity of LCS, 2000 - 2004

L-01 Nearsite No. 1



L-03 Onsite No. 3






FIGURE C-3 (cont.)
Air Particulates - Gross Beta - Stations L-01 and L-03
Collected in the Vicinity of LCS, 2005 - 2008

L-01 Nearsite No. 1




L-03 Onsite No. 3



DUE TO VENDOR CHANGE IN 2005, THE REPORTED UNITS CHANGED FROM E-02 PCI/M3 TO E-03 PCI/M3

FIGURE C-4
Air Particulates - Gross Beta - Stations L-05 and L-06
Collected in the Vicinity of LCS, 2000 - 2004

L-05 Onsite No. 5



L-06 Nearsite No. 6






FIGURE C-4 (cont.)
Air Particulates - Gross Beta - Stations L-05 and L-06
Collected in the Vicinity of LCS, 2005 - 2008

L-05 Onsite No. 5




L-06 Nearsite No. 6



DUE TO VENDOR CHANGE IN 2005, THE REPORTED UNITS CHANGED FROM E-02 PC/M3 TO E-03 PC/M3


FIGURE C-5
Air Particulates - Gross Beta - Station L-10 (C)
Collected in the Vicinity of LCS, 2000 - 2004

L-10 (C) Streator



**FIGURE C-5 (cont.)
Air Particulates - Gross Beta - Station L-10 (C)
Collected in the Vicinity of LCS, 2005 - 2008**


L-10 (C) Streator




DUE TO VENDOR CHANGE IN 2005, THE REPORTED UNITS CHANGED FROM E-02 PCI/M3 TO E-03 PCI/M3

FIGURE C-6
Air Particulates - Gross Beta - Stations L-04 and L-07
Collected in the Vicinity of LCS, 2005 - 2008

L-04 Rte. 170



L-07 Seneca




DUE TO VENDOR CHANGE IN 2005, THE REPORTED UNITS CHANGED FROM E-02 PCI/M3 TO E-03 PCI/M3


AIR PARTICULATE GROSS BETA ANALYSES OF FAR FIELD LOCATIONS STARTED IN JULY 2005

FIGURE C-7
Air Particulates - Gross Beta - Stations L-08 and L-11
Collected in the Vicinity of LCS, 2005 - 2008

L-08 Marseilles



L-11 Ransom



DUE TO VENDOR CHANGE IN 2005, THE REPORTED UNITS CHANGED FROM E-02 PCI/M3 TO E-03 PCI/M3

AIR PARTICULATE GROSS BETA ANALYSES OF FAR FIELD LOCATIONS STARTED IN JULY 2005

APPENDIX D

INTER-LABORATORY COMPARISON PROGRAM

TABLE D-1

ANALYTICS ENVIRONMENTAL RADIOACTIVITY CROSS CHECK PROGRAM
TELEDYNE BROWN ENGINEERING, 2008

(PAGE 1 OF 3)

Month/Year	Identification Number	Matrix	Nuclide	Units	Reported Value (a)	Known Value (b)	Ratio (c) TBE/Analytics	Evaluation (d)			
March 2008	E5847-396	Milk	Sr-89	pCi/L	83.5	95.8	0.87	A			
			Sr-90	pCi/L	13.9	12.9	1.08	A			
March 2008	E5848-396	Milk	I-131	pCi/L	57.3	60.0	0.96	A			
			Ce-141	pCi/L	229	249	0.92	A			
			Cr-51	pCi/L	336	359	0.94	A			
			Cs-134	pCi/L	106	125	0.85	A			
			Cs-137	pCi/L	141	146	0.97	A			
			Co-58	pCi/L	71.8	70.8	1.01	A			
			Mn-54	pCi/L	98.1	94.2	1.04	A			
			Fe-59	pCi/L	102	102	1.00	A			
			Zn-65	pCi/L	135	137	0.99	A			
			Co-60	pCi/L	230	236	0.97	A			
			March 2008	E5850A-396	AP	Ce-141	pCi	163	157	1.04	A
						Cr-51	pCi	233	227	1.03	A
						Cs-134	pCi	72.6	79.0	0.92	A
						Cs-137	pCi	98.3	92.0	1.07	A
Co-58	pCi	46.7				44.7	1.04	A			
Mn-54	pCi	69.8				59.4	1.18	A			
Fe-59	pCi	72.2				64.5	1.12	A			
Zn-65	pCi	106				86.4	1.23	W			
Co-60	pCi	156	149	1.05	A						
March 2008	E5849-396	Charcoal	I-131	pCi	65.5	60.1	1.09	A			
June 2008	E5971-396	Milk	Sr-89	pCi/L	83.9	85.0	0.99	A			
			Sr-90	pCi/L	14.4	15.8	0.91	A			
June 2008	E5972-396	Milk	I-131	pCi/L	70.9	71.4	0.99	A			
			Ce-141	pCi/L	157	174	0.90	A			
			Cr-51	pCi/L	159	138	1.15	A			
			Cs-134	pCi/L	69.7	76.7	0.91	A			
			Cs-137	pCi/L	115	116	0.99	A			
			Co-58	pCi/L	59.1	61.9	0.95	A			
			Mn-54	pCi/L	139	135	1.03	A			
			Fe-59	pCi/L	98.4	91.7	1.07	A			
			Zn-65	pCi/L	129	127	1.02	A			
			Co-60	pCi/L	101	104	0.97	A			
June 2008	E5974-396	AP	Ce-141	pCi	206	207	1.00	A			
			Cr-51	pCi	173	164	1.05	A			
			Cs-134	pCi	95.9	91.0	1.05	A			
			Cs-137	pCi	142.0	138.0	1.03	A			
			Co-58	pCi	72.0	73.4	0.98	A			
			Mn-54	pCi	180	160.0	1.13	A			
			Fe-59	pCi	108.0	109.0	0.99	A			
			Zn-65	pCi	159	150	1.06	A			
			Co-60	pCi	129	124	1.04	A			

TABLE D-1 ANALYTICS ENVIRONMENTAL RADIOACTIVITY CROSS CHECK PROGRAM
TELEDYNE BROWN ENGINEERING, 2008
(PAGE 2 OF 3)

Month/Year	Identification Number	Matrix	Nuclide	Units	Reported Value (a)	Known Value (b)	Ratio (c) TBE/Analytics	Evaluation (d)		
June 2008	E5973-396	Charcoal	I-131	pCi	73.8	84.1	0.88	A		
September 2008	E6284-396	Milk	Sr-89	pCi/L	76.2	73.9	1.03	A		
			Sr-90	pCi/L	12.3	11.0	1.12	A		
	E6285-396	Milk	I-131	pCi/L	65.7	67.9	0.97	A		
			Ce-141	pCi/L	145	161	0.90	A		
			Cr-51	pCi/L	406	421	0.96	A		
			Cs-134	pCi/L	196	232	0.84	A		
			Cs-137	pCi/L	147	162	0.91	A		
			Co-58	pCi/L	167	179	0.93	A		
			Mn-54	pCi/L	165	166	0.99	A		
			Fe-59	pCi/L	161	144	1.12	A		
			Zn-65	pCi/L	305	319	0.96	A		
			Co-60	pCi/L	218	234	0.93	A		
			E6287-396	AP	Ce-141	pCi	79.5	76.3	1.04	A
					Cr-51	pCi	208	199	1.05	A
					Cs-134	pCi	106	110	0.96	A
					Cs-137	pCi	79.3	76.7	1.03	A
Co-58	pCi	87.7			84.4	1.04	A			
Mn-54	pCi	90.3			78.6	1.15	A			
Fe-59	pCi	81.7			68.3	1.20	A			
Zn-65	pCi	144			151	0.95	A			
E6286-396	Charcoal	I-131	pCi	93.2	90.0	1.04	A			
December 2008	E6415-396	Milk	Sr-89	pCi/L	98.4	91.9	1.07	A		
			Sr-90	pCi/L	18.0	12.6	1.43	N (1)		
	E6416-396	Milk	I-131	pCi/L	69.2	79.9	0.87	A		
			Ce-141	pCi/L	177	191	0.93	A		
			Cr-51	pCi/L	231	246	0.94	A		
			Cs-134	pCi/L	117	134	0.87	A		
			Cs-137	pCi/L	119	120	0.99	A		
			Co-58	pCi/L	104	104	1.00	A		
			Mn-54	pCi/L	153	152	1.01	A		
			Fe-59	pCi/L	99.6	100	1.00	A		
			Zn-65	pCi/L	177	183	0.97	A		
			Co-60	pCi/L	133	133	1.00	A		
			E6418-396	AP	Ce-141	pCi	148	146	1.01	A
Cr-51	pCi	202			187	1.08	A			
Cs-134	pCi	103			102	1.01	A			
Cs-137	pCi	95.4			91.2	1.05	A			
Co-58	pCi	81.4			79.2	1.03	A			
Mn-54	pCi	113			116.0	0.97	A			
Fe-59	pCi	76.5			76.4	1.00	A			
Zn-65	pCi	122			139	0.88	A			
Co-60	pCi	108	101	1.07	A					

TABLE D-1 ANALYTICS ENVIRONMENTAL RADIOACTIVITY CROSS CHECK PROGRAM
 TELEDYNE BROWN ENGINEERING, 2008
 (PAGE 3 OF 3)

Month/Year	Identification Number	Matrix	Nuclide	Units	Reported Value (a)	Known Value (b)	Ratio (c) TBE/Analytics	Evaluation (d)
December 2008	E6417-396	Charcoal	I-131	pCi	65.8	74.1	0.89	A

(1) NCR 09-02 initiated to investigate the failure.

(a) Teledyne Brown Engineering reported result.

(b) The Analytics known value is equal to 100% of the parameter present in the standard as determined by gravimetric and/or volumetric measurements made during standard preparation.

(c) Ratio of Teledyne Brown Engineering to Analytics results.

(d) Analytics evaluation based on TBE internal QC limits: A= Acceptable. Reported result falls within ratio limits of 0.80-1.20. W-Acceptable with warning. Reported result falls within 0.70-0.80 or 1.20-1.30. N = Not Acceptable. Reported result falls outside the ratio limits of < 0.70 and > 1.30.

TABLE D-2

**ERA ENVIRONMENTAL RADIOACTIVITY CROSS CHECK PROGRAM
TELEDYNE BROWN ENGINEERING, 2008**

(PAGE 1 OF 1)

Month/Year	Identification Number	Media	Nuclide	Units	Reported Value (a)	Known Value (b)	Control Limits	Evaluation (c)
January 2008	Quik tm Response	Water	Sr-89	pCi/L	37.33	19.0	11.8 - 25.2	N (1)
			Sr-90	pCi/L	40.40	42.7	31.5 - 49.0	A
			Ba-133	pCi/L	87.8	90.5	76.2 - 99.6	A
			Cs-134	pCi/L	80.67	88.9	72.9 - 97.8	A
			Cs-137	pCi/L	222.33	231	208 - 256	A
			Co-60	pCi/L	98.9	101.0	90.9 - 113	A
			Zn-65	pCi/L	352	350	315 - 408	A
			Gr-A	pCi/L	13.0	12.7	6.02 - 18.7	A
			Gr-B	pCi/L	32.7	36.2	23.8 - 43.8	A
			H-3	pCi/L	11100	11300	9840 - 12400	A
January 2008	RAD 72	Water	Sr-89	pCi/L	69.0	65.3	53.0 - 73.4	A
			Sr-90	pCi/L	35.6	41.4	30.5 - 47.6	A
			Ba-133	pCi/L	25.9	25.7	20.0 - 29.5	A
			Cs-134	pCi/L	86.5	92.6	76.0 - 102	A
			Cs-137	pCi/L	155	158	142 - 176	A
			Co-60	pCi/L	16.0	14.4	11.4 - 18.7	A
			Zn-65	pCi/L	214	204	184 - 240	A
			Gr-A	pCi/L	13.3	14.8	7.15 - 21.2	A
			Gr-B	pCi/L	21.2	22.5	13.7 - 30.6	A
			I-131	pCi/L	22.8	23.6	19.6 - 28.0	A
			H-3	pCi/L	3390	3540	3000 - 3910	A
April 2008	Rad 73	Water	Sr-89	pCi/L	65.47	60.4	48.6 - 68.2	A
			Sr-90	pCi/L	39.80	39.2	28.8 - 45.1	A
			Ba-133	pCi/L	59.63	58.3	48.3 - 64.3	A
			Cs-134	pCi/L	45.00	46.6	37.4 - 51.3	A
			Cs-137	pCi/L	97.97	102	91.8 - 115	A
			Co-60	pCi/L	75.47	76.6	68.9 - 86.7	A
			Zn-65	pCi/L	109	106	95.4 - 126	A
			Gr-A	pCi/L	41.03	50.8	26.5 - 63.7	A
			Gr-B	pCi/L	50.20	51.4	35.0 - 58.4	A
			I-131	pCi/L	26.67	28.7	23.9 - 33.6	A
			H-3	pCi/L	11633	12000	10400 - 13200	A

(1) Could find no cause for Sr-89 failure. Sample sent to outside lab for verification, but the outside laboratory was unable to confirm our numbers or ERA numbers. Studies bracketing these results, RAD 71 and RAD 72, had acceptable Sr-89 results. NCR 08-03

(a) Teledyne Brown Engineering reported result.

(b) The ERA known value is equal to 100% of the parameter present in the standard as determined by gravimetric and/or volumetric measurements made during standard preparation.

(c) ERA evaluation: A=acceptable. Reported result falls within the Warning Limits. NA=not acceptable. Reported result falls outside of the Control Limits. CE=check for Error. Reported result falls within the Control Limits and outside of the Warning Limit.

TABLE D-3 DOE'S MIXED ANALYTE PERFORMANCE EVALUATION PROGRAM (MAPEP)
TELEDYNE BROWN ENGINEERING, 2008
(PAGE 1 OF 2)

Month/Year	Identification Number	Media	Nuclide	Units	Reported Value (a)	Known Value (b)	Acceptance Range	Evaluation (c)
January 2008	07-MaW18	Water	Cs-134	Bq/L	-0.26		(1)	A
			Cs-137	Bq/L	0.029		(1)	A
			Co-57	Bq/L	21	22.8	16.0 - 29.6	A
			Co-60	Bq/L	8.2	8.40	5.88 - 10.92	A
			H-3	Bq/L	473	472	330 - 614	A
			Mn-54	Bq/L	12	12.1	8.5 - 15.7	A
			Sr-90	Bq/L	10.70	11.4	7.98- 14.82	A
			Zn-65	Bq/L	15.6	16.3	11.4 - 21.2	A
	07-GrW18	Water	Gr-A	Bq/L	1.4	1.399	>0.0 - 2.798	A
			Gr-B	Bq/L	3.06	2.43	1.22 - 3.65	A
	07-MaS18	Soil	Cs-134	Bq/kg	790	854.0	598 - 1110	A
			Cs-137	Bq/kg	568	545	382 - 709	A
			Co-57	Bq/kg	424	421	295 - 547	A
			Co-60	Bq/kg	2.307	2.9	(2)	A
			Mn-54	Bq/kg	611	570	399 - 741	A
			K-40	Bq/kg	6.09	571	400 - 742	A
			Sr-90	Bq/kg	454	493.0	345 - 641	A
			Zn-65	Bq/kg	0.162		(1)	A
	07-RdF18	AP	Cs-134	Bq/sample	2.73	2.5200	1.76 - 3.28	A
			Cs-137	Bq/sample	2.88	2.7	1.89 - 3.51	A
			Co-57	Bq/sample	3.493	3.55	2.49 - 4.62	A
			Co-60	Bq/sample	1.357	1.31	0.92 - 1.70	A
			Mn-54	Bq/sample	0.006		(1)	A
			Sr-90	Bq/sample	1.61	1.548	1.084 - 2.012	A
			Zn-65	Bq/sample	2.59	2.04	1.43 - 2.65	A
			07-GrF18	AP	Gr-A	Bq/sample	0.131	0.348
	Gr-B	Bq/sample			0.261	0.286	0.143 - 0.429	A
	January 2008	07-RdV18	Vegetation	Cs-134	Bq/sample	5.25	6.28	4.40 - 8.16
Cs-137				Bq/sample	3.13	3.41	2.39 - 4.43	A
Co-57				Bq/sample	6.837	6.89	4.82 - 8.96	A
Co-60				Bq/sample	2.44	2.77	1.94 - 3.60	A
Mn-54				Bq/sample	4.45	4.74	3.32 - 6.16	A
K-40				Bq/sample	61.3		(1)	A
Sr-90				Bq/sample	1.33	1.273	0.891 - 1.655	A
Zn-65				Bq/sample	0.085		(1)	A
August 2008	08-MaW19	Water	Cs-134	Bq/L	17.1	19.5	13.7 - 25.4	A
			Cs-137	Bq/L	21.4	23.6	16.5 - 30.7	A
			Co-57	Bq/L	-0.044		(1)	A
			Co-60	Bq/L	10.8	11.6	8.1 - 15.1	A
			H-3	Bq/L	334	341	239 - 443	A
			Mn-54	Bq/L	13.0	13.7	9.6 - 17.8	A
			Sr-90	Bq/L	6.55	6.45	4.52- 8.39	A
			Zn-65	Bq/L	16.5	17.1	12.0 - 22.2	A

TABLE D-3 DOE'S MIXED ANALYTE PERFORMANCE EVALUATION PROGRAM (MAPEP)
TELEDYNE BROWN ENGINEERING, 2008
(PAGE 2 OF 2)

Month/Year	Identification Number	Media	Nuclide	Units	Reported Value (a)	Known Value (b)	Acceptance Range	Evaluation (c)			
August 2008	08-GrW19	Water	Gr-A	Bq/L	0.0612	<0.56	(3)	A			
			Gr-B	Bq/L	0.222	<1.85	(3)	A			
August 2008	08-MaS19	Soil	Cs-134	Bq/kg	546	581	407 - 755	A			
			Cs-137	Bq/kg	2.52	2.8	(2)	A			
			Co-57	Bq/kg	340	333	233 - 433	A			
			Co-60	Bq/kg	157	145.0	102 - 189	A			
			Mn-54	Bq/kg	460	415	291 - 540	A			
			K-40	Bq/kg	650	571	399 - 741	A			
			Sr-90	Bq/kg	1.40		(1)	A			
			Zn-65	Bq/kg	-1.53		(1)	A			
			August 2008	08-RdF19	AP	Cs-134	Bq/sample	2.46	2.6300	1.84 - 3.42	A
						Cs-137	Bq/sample	0.0063		(1)	A
Co-57	Bq/sample	1.36				1.50	1.05 - 1.95	A			
Co-60	Bq/sample	0.0143					(1)	A			
Mn-54	Bq/sample	2.70				2.64	1.85 - 3.43	A			
Sr-90	Bq/sample	1.42				1.12	0.78 - 1.46	W			
Zn-65	Bq/sample	0.975				0.94	0.66 - 1.22	A			
August 2008	08-GrF19	AP	Gr-A	Bq/sample	-0.0037		(4)	A			
			Gr-B	Bq/sample	0.540	0.525	0.263 - 0.788	A			
August 2008	08-RdV19	Vegetation	Cs-134	Bq/sample	4.36	5.5	3.9 - 7.2	W			
			Cs-137	Bq/sample	-0.03		(1)	A			
			Co-57	Bq/sample	6.72	7.1	5.0 - 9.2	A			
			Co-60	Bq/sample	4.04	4.70	3.3 - 6.1	A			
			Mn-54	Bq/sample	5.22	5.8	4.1 - 7.5	A			
			K-40	Bq/sample	64.4		(1)	A			
			Sr-90	Bq/sample	1.62	1.9	1.3 - 2.5	A			
			Zn-65	Bq/sample	6.160	6.9	4.8 - 9.0	A			

(1) Not evaluated by MAPEP.

(2) Reported a statistically zero result.

(3) Designed to test the Safe Drinking Water screening levels. Labs reporting values less than ref values were found to be acceptable.

(4) False positive test.

(a) Teledyne Brown Engineering reported result.

(b) The MAPEP known value is equal to 100% of the parameter present in the standard as determined by gravimetric and/or volumetric measurements made during standard preparation.

(c) DOE/MAPEP evaluation: A=acceptable, W=acceptable with warning, N=not acceptable.

TABLE D-4

**ERA (a) STATISTICAL SUMMARY PROFICIENCY TESTING PROGRAM
ENVIRONMENTAL, INC., 2008**

(Page 1 of 1)

Lab Code ^b	Date	Analysis	Concentration (pCi/L)			Acceptance
			Laboratory Result ^c	ERA Result ^d	Control Limits	
STAP-1143	03/24/08	Co-60	650.72 ± 3.00	730.0	565.0 - 912.0	Pass
STAP-1143	03/24/08	Cs-134	467.50 ± 5.53	523.0	341.0 - 647.0	Pass
STAP-1143	03/24/08	Cs-137	1375.90 ± 25.41	1450.0	1090.0 - 1900.0	Pass
STAP-1143 ^e	03/24/08	Mn-54	0.00 ± 0.00	0.0	0.0 - 10.0	Pass
STAP-1143	03/24/08	Sr-90	157.60 ± 7.70	152.0	66.9 - 236.0	Pass
STAP-1143	03/24/08	Zn-65	889.90 ± 15.90	872.0	604.0 - 1210.0	Pass
STAP-1144	03/24/08	Gr. Beta	99.90 ± 3.09	92.2	56.80 - 135.0	Pass
STSO-1145	03/24/08	Ac-228	1269.02 ± 36.81	1180.0	757.0 - 1660.0	Pass
STSO-1145	03/24/08	Bi-212	1407.10 ± 56.64	1360.0	357.0 - 2030.0	Pass
STSO-1145	03/24/08	Co-60	5219.70 ± 90.30	5130.0	3730.0 - 6890.0	Pass
STSO-1145	03/24/08	Cs-134	5427.30 ± 102.94	5640.0	3630.0 - 6790.0	Pass
STSO-1145	03/24/08	Cs-137	6346.60 ± 201.80	6010.0	4600.0 - 7810.0	Pass
STSO-1145	03/24/08	K-40	11052.70 ± 181.80	11000.0	7980.0 - 14900.0	Pass
STSO-1145 ^e	03/24/08	Mn-54	0.00 ± 0.00	0.0	0.0 - 10.0	Pass
STSO-1145	03/24/08	Pb-212	1198.20 ± 96.58	1080.0	697.0 - 1520.0	Pass
STSO-1145	03/24/08	Pb-214	2253.30 ± 291.60	2020.0	1210.0 - 3010.0	Pass
STSO-1145	03/24/08	Sr-90	6407.00 ± 277.00	5360.0	1940.0 - 8750.0	Pass
STSO-1145	03/24/08	Th-234	2421.80 ± 321.00	2030.0	644.0 - 3870.0	Pass
STSO-1145	03/24/08	Zn-65	2936.20 ± 73.50	2660.0	2110.0 - 3570.0	Pass
STVE-1146	03/24/08	Co-60	912.41 ± 13.59	888.0	600.0 - 1280.0	Pass
STVE-1146	03/24/08	Cs-134	1547.70 ± 38.81	1540.0	882.0 - 2130.0	Pass
STVE-1146	03/24/08	Cs-137	1163.80 ± 20.62	1100.0	807.0 - 1530.0	Pass
STVE-1146	03/24/08	K-40	22186.00 ± 339.40	24600.0	17700.0 - 34800.0	Pass
STVE-1146 ^e	03/24/08	Mn-54	0.00 ± 0.00	0.0	0.0 - 10.0	Pass
STVE-1146	03/24/08	Sr-90	3825.90 ± 140.66	4130.0	2310.0 - 5480.0	Pass
STVE-1146	03/24/08	Zn-65	1676.80 ± 43.00	1430.0	1030.0 - 1960.0	Pass
STW-1147	03/24/08	Co-60	1430.00 ± 33.33	1420.0	1240.0 - 1680.0	Pass
STW-1147	03/24/08	Cs-134	730.18 ± 33.39	751.0	555.0 - 862.0	Pass
STW-1147	03/24/08	Cs-137	1947.80 ± 13.80	1990.0	1690.0 - 2380.0	Pass
STW-1147 ^e	03/24/08	Mn-54	0.00 ± 0.00	0.0	0.0 - 10.0	Pass
STW-1147	03/24/08	Sr-90	512.03 ± 43.37	512.0	325.0 - 684.0	Pass
STW-1147	03/24/08	Zn-65	708.90 ± 29.00	694.0	588.0 - 865.0	Pass
STW-1120	03/19/07	Zn-65	2009.00 ± 36.40	1910.0	1600.0 - 2410.0	Pass

^a Results obtained by Environmental, Inc., Midwest Laboratory as a participant in the crosscheck program for proficiency testing administered by Environmental Resources Associates, serving as a replacement for studies conducted previously by the Environmental Measurements Laboratory Quality Assessment Program (EML).

^b Laboratory codes as follows: STW (water), STAP (air filter), STSO (soil), STVE (vegetation).

^c Unless otherwise indicated, the laboratory result is given as the mean ± standard deviation for three determinations.

^d Results are presented as the known values, expected laboratory precision (1 sigma, 1 determination) and control limits as provided by ERA.

^e Included in the testing series as a "false positive". No activity expected.

TABLE D-5

DOE'S MIXED ANALYTE PERFORMANCE EVALUATION PROGRAM (MAPEP)^a
ENVIRONMENTAL, INC., 2008

(Page 1 of 2)

Lab Code ^c	Date	Analysis	Concentration ^b		Control Limits ^d	Acceptance
			Laboratory result	Known Activity		
STW-1137	01/01/08	Co-57	23.80 ± 0.60	22.80	16.00 - 29.60	Pass
STW-1137	01/01/08	Co-60	8.60 ± 0.50	8.40	5.88 - 10.92	Pass
STW-1137	01/01/08	Cs-134	-0.021 ± 0.10	0.00	-1.00 - 1.00	Pass
STW-1137	01/01/08	Cs-137	0.00 ± 0.10	0.00	-1.00 - 1.00	Pass
STW-1137	01/01/08	H-3	515.10 ± 12.70	472.00	330.00 - 614.00	Pass
STW-1137	01/01/08	Mn-54	12.90 ± 0.80	12.10	8.50 - 15.70	Pass
STW-1137	01/01/08	Sr-90	12.00 ± 1.50	11.40	7.98 - 14.82	Pass
STW-1137	01/01/08	Zn-65	16.90 ± 1.40	16.30	11.40 - 21.20	Pass
STW-1138	01/01/08	Gr. Beta	2.30 ± 0.15	2.43	1.22 - 3.65	Pass
STAP-1139	01/01/08	Co-57	3.90 ± 0.07	3.55	2.49 - 4.62	Pass
STAP-1139	01/01/08	Co-60	1.43 ± 0.07	1.31	0.92 - 1.70	Pass
STAP-1139	01/01/08	Cs-134	2.59 ± 0.16	2.52	1.76 - 3.28	Pass
STAP-1139	01/01/08	Cs-137	3.05 ± 0.12	2.70	1.89 - 3.51	Pass
STAP-1139	01/01/08	Mn-54	0.43 ± 0.58	0.00	0.00 - 1.00	Pass
STAP-1139	01/01/08	Sr-90	1.30 ± 0.27	1.55	1.08 - 2.01	Pass
STAP-1139	01/01/08	Zn-65	2.36 ± 0.18	2.04	1.43 - 2.65	Pass
STAP-1140	01/01/08	Gr. Beta	0.34 ± 0.04	0.29	0.14 - 0.43	Pass
STVE-1141	01/01/08	Co-57	8.30 ± 0.18	6.89	4.82 - 8.96	Pass
STVE-1141	01/01/08	Co-60	3.03 ± 0.13	2.77	1.94 - 3.60	Pass
STVE-1141	01/01/08	Cs-134	6.53 ± 0.29	6.28	4.40 - 8.16	Pass
STVE-1141	01/01/08	Cs-137	3.90 ± 0.19	3.41	2.39 - 4.43	Pass
STVE-1141	01/01/08	Mn-54	5.43 ± 0.21	4.74	3.32 - 6.16	Pass
STVE-1141	01/01/08	Zn-65	0.033 ± 0.10	0.00	0.00 - 1.00	Pass
STSO-1142	01/01/08	Co-57	483.00 ± 3.00	421.00	295.00 - 547.00	Pass
STSO-1142	01/01/08	Co-60	3.00 ± 0.80	2.90	0.00 - 5.00	Pass
STSO-1142	01/01/08	Cs-134	896.50 ± 7.40	854.00	598.00 - 1110.00	Pass
STSO-1142	01/01/08	Cs-137	624.40 ± 4.10	545.00	382.00 - 709.00	Pass
STSO-1142	01/01/08	Mn-54	667.20 ± 3.80	570.00	399.00 - 741.00	Pass
STSO-1142	01/01/08	Zn-65	0.093 ± 0.91	0.00	0.00 - 1.00	Pass
STSO-1158	08/01/08	Co-57	353.02 ± 2.01	333.00	233.00 - 433.00	Pass
STSO-1158	08/01/08	Co-60	151.99 ± 1.58	145.00	102.00 - 189.00	Pass
STSO-1158	08/01/08	Cs-134	499.72 ± 2.65	581.00	407.00 - 755.00	Pass
STSO-1158	08/01/08	Cs-137	2.54 ± 0.25	2.80	0.00 - 5.00	Pass
STSO-1158	08/01/08	K-40	643.94 ± 15.50	570.00	399.00 - 741.00	Pass
STSO-1158	08/01/08	Mn-54	452.14 ± 2.96	415.00	291.00 - 540.00	Pass
STSO-1158	08/01/08	Sr-90	1.95 ± 2.04	0.00	0.00 - 5.00	Pass
STSO-1158	08/01/08	Zn-65	0.10 ± 2.04	0.00	0.00 - 5.00	Pass

TABLE D-5 DOE'S MIXED ANALYTE PERFORMANCE EVALUATION PROGRAM (MAPEP)^a
ENVIRONMENTAL, INC., 2008
 (Page 2 of 2)

Lab Code ^c	Date	Analysis	Concentration ^b		Control Limits ^d	Acceptance
			Laboratory result	Known Activity		
STVE-1159	08/01/08	Co-57	8.52 ± 0.23	7.10	5.00 - 9.20	Pass
STVE-1159	08/01/08	Co-60	5.08 ± 0.19	4.70	3.30 - 6.10	Pass
STVE-1159	08/01/08	Cs-134	5.26 ± 0.18	5.50	3.90 - 7.20	Pass
STVE-1159	08/01/08	Cs-137	0.01 ± 0.14	0.00	0.00 - 1.00	Pass
STVE-1159	08/01/08	Mn-54	6.39 ± 0.28	5.80	4.10 - 7.50	Pass
STVE-1159	08/01/08	Zn-65	7.73 ± 0.45	6.90	4.80 - 9.00	Pass
STW-1162	08/01/08	Co-57	0.03 ± 0.16	0.00	0.00 - 5.00	Pass
STW-1162	08/01/08	Co-60	11.27 ± 0.23	11.60	8.10 - 15.10	Pass
STW-1162	08/01/08	Cs-134	17.93 ± 0.52	19.50	13.70 - 25.40	Pass
STW-1162	08/01/08	Cs-137	23.72 ± 0.43	23.60	16.50 - 30.70	Pass
STW-1162	08/01/08	H-3	385.15 ± 8.93	341.00	239.00 - 443.00	Pass
STW-1162	08/01/08	Mn-54	13.87 ± 0.37	13.70	9.60 - 17.80	Pass
STW-1162	08/01/08	Sr-90	6.49 ± 1.12	6.45	4.52 - 8.39	Pass
STW-1162	08/01/08	Zn-65	17.64 ± 0.61	17.10	12.00 - 22.20	Pass
STW-1163	08/01/08	Gr. Beta	0.12 ± 0.05	0.00	0.00 - 1.85	Pass

^a Results obtained by Environmental, Inc., Midwest Laboratory as a participant in the Department of Energy's Mixed Analyte Performance Evaluation Program, Idaho Operations office, Idaho Falls, Idaho

^b Results are reported in units of Bq/kg (soil), Bq/L (water) or Bq/total sample (filters, vegetation).

^c Laboratory codes as follows: STW (water), STAP (air filter), STSO (soil), STVE (vegetation).

^d MAPEP results are presented as the known values and expected laboratory precision (1 sigma, 1 determination) and control limits as defined by the MAPEP.

APPENDIX E

EFFLUENT REPORT

TABLE OF CONTENTS

INTRODUCTION.....	1
SUMMARY.....	2
1.0. EFFLUENTS.....	3
1.1. Gaseous Effluents to the Atmosphere.....	3
1.2. Liquids Released to Illinois River.....	3
2.0. SOLID RADIOACTIVE WASTE.....	3
3.0. DOSE TO MAN.....	3
3.1. Gaseous Effluent Pathways.....	3
3.1.1. Noble Gases.....	3
3.1.1.1. Gamma Dose Rates.....	3
3.1.1.2. Beta Air and Skin Dose Rate.....	4
3.1.2. Radioactive Iodine.....	5
3.1.2.1. Dose to Thyroid.....	5
3.2. Liquid Effluent Pathways.....	5
3.3. Assessment of Dose to Member of Public.....	5
4.0. SITE METEOROLOGY.....	6

Table of Contents (cont.)

APPENDIX E-1 DATA TABLES AND FIGURES E-1.1

Station Releases

Table 1.1-1 Gaseous Effluents Summation of all Releases E-1.2

Table 1.2-1 Liquid Effluents Summation of all Releases E-1.3

Table 2.0-1 Solid Radwaste Annual Report E-1.4

Table 3.1-1 Maximum Doses Resulting from Airborne Releases E-1.5

Table 3.2-1 Maximum Doses Resulting from Liquid Effluents E-1.9

Table 3.3.1 10CFR20 Compliance Assessment..... E-1.13

Table 3.4-1 Maximum Doses Resulting from Airborne Releases Based
On Concurrent Meteorological Data E-1.17

INTRODUCTION

LaSalle County Station, a two-unit BWR station, is located near Marseilles, Illinois in LaSalle county, 3.5 miles south the Illinois River. Both units are rated for 3489 MWt. Unit 1 loaded fuel in March 1982. Unit 2 loaded fuel in late December 1983. The station has been designed to keep releases to the environment at levels below those specified in the regulations.

Liquid effluents, while no longer released from LaSalle County Station, were designed to be released to the Illinois River in controlled batches after radioassay of each batch. Gaseous effluents are released to the atmosphere after delay to permit decay of short-lived (noble) gases. Releases to the atmosphere are calculated on the basis of analyses of routine grab samples of noble gases and tritium as well as continuously collected composite samples of iodine and particulate radioactivity sampled during the course of the year. The results of effluent analyses are summarized on a monthly basis and reported to the Nuclear Regulatory Commission as required per Technical Specifications. Airborne concentrations of noble gases, tritium, I-131, and particulate radioactivity in offsite areas are calculated using effluent and meteorological data.

Environmental monitoring is conducted by sampling at indicator and control (background) locations in the vicinity of LaSalle County Station to measure changes in radiation or radioactivity levels that may be attributable to station operations. If significant changes attributable to LaSalle County Station are measured, these changes are correlated with effluent releases. External gamma radiation exposure from noble gases and internal dose from I-131 in milk are the critical pathways at this site; however, an environmental monitoring program is conducted which also includes these and many other pathways which are less significant in terms of radiation protection.

SUMMARY

Gaseous effluents for the period contributed to only a small fraction of the LaSalle County Station Technical Specification limits. Liquid effluents had no contribution to offsite dose, as no liquid radioactive discharges were conducted. Calculations of environmental concentrations based on effluent, Illinois River flow, and meteorological data for the period indicate that consumption by the public of radionuclides attributable to LaSalle County Station does not exceed regulatory limits. Radiation exposure from radionuclides releases to the atmosphere represented the critical pathway for the period with a maximum individual total dose estimated to be $6.78E-02$ mrem for the year, where a shielding and occupancy factor of 0.7 is assumed. The assessment of radiation doses is performed in accordance with the Offsite Dose Calculation Manual (ODCM), specifically, a comparison of preoperational studies with operational controls or with previous environmental surveillance reports and an assessment of the observed impacts of the plant operation on the environment. Control locations are basis for "preoperational data." Yearly data comparisons are provided in Sections 5.1 and 5.2; five-year graphical trend data is provided in Appendix III, Section 7.0. The results of analysis confirm that the station is operating in compliance with 10CFR50 Appendix I, 10CFR20 and 40CFR190.

1.0 EFFLUENTS

1.1 Gaseous Effluents to the Atmosphere

Measured concentrations of noble gases, radioiodine, and particulate radioactivity released to the atmosphere during the year, are listed in Table 1.1-1. A total of 1.58E+03 curies of fission and activation gases were released with a maximum quarterly average release rate of 5.00E+01 $\mu\text{Ci}/\text{sec}$.

A total of 4.64E-02 curies of 1-131 was released during the year with a maximum quarterly release rate of 1.47E-03 $\mu\text{Ci}/\text{sec}$.

A total of 4.69E-03 curies of beta-gamma emitters was released as airborne particulate matter with a maximum quarterly average release rate of 1.48E-04 $\mu\text{Ci}/\text{sec}$. Alpha-emitting radionuclides were below the lower limit of detection (LLD).

A total of 5.84E+01 curies of tritium was released with a maximum quarterly average release rate of 1.85E+00 $\mu\text{Ci}/\text{sec}$.

1.2 Liquids Released to Illinois River

There were no liquid batch releases in 2008. Continuous release path activity was below applicable Lower Limits of Detection.

2.0 SOLID RADIOACTIVE WASTE

Solid radioactive wastes were shipped by truck to the Envirocare Disposal Facility or to a waste processor. For further detail, refer the LaSalle 2008 Radioactive Effluent Release Report. The submittal date of this report was April 30, 2008.

3.0 DOSE TO MAN

3.1 Gaseous Effluent Pathways

Table 3.1-1 summarizes the doses resulting from releases of airborne radioactivity via the different exposure pathways.

3.1.1 Noble Gases

3.1.1.1 Gamma Dose Rates

Unit 1 and Unit 2 gaseous releases at LaSalle

County Station are reported as Unit 1 releases due to a single station vent stack (SVS) release point. Offsite Gamma air and whole body dose rates are shown in Table 3.1-1 and were calculated based on measured release rates, isotopic composition of the noble gases, and average meteorological data for the period. Doses based on concurrent meteorological data are shown in Table 3.4-1. Based on measured effluents and meteorological data, the maximum total body dose to an individual would be 2.12E-02 mrem (Table 3.1-1) for the year, with an occupancy or shielding factor of 0.7 included. The maximum total body dose based on measured effluents and concurrent meteorological data would be 6.06E-03 mrem. (Table 3.4-1).

The maximum gamma air dose was 2.80E-02 mrad (Table 3.1-1) and 1.42E-02 mrad based on concurrent meteorological data (Table 3.4-1).

3.1.1.2 Beta Air and Skin Rates

The range of beta particles in air is relatively small (on the order of a few meters or less); consequently, plumes of gaseous effluents may be considered "infinite" for purpose of calculating the dose from beta radiation incident on the skin. However, the actual dose to sensitive skin tissues is difficult to calculate due to the effect of the beta particle energies, thickness of inert skin and clothing covering sensitive tissues. For purposes of this report the skin is taken to have a thickness of 7.0 mg/cm² and an occupancy factor of 1.0 is used. The skin dose from beta and gamma radiation for the year was 2.22E-02 (Table 3.1-1) and 8.20E-03 mrem (Table 3.4-1) based on concurrent meteorological data. The maximum offsite beta dose for the year was 8.40E-03 mrad (Table 3.1-1) and 1.91E-03 mrad (Table 3.4-1) based on concurrent meteorological data.

3.1.2 Radioactive Iodine

The human thyroid exhibits a significant capacity to concentrate ingested or inhaled iodine. The radioiodine, I-131, released during routing operation of the plant, may be made available to man resulting in a dose to the thyroid. The principal pathway of interest for this radionuclide in ingestion of radioiodine in milk.

3.1.2.1 Dose to Thyroid

The hypothetical thyroid dose to a maximum exposed individual living near the station via ingestion of milk was calculated. The radionuclide considered was I-131 and the source of milk was taken to be the nearest dairy farm with the cows pastured from May through October. The maximum thyroid dose due to I-131 was 6.78E-02 mrem (child) for the year (Table 3.1-1).

3.2 Liquid Effluent Pathways

The three principal pathways through the aquatic environment for potential doses to man from liquid waste are ingestion of potable water, eating aquatic foods, and exposure while on the shoreline. Not all of these pathways are significant or applicable at a given time but a reasonable approximation of the dose can be made by adjusting the dose formula for season of the year or type and degree of use of the aquatic environment. NRC developed equations* were used to calculate the doses to the whole body, lower gastro-intestinal tracts, thyroid, bone and skin; specific parameters for use in the equations are given in the Offsite Dose Calculation Manual. The maximum whole body dose was 0.00E+00 mrem and organ dose was 0.00E+00 for the year mrem (Table 3.2-1).

3.3 Assessment of Dose to Member of Public

During the period January to December, 2008, LaSalle County Station did not exceed these limits as shown in Table 3.1-1 and Table 3.2-1 (based on annual average meteorological data), and As shown in Table 3.3-1:

- The Radiological Effluent Technical Standards (RETS) limits on dose or dose commitment to an individual due to

radioactive materials in liquid effluents from each reactor unit (1.5 mrem to the whole body or 5 mrem to any organ during any calendar year; 3 mrem to the whole body or 10 mrem to any organ during the calendar year).

- The RETS limits on air dose in noble gases released in gaseous effluents to a member of the public from each reactor unit (5 mrad for gamma radiation or 10 mrad for beta radiation during any calendar quarter; 10 mrad for gamma radiation or 20 mrad for beta radiation during a calendar year).
- The RETS limits on dose to a member of the public due to iodine-131, iodine-133, tritium, and radionuclides in particulate form with half-lives greater than eight days in gaseous effluents released from each reactor unit (7.5 mrem to any organ during any calendar quarter; 15 mrem to any organ during any calendar year).
- The 10CFR20 limit on Total Effective Dose Equivalent to individual members of the public (100 mrem).

4.0 SITE METEOROLOGY

A summary of the site meteorological measurements taken during each calendar quarter of the year is given in Appendix F. The data are presented as cumulative joint frequency distributions of the wind direction for the 375' level and wind speed class by atmospheric stability class determined from the temperature difference between the 375' and 33' levels. Data recovery for these measurements was 99.2% during 2008.

*Nuclear Regulatory Commission, Regulatory Guide 1.109 (Rev. 1)

APPENDIX E-1

DATA TABLES AND FIGURES

Table 1.1-1

LASALLE COUNTY NUCLEAR POWER STATION
EFFLUENT AND WASTE DISPOSAL ANNUAL REPORT (2008)
UNITS ONE AND TWO
DOCKET NUMBERS 50-373 AND 50-374
GASEOUS EFFLUENTS-SUMMATION OF ALL RELEASES

Units	1st Qtr	2nd Qtr	3rd Qtr	4 th Qtr	Estimated Total Error %
-------	---------	---------	---------	---------------------	-------------------------

A. Fission and Activation Gas Releases

1. Total Release Activity	Ci	3.66E+02	3.18E+02	2.08E+02	6.90E+02	2.50E+01
2. Average Release Rate	uCi/sec	4.66E+01	4.04E+01	2.62E+01	8.68E+01	
3. Percent of Technical Specification Limit	%	*	*	*	*	

B. Iodine Releases

1. Total I-131 Activity	Ci	1.19E-02	5.94E-03	1.49E-02	1.37E-02	1.50E+01
2. Average Release Rate	uCi/sec	1.51E-03	7.55E-04	1.87E-03	1.73E-03	
3. Percent of Technical Specification Limit	%	*	*	*	*	

C. Particulate (> 8 day half-life) Releases

1. Gross Activity	Ci	9.16E-04	7.75E-04	3.78E-04	2.62E-03	3.50E+01
2. Average Release Rate	uCi/sec	1.17E-04	9.85E-05	4.76E-05	3.30E-04	
3. Percent of Technical Specification Limit	%	*	*	*	*	
4. Gross Alpha Activity	Ci	<1.00E-11	<1.00E-11	<1.00E-11	<1.00E-11	

D. Tritium Releases

1. Total Release Activity	Ci	2.03E+01	1.11E+01	9.26E+00	1.77E+01	1.50E+01
2. Average Release Rate	uCi/sec	2.59E+00	1.41E+00	1.16E+00	2.23E+00	
3. Percent of Technical Specification Limit	%	*	*	*	*	

"*" This information is contained in the Radiological Impact on Man section of the report.

"<" Indicates activity of sample is less than LLD given in uCi/ml

Table 1.2-1

LASALLE COUNTY NUCLEAR POWER STATION
EFFLUENT AND WASTE DISPOSAL ANNUAL REPORT (2008)
LIQUID RELEASES
UNIT 1 and UNIT 2
SUMMATION OF ALL LIQUID RELEASES

Units	1st Qtr	2nd Qtr	3rd Qtr	4th Qtr	Estimated Total Error %
-------	---------	---------	---------	---------	----------------------------

A. Fission and Activation Products

1. Total Activity Released	Ci	<LLD	<LLD	<LLD	<LLD	N/A
2. Average Concentration Released	uCi/ml	<LLD	<LLD	<LLD	<LLD	
3. Percent of Applicable Limit	%	*	*	*	*	

B. Tritium

1. Total Activity Released	Ci	<LLD	<LLD	<LLD	<LLD	N/A
2. Average Concentration Released	uCi/ml	<LLD	<LLD	<LLD	<LLD	
3. Percent of Applicable Limit	%	*	*	*	*	

C. Dissolved Noble Gases

1. Total Activity Released	Ci	<LLD	<LLD	<LLD	<LLD	N/A
2. Average Concentration Released	uCi/ml	<LLD	<LLD	<LLD	<LLD	
3. Percent of Applicable Limit	%	*	*	*	*	

D. Gross Alpha

1. Total Activity Released (estimate)	Ci	<LLD	<LLD	<LLD	<LLD	N/A
2. Average Concentration Released	uCi/ml	<LLD	<LLD	<LLD	<LLD	
3. Percent of Applicable Limit	%	*	*	*	*	

E. Volume of Liquid Waste to Discharge	liters	0.00E+00	0.00E+00	0.00E+00	0.00E+00	N/A
---	--------	----------	----------	----------	----------	-----

F. Volume of Dilution Water	liters	0.00E+00	0.00E+00	0.00E+00	0.00E+00	N/A
------------------------------------	--------	----------	----------	----------	----------	-----

"*" This information is contained in the Radiological Impact on Man section of the report.

"<" Indicates activity of sample is less than LLD given in uCi/ml

Table 2.1-1

SOLID RADWASTE ANNUAL REPORT

LaSalle County Station

Table 2.1-1 deliberately deleted. For solid waste disposal detail, refer to the LaSalle County Station 2008 Effluent Report.

Table 3.1-1

LASALLE STATION UNIT ONE

ACTUAL 2008

MAXIMUM DOSES RESULTING FROM AIRBORNE RELEASES

PERIOD OF RELEASE - 01/01/08 TO 12/31/08 CALCULATED 03/23/09
 INFANT RECEPTOR

TYPE	1ST QUARTER JAN-MAR	2ND QUARTER APR-JUN	3RD QUARTER JUL-SEP	4TH QUARTER OCT-DEC	ANNUAL
GAMMA AIR (MRAD)	6.58E-03 (WSW)	5.62E-03 (WSW)	3.24E-03 (WSW)	1.26E-02 (WSW)	2.80E-02 (WSW)
BETA AIR (MRAD)	1.93E-04 (ESE)	1.66E-04 (ESE)	1.24E-04 (ESE)	3.57E-04 (ESE)	8.40E-04 (ESE)
TOT. BODY (MREM)	4.98E-03 (WSW)	4.25E-03 (WSW)	2.45E-03 (WSW)	9.50E-03 (WSW)	2.12E-02 (WSW)
SKIN (MREM)	5.22E-03 (WSW)	4.45E-03 (WSW)	2.59E-03 (WSW)	9.95E-03 (WSW)	2.22E-02 (WSW)
ORGAN (MREM)	1.90E-03 (ESE)	1.01E-02 (ESE)	3.65E-02 (ESE)	1.18E-02 (ESE)	6.03E-02 (ESE)

THYROID THYROID THYROID THYROID THYROID
 THIS IS A REPORT FOR THE CALENDAR YEAR 2008

COMPLIANCE STATUS - 10CFR 50 APP. I
 INFANT RECEPTOR

----- % OF APP I. -----

	QTRLY OBJ	1ST QTR JAN-MAR	2ND QTR APR-JUN	3RD QTR JUL-SEP	4TH QTR OCT-DEC	YRLY OBJ	% OF APP.
I							
GAMMA AIR (MRAD)	5.0	0.13	0.11	0.06	0.25	10.0	0.28
BETA AIR (MRAD)	10.0	0.00	0.00	0.00	0.00	20.0	0.00
TOT. BODY (MREM)	2.5	0.20	0.17	0.10	0.38	5.0	0.42
SKIN (MREM)	7.5	0.07	0.06	0.03	0.13	15.0	0.15
ORGAN (MREM)	7.5	0.03	0.13	0.49	0.16	15.0	0.40

THYROID THYROID THYROID THYROID THYROID

RESULTS BASED UPON: ODCM ANNEX REVISION 3.0 MAY 2001
 ODCM SOFTWARE VERSION 1.1 January 1995
 ODCM DATABASE VERSION 1.1 January 1995

Table 3.1-1 (continued)

LASALLE STATION UNIT ONE

ACTUAL 2008
 MAXIMUM DOSES RESULTING FROM AIRBORNE RELEASES
 PERIOD OF RELEASE - 01/01/08 TO 12/31/08 CALCULATED 03/23/09
 CHILD RECEPTOR

TYPE	1ST QUARTER JAN-MAR	2ND QUARTER APR-JUN	3RD QUARTER JUL-SEP	4TH QUARTER OCT-DEC	ANNUAL
GAMMA AIR (MRAD)	6.58E-03 (WSW)	5.62E-03 (WSW)	3.24E-03 (WSW)	1.26E-02 (WSW)	2.80E-02 (WSW)
BETA AIR (MRAD)	1.93E-04 (ESE)	1.66E-04 (ESE)	1.24E-04 (ESE)	3.57E-04 (ESE)	8.40E-04 (ESE)
TOT. BODY (MREM)	4.98E-03 (WSW)	4.25E-03 (WSW)	2.45E-03 (WSW)	9.50E-03 (WSW)	2.12E-02 (WSW)
SKIN (MREM)	5.22E-03 (WSW)	4.45E-03 (WSW)	2.59E-03 (WSW)	9.95E-03 (WSW)	2.22E-02 (WSW)
ORGAN (MREM)	1.59E-03 (NNE)	1.30E-02 (NNE)	3.94E-02 (ESE)	1.40E-02 (NNE)	6.78E-02 (NNE)

THYROID THYROID THYROID THYROID THYROID
 THIS IS A REPORT FOR THE CALENDAR YEAR 2008

COMPLIANCE STATUS - 10CFR 50 APP. I
 CHILD RECEPTOR

----- % OF APP I. -----

	QTRLY OBJ	1ST QTR JAN-MAR	2ND QTR APR-JUN	3RD QTR JUL-SEP	4TH QTR OCT-DEC	YRLY OBJ	% OF APP.
I							
GAMMA AIR MRAD)	5.0	0.13	0.11	0.06	0.25	10.0	0.28
BETA AIR MRAD)	10.0	0.00	0.00	0.00	0.00	20.0	0.00
TOT. BODY MREM)	2.5	0.20	0.17	0.10	0.38	5.0	0.42
SKIN (MREM)	7.5	0.07	0.06	0.03	0.13	15.0	0.15
ORGAN (MREM)	7.5	0.02	0.17	0.53	0.19	15.0	0.45

THYROID THYROID THYROID THYROID THYROID

RESULTS BASED UPON: ODCM ANNEX REVISION 3.0 MAY 2001
 ODCM SOFTWARE VERSION 1.1 January 1995
 ODCM DATABASE VERSION 1.1 January 1995

Table 3.1-1 (continued)

LASALLE STATION UNIT ONE

ACTUAL 2008
 MAXIMUM DOSES RESULTING FROM AIRBORNE RELEASES
 PERIOD OF RELEASE - 01/01/08 TO 12/31/08 CALCULATED 03/23/09
 TEENAGER RECEPTOR

TYPE	1ST QUARTER JAN-MAR	2ND QUARTER APR-JUN	3RD QUARTER JUL-SEP	4TH QUARTER OCT-DEC	ANNUAL
GAMMA AIR (MRAD)	6.58E-03 (WSW)	5.62E-03 (WSW)	3.24E-03 (WSW)	1.26E-02 (WSW)	2.80E-02 (WSW)
BETA AIR (MRAD)	1.93E-04 (ESE)	1.66E-04 (ESE)	1.24E-04 (ESE)	3.57E-04 (ESE)	8.40E-04 (ESE)
TOT. BODY (MREM)	4.98E-03 (WSW)	4.25E-03 (WSW)	2.45E-03 (WSW)	9.50E-03 (WSW)	2.12E-02 (WSW)
SKIN (MREM)	5.22E-03 (WSW)	4.45E-03 (WSW)	2.59E-03 (WSW)	9.95E-03 (WSW)	2.22E-02 (WSW)
ORGAN (MREM)	1.18E-03 (NNE)	8.12E-03 (NNE)	2.41E-02 (NNE)	8.79E-03 (NNE)	4.22E-02 (NNE)

THYROID THYROID THYROID THYROID THYROID
 THIS IS A REPORT FOR THE CALENDAR YEAR 2008

COMPLIANCE STATUS - 10CFR 50 APP. I
 TEENAGER RECEPTOR

----- % OF APP I. -----

	QTRLY OBJ	1ST QTR JAN-MAR	2ND QTR APR-JUN	3RD QTR JUL-SEP	4TH QTR OCT-DEC	YRLY OBJ	% OF APP.
I							
GAMMA AIR (MRAD)	5.0	0.13	0.11	0.06	0.25	10.0	0.28
BETA AIR MRAD)	10.0	0.00	0.00	0.00	0.00	20.0	0.00
TOT. BODY (MREM)	2.5	0.20	0.17	0.10	0.38	5.0	0.42
SKIN (MREM)	7.5	0.07	0.06	0.03	0.13	15.0	0.15
ORGAN (MREM)	7.5	0.02	0.11	0.32	0.12	15.0	0.28

THYROID THYROID THYROID THYROID THYROID

RESULTS BASED UPON: ODCM ANNEX REVISION 3.0 MAY 2001
 ODCM SOFTWARE VERSION 1.1 January 1995
 ODCM DATABASE VERSION 1.1 January 1995

Table 3.1-1 (continued)

LASALLE STATION UNIT ONE

ACTUAL 2008
 MAXIMUM DOSES RESULTING FROM AIRBORNE RELEASES
 PERIOD OF RELEASE - 01/01/08 TO 12/31/08 CALCULATED 03/23/09
 ADULT RECEPTOR

TYPE	1ST QUARTER JAN-MAR	2ND QUARTER APR-JUN	3RD QUARTER JUL-SEP	4TH QUARTER OCT-DEC	ANNUAL
GAMMA AIR (MRAD)	6.58E-03 (WSW)	5.62E-03 (WSW)	3.24E-03 (WSW)	1.26E-02 (WSW)	2.80E-02 (WSW)
BETA AIR (MRAD)	1.93E-04 (ESE)	1.66E-04 (ESE)	1.24E-04 (ESE)	3.57E-04 (ESE)	8.40E-04 (ESE)
TOT. BODY (MREM)	4.98E-03 (WSW)	4.25E-03 (WSW)	2.45E-03 (WSW)	9.50E-03 (WSW)	2.12E-02 (WSW)
SKIN (MREM)	5.22E-03 (WSW)	4.45E-03 (WSW)	2.59E-03 (WSW)	9.95E-03 (WSW)	2.22E-02 (WSW)
ORGAN (MREM)	1.31E-03 (NNE)	8.17E-03 (NNE)	2.49E-02 (NNE)	8.96E-03 (NNE)	4.33E-02 (NNE)
	THYROID	THYROID	THYROID	THYROID	THYROID

THIS IS A REPORT FOR THE CALENDAR YEAR 2008

COMPLIANCE STATUS - 10CFR 50 APP. I
 ADULT RECEPTOR

----- % OF APP I. -----

	QTRLY OBJ	1ST QTR JAN-MAR	2ND QTR APR-JUN	3RD QTR JUL-SEP	4TH QTR OCT-DEC	YRLY OBJ	% OF APP.
I							
GAMMA AIR (MRAD)	5.0	0.13	0.11	0.06	0.25	10.0	0.28
BETA AIR MRAD)	10.0	0.00	0.00	0.00	0.00	20.0	0.00
TOT. BODY (MREM)	2.5	0.20	0.17	0.10	0.38	5.0	0.42
SKIN (MREM)	7.5	0.07	0.06	0.03	0.13	15.0	0.15
ORGAN (MREM)	7.5	0.02	0.11	0.33	0.12	15.0	0.29

THYROID THYROID THYROID THYROID
 THYROID

RESULTS BASED UPON: ODCM ANNEX REVISION 3.0 MAY 2001
 ODCM SOFTWARE VERSION 1.1 January 1995
 ODCM DATABASE VERSION 1.1 January 1995

Table 3.2-1

LASALLE STATION UNIT ONE

ACTUAL 2008
 MAXIMUM DOSES (MREM) RESULTING FROM AQUATIC EFFLUENTS
 PERIOD OF RELEASE - 01/01/08 TO 12/31/08 CALCULATED 03/23/09
 INFANT RECEPTOR

DOSE TYPE	1ST QUARTER JAN-MAR	2ND QUARTER APR-JUN	3RD QUARTER JUL-SEP	4TH QUARTER OCT-DEC	ANNUAL
TOTAL BODY INTERNAL ORGAN	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00

THIS IS A REPORT FOR THE CALENDAR YEAR 2008

COMPLIANCE STATUS - 10 CFR 50 APP. I

----- % OF APP I. -----

	QTRLY OBJ	1ST QTR JAN-MAR	2ND QTR APR-JUN	3RD QTR JUL-SEP	4TH QTR OCT-DEC	YRLY OBJ	% OF APP.
I							
TOTAL BODY (MREM)	1.5	0.00	0.00	0.00	0.00	3.0	0.00
CRIT. ORGAN (MREM)	5.0	0.00	0.00	0.00	0.00	10.0	0.00

RESULTS BASED UPON: ODCM ANNEX REVISION 3.0 MAY 2001
 ODCM SOFTWARE VERSION 1.1 January 1995
 ODCM DATABASE VERSION 1.1 January 1995

Table 3.2-1 (continued)

LASALLE STATION UNIT ONE

ACTUAL 2008
 MAXIMUM DOSES (MREM) RESULTING FROM AQUATIC EFFLUENTS
 PERIOD OF RELEASE - 01/01/08 TO 12/31/08 CALCULATED 03/23/09
 CHILD RECEPTOR

DOSE TYPE	1ST QUARTER JAN-MAR	2ND QUARTER APR-JUN	3RD QUARTER JUL-SEP	4TH QUARTER OCT-DEC	ANNUAL
TOTAL BODY	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
INTERNAL ORGAN	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00

THIS IS A REPORT FOR THE CALENDAR YEAR 2008

COMPLIANCE STATUS - 10 CFR 50 APP. I

----- % OF APP I. -----

	QTRLY OBJ	1ST QTR JAN-MAR	2ND QTR APR-JUN	3RD QTR JUL-SEP	4TH QTR OCT-DEC	YRLY OBJ	% OF APP.
I							
TOTAL BODY (MREM)	1.5	0.00	0.00	0.00	0.00	3.0	0.00
CRIT. ORGAN (MREM)	5.0	0.00	0.00	0.00	0.00	10.0	0.00

RESULTS BASED UPON: ODCM ANNEX REVISION 3.0 MAY 2001
 ODCM SOFTWARE VERSION 1.1 January 1995
 ODCM DATABASE VERSION 1.1 January 1995

Table 3.2-1 (continued)

LASALLE STATION UNIT ONE

ACTUAL 2008
 MAXIMUM DOSES (MREM) RESULTING FROM AQUATIC EFFLUENTS
 PERIOD OF RELEASE - 01/01/08 TO 12/31/08 CALCULATED 03/23/09
 TEENAGER RECEPTOR

DOSE TYPE	1ST QUARTER JAN-MAR	2ND QUARTER APR-JUN	3RD QUARTER JUL-SEP	4TH QUARTER OCT-DEC	ANNUAL
TOTAL BODY INTERNAL ORGAN	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00

THIS IS A REPORT FOR THE CALENDAR YEAR 2008

COMPLIANCE STATUS - 10 CFR 50 APP. I

----- % OF APP I. -----

	QTRLY OBJ	1ST QTR JAN-MAR	2ND QTR APR-JUN	3RD QTR JUL-SEP	4TH QTR OCT-DEC	YRLY OBJ	% OF APP.
I							
TOTAL BODY (MREM)	1.5	0.00	0.00	0.00	0.00	3.0	0.00
CRIT. ORGAN (MREM)	5.0	0.00	0.00	0.00	0.00	10.0	0.00

RESULTS BASED UPON: ODCM ANNEX REVISION 3.0 MAY 2001
 ODCM SOFTWARE VERSION 1.1 January 1995
 ODCM DATABASE VERSION 1.1 January 1995

Table 3.2-1 (continued)

LASALLE STATION UNIT ONE

ACTUAL 2008
 MAXIMUM DOSES (MREM) RESULTING FROM AQUATIC EFFLUENTS
 PERIOD OF RELEASE - 01/01/08 TO 12/31/08 CALCULATED 03/23/09
 ADULT RECEPTOR

DOSE TYPE	1ST QUARTER JAN-MAR	2ND QUARTER APR-JUN	3RD QUARTER JUL-SEP	4TH QUARTER OCT-DEC	ANNUAL
TOTAL BODY	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
INTERNAL ORGAN	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00

THIS IS A REPORT FOR THE CALENDAR YEAR 2008

COMPLIANCE STATUS - 10 CFR 50 APP. I

----- % OF APP I. -----

	QTRLY OBJ	1ST QTR JAN-MAR	2ND QTR APR-JUN	3RD QTR JUL-SEP	4TH QTR OCT-DEC	YRLY OBJ	% OF APP.
I							
TOTAL BODY (MREM)	1.5	0.00	0.00	0.00	0.00	3.0	0.00
CRIT. ORGAN (MREM)	5.0	0.00	0.00	0.00	0.00	10.0	0.00

RESULTS BASED UPON: ODCM ANNEX REVISION 3.0 MAY 2001
 ODCM SOFTWARE VERSION 1.1 January 1995
 ODCM DATABASE VERSION 1.1 January 1995

Table 3.3-1

LASALLE STATION UNIT ONE

10 CFR 20 COMPLIANCE ASSESSMENT

PERIOD OF ASSESSMENT 01/01/08 TO 12/31/08

CALCULATED 03/23/09

1. 10 CFR 20.1301 (a) (1) Compliance

Total Effective Dose Equivalent, mrem/yr		3.43E-01
<hr/>		
10 CFR 20.1301 (a) (1) limit	mrem/yr	100.0
<hr/>		
	% of limit	0.34
<hr/>		

Compliance Summary - 10CFR20

	1st Qtr	2nd Qtr	3rd Qtr	4th Qtr	% of Limit
TEDE	5.89E-02	9.44E-02	9.08E-02	9.90E-02	0.34

RESULTS BASED UPON: ODCM ANNEX REVISION 3.0 MAY 2001
 ODCM SOFTWARE VERSION 1.1 January 1995
 ODCM DATABASE VERSION 1.1 January 1995

Table 3.3-1 (continued)

LASALLE STATION UNIT ONE

10 CFR 20 COMPLIANCE ASSESSMENT

PERIOD OF ASSESSMENT 01/01/08 TO 12/31/08

CALCULATED 03/23/09

2. 10 CFR 20.1301 (d)/40 CFR 190 Compliance

		Dose (mrem)	Limit (mrem)	% of Limit
Whole Body (DDE)	Plume	2.12E-02		
	Skyshine	3.15E-01		
	Ground	5.57E-04		
	Total	3.36E-01	25.0	1.35
Organ Dose (CDE)	Thyroid	3.75E-02	75.0	0.05
	Gonads	5.69E-03	25.0	0.02
	Breast	5.69E-03	25.0	0.02
	Lung	5.69E-03	25.0	0.02
	Marrow	5.70E-03	25.0	0.02
	Bone	5.70E-03	25.0	0.02
	Remainder	5.73E-03	25.0	0.02
	CEDE	6.66E-03		
	TEDE	3.43E-01	100.0	0.34

RESULTS BASED UPON: ODCM ANNEX REVISION 3.0 MAY 2001
 ODCM SOFTWARE VERSION 1.1 January 1995
 ODCM DATABASE VERSION 1.1 January 1995

Table 3.3-1 (continued)

LASALLE STATION UNIT TWO

10 CFR 20 COMPLIANCE ASSESSMENT

PERIOD OF ASSESSMENT 01/01/08 TO 12/31/08

CALCULATED 03/23/09

1. 10 CFR 20.1301 (a) (1) Compliance

Total Effective Dose Equivalent, mrem/yr		3.54E-01
<hr/>		
10 CFR 20.1301 (a) (1) limit	mrem/yr	100.0
<hr/>		
	% of limit	0.35
<hr/>		

Compliance Summary - 10CFR20

	1st Qtr	2nd Qtr	3rd Qtr	4th Qtr	% of Limit
TEDE	8.92E-02	8.83E-02	8.73E-02	8.93E-02	0.35

RESULTS BASED UPON: ODCM ANNEX REVISION 3.0 MAY 2001
 ODCM SOFTWARE VERSION 1.1 January 1995
 ODCM DATABASE VERSION 1.1 January 1995

Table 3.3-1 (continued)

LASALLE STATION UNIT TWO

10 CFR 20 COMPLIANCE ASSESSMENT

PERIOD OF ASSESSMENT 01/01/08 TO 12/31/08

CALCULATED 03/23/09

2. 10 CFR 20.1301 (d)/40 CFR 190 Compliance

		Dose (mrem)	Limit (mrem)	% of Limit
Whole Body (DDE)	Plume	0.00E+00		
	Skyshine	3.54E-01		
	Ground	0.00E+00		
	Total	3.54E-01	25.0	1.42
Organ Dose (CDE)	Thyroid	0.00E+00	75.0	0.00
	Gonads	0.00E+00	25.0	0.00
	Breast	0.00E+00	25.0	0.00
	Lung	0.00E+00	25.0	0.00
	Marrow	0.00E+00	25.0	0.00
	Bone	0.00E+00	25.0	0.00
	Remainder	0.00E+00	25.0	0.00
	CEDE	0.00E+00		
	TEDE	3.54E-01	100.0	0.35

RESULTS BASED UPON: ODCM ANNEX REVISION 3.0 MAY 2001
 ODCM SOFTWARE VERSION 1.1 January 1995
 ODCM DATABASE VERSION 1.1 January 1995

Table 3.4-1

LaSalle Station - Unit 1

MAXIMUM DOSES RESULTING FROM AIRBORNE RELEASES

2008

TYPE OF DOSE	FIRST QUARTER	SECOND QUARTER	THIRD QUARTER	FOURTH QUARTER	ANNUAL
GAMMA AIR (mrad)	4.140E-03 (SE)	2.995E-03 (SE)	2.795E-03 (WSW)	6.800E-03 (SSE)	1.419E-02 (SE)
BETA AIR (mrad)	5.800E-04 (ESE)	3.115E-04 (SE)	2.750E-04 (E)	7.900E-04 (ESE)	1.909E-03 (ESE)
WHOLE BODY (mrem)	1.755E-03 (SSW)	1.155E-03 (SSW)	9.800E-04 (SSW)	2.680E-03 (ESE)	6.055E-03 (ESE)
SKIN (mrem)	2.330E-03 (ESE)	1.375E-03 (ESE)	1.150E-03 (SSW)	3.570E-03 (ESE)	8.195E-03 (ESE)
ORGAN (mrem)	2.130E-04 (ESE)	7.700E-05 (SE)	1.690E-04 (E)	1.845E-04 (ESE)	6.160E-04 (ESE)
CRITICAL PERSON	Child	Child	Child	Child	Child
CRITICAL ORGAN	Thyroid	Thyroid	Thyroid	Thyroid	Thyroid

COMPLIANCE STATUS

TYPE OF DOSE	10 CFR 50 APP. I		10 CFR 50 APP. I	
	QUARTERLY OBJECTIVE	% OF APP. I	YEARLY OBJECTIVE	% OF APP. I
GAMMA AIR (mrad)	5.0	0.14	10.0	0.14
BETA AIR (mrad)	10.0	0.01	20.0	0.01
WHOLE BODY (mrem)	2.5	0.11	5.0	0.12
SKIN (mrem)	7.5	0.05	15.0	0.05
ORGAN (mrem)	7.5	0.00	15.0	0.00
CRITICAL PERSON		Child		Child
CRITICAL ORGAN		Thyroid		Thyroid

Calculation used release data from the following:
Unit 0 - Chimney

Date of calculation: 3/26/2009

Table 3.4-1 (continued)

LaSalle Station - Unit 2

MAXIMUM DOSES RESULTING FROM AIRBORNE RELEASES

2008

TYPE OF DOSE	FIRST QUARTER	SECOND QUARTER	THIRD QUARTER	FOURTH QUARTER	ANNUAL
GAMMA AIR (mrad)	4.140E-03(SE)	2.995E-03(SE)	2.795E-03(WSW)	6.800E-03(SSE)	1.419E-02(SE)
BETA AIR (mrad)	5.800E-04(ESE)	3.115E-04(SE)	2.750E-04(E)	7.900E-04(ESE)	1.909E-03(ESE)
WHOLE BODY (mrem)	1.755E-03(SSW)	1.155E-03(SSW)	9.800E-04(SSW)	2.680E-03(ESE)	6.055E-03(ESE)
SKIN (mrem)	2.330E-03(ESE)	1.375E-03(ESE)	1.150E-03(SSW)	3.570E-03(ESE)	8.195E-03(ESE)
ORGAN (mrem)	2.130E-04(ESE)	7.700E-05(SE)	1.690E-04(E)	1.845E-04(ESE)	6.160E-04(ESE)
CRITICAL PERSON	Child	Child	Child	Child	Child
CRITICAL ORGAN	Thyroid	Thyroid	Thyroid	Thyroid	Thyroid

COMPLIANCE STATUS

TYPE OF DOSE	10 CFR 50 APP. I		10 CFR 50 APP. I	
	QUARTERLY OBJECTIVE	% OF APP. I	YEARLY OBJECTIVE	% OF APP. I
GAMMA AIR (mrad)	5.0	0.14	10.0	0.14
BETA AIR (mrad)	10.0	0.01	20.0	0.01
WHOLE BODY (mrem)	2.5	0.11	5.0	0.12
SKIN (mrem)	7.5	0.05	15.0	0.05
ORGAN (mrem)	7.5	0.00	15.0	0.00
CRITICAL PERSON		Child		Child
CRITICAL ORGAN		Thyroid		Thyroid

Calculation used release data from the following:
Unit 0 - Chimney

Date of calculation: 3/26/2009

APPENDIX F

METEOROLOGICAL DATA

LaSalle County Generating Station

Period of Record: January - March 2008
 Stability Class - Extremely Unstable - 200Ft-33Ft Delta-T (F)
 Winds Measured at 33 Feet

Wind Direction	Wind Speed (in mph)						Total
	1-3	4-7	8-12	13-18	19-24	> 24	
N	0	0	0	1	0	0	1
NNE	0	0	1	0	0	0	1
NE	0	0	3	4	8	1	16
ENE	0	0	3	0	2	2	7
E	0	0	0	0	0	0	0
ESE	0	0	0	0	0	0	0
SE	0	0	0	0	0	0	0
SSE	0	0	0	0	0	0	0
S	0	0	0	1	8	0	9
SSW	0	0	0	0	0	0	0
SW	0	0	0	0	0	0	0
WSW	0	0	0	0	0	1	1
W	0	0	0	0	0	0	0
WNW	0	0	0	0	0	0	0
NW	0	1	1	0	0	0	2
NNW	0	0	3	1	0	2	6
Variable	0	0	0	0	0	0	0
Total	0	1	11	7	18	6	43

Hours of calm in this stability class: 0
 Hours of missing wind measurements in this stability class: 0
 Hours of missing stability measurements in all stability classes: 1

LaSalle County Generating Station

Period of Record: January - March 2008
 Stability Class - Moderately Unstable - 200Ft-33Ft Delta-T (F)
 Winds Measured at 33 Feet

Wind Direction	Wind Speed (in mph)						Total
	1-3	4-7	8-12	13-18	19-24	> 24	
N	0	0	5	6	1	0	12
NNE	0	1	5	2	0	0	8
NE	0	0	1	2	0	0	3
ENE	0	0	0	0	0	0	0
E	0	0	0	0	0	0	0
ESE	0	0	0	2	0	0	2
SE	0	0	2	1	0	0	3
SSE	0	0	0	0	0	0	0
S	0	0	0	0	0	0	0
SSW	0	0	0	2	0	0	2
SW	0	0	0	1	2	0	3
WSW	0	0	0	1	0	0	1
W	0	0	0	3	0	1	4
WNW	0	0	1	2	0	1	4
NW	0	2	2	1	0	0	5
NNW	0	0	1	3	5	0	9
Variable	0	0	0	0	0	0	0
Total	0	3	17	26	8	2	56

Hours of calm in this stability class: 0
 Hours of missing wind measurements in this stability class: 0
 Hours of missing stability measurements in all stability classes: 1

LaSalle County Generating Station

Period of Record: January - March 2008
 Stability Class - Slightly Unstable - 200Ft-33Ft Delta-T (F)
 Winds Measured at 33 Feet

Wind Direction	Wind Speed (in mph)						Total
	1-3	4-7	8-12	13-18	19-24	> 24	
N	0	0	1	1	1	0	3
NNE	0	2	7	5	0	0	14
NE	0	0	4	0	0	0	4
ENE	0	0	0	0	0	0	0
E	0	1	1	0	0	0	2
ESE	0	0	0	4	0	0	4
SE	0	0	3	3	0	0	6
SSE	0	1	0	0	2	0	3
S	0	0	0	0	0	0	0
SSW	0	1	2	2	0	0	5
SW	0	0	5	0	0	0	5
WSW	0	0	2	2	1	1	6
W	0	0	8	10	0	1	19
WNW	0	0	1	3	1	1	6
NW	0	0	0	6	2	0	8
NNW	0	0	2	3	2	0	7
Variable	0	0	0	0	0	0	0
Total	0	5	36	39	9	3	92

Hours of calm in this stability class: 0
 Hours of missing wind measurements in this stability class: 0
 Hours of missing stability measurements in all stability classes: 1

LaSalle County Generating Station

Period of Record: January - March 2008
 Stability Class - Neutral - 200Ft-33Ft Delta-T (F)
 Winds Measured at 33 Feet

Wind Direction	Wind Speed (in mph)						Total
	1-3	4-7	8-12	13-18	19-24	> 24	
N	0	14	36	17	0	0	67
NNE	0	23	49	6	0	0	78
NE	0	7	19	22	1	0	49
ENE	1	4	12	26	12	0	55
E	1	2	35	32	10	0	80
ESE	1	2	8	26	9	0	46
SE	0	2	8	15	1	0	26
SSE	2	3	22	13	6	0	46
S	0	7	12	23	5	0	47
SSW	2	12	21	25	7	1	68
SW	4	5	18	10	12	5	54
WSW	2	11	15	11	3	1	43
W	0	24	34	35	6	7	106
WNW	2	14	31	96	31	21	195
NW	0	11	43	41	12	7	114
NNW	0	8	44	46	5	0	103
Variable	0	0	0	0	0	0	0
Total	15	149	407	444	120	42	1177

Hours of calm in this stability class: 0
 Hours of missing wind measurements in this stability class: 0
 Hours of missing stability measurements in all stability classes: 1

LaSalle County Generating Station

Period of Record: January - March 2008
 Stability Class - Slightly Stable - 200Ft-33Ft Delta-T (F)
 Winds Measured at 33 Feet

Wind Direction	Wind Speed (in mph)						Total
	1-3	4-7	8-12	13-18	19-24	> 24	
N	0	18	1	0	0	0	19
NNE	1	23	4	0	0	0	28
NE	2	2	5	0	0	0	9
ENE	1	0	3	0	0	0	4
E	0	3	15	9	1	0	28
ESE	1	1	12	11	1	0	26
SE	0	3	13	9	0	0	25
SSE	2	9	20	7	1	0	39
S	1	2	11	32	11	5	62
SSW	0	10	9	43	18	5	85
SW	3	3	9	11	6	1	33
WSW	2	9	4	1	1	0	17
W	3	9	5	9	6	3	35
WNW	1	12	8	6	18	20	65
NW	0	12	31	6	2	2	53
NNW	1	6	4	0	0	0	11
Variable	0	0	0	0	0	0	0
Total	18	122	154	144	65	36	539

Hours of calm in this stability class: 1
 Hours of missing wind measurements in this stability class: 0
 Hours of missing stability measurements in all stability classes: 1

LaSalle County Generating Station

Period of Record: January - March 2008
 Stability Class - Moderately Stable - 200Ft-33Ft Delta-T (F)
 Winds Measured at 33 Feet

Wind Direction	Wind Speed (in mph)						Total
	1-3	4-7	8-12	13-18	19-24	> 24	
N	0	2	0	0	0	0	2
NNE	0	0	0	0	0	0	0
NE	1	0	0	0	0	0	1
ENE	0	0	0	0	0	0	0
E	0	2	2	0	0	0	4
ESE	0	3	5	0	0	0	8
SE	0	3	2	4	0	0	9
SSE	1	5	10	1	0	0	17
S	2	5	5	9	4	0	25
SSW	0	2	10	4	1	0	17
SW	0	5	7	0	0	0	12
WSW	0	8	7	5	0	0	20
W	0	8	9	5	0	0	22
WNW	0	22	11	1	1	0	35
NW	0	5	12	1	0	0	18
NNW	0	2	0	0	0	0	2
Variable	0	0	0	0	0	0	0
Total	4	72	80	30	6	0	192

Hours of calm in this stability class: 0
 Hours of missing wind measurements in this stability class: 0
 Hours of missing stability measurements in all stability classes: 1

LaSalle County Generating Station

Period of Record: January - March 2008
 Stability Class - Extremely Stable - 200Ft-33Ft Delta-T (F)
 Winds Measured at 33 Feet

Wind Direction	Wind Speed (in mph)						Total
	1-3	4-7	8-12	13-18	19-24	> 24	
N	0	0	0	0	0	0	0
NNE	0	0	0	0	0	0	0
NE	0	0	0	0	0	0	0
ENE	0	0	0	0	0	0	0
E	0	1	0	0	0	0	1
ESE	0	1	0	0	0	0	1
SE	0	4	0	0	0	0	4
SSE	0	5	2	0	0	0	7
S	0	0	5	3	0	0	8
SSW	0	4	11	4	0	0	19
SW	0	6	12	1	0	0	19
WSW	0	4	3	1	0	0	8
W	0	2	4	0	0	0	6
WNW	0	7	1	0	0	0	8
NW	0	1	1	0	0	0	2
NNW	0	0	0	0	0	0	0
Variable	0	0	0	0	0	0	0
Total	0	35	39	9	0	0	83

Hours of calm in this stability class: 0
 Hours of missing wind measurements in this stability class: 0
 Hours of missing stability measurements in all stability classes: 1

LaSalle County Generating Station

Period of Record: January - March 2008
 Stability Class - Extremely Unstable - 375Ft-33Ft Delta-T (F)
 Winds Measured at 375 Feet

Wind Direction	Wind Speed (in mph)						Total
	1-3	4-7	8-12	13-18	19-24	> 24	
N	0	0	0	0	0	0	0
NNE	0	0	0	0	0	0	0
NE	0	0	0	0	0	0	0
ENE	0	0	0	0	0	0	0
E	0	0	0	0	0	0	0
ESE	0	0	0	0	0	0	0
SE	0	0	0	0	0	0	0
SSE	0	0	0	0	0	0	0
S	0	0	0	0	0	0	0
SSW	0	0	0	0	0	0	0
SW	0	0	0	0	0	0	0
WSW	0	0	0	0	0	0	0
W	0	0	0	0	0	0	0
WNW	0	0	0	0	0	0	0
NW	0	0	0	0	0	0	0
NNW	0	0	0	0	0	0	0
Variable	0	0	0	0	0	0	0
Total	0	0	0	0	0	0	0

Hours of calm in this stability class: 0
 Hours of missing wind measurements in this stability class: 0
 Hours of missing stability measurements in all stability classes: 1

LaSalle County Generating Station

Period of Record: January - March 2008
 Stability Class - Moderately Unstable - 375Ft-33Ft Delta-T (F)
 Winds Measured at 375 Feet

Wind Direction	Wind Speed (in mph)						Total
	1-3	4-7	8-12	13-18	19-24	> 24	
N	0	0	0	0	0	0	0
NNE	0	0	0	0	0	0	0
NE	0	0	0	0	0	0	0
ENE	0	0	0	0	0	0	0
E	0	0	0	0	0	0	0
ESE	0	0	0	0	0	0	0
SE	0	0	0	0	0	0	0
SSE	0	0	0	0	0	0	0
S	0	0	0	0	0	3	3
SSW	0	0	0	0	0	0	0
SW	0	0	0	0	0	0	0
WSW	0	0	0	0	0	0	0
W	0	0	0	0	0	0	0
WNW	0	0	0	0	0	0	0
NW	0	0	0	0	0	0	0
NNW	0	0	0	0	0	0	0
Variable	0	0	0	0	0	0	0
Total	0	0	0	0	0	3	3

Hours of calm in this stability class: 0
 Hours of missing wind measurements in this stability class: 0
 Hours of missing stability measurements in all stability classes: 1

LaSalle County Generating Station

Period of Record: January - March 2008
 Stability Class - Slightly Unstable - 375Ft-33Ft Delta-T (F)
 Winds Measured at 375 Feet

Wind Direction	Wind Speed (in mph)						Total
	1-3	4-7	8-12	13-18	19-24	> 24	
N	0	0	0	0	0	0	0
NNE	0	0	1	0	1	0	2
NE	0	0	0	1	0	4	5
ENE	0	0	0	0	0	0	0
E	0	0	0	0	0	0	0
ESE	0	0	0	0	2	0	2
SE	0	0	0	1	0	0	1
SSE	0	0	0	0	0	0	0
S	0	0	0	0	0	2	2
SSW	0	0	0	0	0	0	0
SW	0	0	0	0	0	0	0
WSW	0	0	0	0	1	1	2
W	0	0	0	0	0	0	0
WNW	0	0	0	0	0	1	1
NW	0	0	0	0	0	0	0
NNW	0	0	0	0	0	0	0
Variable	0	0	0	0	0	0	0
Total	0	0	1	2	4	8	15

Hours of calm in this stability class: 0
 Hours of missing wind measurements in this stability class: 1
 Hours of missing stability measurements in all stability classes: 1

LaSalle County Generating Station

Period of Record: January - March 2008
 Stability Class - Neutral - 375Ft-33Ft Delta-T (F)
 Winds Measured at 375 Feet

Wind Direction	Wind Speed (in mph)						Total
	1-3	4-7	8-12	13-18	19-24	> 24	
N	0	4	20	27	34	2	87
NNE	1	5	25	48	25	6	110
NE	0	6	16	13	13	13	61
ENE	0	3	10	20	28	14	75
E	1	1	6	17	16	11	52
ESE	1	2	6	17	20	6	52
SE	0	1	6	12	8	2	29
SSE	1	2	4	14	12	2	35
S	1	6	5	10	22	22	66
SSW	0	3	9	13	20	28	73
SW	2	3	11	14	12	15	57
WSW	0	17	14	13	9	3	56
W	1	9	26	26	35	38	135
WNW	2	8	17	39	71	73	210
NW	1	5	29	47	34	9	125
NNW	0	5	15	26	24	6	76
Variable	0	0	0	0	0	0	0
Total	11	80	219	356	383	250	1299

Hours of calm in this stability class: 0
 Hours of missing wind measurements in this stability class: 59
 Hours of missing stability measurements in all stability classes: 1

LaSalle County Generating Station

Period of Record: January - March 2008
 Stability Class - Slightly Stable - 375Ft-33Ft Delta-T (F)
 Winds Measured at 375 Feet

Wind Direction	Wind Speed (in mph)						Total
	1-3	4-7	8-12	13-18	19-24	> 24	
N	0	0	3	6	1	0	10
NNE	0	0	6	11	0	0	17
NE	0	0	4	6	1	0	11
ENE	1	0	0	7	1	0	9
E	0	2	1	8	9	5	25
ESE	1	1	0	4	7	10	23
SE	1	0	0	3	2	6	12
SSE	2	2	4	13	18	11	50
S	0	2	3	11	10	57	83
SSW	0	6	3	11	8	78	106
SW	1	1	5	4	4	7	22
WSW	1	1	4	0	5	4	15
W	2	3	13	6	7	25	56
WNW	1	3	10	9	7	53	83
NW	0	3	8	22	19	6	58
NNW	0	3	2	7	0	0	12
Variable	0	0	0	0	0	0	0
Total	10	27	66	128	99	262	592

Hours of calm in this stability class: 0
 Hours of missing wind measurements in this stability class: 1
 Hours of missing stability measurements in all stability classes: 1

LaSalle County Generating Station

Period of Record: January - March 2008
 Stability Class - Moderately Stable - 375Ft-33Ft Delta-T (F)
 Winds Measured at 375 Feet

Wind Direction	Wind Speed (in mph)						Total
	1-3	4-7	8-12	13-18	19-24	> 24	
N	0	1	1	0	1	0	3
NNE	0	0	0	1	0	0	1
NE	0	0	0	0	0	0	0
ENE	0	0	0	0	0	0	0
E	0	0	2	0	2	0	4
ESE	0	1	0	0	0	3	4
SE	0	0	1	1	1	3	6
SSE	0	1	1	2	4	4	12
S	0	0	3	2	0	18	23
SSW	0	1	0	1	3	16	21
SW	0	0	1	2	2	1	6
WSW	0	1	4	6	5	7	23
W	0	1	3	6	4	7	21
WNW	0	0	2	8	0	2	12
NW	0	1	4	9	9	2	25
NNW	0	0	0	3	5	0	8
Variable	0	0	0	0	0	0	0
Total	0	7	22	41	36	63	169

Hours of calm in this stability class: 0
 Hours of missing wind measurements in this stability class: 0
 Hours of missing stability measurements in all stability classes: 1

LaSalle County Generating Station

Period of Record: January - March 2008
 Stability Class - Extremely Stable - 375Ft-33Ft Delta-T (F)
 Winds Measured at 375 Feet

Wind Direction	Wind Speed (in mph)						Total
	1-3	4-7	8-12	13-18	19-24	> 24	
N	1	0	0	1	0	0	2
NNE	0	0	0	0	0	0	0
NE	0	0	0	0	0	0	0
ENE	0	0	0	0	0	0	0
E	0	0	0	0	0	0	0
ESE	0	0	0	0	0	0	0
SE	0	0	0	0	0	0	0
SSE	0	0	0	0	0	0	0
S	1	0	0	1	1	2	5
SSW	0	0	1	2	1	14	18
SW	0	0	2	2	5	0	9
WSW	0	0	1	3	0	0	4
W	0	0	0	1	0	0	1
WNW	0	0	0	0	1	0	1
NW	0	0	0	0	0	0	0
NNW	1	0	0	1	2	0	4
Variable	0	0	0	0	0	0	0
Total	3	0	4	11	10	16	44

Hours of calm in this stability class: 0
 Hours of missing wind measurements in this stability class: 0
 Hours of missing stability measurements in all stability classes: 1

LaSalle County Generating Station

Period of Record: April - June 2008
 Stability Class - Extremely Unstable - 200Ft-33Ft Delta-T (F)
 Winds Measured at 33 Feet

Wind Direction	Wind Speed (in mph)						Total
	1-3	4-7	8-12	13-18	19-24	> 24	
N	0	0	0	0	0	0	0
NNE	0	0	0	0	0	0	0
NE	0	0	0	0	0	0	0
ENE	0	0	0	0	0	1	1
E	0	0	0	0	0	1	1
ESE	0	0	0	1	0	0	1
SE	0	1	0	0	0	0	1
SSE	0	0	3	2	0	0	5
S	0	1	0	2	3	6	12
SSW	0	0	1	5	10	3	19
SW	0	0	1	0	1	1	3
WSW	0	0	1	0	4	1	6
W	0	0	0	3	0	1	4
WNW	0	1	5	5	0	0	11
NW	0	0	4	1	0	0	5
NNW	0	0	0	0	0	0	0
Variable	0	0	0	0	0	0	0
Total	0	3	15	19	18	14	69

Hours of calm in this stability class: 0
 Hours of missing wind measurements in this stability class: 0
 Hours of missing stability measurements in all stability classes: 3

LaSalle County Generating Station

Period of Record: April - June 2008
 Stability Class - Moderately Unstable - 200Ft-33Ft Delta-T (F)
 Winds Measured at 33 Feet

Wind Direction	Wind Speed (in mph)						Total
	1-3	4-7	8-12	13-18	19-24	> 24	
N	0	0	3	4	0	0	7
NNE	0	0	0	0	0	0	0
NE	0	0	0	0	0	0	0
ENE	0	0	0	5	1	1	7
E	0	1	0	0	2	2	5
ESE	0	1	1	1	0	4	7
SE	0	0	1	0	0	0	1
SSE	0	0	2	6	0	1	9
S	0	0	1	3	3	3	10
SSW	0	0	3	4	3	2	12
SW	0	1	4	1	2	2	10
WSW	0	0	2	8	4	0	14
W	0	0	1	8	0	1	10
WNW	1	0	7	13	4	0	25
NW	0	0	3	6	1	0	10
NNW	0	1	1	4	0	0	6
Variable	0	0	0	0	0	0	0
Total	1	4	29	63	20	16	133

Hours of calm in this stability class: 0
 Hours of missing wind measurements in this stability class: 0
 Hours of missing stability measurements in all stability classes: 3

LaSalle County Generating Station

Period of Record: April - June 2008
 Stability Class - Slightly Unstable - 200Ft-33Ft Delta-T (F)
 Winds Measured at 33 Feet

Wind Direction	Wind Speed (in mph)						Total
	1-3	4-7	8-12	13-18	19-24	> 24	
N	0	4	8	0	0	0	12
NNE	0	0	11	3	0	0	14
NE	0	0	1	2	0	0	3
ENE	0	0	3	5	3	0	11
E	0	0	2	1	0	0	3
ESE	0	0	2	0	3	0	5
SE	0	0	0	3	6	1	10
SSE	0	0	2	5	0	0	7
S	0	0	3	3	4	3	13
SSW	0	0	5	7	4	3	19
SW	0	4	6	1	2	0	13
WSW	0	1	10	12	7	1	31
W	0	0	4	6	3	0	13
WNW	0	1	5	8	1	0	15
NW	0	2	6	11	0	0	19
NNW	0	0	7	18	0	0	25
Variable	0	0	0	0	0	0	0
Total	0	12	75	85	33	8	213

Hours of calm in this stability class: 0
 Hours of missing wind measurements in this stability class: 0
 Hours of missing stability measurements in all stability classes: 3

LaSalle County Generating Station

Period of Record: April - June 2008
 Stability Class - Neutral - 200Ft-33Ft Delta-T (F)
 Winds Measured at 33 Feet

Wind Direction	Wind Speed (in mph)						Total
	1-3	4-7	8-12	13-18	19-24	> 24	
N	0	28	15	2	3	0	48
NNE	0	21	12	3	1	0	37
NE	1	9	28	33	1	0	72
ENE	0	4	11	27	7	4	53
E	1	6	12	14	1	1	35
ESE	2	5	9	5	1	1	23
SE	0	5	16	4	3	6	34
SSE	0	7	6	10	1	0	24
S	0	5	12	18	20	3	58
SSW	0	7	10	17	8	4	46
SW	3	6	12	14	8	8	51
WSW	1	6	22	16	6	4	55
W	0	15	15	13	16	6	65
WNW	0	12	20	15	12	0	59
NW	1	9	32	25	2	0	69
NNW	0	6	29	22	5	0	62
Variable	0	0	0	0	0	0	0
Total	9	151	261	238	95	37	791

Hours of calm in this stability class: 0
 Hours of missing wind measurements in this stability class: 0
 Hours of missing stability measurements in all stability classes: 3

LaSalle County Generating Station

Period of Record: April - June 2008
 Stability Class - Slightly Stable - 200Ft-33Ft Delta-T (F)
 Winds Measured at 33 Feet

Wind Direction	Wind Speed (in mph)						Total
	1-3	4-7	8-12	13-18	19-24	> 24	
N	0	22	5	0	0	0	27
NNE	1	15	6	1	0	0	23
NE	1	3	14	1	0	0	19
ENE	0	7	7	7	0	0	21
E	0	6	13	2	0	0	21
ESE	0	7	11	7	7	0	32
SE	0	6	8	5	0	0	19
SSE	0	2	6	14	1	0	23
S	1	8	12	36	7	0	64
SSW	0	6	22	46	4	0	78
SW	0	4	16	7	1	1	29
WSW	4	10	15	11	1	0	41
W	3	10	13	3	5	1	35
WNW	2	7	7	5	9	2	32
NW	0	16	4	2	0	0	22
NNW	1	10	8	1	0	0	20
Variable	0	0	0	0	0	0	0
Total	13	139	167	148	35	4	506

Hours of calm in this stability class: 0
 Hours of missing wind measurements in this stability class: 0
 Hours of missing stability measurements in all stability classes: 3

LaSalle County Generating Station

Period of Record: April - June 2008
 Stability Class - Moderately Stable - 200Ft-33Ft Delta-T (F)
 Winds Measured at 33 Feet

Wind Direction	Wind Speed (in mph)						Total
	1-3	4-7	8-12	13-18	19-24	> 24	
N	0	2	0	0	0	0	2
NNE	1	4	0	0	0	0	5
NE	0	3	0	0	0	0	3
ENE	1	2	0	0	0	0	3
E	1	13	13	0	0	0	27
ESE	0	4	13	1	0	0	18
SE	2	3	14	0	0	0	19
SSE	1	5	4	0	0	0	10
S	1	7	11	2	0	0	21
SSW	0	6	14	2	0	0	22
SW	1	7	8	9	0	0	25
WSW	1	10	10	3	0	0	24
W	2	13	10	0	0	0	25
WNW	4	32	5	0	0	0	41
NW	0	4	5	0	0	0	9
NNW	0	5	0	0	0	0	5
Variable	0	0	0	0	0	0	0
Total	15	120	107	17	0	0	259

Hours of calm in this stability class: 1
 Hours of missing wind measurements in this stability class: 0
 Hours of missing stability measurements in all stability classes: 3

LaSalle County Generating Station

Period of Record: April - June 2008
 Stability Class - Extremely Stable - 200Ft-33Ft Delta-T (F)
 Winds Measured at 33 Feet

Wind Direction	Wind Speed (in mph)						Total
	1-3	4-7	8-12	13-18	19-24	> 24	
N	0	0	0	0	0	0	0
NNE	0	0	0	0	0	0	0
NE	0	0	0	0	0	0	0
ENE	0	1	0	0	0	0	1
E	0	2	0	0	0	0	2
ESE	0	10	3	0	0	0	13
SE	1	10	13	0	0	0	24
SSE	0	13	10	0	0	0	23
S	0	11	4	0	0	0	15
SSW	0	6	13	0	0	0	19
SW	0	10	19	0	0	0	29
WSW	1	11	17	0	0	0	29
W	0	15	10	0	0	0	25
WNW	0	21	1	0	0	0	22
NW	0	7	0	0	0	0	7
NNW	0	0	0	0	0	0	0
Variable	0	0	0	0	0	0	0
Total	2	117	90	0	0	0	209

Hours of calm in this stability class: 0
 Hours of missing wind measurements in this stability class: 0
 Hours of missing stability measurements in all stability classes: 3

LaSalle County Generating Station

Period of Record: April - June 2008
 Stability Class - Extremely Unstable - 375Ft-33Ft Delta-T (F)
 Winds Measured at 375 Feet

Wind Direction	Wind Speed (in mph)						Total
	1-3	4-7	8-12	13-18	19-24	> 24	
N	0	0	0	0	0	0	0
NNE	0	0	0	0	0	0	0
NE	0	0	0	0	0	0	0
ENE	0	0	0	0	0	0	0
E	0	0	0	0	0	0	0
ESE	0	0	0	0	0	0	0
SE	0	0	0	0	0	0	0
SSE	0	0	0	0	0	0	0
S	0	0	0	0	0	1	1
SSW	0	0	0	0	0	2	2
SW	0	0	0	0	0	0	0
WSW	0	0	0	0	0	0	0
W	0	0	0	0	0	0	0
WNW	0	0	0	0	0	0	0
NW	0	0	0	0	0	0	0
NNW	0	0	0	0	0	0	0
Variable	0	0	0	0	0	0	0
Total	0	0	0	0	0	3	3

Hours of calm in this stability class: 0
 Hours of missing wind measurements in this stability class: 0
 Hours of missing stability measurements in all stability classes: 3

LaSalle County Generating Station

Period of Record: April - June 2008
 Stability Class - Moderately Unstable - 375Ft-33Ft Delta-T (F)
 Winds Measured at 375 Feet

Wind Direction	Wind Speed (in mph)						Total
	1-3	4-7	8-12	13-18	19-24	> 24	
N	0	0	0	0	0	0	0
NNE	0	0	0	0	0	0	0
NE	0	0	0	0	0	0	0
ENE	0	0	0	0	0	0	0
E	0	0	0	0	0	0	0
ESE	0	0	0	0	0	0	0
SE	0	0	0	0	0	0	0
SSE	0	0	0	0	0	0	0
S	0	0	0	0	0	4	4
SSW	0	0	0	0	2	3	5
SW	0	0	0	0	0	0	0
WSW	0	0	0	0	1	2	3
W	0	0	0	0	0	0	0
WNW	0	0	1	0	0	0	1
NW	0	0	0	0	0	0	0
NNW	0	0	0	0	0	0	0
Variable	0	0	0	0	0	0	0
Total	0	0	1	0	3	9	13

Hours of calm in this stability class: 0
 Hours of missing wind measurements in this stability class: 0
 Hours of missing stability measurements in all stability classes: 3

LaSalle County Generating Station

Period of Record: April - June 2008
 Stability Class - Slightly Unstable - 375Ft-33Ft Delta-T (F)
 Winds Measured at 375 Feet

Wind Direction	Wind Speed (in mph)						Total
	1-3	4-7	8-12	13-18	19-24	> 24	
N	0	0	0	0	0	0	0
NNE	0	0	0	0	0	0	0
NE	0	0	0	0	0	0	0
ENE	0	0	0	2	1	1	4
E	0	0	0	0	0	0	0
ESE	0	0	0	1	0	0	1
SE	0	0	1	0	0	0	1
SSE	0	0	2	5	2	0	9
S	0	1	0	4	2	9	16
SSW	0	0	1	0	1	5	7
SW	0	0	0	0	1	2	3
WSW	0	0	0	1	2	4	7
W	0	0	2	0	3	1	6
WNW	0	0	2	1	0	0	3
NW	0	0	1	1	0	0	2
NNW	0	0	0	0	0	0	0
Variable	0	0	0	0	0	0	0
Total	0	1	9	15	12	22	59

Hours of calm in this stability class: 0
 Hours of missing wind measurements in this stability class: 0
 Hours of missing stability measurements in all stability classes: 3

LaSalle County Generating Station

Period of Record: April - June 2008
 Stability Class - Neutral - 375Ft-33Ft Delta-T (F)
 Winds Measured at 375 Feet

Wind Direction	Wind Speed (in mph)						Total
	1-3	4-7	8-12	13-18	19-24	> 24	
N	0	13	16	20	5	3	57
NNE	0	8	14	19	20	4	65
NE	1	1	12	18	36	15	83
ENE	1	3	6	12	22	11	55
E	2	4	5	13	6	7	37
ESE	0	2	11	6	2	12	33
SE	1	4	12	8	15	7	47
SSE	0	2	9	18	7	5	41
S	0	1	7	7	25	47	87
SSW	0	7	16	9	16	40	88
SW	0	6	14	14	15	18	67
WSW	0	5	12	40	22	22	101
W	0	12	13	12	16	21	74
WNW	0	7	22	25	41	14	109
NW	0	7	17	43	35	7	109
NNW	0	6	16	23	19	5	69
Variable	0	0	0	0	0	0	0
Total	5	88	202	287	302	238	1122

Hours of calm in this stability class: 0
 Hours of missing wind measurements in this stability class: 0
 Hours of missing stability measurements in all stability classes: 3

LaSalle County Generating Station

Period of Record: April - June 2008
 Stability Class - Slightly Stable - 375Ft-33Ft Delta-T (F)
 Winds Measured at 375 Feet

Wind Direction	Wind Speed (in mph)						Total
	1-3	4-7	8-12	13-18	19-24	> 24	
N	0	4	7	12	6	0	29
NNE	0	3	10	11	3	0	27
NE	0	3	9	7	5	0	24
ENE	0	1	9	8	12	2	32
E	0	0	4	9	5	1	19
ESE	0	1	3	3	8	14	29
SE	0	0	7	4	2	11	24
SSE	0	1	4	5	7	11	28
S	1	2	4	4	9	46	66
SSW	0	1	6	5	16	68	96
SW	0	1	3	6	11	22	43
WSW	1	3	6	11	9	13	43
W	0	3	6	8	14	17	48
WNW	0	2	6	16	11	11	46
NW	0	6	12	9	6	2	35
NNW	2	5	2	11	8	0	28
Variable	0	0	0	0	0	0	0
Total	4	36	98	129	132	218	617

Hours of calm in this stability class: 0
 Hours of missing wind measurements in this stability class: 0
 Hours of missing stability measurements in all stability classes: 3

LaSalle County Generating Station

Period of Record: April - June 2008
 Stability Class - Moderately Stable - 375Ft-33Ft Delta-T (F)
 Winds Measured at 375 Feet

Wind Direction	Wind Speed (in mph)						Total
	1-3	4-7	8-12	13-18	19-24	> 24	
N	0	2	2	3	0	0	7
NNE	0	3	0	0	0	0	3
NE	0	0	1	1	0	0	2
ENE	0	0	0	0	0	0	0
E	0	0	0	8	1	1	10
ESE	0	0	3	7	3	5	18
SE	0	0	3	9	8	5	25
SSE	0	0	0	7	4	8	19
S	0	0	0	6	5	11	22
SSW	0	1	0	2	4	10	17
SW	0	1	1	6	9	13	30
WSW	0	1	5	7	4	3	20
W	0	2	6	6	11	2	27
WNW	0	2	4	15	11	1	33
NW	0	2	3	10	7	0	22
NNW	0	3	4	11	1	0	19
Variable	0	0	0	0	0	0	0
Total	0	17	32	98	68	59	274

Hours of calm in this stability class: 0
 Hours of missing wind measurements in this stability class: 0
 Hours of missing stability measurements in all stability classes: 3

LaSalle County Generating Station

Period of Record: April - June 2008
 Stability Class - Extremely Stable - 375Ft-33Ft Delta-T (F)
 Winds Measured at 375 Feet

Wind Direction	Wind Speed (in mph)						Total
	1-3	4-7	8-12	13-18	19-24	> 24	
N	0	0	0	0	0	0	0
NNE	0	0	0	0	0	0	0
NE	0	0	0	0	0	0	0
ENE	0	0	0	0	0	0	0
E	0	0	0	0	0	0	0
ESE	0	0	0	2	1	0	3
SE	0	0	0	0	2	7	9
SSE	0	0	0	0	3	11	14
S	0	0	0	4	1	11	16
SSW	0	0	1	6	2	1	10
SW	0	1	1	4	0	3	9
WSW	0	0	0	1	5	6	12
W	0	0	2	2	5	2	11
WNW	0	1	1	1	3	0	6
NW	0	1	0	0	0	2	3
NNW	0	0	0	0	0	0	0
Variable	0	0	0	0	0	0	0
Total	0	3	5	20	22	43	93

Hours of calm in this stability class: 0
 Hours of missing wind measurements in this stability class: 0
 Hours of missing stability measurements in all stability classes: 3

LaSalle County Generating Station

Period of Record: July - September 2008

Stability Class - Extremely Unstable - 200Ft-33Ft Delta-T (F)

Winds Measured at 33 Feet

Wind Direction	Wind Speed (in mph)						Total
	1-3	4-7	8-12	13-18	19-24	> 24	
N	0	1	3	0	0	0	4
NNE	0	0	0	0	0	0	0
NE	0	0	0	0	0	0	0
ENE	0	0	0	0	0	0	0
E	0	0	0	0	0	0	0
ESE	0	0	0	0	0	0	0
SE	0	0	0	0	0	0	0
SSE	0	0	0	0	0	0	0
S	0	0	0	0	0	0	0
SSW	0	0	0	0	0	0	0
SW	0	3	2	3	1	0	9
WSW	0	1	7	1	2	0	11
W	0	0	7	4	0	0	11
WNW	0	0	7	3	0	0	10
NW	0	0	1	5	0	0	6
NNW	0	0	2	1	0	0	3
Variable	0	0	0	0	0	0	0
Total	0	5	29	17	3	0	54

Hours of calm in this stability class: 0
 Hours of missing wind measurements in this stability class: 0
 Hours of missing stability measurements in all stability classes: 0

LaSalle County Generating Station

Period of Record: July - September 2008
 Stability Class - Moderately Unstable - 200Ft-33Ft Delta-T (F)
 Winds Measured at 33 Feet

Wind Direction	Wind Speed (in mph)						Total
	1-3	4-7	8-12	13-18	19-24	> 24	
N	0	1	10	0	0	0	11
NNE	0	3	1	0	0	0	4
NE	0	0	6	0	0	0	6
ENE	0	0	1	0	0	0	1
E	0	0	1	0	0	0	1
ESE	0	0	2	0	0	0	2
SE	0	0	2	0	0	0	2
SSE	0	0	0	1	0	0	1
S	0	0	3	1	0	0	4
SSW	0	3	5	0	0	0	8
SW	0	4	15	4	0	0	23
WSW	0	5	18	1	0	0	24
W	0	1	23	2	0	0	26
WNW	0	4	21	3	0	0	28
NW	0	1	5	0	0	0	6
NNW	0	1	3	2	0	0	6
Variable	0	0	0	0	0	0	0
Total	0	23	116	14	0	0	153

Hours of calm in this stability class: 0
 Hours of missing wind measurements in this stability class: 0
 Hours of missing stability measurements in all stability classes: 0

LaSalle County Generating Station

Period of Record: July - September 2008
 Stability Class - Slightly Unstable - 200Ft-33Ft Delta-T (F)
 Winds Measured at 33 Feet

Wind Direction	Wind Speed (in mph)						Total
	1-3	4-7	8-12	13-18	19-24	> 24	
N	0	7	16	0	0	0	23
NNE	0	8	5	0	0	0	13
NE	0	2	7	0	0	0	9
ENE	0	1	8	1	0	0	10
E	0	0	6	0	0	0	6
ESE	0	3	2	0	0	0	5
SE	0	1	5	2	0	0	8
SSE	0	2	3	1	0	0	6
S	0	4	7	2	0	0	13
SSW	0	5	8	0	0	0	13
SW	0	8	13	4	0	0	25
WSW	0	4	10	4	1	0	19
W	0	6	26	4	0	0	36
WNW	0	6	17	2	0	0	25
NW	0	2	9	0	0	0	11
NNW	0	7	19	5	0	0	31
Variable	0	0	0	0	0	0	0
Total	0	66	161	25	1	0	253

Hours of calm in this stability class: 0
 Hours of missing wind measurements in this stability class: 0
 Hours of missing stability measurements in all stability classes: 0

LaSalle County Generating Station

Period of Record: July - September 2008

Stability Class - Neutral - 200Ft-33Ft Delta-T (F)

Winds Measured at 33 Feet

Wind Direction	Wind Speed (in mph)						Total
	1-3	4-7	8-12	13-18	19-24	> 24	
N	1	33	17	3	0	0	54
NNE	2	33	7	0	0	0	42
NE	0	22	32	6	0	0	60
ENE	0	23	32	7	0	0	62
E	0	20	17	3	0	0	40
ESE	1	12	12	0	0	0	25
SE	1	24	18	1	0	0	44
SSE	0	28	18	0	0	0	46
S	0	10	24	1	0	0	35
SSW	1	10	7	4	0	0	22
SW	0	16	29	5	0	0	50
WSW	2	12	11	7	1	0	33
W	0	15	15	1	1	0	32
WNW	2	17	12	5	2	0	38
NW	0	8	16	6	0	0	30
NNW	0	13	20	2	1	0	36
Variable	0	0	0	0	0	0	0
Total	10	296	287	51	5	0	649

Hours of calm in this stability class: 0
 Hours of missing wind measurements in this stability class: 0
 Hours of missing stability measurements in all stability classes: 0

LaSalle County Generating Station

Period of Record: July - September 2008
 Stability Class - Slightly Stable - 200Ft-33Ft Delta-T (F)
 Winds Measured at 33 Feet

Wind Direction	Wind Speed (in mph)						Total
	1-3	4-7	8-12	13-18	19-24	> 24	
N	1	23	3	1	0	0	28
NNE	3	23	1	0	0	0	27
NE	3	9	16	0	0	0	28
ENE	0	6	21	1	0	0	28
E	1	18	21	2	0	0	42
ESE	0	14	3	0	0	0	17
SE	3	14	2	0	0	0	19
SSE	2	16	6	0	0	0	24
S	2	9	12	1	0	0	24
SSW	3	16	15	1	0	0	35
SW	1	11	11	1	0	0	24
WSW	2	15	15	1	0	0	33
W	3	14	14	0	0	0	31
WNW	0	26	5	0	0	0	31
NW	2	27	5	1	0	0	35
NNW	1	16	3	0	0	0	20
Variable	0	0	0	0	0	0	0
Total	27	257	153	9	0	0	446

Hours of calm in this stability class: 0
 Hours of missing wind measurements in this stability class: 1
 Hours of missing stability measurements in all stability classes: 0

LaSalle County Generating Station

Period of Record: July - September 2008
 Stability Class - Moderately Stable - 200Ft-33Ft Delta-T (F)
 Winds Measured at 33 Feet

Wind Direction	Wind Speed (in mph)						Total
	1-3	4-7	8-12	13-18	19-24	> 24	
N	1	15	0	0	0	0	16
NNE	4	8	0	0	0	0	12
NE	1	3	1	0	0	0	5
ENE	0	3	0	0	0	0	3
E	0	18	10	0	0	0	28
ESE	0	32	3	0	0	0	35
SE	2	34	1	0	0	0	37
SSE	2	10	1	1	0	0	14
S	2	19	4	0	0	0	25
SSW	2	8	2	0	0	0	12
SW	2	18	0	0	0	0	20
WSW	0	15	13	0	0	0	28
W	5	10	2	0	0	0	17
WNW	4	14	2	0	0	0	20
NW	4	20	2	0	0	0	26
NNW	3	10	0	0	0	0	13
Variable	0	0	0	0	0	0	0
Total	32	237	41	1	0	0	311

Hours of calm in this stability class: 0
 Hours of missing wind measurements in this stability class: 0
 Hours of missing stability measurements in all stability classes: 0

LaSalle County Generating Station

Period of Record: July - September 2008
 Stability Class - Extremely Stable - 200Ft-33Ft Delta-T (F)
 Winds Measured at 33 Feet

Wind Direction	Wind Speed (in mph)						Total
	1-3	4-7	8-12	13-18	19-24	> 24	
N	3	2	0	0	0	0	5
NNE	1	1	0	0	0	0	2
NE	1	0	0	0	0	0	1
ENE	0	0	0	0	0	0	0
E	0	5	0	0	0	0	5
ESE	3	53	1	0	0	0	57
SE	0	29	0	0	0	0	29
SSE	0	18	1	0	0	0	19
S	2	22	0	0	0	0	24
SSW	0	36	11	0	0	0	47
SW	0	53	5	0	0	0	58
WSW	2	23	18	0	0	0	43
W	0	24	4	0	0	0	28
WNW	1	15	0	0	0	0	16
NW	1	3	0	0	0	0	4
NNW	1	2	0	0	0	0	3
Variable	0	0	0	0	0	0	0
Total	15	286	40	0	0	0	341

Hours of calm in this stability class: 0
 Hours of missing wind measurements in this stability class: 0
 Hours of missing stability measurements in all stability classes: 0

LaSalle County Generating Station

Period of Record: July - September 2008

Stability Class - Extremely Unstable - 375Ft-33Ft Delta-T (F)

Winds Measured at 375 Feet

Wind Direction	Wind Speed (in mph)						Total
	1-3	4-7	8-12	13-18	19-24	> 24	
N	0	0	0	0	0	0	0
NNE	0	0	0	0	0	0	0
NE	0	0	0	0	0	0	0
ENE	0	0	0	0	0	0	0
E	0	0	0	0	0	0	0
ESE	0	0	0	0	0	0	0
SE	0	0	0	0	0	0	0
SSE	0	0	0	0	0	0	0
S	0	0	0	0	0	0	0
SSW	0	0	0	0	0	0	0
SW	0	0	0	0	0	0	0
WSW	0	0	0	0	0	0	0
W	0	0	0	0	0	0	0
WNW	0	0	0	0	0	0	0
NW	0	0	0	0	0	0	0
NNW	0	0	0	0	0	0	0
Variable	0	0	0	0	0	0	0
Total	0	0	0	0	0	0	0

Hours of calm in this stability class: 0
 Hours of missing wind measurements in this stability class: 0
 Hours of missing stability measurements in all stability classes: 0

LaSalle County Generating Station

Period of Record: July - September 2008

Stability Class - Moderately Unstable - 375Ft-33Ft Delta-T (F)

Winds Measured at 375 Feet

Wind Direction	Wind Speed (in mph)						Total
	1-3	4-7	8-12	13-18	19-24	> 24	
N	0	0	0	0	0	0	0
NNE	0	0	0	0	0	0	0
NE	0	0	0	0	0	0	0
ENE	0	0	0	0	0	0	0
E	0	0	0	0	0	0	0
ESE	0	0	0	0	0	0	0
SE	0	0	0	0	0	0	0
SSE	0	0	0	0	0	0	0
S	0	0	0	0	0	0	0
SSW	0	0	0	0	0	0	0
SW	0	0	0	0	0	0	0
WSW	0	0	0	0	0	0	0
W	0	0	0	1	0	0	1
WNW	0	0	0	0	0	0	0
NW	0	0	0	0	0	1	1
NNW	0	0	0	0	0	0	0
Variable	0	0	0	0	0	0	0
Total	0	0	0	1	0	1	2

Hours of calm in this stability class: 0
 Hours of missing wind measurements in this stability class: 0
 Hours of missing stability measurements in all stability classes: 0

LaSalle County Generating Station

Period of Record: July - September 2008
 Stability Class - Slightly Unstable - 375Ft-33Ft Delta-T (F)
 Winds Measured at 375 Feet

Wind Direction	Wind Speed (in mph)						Total
	1-3	4-7	8-12	13-18	19-24	> 24	
N	0	0	0	0	0	0	0
NNE	0	0	0	1	0	0	1
NE	0	0	0	4	0	0	4
ENE	0	0	0	1	0	0	1
E	0	0	0	0	0	0	0
ESE	0	0	0	0	0	0	0
SE	0	0	0	0	0	0	0
SSE	0	0	0	0	0	0	0
S	0	0	0	3	0	0	3
SSW	0	0	1	0	1	0	2
SW	0	0	1	1	2	4	8
WSW	0	0	1	7	0	0	8
W	0	0	5	5	0	0	10
WNW	0	0	5	0	0	0	5
NW	0	0	0	1	0	2	3
NNW	0	0	0	0	0	0	0
Variable	0	0	0	0	0	0	0
Total	0	0	13	23	3	6	45

Hours of calm in this stability class: 0
 Hours of missing wind measurements in this stability class: 0
 Hours of missing stability measurements in all stability classes: 0

LaSalle County Generating Station

Period of Record: July - September 2008

Stability Class - Neutral - 375Ft-33Ft Delta-T (F)
 Winds Measured at 375 Feet

Wind Direction	Wind Speed (in mph)						Total
	1-3	4-7	8-12	13-18	19-24	> 24	
N	0	16	34	22	5	2	79
NNE	0	11	31	14	4	0	60
NE	0	17	22	31	16	0	86
ENE	0	14	18	24	8	1	65
E	0	7	13	13	0	0	33
ESE	0	10	18	4	0	0	32
SE	0	22	14	11	3	0	50
SSE	0	14	18	11	0	0	43
S	1	10	19	27	5	0	62
SSW	0	2	14	11	12	4	43
SW	0	7	28	33	19	5	92
WSW	0	10	34	22	8	1	75
W	0	7	53	28	4	2	94
WNW	0	13	32	17	7	3	72
NW	0	4	21	32	13	0	70
NNW	0	9	32	25	4	0	70
Variable	0	0	0	0	0	0	0
Total	1	173	401	325	108	18	1026

Hours of calm in this stability class: 0
 Hours of missing wind measurements in this stability class: 1
 Hours of missing stability measurements in all stability classes: 0

LaSalle County Generating Station

Period of Record: July - September 2008
 Stability Class - Slightly Stable - 375Ft-33Ft Delta-T (F)
 Winds Measured at 375 Feet

Wind Direction	Wind Speed (in mph)						Total
	1-3	4-7	8-12	13-18	19-24	> 24	
N	0	6	1	11	5	1	24
NNE	2	6	8	14	1	0	31
NE	0	3	3	30	4	0	40
ENE	1	2	11	28	4	1	47
E	1	3	6	16	12	2	40
ESE	0	7	5	11	11	0	34
SE	0	6	4	7	2	0	19
SSE	1	3	5	10	3	1	23
S	2	4	4	10	15	5	40
SSW	4	1	9	7	18	10	49
SW	0	5	8	11	3	4	31
WSW	0	5	5	7	12	1	30
W	0	4	10	14	13	2	43
WNW	2	3	9	17	6	4	41
NW	1	2	12	25	5	1	46
NNW	1	9	5	18	9	0	42
Variable	0	0	0	0	0	0	0
Total	15	69	105	236	123	32	580

Hours of calm in this stability class: 1
 Hours of missing wind measurements in this stability class: 0
 Hours of missing stability measurements in all stability classes: 0

LaSalle County Generating Station

Period of Record: July - September 2008
 Stability Class - Moderately Stable - 375Ft-33Ft Delta-T (F)
 Winds Measured at 375 Feet

Wind Direction	Wind Speed (in mph)						Total
	1-3	4-7	8-12	13-18	19-24	> 24	
N	1	5	5	7	1	0	19
NNE	0	4	7	6	0	0	17
NE	1	3	3	1	0	0	8
ENE	0	3	3	4	1	0	11
E	2	1	6	11	6	0	26
ESE	2	2	6	6	11	2	29
SE	1	1	5	17	8	11	43
SSE	0	5	8	11	5	3	32
S	1	7	6	11	5	1	31
SSW	0	1	5	5	3	4	18
SW	0	0	5	12	8	3	28
WSW	0	1	2	11	9	1	24
W	0	2	10	11	11	5	39
WNW	0	2	12	3	7	1	25
NW	1	1	7	6	2	0	17
NNW	0	1	5	7	2	0	15
Variable	0	0	0	0	0	0	0
Total	9	39	95	129	79	31	382

Hours of calm in this stability class: 0
 Hours of missing wind measurements in this stability class: 0
 Hours of missing stability measurements in all stability classes: 0

LaSalle County Generating Station

Period of Record: July - September 2008
 Stability Class - Extremely Stable - 375Ft-33Ft Delta-T (F)
 Winds Measured at 375 Feet

Wind Direction	Wind Speed (in mph)						Total
	1-3	4-7	8-12	13-18	19-24	> 24	
N	0	0	0	0	0	0	0
NNE	0	0	0	0	0	0	0
NE	0	0	0	0	0	0	0
ENE	0	1	2	0	0	0	3
E	0	0	2	1	0	0	3
ESE	0	0	1	3	8	2	14
SE	0	0	0	2	13	5	20
SSE	0	0	1	4	6	7	18
S	0	0	1	5	7	0	13
SSW	0	0	1	4	11	7	23
SW	0	0	2	3	11	6	22
WSW	0	0	0	5	9	1	15
W	0	0	7	1	6	5	19
WNW	0	1	2	8	7	0	18
NW	0	0	1	1	0	0	2
NNW	0	0	0	0	1	0	1
Variable	0	0	0	0	0	0	0
Total	0	2	20	37	79	33	171

Hours of calm in this stability class: 0
 Hours of missing wind measurements in this stability class: 0
 Hours of missing stability measurements in all stability classes: 0

LaSalle County Generating Station

Period of Record: October - December 2008

Stability Class - Extremely Unstable - 200Ft-33Ft Delta-T (F)
 Winds Measured at 33 Feet

Wind Direction	Wind Speed (in mph)						Total
	1-3	4-7	8-12	13-18	19-24	> 24	
N	0	0	1	0	0	0	1
NNE	0	0	0	0	0	0	0
NE	0	0	0	0	0	0	0
ENE	0	0	0	0	0	0	0
E	0	0	0	0	0	0	0
ESE	0	0	0	0	0	0	0
SE	0	0	0	0	2	0	2
SSE	0	0	0	1	0	0	1
S	0	0	0	0	0	0	0
SSW	0	0	0	0	0	0	0
SW	0	0	0	1	0	0	1
WSW	0	0	0	0	0	0	0
W	0	0	0	0	0	0	0
WNW	0	0	0	0	0	0	0
NW	0	0	1	0	0	0	1
NNW	0	0	0	0	4	0	4
Variable	0	0	0	0	0	0	0
Total	0	0	2	2	6	0	10

Hours of calm in this stability class: 0
 Hours of missing wind measurements in this stability class: 16
 Hours of missing stability measurements in all stability classes: 4

LaSalle County Generating Station

Period of Record: October - December 2008
 Stability Class - Moderately Unstable - 200Ft-33Ft Delta-T (F)
 Winds Measured at 33 Feet

Wind Direction	Wind Speed (in mph)						Total
	1-3	4-7	8-12	13-18	19-24	> 24	
N	0	1	2	2	0	0	5
NNE	0	0	0	0	0	0	0
NE	0	0	0	0	0	0	0
ENE	0	0	0	0	0	0	0
E	0	0	0	0	0	0	0
ESE	0	0	0	1	0	0	1
SE	0	0	0	1	0	0	1
SSE	0	0	0	1	0	0	1
S	0	0	0	1	0	0	1
SSW	0	0	1	3	2	0	6
SW	0	0	0	0	0	0	0
WSW	0	0	0	1	0	0	1
W	0	0	0	0	0	0	0
WNW	0	0	1	7	0	1	9
NW	0	0	2	0	0	0	2
NNW	0	1	2	2	4	0	9
Variable	0	0	0	0	0	0	0
Total	0	2	8	19	6	1	36

Hours of calm in this stability class: 0
 Hours of missing wind measurements in this stability class: 3
 Hours of missing stability measurements in all stability classes: 4

LaSalle County Generating Station

Period of Record: October - December 2008
 Stability Class - Slightly Unstable - 200Ft-33Ft Delta-T (F)
 Winds Measured at 33 Feet

Wind Direction	Wind Speed (in mph)						Total
	1-3	4-7	8-12	13-18	19-24	> 24	
N	0	0	3	7	0	0	10
NNE	0	0	2	2	0	0	4
NE	0	0	0	0	0	0	0
ENE	0	0	0	0	0	0	0
E	0	0	0	0	0	0	0
ESE	0	1	0	0	0	0	1
SE	0	0	0	2	0	0	2
SSE	0	0	1	0	0	0	1
S	0	0	4	0	1	0	5
SSW	0	0	5	11	2	0	18
SW	0	0	0	2	1	0	3
WSW	0	0	0	3	0	0	3
W	0	0	0	1	0	0	1
WNW	0	0	1	8	1	3	13
NW	0	1	1	1	0	0	3
NNW	0	0	0	4	3	0	7
Variable	0	0	0	0	0	0	0
Total	0	2	17	41	8	3	71

Hours of calm in this stability class: 0
 Hours of missing wind measurements in this stability class: 3
 Hours of missing stability measurements in all stability classes: 4

LaSalle County Generating Station

Period of Record: October - December 2008
 Stability Class - Neutral - 200Ft-33Ft Delta-T (F)
 Winds Measured at 33 Feet

Wind Direction	Wind Speed (in mph)						Total
	1-3	4-7	8-12	13-18	19-24	> 24	
N	0	22	30	24	1	0	77
NNE	1	10	5	0	0	0	16
NE	0	13	5	0	0	0	18
ENE	1	16	13	13	0	0	43
E	0	5	16	8	0	0	29
ESE	0	2	19	25	7	1	54
SE	0	5	15	17	0	0	37
SSE	0	3	9	5	1	0	18
S	0	3	27	13	9	6	58
SSW	0	12	25	31	4	0	72
SW	0	4	30	12	1	0	47
WSW	1	8	18	22	5	1	55
W	1	10	21	22	2	2	58
WNW	0	10	58	66	18	10	162
NW	0	6	29	37	10	0	82
NNW	0	15	45	72	14	0	146
Variable	0	0	0	0	0	0	0
Total	4	144	365	367	72	20	972

Hours of calm in this stability class: 1
 Hours of missing wind measurements in this stability class: 59
 Hours of missing stability measurements in all stability classes: 4

LaSalle County Generating Station

Period of Record: October - December 2008

Stability Class - Slightly Stable - 200Ft-33Ft Delta-T (F)
 Winds Measured at 33 Feet

Wind Direction	Wind Speed (in mph)						Total
	1-3	4-7	8-12	13-18	19-24	> 24	
N	2	15	4	1	0	0	22
NNE	2	7	2	0	0	0	11
NE	0	3	3	0	0	0	6
ENE	0	4	10	1	0	0	15
E	0	7	18	12	0	0	37
ESE	1	8	12	17	1	0	39
SE	0	8	2	5	0	0	15
SSE	0	10	5	1	3	0	19
S	1	10	17	12	21	10	71
SSW	1	9	10	21	16	1	58
SW	2	6	16	14	3	0	41
WSW	2	1	4	11	3	4	25
W	3	6	4	4	7	3	27
WNW	0	6	15	14	20	14	69
NW	2	7	26	3	0	0	38
NNW	3	7	16	4	0	0	30
Variable	0	0	0	0	0	0	0
Total	19	114	164	120	74	32	523

Hours of calm in this stability class: 0
 Hours of missing wind measurements in this stability class: 28
 Hours of missing stability measurements in all stability classes: 4

LaSalle County Generating Station

Period of Record: October - December 2008
 Stability Class - Moderately Stable - 200Ft-33Ft Delta-T (F)
 Winds Measured at 33 Feet

Wind Direction	Wind Speed (in mph)						Total
	1-3	4-7	8-12	13-18	19-24	> 24	
N	1	9	0	0	0	0	10
NNE	0	1	0	0	0	0	1
NE	0	1	0	0	0	0	1
ENE	1	1	2	0	0	0	4
E	0	10	16	1	0	0	27
ESE	2	6	8	0	0	0	16
SE	0	9	2	0	0	0	11
SSE	1	14	6	3	0	0	24
S	1	7	10	5	0	0	23
SSW	0	3	18	5	0	0	26
SW	1	1	11	5	0	0	18
WSW	0	4	4	0	0	0	8
W	1	2	14	8	0	0	25
WNW	1	18	8	3	0	0	30
NW	0	2	0	0	0	0	2
NNW	0	2	0	0	0	0	2
Variable	0	0	0	0	0	0	0
Total	9	90	99	30	0	0	228

Hours of calm in this stability class: 0
 Hours of missing wind measurements in this stability class: 22
 Hours of missing stability measurements in all stability classes: 4

LaSalle County Generating Station

Period of Record: October - December 2008
 Stability Class - Extremely Stable - 200Ft-33Ft Delta-T (F)
 Winds Measured at 33 Feet

Wind Direction	Wind Speed (in mph)						Total
	1-3	4-7	8-12	13-18	19-24	> 24	
N	0	5	0	0	0	0	5
NNE	0	1	0	0	0	0	1
NE	0	0	0	0	0	0	0
ENE	0	0	0	0	0	0	0
E	0	4	0	0	0	0	4
ESE	0	20	3	0	0	0	23
SE	0	9	3	0	0	0	12
SSE	0	16	14	0	0	0	30
S	1	13	25	0	0	0	39
SSW	0	9	20	0	0	0	29
SW	0	10	14	1	0	0	25
WSW	0	14	15	0	0	0	29
W	0	13	11	1	0	0	25
WNW	0	6	1	0	0	0	7
NW	0	0	0	0	0	0	0
NNW	0	1	0	0	0	0	1
Variable	0	0	0	0	0	0	0
Total	1	121	106	2	0	0	230

Hours of calm in this stability class: 0
 Hours of missing wind measurements in this stability class: 2
 Hours of missing stability measurements in all stability classes: 4

LaSalle County Generating Station

Period of Record: October - December 2008
 Stability Class - Extremely Unstable - 375Ft-33Ft Delta-T (F)
 Winds Measured at 375 Feet

Wind Direction	Wind Speed (in mph)						Total
	1-3	4-7	8-12	13-18	19-24	> 24	
N	0	0	0	0	0	0	0
NNE	0	0	0	0	0	0	0
NE	0	0	0	0	0	0	0
ENE	0	0	0	0	0	0	0
E	0	0	0	0	0	0	0
ESE	0	0	0	0	0	0	0
SE	0	0	0	0	0	0	0
SSE	0	0	0	0	0	0	0
S	0	0	0	0	0	0	0
SSW	0	0	0	0	0	0	0
SW	0	0	0	0	0	0	0
WSW	0	0	0	0	1	0	1
W	0	0	0	0	0	3	3
WNW	0	0	0	0	0	0	0
NW	0	0	0	0	0	0	0
NNW	0	0	0	0	0	0	0
Variable	0	0	0	0	0	0	0
Total	0	0	0	0	1	3	4

Hours of calm in this stability class: 0
 Hours of missing wind measurements in this stability class: 0
 Hours of missing stability measurements in all stability classes: 4

LaSalle County Generating Station

Period of Record: October - December 2008

Stability Class - Moderately Unstable - 375Ft-33Ft Delta-T (F)

Winds Measured at 375 Feet

Wind Direction	Wind Speed (in mph)						Total
	1-3	4-7	8-12	13-18	19-24	> 24	
N	0	0	0	0	0	0	0
NNE	0	0	0	0	0	0	0
NE	0	0	0	0	0	0	0
ENE	0	0	0	0	0	0	0
E	0	0	0	0	0	0	0
ESE	0	0	0	0	0	0	0
SE	0	0	0	0	0	0	0
SSE	0	0	0	0	0	0	0
S	0	0	0	0	0	0	0
SSW	0	0	0	0	0	0	0
SW	0	0	0	0	0	0	0
WSW	0	0	0	1	1	3	5
W	0	0	0	0	1	1	2
WNW	0	0	0	0	0	0	0
NW	0	0	0	0	0	0	0
NNW	0	0	0	0	0	0	0
Variable	0	0	0	0	0	0	0
Total	0	0	0	1	2	4	7

Hours of calm in this stability class: 0
 Hours of missing wind measurements in this stability class: 0
 Hours of missing stability measurements in all stability classes: 4

LaSalle County Generating Station

Period of Record: October - December 2008
 Stability Class - Slightly Unstable - 375Ft-33Ft Delta-T (F)
 Winds Measured at 375 Feet

Wind Direction	Wind Speed (in mph)						Total
	1-3	4-7	8-12	13-18	19-24	> 24	
N	0	0	0	3	1	0	4
NNE	0	0	0	0	0	0	0
NE	0	0	0	0	0	0	0
ENE	0	0	0	0	0	0	0
E	0	0	0	0	0	0	0
ESE	0	0	0	0	0	0	0
SE	0	0	0	0	1	0	1
SSE	0	0	0	1	0	0	1
S	0	0	0	0	0	0	0
SSW	0	0	0	0	0	0	0
SW	0	0	0	0	0	0	0
WSW	0	0	0	1	0	1	2
W	0	0	0	0	0	2	2
WNW	0	0	0	1	0	0	1
NW	0	0	1	2	0	0	3
NNW	0	0	0	0	0	3	3
Variable	0	0	0	0	0	0	0
Total	0	0	1	8	2	6	17

Hours of calm in this stability class: 0
 Hours of missing wind measurements in this stability class: 1
 Hours of missing stability measurements in all stability classes: 4

LaSalle County Generating Station

Period of Record: October - December 2008

Stability Class - Neutral - 375Ft-33Ft Delta-T (F)

Winds Measured at 375 Feet

Wind Direction	Wind Speed (in mph)						Total
	1-3	4-7	8-12	13-18	19-24	> 24	
N	1	3	17	16	28	3	68
NNE	0	7	5	7	3	0	22
NE	0	11	8	4	2	0	25
ENE	0	4	11	11	6	0	32
E	0	2	6	1	5	0	14
ESE	0	2	6	8	17	12	45
SE	0	1	4	16	22	10	53
SSE	0	1	6	8	7	1	23
S	0	4	9	21	16	22	72
SSW	0	1	3	33	33	12	82
SW	1	1	4	19	17	4	46
WSW	1	4	8	17	19	7	56
W	0	5	11	19	31	14	80
WNW	0	4	15	47	45	16	127
NW	0	2	20	25	49	27	123
NNW	0	3	26	22	59	18	128
Variable	0	0	0	0	0	0	0
Total	3	55	159	274	359	146	996

Hours of calm in this stability class: 0
 Hours of missing wind measurements in this stability class: 172
 Hours of missing stability measurements in all stability classes: 4

LaSalle County Generating Station

Period of Record: October - December 2008

Stability Class - Slightly Stable - 375Ft-33Ft Delta-T (F)
Winds Measured at 375 Feet

Wind Direction	Wind Speed (in mph)						Total
	1-3	4-7	8-12	13-18	19-24	> 24	
N	1	5	4	5	3	0	18
NNE	0	3	3	14	2	0	22
NE	0	2	1	6	0	0	9
ENE	0	1	5	8	3	2	19
E	0	0	3	5	11	14	33
ESE	0	3	0	7	9	18	37
SE	1	2	1	3	6	3	16
SSE	0	1	2	8	2	9	22
S	1	0	6	17	14	52	90
SSW	1	2	3	13	19	35	73
SW	1	0	5	8	18	25	57
WSW	1	4	2	1	1	4	13
W	3	2	8	8	3	17	41
WNW	2	0	7	8	25	32	74
NW	0	1	0	7	20	1	29
NNW	0	1	2	8	14	4	29
Variable	0	0	0	0	0	0	0
Total	11	27	52	126	150	216	582

Hours of calm in this stability class: 0
 Hours of missing wind measurements in this stability class: 44
 Hours of missing stability measurements in all stability classes: 4

LaSalle County Generating Station

Period of Record: October - December 2008
 Stability Class - Moderately Stable - 375Ft-33Ft Delta-T (F)
 Winds Measured at 375 Feet

Wind Direction	Wind Speed (in mph)						Total
	1-3	4-7	8-12	13-18	19-24	> 24	
N	0	1	2	1	0	0	4
NNE	0	0	2	3	0	0	5
NE	0	0	3	4	0	0	7
ENE	0	0	1	2	0	0	3
E	0	0	1	2	4	5	12
ESE	0	0	1	3	9	4	17
SE	0	1	1	5	2	0	9
SSE	1	0	0	5	2	12	20
S	0	0	0	6	8	31	45
SSW	0	0	1	4	6	17	28
SW	0	4	7	6	17	10	44
WSW	0	0	3	6	2	0	11
W	0	1	8	5	5	3	22
WNW	0	0	3	7	10	10	30
NW	0	0	0	6	2	0	8
NNW	0	0	0	3	2	0	5
Variable	0	0	0	0	0	0	0
Total	1	7	33	68	69	92	270

Hours of calm in this stability class: 0
 Hours of missing wind measurements in this stability class: 1
 Hours of missing stability measurements in all stability classes: 4

LaSalle County Generating Station

Period of Record: October - December 2008

Stability Class - Extremely Stable - 375Ft-33Ft Delta-T (F)

Winds Measured at 375 Feet

Wind Direction	Wind Speed (in mph)						Total
	1-3	4-7	8-12	13-18	19-24	> 24	
N	0	1	0	0	0	0	1
NNE	0	0	0	0	0	0	0
NE	0	0	0	0	0	0	0
ENE	0	0	0	0	0	0	0
E	0	0	0	0	0	0	0
ESE	0	0	0	1	0	3	4
SE	0	0	0	0	2	5	7
SSE	0	0	0	3	8	3	14
S	0	0	0	1	21	15	37
SSW	0	0	0	0	5	9	14
SW	1	0	1	0	1	4	7
WSW	0	0	1	0	0	0	1
W	0	1	3	0	5	7	16
WNW	0	0	4	1	0	1	6
NW	0	0	0	0	0	0	0
NNW	0	1	1	0	0	1	3
Variable	0	0	0	0	0	0	0
Total	1	3	10	6	42	48	110

Hours of calm in this stability class: 0
 Hours of missing wind measurements in this stability class: 0
 Hours of missing stability measurements in all stability classes: 4

APPENDIX G

ANNUAL RADIOLOGICAL GROUNDWATER PROTECTION PROGRAM REPORT (ARGPPR)

Docket No: 50-373
50-374

LASALLE COUNTY STATION UNITS 1 and 2

Annual Radiological
Groundwater Protection Program Report

1 January Through 31 December 2008

Prepared By

Teledyne Brown Engineering
Environmental Services

Exel nSM

Nuclear

LaSalle County Station
Marseilles, IL 61341

May 2009

Table Of Contents

I. Summary and Conclusions	1
II. Introduction.....	3
A. Objectives of the RGPP	3
B. Implementation of the Objectives	3
C. Program Description.....	4
D. Characteristics of Tritium (H-3)	4
III. Program Description.....	5
A. Sample Analysis	5
B. Data Interpretation	6
C. Background Analysis.....	7
1. Background Concentrations of Tritium	7
IV. Results and Discussion	9
A. Groundwater Results.....	9
B. Drinking Water Well Survey	10
C. Summary of Results – Inter-laboratory Comparison Program	10
D. Leaks, Spills, and Releases	11
E. Trends.....	11
F. Investigations	11
G. Actions Taken.....	11

Appendices

Appendix A Location Designation

Tables

Table A-1: LaSalle County Station Groundwater Monitoring Sample Point List

Figures

Figure A-1: LaSalle County Station Map of Groundwater Monitoring Sample Locations.

Appendix B Data Tables

Tables

Table B-I.1 Concentrations of Tritium and Strontium in Groundwater Samples Collected in the Vicinity of LaSalle County Station, 2008.

Table B-I.1 Concentrations of Gamma Emitters in Groundwater Samples Collected in the Vicinity of LaSalle County Station, 2008.

Table B-I.1 Concentrations of Tritium and Strontium in Surface Water Samples Collected in the Vicinity of LaSalle County Station, 2008.

Table B-II.1 Concentrations of Gamma Emitters in Surface Water Samples Collected in the Vicinity of LaSalle County Station, 2008.

I. Summary and Conclusions

In 2006, Exelon instituted a comprehensive program to evaluate the impact of station operations on groundwater and surface water in the vicinity of LaSalle County Station. This evaluation involved numerous station personnel and contractor support personnel. Baseline sampling efforts included the use of six surface water locations, two of which were already included in LaSalle's REMP sampling program, and seventeen groundwater well sampling locations. Following baseline sampling and subsequent recommendations, LaSalle's RGPP program now consists of the six surface water and nine groundwater well sampling locations. The results for LaSalle's RGPP sampling efforts in 2008 are included in this report.

This is the second in a series of annual reports on the status of the Radiological Groundwater Protection Program (RGPP) conducted at LaSalle County Station. This report covers groundwater and surface water samples, collected from the environment, both on and off station property in 2008. During that time period, 73 analyses were performed on 43 samples from 15 locations, (6 surface water and 9 ground water wells. The monitoring was conducted by Station personnel

In assessing all the data gathered for this report, it was concluded that the operation of LaSalle County Station had no adverse radiological impact on the environment, and there are no known active releases into the groundwater at LaSalle County Station.

The Station's on-going monitoring program consists of analyzing for tritium semi-annually, with gamma emitters and Strontium-89/90 analyzed on a biennial basis. As such, gamma emitting nuclides and Strontium-89/90 were evaluated in 2008.

In the case of tritium, Exelon specified that its laboratories achieve a lower limit of detection 10 times lower than that required by federal regulation.

Tritium was not detected in any of the groundwater or surface water samples at concentrations greater than the United States Environmental Protection Agency (USEPA) drinking water standard (and the Nuclear Regulatory Commission Reporting Limit) of 20,000 pCi/L. Low levels of tritium were detected at concentrations greater than the LLD of 200 pCi/L in 1 of 9 groundwater monitoring locations. The tritium concentrations ranged from 424 ± 122 pCi/L to 719 ± 133 pCi/L. No tritium was detected in the six surface water samples above the specified LLD. Elevated tritium levels (> 200 pCi/L) observed in the single well location are believed to be associated with the 2001 CY tank rupture as documented in the stations 10CFR50.75(g) report.

Gamma-emitting radionuclides associated with licensed plant operations were not detected at concentrations greater than their respective Lower Limits of Detection (LLDs) as specified in the Offsite Dose Calculation Manual (ODCM) in any of the groundwater or surface water samples. In the case of tritium, Exelon specified that its laboratories achieve a lower limit of detection 10 times lower than that required by federal regulation.

Strontium-90 was not detected at a concentration greater than the LLD of 2.0 picoCuries per liter (pCi/L) in any of the groundwater or surface water samples tested.

II. Introduction

The LaSalle County Station (LCS), consisting of two boiling water reactors, each rated for 3489 MWt, owned and operated by Exelon Corporation, is located in LaSalle County, Illinois. Unit No. 1 went critical on 16 March 1982. Unit No. 2 went critical on 02 December 1983. The site is located in northern Illinois, approximately 75 miles southwest of Chicago, Illinois.

This report covers those analyses performed by Teledyne Brown Engineering (TBE) and Environmental Inc. (Midwest Labs) on samples collected in 2008.

A. Objective of the RGPP

The long-term objectives of the RGPP are as follows:

1. Identify suitable locations to monitor and evaluate potential impacts from station operations before significant radiological impact to the environment and potential drinking water sources.
2. Understand the local hydrogeologic regime in the vicinity of the station and maintain up-to-date knowledge of flow patterns on the surface and shallow subsurface.
3. Perform routine water sampling and radiological analysis of water from selected locations.
4. Report new leaks, spills, or other detections with potential radiological significance to stakeholders in a timely manner.
5. Regularly assess analytical results to identify adverse trends.
6. Take necessary corrective actions to protect groundwater resources.

B. Implementation of the Objectives

The objectives identified have been implemented at LaSalle County Station as discussed below:

1. Exelon and its consultant identified locations as described in the 2006 Phase 1 study. Phase 1 studies were conducted by Conestoga Rovers and Associates (CRA) and the results and conclusions were made available to state and federal regulators as well as the public on an Exelon web site in station specific reports.

<http://www.exelonCorp.com/ourcompanies/powergen/nuclear/Tritiu>

[m.htm](#)

2. The LaSalle County Station reports describe the local hydrogeologic regime. Periodically, the flow patterns on the surface and shallow subsurface are updated based on ongoing measurements.
3. LaSalle County Station will continue to perform routine sampling and radiological analysis of water from selected locations.
4. LaSalle County Station has implemented new procedures to identify and report new leaks, spills, or other detections with potential radiological significance in a timely manner.
5. LaSalle County Station staff and consulting hydrogeologist assess analytical results on an ongoing basis to identify adverse trends.

C. Program Description

1. Sample Collection

Sample locations can be found in Table A--1, Appendix A.

Groundwater and Surface Water

Samples of water are collected, managed, transported and analyzed in accordance with approved procedures following EPA methods. Both groundwater and surface samples water are collected. Sample locations, sample collection frequencies and analytical frequencies are controlled in accordance with approved station procedures. Contractor and/or station personnel are trained in the collection, preservation management, and shipment of samples, as well as in documentation of sampling events. Analytical laboratories are subject to internal quality assurance programs, industry cross-check programs, as well as nuclear industry audits. Station personnel review and evaluate all analytical data deliverables as data are received.

Analytical data results are reviewed by both station personnel and an independent hydrogeologist for adverse trends or changes to hydrogeologic conditions.

D. Characteristics of Tritium (H-3)

Tritium (chemical symbol H-3) is a radioactive isotope of hydrogen. The

most common form of tritium is tritium oxide, which is also called "tritiated water." The chemical properties of tritium are essentially those of ordinary hydrogen.

Tritiated water behaves the same as ordinary water in both the environment and the body. Tritium can be taken into the body by drinking water, breathing air, eating food, or absorption through skin. Once tritium enters the body, it disperses quickly and is uniformly distributed throughout the body. Tritium is excreted primarily through urine with a clearance rate characterized by an effective biological half-life of about 14 days. Within one month or so after ingestion, essentially all tritium is cleared. Organically bound tritium (tritium that is incorporated in organic compounds) can remain in the body for a longer period.

Tritium is produced naturally in the upper atmosphere when cosmic rays strike air molecules. Tritium is also produced during nuclear weapons explosions, as a by-product in reactors producing electricity, and in special production reactors, where the isotopes lithium-7 and/or boron-10 are activated to produce tritium. Like normal water, tritiated water is colorless and odorless. Tritiated water behaves chemically and physically like non-tritiated water in the subsurface, and therefore tritiated water will travel at the same velocity as the average groundwater velocity.

Tritium has a half-life of approximately 12.3 years. It decays spontaneously to helium-3 (^3He). This radioactive decay releases a beta particle (low-energy electron). The radioactive decay of tritium is the source of the health risk from exposure to tritium. Tritium is one of the least dangerous radionuclides because it emits very weak radiation and leaves the body relatively quickly. Since tritium is almost always found as water, it goes directly into soft tissues and organs. The associated dose to these tissues is generally uniform and is dependent on the water content of the specific tissue.

III. Program Description

A. Sample Analysis

This section describes the general analytical methodologies used by TBE to analyze the environmental samples for radioactivity for the LaSalle County Station RGPP in 2008.

In order to achieve the stated objectives, the current program includes the following analyses:

1. Concentrations of gamma emitters in groundwater and surface water. (Biennially)
2. Concentrations of strontium in groundwater and surface water. (Biennially)
3. Concentrations of tritium in groundwater and surface water. (Semi-annually)

B. Data Interpretation

The radiological data collected prior to LaSalle County Station becoming operational were used as a baseline with which these operational data were compared. For the purpose of this report, LaSalle County Station was considered operational at initial criticality. Several factors were important in the interpretation of the data:

1. Lower Limit of Detection and Minimum Detectable Concentration

The lower limit of detection (LLD) is specified by federal regulation as a minimum sensitivity value that must be achieved routinely by the analytical parameter.

2. Laboratory Measurements Uncertainty

The estimated uncertainty in measurement of tritium in environmental samples is frequently on the order of 50% of the measurement value.

Statistically, the exact value of a measurement is expressed as a range with a stated level of confidence. The convention is to report results with a 95% level of confidence. The uncertainty comes from calibration standards, sample volume or weight measurements, sampling uncertainty and other factors. Exelon reports the uncertainty of a measurement created by statistical process (counting error) as well as all sources of error (Total Propagated Uncertainty or TPU). Each result has two values calculated. Exelon reports the TPU by following the result with plus or minus \pm the estimated sample standard deviation, as TPU, that is obtained by propagating all sources of analytical uncertainty in measurements.

Analytical uncertainties are reported at the 95% confidence level in this report for reporting consistency with the AREOR.

C. Background Analysis

A pre-operational radiological environmental monitoring program (pre-operational REMP) was conducted to establish background radioactivity levels prior to operation of the Station. The environmental media sampled and analyzed during the pre-operational REMP were atmospheric radiation, fall-out, domestic water, surface water, precipitation, marine life, and foodstuffs. The results of the monitoring were detailed in the report entitled, Environmental Radiological Monitoring for LaSalle County Nuclear Power Station, Commonwealth Edison Company, Annual Reports for the years 1979 and 1981. The pre-operational REMP contained analytical results from samples collected from the surface water and groundwater.

1. Background Concentrations of Tritium

The purpose of the following discussion is to summarize background measurements of tritium in various media performed by others. Additional detail may be found by consulting references (CRA 2006).

a. Tritium Production

Tritium is created in the environment from naturally occurring processes both cosmic and subterranean, as well as from anthropogenic (i.e., man-made) sources. In the upper atmosphere, "Cosmogenic" tritium is produced from the bombardment of stable nuclides and combines with oxygen to form tritiated water, which will then enter the hydrologic cycle. Below ground, "lithogenic" tritium is produced by the bombardment of natural lithium present in crystalline rocks by neutrons produced by the radioactive decay of naturally abundant uranium and thorium. Lithogenic production of tritium is usually negligible compared to other sources due to the limited abundance of lithium in rock. The lithogenic tritium is introduced directly to groundwater.

A major anthropogenic source of tritium and strontium-90 comes from the former atmospheric testing of thermonuclear weapons. Levels of tritium in precipitation increased significantly during the 1950s and early 1960s, and later with additional testing, resulting in the release of significant amounts of tritium to the atmosphere. The Canadian heavy water nuclear power reactors, other commercial power reactors, nuclear research and weapons production continue

to influence tritium concentrations in the environment.

b. Precipitation Data

Precipitation samples are routinely collected at stations around the world for the analysis of tritium and other radionuclides. Two publicly available databases that provide tritium concentrations in precipitation are Global Network of Isotopes in Precipitation (GNIP) and USEPA's RadNet database. GNIP provides tritium precipitation concentration data for samples collected world wide from 1960 to 2006. RadNet provides tritium precipitation concentration data for samples collected at stations through out the U.S. from 1960 up to and including 2006. Based on GNIP data for sample stations located in the U.S. Midwest, tritium concentrations peaked around 1963. This peak, which approached 10,000 pCi/L for some stations, coincided with the atmospheric testing of thermonuclear weapons. Tritium concentrations in surface water showed a sharp decline up until 1975 followed by a gradual decline since that time. Tritium concentrations in Midwest precipitation have typically been below 100 pCi/L since around 1980. LaSalle's 1979 or 1981 pre-operational REMP showed precipitation tritium concentrations >300 pCi/L. Tritium concentrations in wells may still be above the 200 pCi/L detection limit from the external causes described above. Water from previous years and decades is naturally captured in groundwater, so some well water sources today are affected by the surface water from the 1960s that was elevated in tritium.

Surface Water Data

Tritium concentrations are routinely measured in large surface water bodies, including Lake Michigan and the Mississippi River. Illinois surface water data were typically less than 100 pCi/L. Illinois River H3 results have shown >200 pCi/L, as evidenced in LaSalle's REMP program sample results. This could be attributable to release for Braidwood and Dresden upstream

The USEPA RadNet surface water data typically has a reported 'Combined Standard Uncertainty' of 35 to 50 pCi/L. According to USEPA, this corresponds to a ± 70 to 100 pCi/L 95% confidence bound on each given measurement. Therefore, the typical background data provided may be

subject to measurement uncertainty of approximately ± 70 to 100 pCi/L.

The radio-analytical laboratory is counting tritium results to an Exelon specified LLD of 200 pCi/L. Typically, the lowest positive measurement will be reported within a range of 40 – 240 pCi/L or 140 ± 100 pCi/L. Clearly, these sample results cannot be distinguished as different from background at this concentration.

IV. Results and Discussion

A. Groundwater Results

Groundwater

Samples were collected from on and off-site wells throughout the year in accordance with the station radiological groundwater protection program. Analytical results and anomalies are discussed below.

Tritium

Samples from nine locations were analyzed for tritium activity (Table B–I.1, Appendix B). Tritium values ranged from non detectable to 719 pCi/L at well MW-LS-105S. Outside of the owner-controlled area, tritium concentrations were less than the detection limit. Based on the hydrogeological study conducted at LaSalle, there is no feasible pathway into a drinking water supply. Based on established aquifer flow paths the location most representative of potential offsite release into groundwater was also less than the detection limit.

Strontium

No Sr-90 activity was detected in any of the ground water samples analyzed (Table B–I.1, Appendix B).

Gamma Emitters

Potassium-40 was detected in three of nine samples. Potassium-40 values ranged from 49 pCi/Liter to 67 pCi/Liter. No other gamma emitting nuclides were detected (Table B–I.2,

Appendix B).

B. Surface Water Results

Surface Water

Samples were collected from on and off-site wells throughout the year in accordance with the station radiological groundwater protection program. Analytical results and anomalies are discussed below.

Tritium

Samples from six locations were analyzed for tritium activity (Table B-II.1, Appendix B). All surface water samples were <LLD. Outside of the owner-controlled area, tritium concentrations were less than the detection limit. Based on the hydrogeological study conducted at LaSalle, there is no feasible pathway into a drinking water supply. Based on established aquifer flow paths the location most representative of potential offsite release into groundwater was also less than the detection limit.

Strontium

No Sr-90 activity was detected in any of the ground water samples analyzed (Table B-II.1, Appendix B).

Gamma Emitters

No gamma emitting nuclides were detected (Table B-II.2, Appendix B).

C. Drinking Water Well Survey

A drinking water well survey was conducted during the summer 2006 by CRA (CRA 2006) around the LaSalle County Station. This survey concluded that no residents in the vicinity of the plant utilize the shallow water aquifer as a drinking water supply. Site hydrological studies of aquifer flow and permeation rates from the shallow aquifer to the deep aquifer concluded that there is no feasible dose receptor via a ground water pathway at LaSalle.

D. Summary of Results – Inter-Laboratory Comparison Program

Inter-Laboratory Comparison Program results for TBE and Environmental

Inc. (Midwest Labs) are presented in the AREOR.

E. Leaks, Spills, and Releases

No new leaks or spills were discovered through efforts conducted at LaSalle Station. Historical spills were captured in the CSA report as well as the Station's 10CFR75(g) reports.

F. Trends

Baseline data established at LaSalle revealed no current ground water issues. On-going monitoring through the RGPP will allow for early detection of any potential threats to groundwater on and around the site.

G. Investigations

There were no anomalous result investigations conducted at for LaSalle RGPP sample results in 2008

H. Actions Taken

1. Compensatory Actions

There were no required compensatory actions as a result of RGPP monitoring at LaSalle in 2008.

2. Installation of Monitoring Wells

No new monitoring wells were added beyond the initial phase for LaSalle in 2008.

3. Actions to Recover/Reverse Plumes

2008 LaSalle RGPP efforts resulted in no required actions.

APPENDIX A

LOCATION DESIGNATION & DISTANCE

**Table A-1
LaSalle County Station Groundwater Monitoring Sample Point List**

Sample No.	Location	Current Well Status
SW-LS-101	North Storm Water Pond	Active
SW-LS-102	South Storm Water Pond	Active
SW-LS-103	Circ Water Discharge Canal	Active
SW-LS-104	Illinois River Upstream at Seneca (Boondocks)	Active
SW-LS-105	Illinois River Downstream at Marseilles (Illini State Park Boat Ramp)	Active
SW-LS-106	Circ Water Intake Bay	Active
MW-LS-101S	SW Corner of Perimeter Road	Inactive
MW-LS-102S	OLD Parking Lot West (Lake) Side	Inactive
MW-LS-103S	MAF South Centerline	Inactive
MW-LS-104S	CY Storage Tanks	Active
MW-LS-105S	Behind IRSF	Active
MW-LS-106S	Spare Transformer Area – Back Toward Security Fence	Active
MW-LS-107S	Old Service Building – Near Outage Trailers	Active
MW-LS-108S	Near 12 KV Swithchyard	Inactive

Sample No.	Location	Current Well Status
MW-LS-109S	Near BDG 33	Inactive
MW-LS-110S	RSH Area by Valve Pit 16B	Inactive
MW-LS-111S	West Perimeter Road before pad mounted transformer (right hand side)	Active
MW-LS-112S	Between perimeter security fences near SE corner. (Access via security gate east of 12 KV switchyard)	Inactive
MW-LS-113S	Between perimeter security fences near CW intake bay. (Access via security gate east of 12 KV switchyard)	Inactive
HP-2	North of tracks near Nuclear Fuel Lay-down Area	Active
HP-5	Near VQ LN2 Storage Tanks	Active
HP-7	Near UAT's	Active
HP-10	Near VQ LN2 Storage Tanks, South of HP-5	Active

APPENDIX A-1

**LASALLE COUNTY STATION MAP OF GROUNDWATER
MONITORING SAMPLE LOCATIONS**

APPENDIX B

DATA TABLES

TABLE B-I.1 CONCENTRATIONS OF TRITIUM AND STRONIUM IN GROUNDWATER SAMPLES COLLECTED IN THE VICINITY OF LASALLE COUNTY STATION, 2008

RESULTS IN UNITS OF PCI/LITER \pm 2 SIGMA

SITE	COLLECTION		SR-90
	DATE	H-3	
HP-10	04/16/08	< 184	
HP-10	09/16/08	< 162	
HP-10	09/24/08	< 166	< 1.0
HP-2	05/06/08	< 177	
HP-2	09/17/08	< 156	
HP-2	09/24/08	< 167	< 1.0
HP-5	04/18/08	< 184	
HP-5	09/16/08	< 159	
HP-5	09/24/08	< 169	< 0.8
HP-7	05/06/08	< 184	
HP-7	09/16/08	< 161	
HP-7	09/24/08	< 163	< 0.9
MW-LS-104S	04/18/08	< 189	
MW-LS-104S	09/17/08	< 159	
MW-LS-104S	09/24/08	< 152	< 0.9
MW-LS-105S	06/19/08	632 \pm 126	
MW-LS-105S	09/16/08	424 \pm 122	
MW-LS-105S	09/23/08	719 \pm 133	< 1.1
MW-LS-106S	04/15/08	< 171	
MW-LS-106S	09/18/08	< 162	
MW-LS-106S	09/23/08	< 159	< 1.1
MW-LS-107S	04/29/08	< 188	
MW-LS-107S	09/17/08	< 149	
MW-LS-107S	09/24/08	< 152	< 1.1
MW-LS-111S	04/16/08	< 164	
MW-LS-111S	09/18/08	< 160	
MW-LS-111S	09/23/08	< 165	< 1.6

TABLE B-II.1 CONCENTRATIONS OF TRITIUM AND STRONIUM IN SURFACE WATER SAMPLES COLLECTED IN THE VICINITY OF LASALLE COUNTY STATION, 2008

RESULTS IN UNITS OF PCI/LITER \pm 2 SIGMA

SITE	COLLECTION		SR-90
	DATE	H-3	
SW-LS-101	04/15/08	< 187	
SW-LS-101	09/16/08	< 162	
SW-LS-101	09/23/08	< 169	< 1.1
SW-LS-102	04/15/08	< 191	
SW-LS-102	09/16/08	< 163	
SW-LS-102	09/23/08	< 170	< 1.2
SW-LS-103	04/15/08	< 199	
SW-LS-103	09/16/08	< 165	
SW-LS-103	09/23/08	< 169	< 1.3
SW-LS-104	04/16/08	< 182	
SW-LS-104	09/22/08	< 169	< 1.0
SW-LS-105	04/15/08	< 173	
SW-LS-105	09/22/08	< 170	< 1.1
SW-LS-106	04/15/08	< 177	
SW-LS-106	09/18/08	< 160	
SW-LS-106	09/23/08	< 169	< 0.9

