APPENDIX B.2

TEST PIT LOGS

NORTH ANNA COL

DATA REPORT REV. 0
JANUARY 23, 2007

MACTEC PROJECT NO. 6468-06-1472

Test Pit Record
NORTH ANNA COL
MACTEC PROJECT NO. 6468-06-1472
DATE PERFORMED:

PIT NUMBER	RANGE IN DEPTH		Soil Description/Samples
	Inches	Feet	
TP-1	0.0' - 18"	0.0' - 1.5'	Residual Soil, Light Yellowish Brown (10YR/6/4) silty fine to coarse SAND (SM) w/ little clay, moist
	18" - 48"	1.5' - 4.0'	Residual Soil, Strong ~~Brown~~ 5YR 4/6 Brown (7.5 YR/4/6) sandy silt (ML) with little clay, moist
			Test Pit terminated @ 4.0' bgs
			2 BUCKETS COLLECTED

11/13/06

Test Pit Record
NORTH ANNA COL
MACTEC PROJECT NO. 6468-06-1472
DATE PERFORMED:

PIT NUMBER	RANGE IN DEPTH		Soil Description/Samples
	Inches	Feet	
TP-2	0.0" - 45"	0.0' - 3.8'	Residual Soil, Strong Brown (7.5YR/5/6) sandy silt (ML) w/ ~~some~~ little clay, moist SN 11/13/06
			Test Pit terminated @ 3.8' bgs
			2 BUCKETS COLLECTED

Test Pit Record
NORTH ANNA COL
MACTEC PROJECT NO. 6468-06-1472
DATE PERFORMED:

PIT NUMBER	RANGE IN DEPTH		Soil Description/Samples
	Inches	Feet	
TP-3	0.0" - 31"	0.0' - 2.6'	Residual Soil. Yellowish Brown (10YR/5/6) fine to coarse SAND(SM) with little silt, moist
	31" - 55"	2.6' - 4.6'	Residual Soil. Light Brownish Gray (10YR/6/2) Silty fine to coarse SAND (SM) w/ quartz rock fragments
		Test Pit	SN 11/13/06 ~~Boring~~ Terminated @ 4.6' bgs
			2 BUCKETS COLLECTED NAL

Test Pit Record

NORTH ANNA COL

MACTEC PROJECT NO. 6468-06-1472

DATE PERFORMED:

PIT NUMBER	RANGE IN DEPTH		Soil Description/Samples
	Inches	Feet	
TP-4	0.0 - 28"	0.0' - 2.3'	Fill Red (2.5YR/4/8) Sandy silt (Fill) ~~(ML)~~, moist, micaceous SN 11/13/06
	28" - 38"	2.3' - 3.2'	Fill, Dark Bluish Gray (GLEY2/4/1) sandy Silt (Fill), ~~w/~~ trace wood fragments and trace gravel, moist
	38" - 53"	3.2' - 4.4'	Residual Soil, Yellowish Brown (10YR/5/8) silty fine to coarse SAND (SM), w/ trace Quartz fragments
			Test Pit Terminated @ 4.4' bgs
			2 BUCKETS COLLECTED NRR
			1 FROM 2.4-3.2 BUCKET 1
			1 FROM 3.2 to 4.5 BUCKET 2 NRR

Test Pit Record
NORTH ANNA COL
MACTEC PROJECT NO. 6468-06-1472
DATE PERFORMED:

PIT NUMBER	RANGE IN DEPTH		Soil Description/Samples
	Inches	Feet	
TP-5	0.0 - 15"	0.0 - 1.3'	Fill, Dark Yellowish Brown (10YR/4/6) Silty fine to coarse SAND ~~(SM)~~ (FILL) w/ trace gravel, moist SN 11/13/06 11/13/06
	15" - 28"	1.3' - 2.3'	Fill, Red (2.5YR/4/6) silty fine to coarse SAND (Fill) w/ trace gravel
			Test Pit terminated @ 2.3' bgs
			1 BUCKET COLLECTED NOW

Test Pit Record
NORTH ANNA COL
MACTEC PROJECT NO. 6468-06-1472
DATE PERFORMED:

PIT NUMBER	RANGE IN DEPTH		Soil Description/Samples
	Inches	Feet	
TP-6	0 - 11"	0 - 0.9'	Fill. Yellowish Brown (10YR/5/8) silty fine to coarse SAND (Fill), moist
	11" - 51"	0.9 - 4.3'	Dark Yellowish Brown (10YR/4/6) to Yellowish Brown (5/8) silty fine to coarse SAND (SM) w/ little quartz rock fragments moist
			Test Pit terminated @ 4.3' bgs
			1 BUCKET COLLECTED