

# **FIELD SASW DATA REPORT**

## **Spectral-Analysis-of-Surface-Waves (SASW) Testing of the Vogtle Phase 1 Test Field**

### **Vogtle Electric Generating Plant – Units 3 and 4**

**(1) Complete Sets of Seismic Results from All Sites, (2) Equipment Calibration Documents (3) Verification of the Forward Modeling Procedure (WinSASW) and (4) Benefits and Limitations of the SASW Method**

for

MACTEC, Engineering and Consulting, Inc.  
396 Plasters Ave.  
Atlanta, GA 30324

by

Kenneth H. Stokoe, II, Ph.D., P.E.  
Yin-Cheng Lin, Ph.D., Postdoctoral Fellow  
Min Jae Jung, M.S., Graduate Research Assistant  
Jiabei Yuan, M.S., Graduate Research Assistant

**March 11, 2008**

Geotechnical Engineering Report GR08-06  
Geotechnical Engineering Center  
Civil Engineering Department  
The University of Texas at Austin

## Table of Contents

1.0 Introduction.....	1
APPENDIX A: SASW Test Locations and Summary $V_s$ Profiles.....	A.1
APPENDIX B: Data Sheet, Phase Plots, Table of Masking Parameters, Experimental Dispersion Curves, Theoretical Dispersion Curves, Shear Wave Velocity Profile, and Table of Profile Parameters from SASW Testing Performed at Site A, First Site Visit at Vogtle Test Fill .....	B.1
APPENDIX C: Data Sheet, Phase Plots, Table of Masking Parameters, Experimental Dispersion Curves, Theoretical Dispersion Curves, Shear Wave Velocity Profile, and Table of Profile Parameters from SASW Testing Performed at Site B, First Site Visit at Vogtle Test Fill .....	C.1
APPENDIX D: Data Sheet, Phase Plots, Table of Masking Parameters, Experimental Dispersion Curves, Theoretical Dispersion Curves, Shear Wave Velocity Profile, and Table of Profile Parameters from SASW Testing Performed at Site C, First Site Visit at Vogtle Test Fill .....	D.1
APPENDIX E: Data Sheet, Phase Plots, Table of Masking Parameters, Experimental Dispersion Curves, Theoretical Dispersion Curves, Shear Wave Velocity Profile, and Table of Profile Parameters from SASW Testing Performed at Site D, First Site Visit at Vogtle Test Fill .....	E.1
APPENDIX F: Data Sheet, Phase Plots, Table of Masking Parameters, Experimental Dispersion Curves, Theoretical Dispersion Curves, Shear Wave Velocity Profile, and Table of Profile Parameters from SASW Testing Performed at Site E, First Site Visit at Vogtle Test Fill.....	F.1
APPENDIX G: Data Sheet, Phase Plots, Table of Masking Parameters, Experimental Dispersion Curves, Theoretical Dispersion Curves, Shear Wave Velocity Profile, and Table of Profile Parameters from SASW Testing Performed at Site F, First Site Visit at Vogtle Test Fill.....	G.1
APPENDIX H: Data Sheet, Phase Plots, Table of Masking Parameters, Experimental Dispersion Curves, Theoretical Dispersion Curves, Shear Wave Velocity Profile, and Table of Profile Parameters from SASW Testing Performed at Site A, Second Site Visit at Vogtle Test Fill.....	H.1

APPENDIX I: Data Sheet, Phase Plots, Table of Masking Parameters, Experimental Dispersion Curves, Theoretical Dispersion Curves, Shear Wave Velocity Profile, and Table of Profile Parameters from SASW Testing Performed at Site B, Second Site Visit at Vogtle Test Fill..... I.1

APPENDIX J: Data Sheet, Phase Plots, Table of Masking Parameters, Experimental Dispersion Curves, Theoretical Dispersion Curves, Shear Wave Velocity Profile, and Table of Profile Parameters from SASW Testing Performed at Site C, Second Site Visit at Vogtle Test Fill.....J.1

APPENDIX K: Data Sheet, Phase Plots, Table of Masking Parameters, Experimental Dispersion Curves, Theoretical Dispersion Curves, Shear Wave Velocity Profile, and Table of Profile Parameters from SASW Testing Performed at Site D, Second Site Visit at Vogtle Test Fill.....K.1

APPENDIX L: Data Sheet, Phase Plots, Table of Masking Parameters, Experimental Dispersion Curves, Theoretical Dispersion Curves, Shear Wave Velocity Profile, and Table of Profile Parameters from SASW Testing Performed at Site E, Second Site Visit at Vogtle Test Fill ..... L.1

APPENDIX M: Data Sheet, Phase Plots, Table of Masking Parameters, Experimental Dispersion Curves, Theoretical Dispersion Curves, Shear Wave Velocity Profile, and Table of Profile Parameters from SASW Testing Performed at Site F, Second Site Visit at Vogtle Test Fill .....M.1

APPENDIX N: Data Sheet, Phase Plots, Table of Masking Parameters, Experimental Dispersion Curves, Theoretical Dispersion Curves, Shear Wave Velocity Profile, and Table of Profile Parameters from SASW Testing Performed at Site A, Third Site Visit at Vogtle Test Fill.....N.1

APPENDIX O: Data Sheet, Phase Plots, Table of Masking Parameters, Experimental Dispersion Curves, Theoretical Dispersion Curves, Shear Wave Velocity Profile, and Table of Profile Parameters from SASW Testing Performed at Site B, Third Site Visit at Vogtle Test Fill.....O.1

APPENDIX P: Data Sheet, Phase Plots, Table of Masking Parameters, Experimental Dispersion Curves, Theoretical Dispersion Curves, Shear Wave Velocity Profile, and Table of Profile Parameters from SASW Testing Performed at Site C, Third Site Visit at Vogtle Test Fill..... P.1

APPENDIX Q: Data Sheet, Phase Plots, Table of Masking Parameters, Experimental Dispersion Curves, Theoretical Dispersion Curves, Shear Wave Velocity Profile, and Table of Profile Parameters from SASW Testing Performed at Site D, Third Site Visit at Vogtle Test Fill.....Q.1

APPENDIX R: Data Sheet, Phase Plots, Table of Masking Parameters, Experimental Dispersion Curves, Theoretical Dispersion Curves, Shear Wave Velocity Profile, and Table of Profile Parameters from SASW Testing Performed at Site E, Third Site Visit at Vogtle Test Fill.....R.1

APPENDIX S: Data Sheet, Phase Plots, Table of Masking Parameters, Experimental Dispersion Curves, Theoretical Dispersion Curves, Shear Wave Velocity Profile, and Table of Profile Parameters from SASW Testing Performed at Site F, Third Site Visit at Vogtle Test Fill ..... S.1

APPENDIX T: Data Sheet, Phase Plots, Table of Masking Parameters, Experimental Dispersion Curves, Theoretical Dispersion Curves, Shear Wave Velocity Profile, and Table of Profile Parameters from SASW Testing Performed at Site A, Fourth Site Visit at Vogtle Test Fill..... T.1

APPENDIX U: Data Sheet, Phase Plots, Table of Masking Parameters, Experimental Dispersion Curves, Theoretical Dispersion Curves, Shear Wave Velocity Profile, and Table of Profile Parameters from SASW Testing Performed at Site B, Fourth Site Visit at Vogtle Test Fill .....U.1

APPENDIX V: Data Sheet, Phase Plots, Table of Masking Parameters, Experimental Dispersion Curves, Theoretical Dispersion Curves, Shear Wave Velocity Profile, and Table of Profile Parameters from SASW Testing Performed at Site C, Fourth Site Visit at Vogtle Test Fill ..... V.1

APPENDIX W: Data Sheet, Phase Plots, Table of Masking Parameters, Experimental Dispersion Curves, Theoretical Dispersion Curves, Shear Wave Velocity Profile, and Table of Profile Parameters from SASW Testing Performed at Site D, Fourth Site Visit at Vogtle Test Fill..... W.1

APPENDIX X: Data Sheet, Phase Plots, Table of Masking Parameters, Experimental Dispersion Curves, Theoretical Dispersion Curves, Shear Wave Velocity Profile, and Table of Profile Parameters from SASW Testing Performed at Site E, Fourth Site Visit at Vogtle Test Fill .....X.1

APPENDIX Y: Data Sheet, Phase Plots, Table of Masking Parameters, Experimental Dispersion Curves, Theoretical Dispersion Curves, Shear Wave Velocity Profile, and Table of Profile Parameters from SASW Testing Performed at Site F, Fourth Site Visit at Vogtle Test Fill .....Y.1

APPENDIX Z: Data Sheet, Phase Plots, Table of Masking Parameters, Experimental Dispersion Curves, Theoretical Dispersion Curves, Shear Wave Velocity Profile, and Table of Profile Parameters from SASW Testing Performed at SiteG, Fourth Site Visit at Vogtle Test Fill..... Z.1

APPENDIX AA: Calibration Documents for Geophones and Agilent 35670A Dynamic Signal Analyzer.....AA.1

APPENDIX AB: Verification of Forward Modeling Method Employed in WinSASW ..... AB.1

APPENDIX AC: Benefits and Limitations of the SASW Method ..... AC.1

## 1.0 Introduction

This report documents the measurements, analyses and results from Spectral-Analysis-of-Surface-Waves (SASW) tests that were performed at 29 sites during four different site visits on the test fill in Vogtle, GA. It includes 29 appendices as follows:

- (1) Appendix A contains a map of the SASW test locations on the test fill. Also, a summary of  $V_s$  profiles for each site visit are included in this appendix.
- (2) Appendices B through Z contain the “raw” data (wrapped phase plots versus frequency) for Sites A through G for each site visit, respectively. However, the data of Site G of each site visit was combined into Sites A through F of the same site visit to obtain deeper  $V_s$  profiles. During fourth site visit, an additional SASW test was performed on the natural soil at Site H. In total, there are 25 appendices (B through Z) for the SASW measurements performed on the test fill. Each appendix contains the field data sheet, “raw data” from each SASW set-up, experimental field dispersion curve determined from the raw data, theoretical match to the experimental dispersion curve and resulting shear wave velocity profile for that test location.
- (3) Appendix AA contains the Calibration Documentation for Geophones and Agilent 35670A Dynamic Signal Analyzer.
- (4) Appendix AB contains the verification of the forward modeling procedure (WinSASW, version 1.23) performed to evaluate the  $V_s$  profile from each field dispersion curve. This verification is the one that was developed under the QA Requirements of the Yucca Mountain Project and is currently valid on that project.
- (5) Appendix AC contains a short discussion of the benefits and limitations of the SASW method.

# Appendix B

## SASW Measurements of First Site Visit at Vogtle, GA Site Location: Site A

1. Data Sheet(s).....	B.2
2. Phase Plots from SASW Tests.....	B.4
3. Table of Masking Parameters .....	B.12
4. Experimental Dispersion Curves .....	B.14
5. Matching the Experimental and Theoretical Dispersion Curves.....	B.15
6. Shear Wave Velocity Profile .....	B.16
7. Table of Profile Parameters .....	B.16

3 - Receiver SASW Data Sheet

Page 1 of 1

Project : Vogtle

Data Sheet # : SA # 1

Location : SA (SA # 1)

Disk # : SA # 1

Date/(Time) : Dec 9, 2007 ( : ~ : )

Personnel : Stokoe, Minjae, Yuan

Recorded by : Yuan


Checked by : Minjae

R1 I.D. : GEC 92003 Near

R2 I.D. : GEC 92002 Center

R3 I.D. : GEC 92001 Far

Sketch



Analyzer : 4-ch, 35670A same for all site

Distance (ft)			Impact Direction	Impact Source	Record #	Freq. Range (Hz)	Notes
S - R1	R1 - R2	R2 - R3					
1	1	2	For	Rev Small Hammer	SA1	-	
1	1	2	For	Rev "	SA2	-	
3	3	6	For	Rev Medium Hammer	SA3	-	
3	3	6	For	Rev "	SA4	-	
9	9	9	For	Rev "	SA5	-	
9	9	9	For	Rev Big Hammer	<del>SA5</del> record	-	
9	9	9	For	Rev medium Hammer	SA6	-	
9	9	18	For	Rev "	SA7	-	
9	9	18	For	Rev "	SA8	-	
1	1	2	For	Rev Small Hammer	SA9	0 - 800 Hz	} Hold down geophones
1	1	2	For	Rev "	SA10	-	
			For	Rev		-	
			For	Rev		-	
			For	Rev		-	
			For	Rev		-	
			For	Rev		-	

\* Autosequence 3R\_SASW saves F\_2/1, C\_2/1, F\_4/3, C\_4/3, Lin\_1, Lin\_2, Lin\_4

\* Autosequence 3R\_SEWPSIN saves F\_2/1, Var\_2, F\_4/3, Var\_4, Lin\_1, Lin\_2, Lin\_4

### 3 - Receiver SASW Data Sheet

Page 1 of 1

Project : Vogtle

Data Sheet # : SA#7

Location : G (SA#7)

Disk # : SA#7

Date/(Time) : Dec 9, 2007 ( : ~ : )

Personnel : Stokoe, Minjae, Yuan

Recorded by : Yuan


Checked by : Minjae

R1 I.D. : GEC 92003

R2 I.D. : GEC 92002

R3 I.D. : GEC 92001

Sketch



Distance (ft)			Impact Direction	Impact Source	Record #	Freq. Range (Hz)	Notes
S - R1	R1 - R2	R2 - R3					
25	25	25	<del>For</del> Rev	Bulldozer	G1	0 - 100	When I reverse direction location of Geophones not changed
			For Rev			~	
50	50		<del>For</del> Rev	"	G2	0 - 100	
			For Rev			~	
50	50		For <del>Rev</del>	"	G3	0 - 100	
			For Rev			~	
25	25	25	For <del>Rev</del>	"	G4	0 - 100	
			For Rev			~	
			For Rev			~	
			For Rev			~	
			For Rev			~	
			For Rev			~	
			For Rev			~	
			For Rev			~	
			For Rev			~	

\* Autosequence 3R\_SASW saves F\_2/1, C\_2/1, F\_4/3, C\_4/3, Lin\_1, Lin\_2, Lin\_4

\* Autosequence 3R\_SEWPSIN saves F\_2/1, Var\_2, F\_4/3, Var\_4, Lin\_1, Lin\_2, Lin\_4




Figure B.1 Phase Plots Measured by SASW Testing with 1-ft Receiver Spacing (SA1\_F\_21.DAT)




Figure B.2 Phase Plots Measured by SASW Testing with 1-ft Receiver Spacing (SA2\_F\_21.DAT)




Figure B.3 Phase Plots Measured by SASW Testing with 1-ft Receiver Spacing (SA9\_F\_21.DAT)




Figure B.4 Phase Plots Measured by SASW Testing with 1-ft Receiver Spacing (SA10\_F\_2.DAT)




Figure B.5 Phase Plots Measured by SASW Testing with 2-ft Receiver Spacing (SA1\_F\_43.DAT)




Figure B.6 Phase Plots Measured by SASW Testing with 2-ft Receiver Spacing (SA2\_F\_43.DAT)




Figure B.7 Phase Plots Measured by SASW Testing with 2-ft Receiver Spacing (SA9\_F\_43.DAT)




Figure B.8 Phase Plots Measured by SASW Testing with 2-ft Receiver Spacing (SA10\_F\_4.DAT)




Figure B.9 Phase Plots Measured by SASW Testing with 3-ft Receiver Spacing (SA4\_F\_21.DAT)




Figure B.10 Phase Plots Measured by SASW Testing with 6-ft Receiver Spacing (SA3\_F\_43.DAT)




Figure B.11 Phase Plots Measured by SASW Testing with 6-ft Receiver Spacing (SA4\_F\_43.DAT)




Figure B.12 Phase Plots Measured by SASW Testing with 9-ft Receiver Spacing (SA5\_F\_21.DAT)




Figure B.13 Phase Plots Measured by SASW Testing with 9-ft Receiver Spacing (SA6\_F\_21.DAT)




Figure B.14 Phase Plots Measured by SASW Testing with 9-ft Receiver Spacing (SA7\_F\_21.DAT)




Figure B.15 Phase Plots Measured by SASW Testing with 9-ft Receiver Spacing (SA8\_F\_21.DAT)




Figure B.16 Phase Plots Measured by SASW Testing with 18-ft Receiver Spacing (SA7\_F\_43.DAT)




Figure B.17 Phase Plots Measured by SASW Testing with 18-ft Receiver Spacing (SA8\_F\_43.DAT)




Figure B.18 Phase Plots Measured by SASW Testing with 25-ft Receiver Spacing (G1\_F\_21.DAT)




Figure B.19 Phase Plots Measured by SASW Testing with 25-ft Receiver Spacing (G1\_F\_43.DAT)




Figure B.20 Phase Plots Measured by SASW Testing with 25-ft Receiver Spacing (G4\_F\_21.DAT)




Figure B.21 Phase Plots Measured by SASW Testing with 25-ft Receiver Spacing (G4\_F\_43.DAT)




Figure B.22 Phase Plots Measured by SASW Testing with 50-ft Receiver Spacing (G2\_F\_21.DAT)




Figure B.23 Phase Plots Measured by SASW Testing with 50-ft Receiver Spacing (G3\_F\_21.DAT)

Table B.1 Tables of Masking Parameters Used on Data Collected during First Site Visit at Site A

Receiver Spacing (ft)	Masking Interval	Masking Start Frequency, Hz	Masking Stop Frequency, Hz	Number of Jumps	Filename
1	1	0	235	1	SA1_F_21.DAT
	2	671	800	-	
1	1	0	237	1	SA2_F_21.DAT
	2	453	800	-	
1	1	0	286	1	SA9_F_21.DAT
	2	515	800	-	
1	1	0	247	1	SA10_F_2.DAT
	2	576	800	-	
2	1	0	142	1	SA1_F_43.DAT
	2	412	800	-	
2	1	0	136	1	SA2_F_43.DAT
	2	542	800	-	
2	1	0	141	1	SA9_F_43.DAT
	2	495	800	-	
2	1	0	138	1	SA10_F_4.DAT
	2	576	800	-	
3	1	0	95	1	SA4_F_21.DAT
	2	360	800	-	
6	1	0	62	1	SA3_F_43.DAT
	2	229	800	-	
6	1	0	62	1	SA4_F_43.DAT
	2	232	800	-	
9	1	0	38.5	1	SA5_F_21.DAT
	2	168.5	400	-	
9	1	0	53.5	1	SA6_F_21.DAT
	2	167.5	400	-	
9	1	0	39	1	SA7_F_21.DAT
	2	168.5	400	-	
9	1	0	47.5	1	SA8_F_21.DAT
	2	109.5	400	-	
18	1	0	26.5	1	SA7_F_43.DAT
	2	29	31	1	
	3	115	400	-	

Performed by Jiabei  
Jiabei Yuan

Checked by Yin-Cheng Lin  
Yin-Cheng Lin

Table B.2 Tables of Masking Parameters Used on Data Collected during First Site Visit at Site A (Continued)

Receiver Spacing (ft)	Masking Interval	Masking Start Frequency, Hz	Masking Stop Frequency, Hz	Number of Jumps	Filename
18	1	0	26	1	SA8_F_43.DAT
	2	28	35.5	1	
	3	108.5	126.5	4	
	4	200	400	-	
25	1	0	17	1	G1_F_21.DAT
	2	91.5	100	-	
25	1	0	16.62	1	G1_F_43.DAT
	2	90.88	100	-	
25	1	0	14.88	1	G4_F_21.DAT
	2	20	25.12	1	
	3	70.88	100	-	
25	1	0	16.38	1	G4_F_43.DAT
	2	21.62	28.12	1	
	3	88.88	100	-	
50	1	0	8.12	1	G2_F_21.DAT
	2	98	100	-	
50	1	0	8.25	1	G3_F_21.DAT
	2	62.88	100	-	

Performed by Jiabei Yuan  
*Jiabei Yuan*  
 Jiabei Yuan

Checked by Yin-Cheng Lin  
*Yin-Cheng Lin*  
 Yin-Cheng Lin




Figure B.24 Experimental Dispersion Curve Measured during First Site Visit at Site A at Vogtle, GA; Linear Wavelength Axis




Figure B.25 Experimental Dispersion Curve Measured during First Site Visit at Site A at Vogtle, GA; Logarithmic Wavelength Axis




Figure B.26 Experimental and Theoretical Dispersion Curves from Site A in First Site Visit at Vogtle, GA; Linear Wavelength Axis




Figure B.27 Experimental and Theoretical Dispersion Curves from Site A in First Site Visit at Vogtle, GA; Logarithmic Wavelength Axis




Figure B.28 Shear Wave Velocity Profile Determined at Site A during First Site Visit at Vogtle, GA

Table B.3 Profile Parameters Used to Develop Preliminary Theoretical Dispersion Curve at Site A in the First Site Visit at Vogtle, GA

Layer No.	Thickness, ft	Depth to Top of Layer, ft	S-Wave Velocity, ft/s	Assumed Poisson's Ratio	P-Wave Velocity, ft/s	Assumed Total Unit Weight, pcf
1	0.8	0.0	520	0.24	889	128
2	0.8	0.8	600	0.24	1026	128
3	2.0	1.6	700	0.24	1197	128
4	1.5	3.6	850	0.24	1453	128
5	2.3	5.1	950	0.24	1624	128
6	4.0	7.4	1050	0.24	1795	128
7	4.0	11.4	1150	0.24	1966	128
8	4.0	15.4	1250	0.24	2137	128
9	29.6	19.4	800	0.24	1368	128
10*	16.4	49.0	800	0.24	1368	128
11*#	30.0	65.4	1900	0.42	5000	135
12*#	Half Space	95.4	2200	0.38	5000	135

\* Layer below maximum depth of the  $V_s$  Profile.

# Layer below water table.

Performed by Yin-Cheng Lin checked by K. H. Stokoe, II  
 Yin-Cheng Lin Kenneth H. Stokoe, II

# Appendix C

## SASW Measurements of First Site Visit at Vogtle, GA Site Location: Site B

1. Data Sheet(s).....	C.2
2. Phase Plots from SASW Tests.....	C.4
3. Table of Masking Parameters .....	C.11
4. Experimental Dispersion Curves .....	C.13
5. Matching the Experimental and Theoretical Dispersion Curves.....	C.14
6. Shear Wave Velocity Profile .....	C.15
7. Table of Profile Parameters .....	C.15

3 - Receiver SASW Data Sheet

Project : Vogtle

Data Sheet #: SA#2

Location : SB(SA#2)

Disk #: SA#2

Date/Time : Dec 19 / 2007 ( : - : )

Personnel : Stokoe, Minjae, Yuan

Recorded by : Yuan


Checked by : Minjae

R1 I.D. : GEC 92003 Near

R2 I.D. : GEC 92002 Center

R3 I.D. : GEC 92001 Far

Sketch



Distance (ft)			Impact Direction	Impact Source	Record #	Freq. Range (Hz)	Notes
S - R1	R1 - R2	R2 - R3					
1	1	2	For	Rev	Small hammer	SB1	-
1	1	2	For	Rev	"	SB2	-
3	3	6	For	Rev	"	SB3	0 - 800
3	3	6	For	Rev	"	SB4	0 - 800
9	9	18	For	Rev	medium hammer	SB5	0 - 400
9	9	18	For	Rev	"	SB6	0 - 400
1	1	2	For	Rev	small hammer	SB7	0 - 800
1	1	2	For	Rev	"	SB8	0 - 800
			For	Rev			-
			For	Rev			-
			For	Rev			-
			For	Rev			-
			For	Rev			-
			For	Rev			-
			For	Rev			-
			For	Rev			-

\* Autosequence 3R\_SASW saves F\_2/1, C\_2/1, F\_4/3, C\_4/3, Lin\_1, Lin\_2, Lin\_4

\* Autosequence 3R\_SEWPSIN saves F\_2/1, Var\_2, F\_4/3, Var\_4, Lin\_1, Lin\_2, Lin\_4