

June 4, 2009

Michael de van der Schueren  
Director, Compliance  
Best Theratronics, Ltd.  
413 March Road  
Ottawa, Ontario  
Canada, K2K 0E4

SUBJECT: BEST THERATRONICS, LTD., RESPONSE TO NRC NOTICE OF VIOLATION

Dear Mr. de van der Schueren:

This refers to your letter dated June 1, 2009, in which you provided a response to the NRC Notice of Violation (NOV), dated May 29, 2009.

After considering the information developed during the in-office review and the information that you provided during the public meeting as well as the information you provided in your response to the NOV (see enclosures), the NRC has determined that your corrective actions are acceptable. These actions will be the subject of further review during an inspection currently scheduled in August 2009.

Notwithstanding this decision, the NRC has determined that such actions warrant an inspection at your facility, to verify implementation that is necessary to ensure compliance with regulatory requirements. This inspection is scheduled to occur in August 2009.

In the interim, the NRC has determined that you are unauthorized to transport, or to deliver to a carrier for transport, licensed material in a package until such time as the NRC has: a) approved your Quality Assurance Manual, b) registered you as a user of the packaging used in transport which you have taken ownership of, and c) NRC transfers ownership of the Certificates of Compliance for transportation packagings (Nos. 9299, 9310, and 9290) from MDS Nordion to Best Theratronics, Ltd.

No response to this letter is required.

M. de van der Schueren

-2-

In accordance with 10 CFR 2.390 of the NRC "Rules of Practice," a copy of this letter and its enclosure(s) will be made available electronically for public inspection in the NRC Public Document Room or from the NRC document system (ADAMS), accessible from the NRC Web site at <http://www.nrc.gov/reading-rm/adams.html>.

Sincerely,

***/RA/***

David W. Pstrak, Chief  
Rules, Inspections, and Operations Branch  
Division of Spent Fuel Storage and Transportation  
Office of Nuclear Material Safety  
and Safeguards

Docket Nos. 71-0943, 71-9290, 71-9299, 71-9310

Enclosures: Best Response to NOV dated June 1, 2009  
Corrective and Preventive Actions Planned (CAPA) No. 090304  
Email correspondence from Best to NRC dated June 3, 2009

In accordance with 10 CFR 2.390 of the NRC "Rules of Practice," a copy of this letter and its enclosure(s) will be made available electronically for public inspection in the NRC Public Document Room or from the NRC document system (ADAMS), accessible from the NRC Web site at <http://www.nrc.gov/reading-rm/adams.html>.

Sincerely,

**/RA/**

David W. Pstrak, Chief  
Rules, Inspections, and Operations Branch  
Division of Spent Fuel Storage and Transportation  
Office of Nuclear Material Safety  
and Safeguards

Docket Nos. 71-0943, 71-9290, 71-9299, 71-9310

Enclosures: Best Response to NOV dated June 1, 2009  
Corrective and Preventive Actions Planned (CAPA) No. 090304  
Email correspondence from Best to NRC dated June 3, 2009

**DISTRIBUTION:**

EBrach, SFST      NMamish, SFST      RRagland, RI      SVias, RII      SFST r/f  
RWharton, SFST      SCrutchfield, OCFO      CMarco, OGC      JWray, OE      NMSS r/f  
MBurgess, FSME      CEinberg, FSME      CAbrams, OIP

**ML**

G:\SFST\TSISQA\LETTERS\09 Best Theratronics NOV Response.doc

OFC:	SFST	E	SFST	E	SFST	E
<b>NAME:</b>	ELove		MDeBose		DPstrak	
<b>DATE:</b>	6/4/09		6/4/09		6/4/09	

OFFICIAL RECORD COPY