

Fax Cover Sheet

To: Colleen Casey

From: Cindy Scott, R.T. (N)

Dickinson County Healthcare System

1721 S. Stephenson Ave.

Iron Mountain, MI 49801

phone: 906-776-5578

fax: 906-776-5523

**DCH
SYSTEM****DICKINSON
COUNTY
MEMORIAL
HOSPITAL**

June 11, 2009

Nuclear Materials Licensing Branch
Nuclear Regulatory Commission Region III
2443 Warrenville Road Suite 210
Lisle, IL 60532-4352


Re: Materials License No. 21-18889-01

This letter is to request an amendment to our materials license listed above to permit receipt of Mo/Tc generators containing depleted uranium-235 as shielding. The form is solid metal and the possession limit requested is 100 kg.

This larger size generator is being offered by the vendor due to the current Moly shortage and is not anticipated to be used permanently. Because of this shortage we have been without our major radioactive material, Tc-99m for some weeks now. We have an ever increasing backlog of patients needing imaging procedures. As such we ask that this request be expedited as a medical emergency.

If you have further questions please contact our consultant, Shan Marlette at (906) 225-6967. Our fax number is (906) 776-5523.

Sincerely,


Dr. John To, M.D, RSO

**John Schon
Administrator/CEO**

**1721 S. Stephenson
Iron Mountain
Michigan
49801**

**Phone
906/774/1313**