Greg Gibson Vice President, Regulatory Affairs



10 CFR 50.4 10 CFR 52.79

June 12, 2009

UN#09-293

ATTN: Document Control Desk U.S. Nuclear Regulatory Commission Washington, DC 20555-0001

Subject:

UniStar Nuclear Energy, NRC Docket No. 52-016

Response to Request for Additional Information for the

Calvert Cliffs Nuclear Power Plant, Unit 3,

RAI No. 118, ITAAC

Reference:

John Rycyna (NRC) to Robert Poche (UniStar Nuclear Energy), "RAI No 118

SEB 2198.doc (PUBLIC)" email dated May 15, 2009

The purpose of this letter is to respond to the request for additional information (RAI) identified in the NRC e-mail correspondence to UniStar Nuclear Energy, dated May 15, 2009 (Reference). This RAI addresses Inspections, Tests, Analyses, and Acceptance Criteria (ITAAC), as discussed in Section 14.3 of the Final Safety Analysis Report (FSAR), as submitted in Part 2 of the Calvert Cliffs Nuclear Power Plant (CCNPP) Unit 3 Combined License Application (COLA), Revision 4. The reference letter requested UniStar Nuclear Energy respond to RAI No. 118 within 30 days.

UniStar Nuclear Energy requires additional time to finalize the response to RAI No. 118, Question 14.03.02-2. The responses to the multiple parts of RAI 118, Question 14.03.02-2 will be provided to the NRC as soon as they are available, and no later than September 18, 2009.

There are no regulatory commitments identified in this letter.

UN#09-293 June 12, 2009 Page 2

If there are any questions regarding this transmittal, please contact me at (410) 470-4205, or Mr. Michael J. Yox at (410) 495-2436.

I declare under penalty of perjury that the foregoing is true and correct.

Executed on June 12, 2009

Greg Gibson

cc: John Rycyna, NRC Project Manager, U.S. EPR COL Application
Laura Quinn, NRC Environmental Project Manager, U.S. EPR COL Application
Getachew Tesfaye, NRC Project Manager, U.S. EPR DC Application
Loren Plisco, Deputy Regional Administrator, NRC Region II
Silas Kennedy, U.S. NRC Resident Inspector, CCNPP, Units 1 and 2
U.S. NRC Region I Office