

## CHAPTER 3—DESIGN OF STRUCTURES, SYSTEMS, COMPONENTS, AND EQUIPMENT LIST OF TABLES

Table 3.2.2-1—Classification Summary.....	3.2-10
Table 3.5-1—Spectrum of Design Basis Tornado Missiles.....	3.5-20
Table 3.5-2—Minimum Concrete Barrier Thickness Requirements for Local Damage Prediction against Tornado Generated Missiles .....	3.5-21
Table 3.5-3—Allowable Ductility Ratios .....	3.5-22
Table 3.6.1-1—High-Energy and Moderate-Energy Fluid Systems Considered for Protection of Essential Systems .....	3.6-12
Table 3.6.1-2—Building, Room, and Postulated Pipe Ruptures .....	3.6-14
Table 3.6.1-3—Building, Room, Break, Target, and Protection Required .....	3.6-20
Table 3.6.3-1—Main Coolant System Piping Dimensions and Operating Condition .....	3.6-79
Table 3.6.3-2—Surge Line Piping Dimensions and Operating Condition .....	3.6-80
Table 3.6.3-3—Main Steam Line Dimensions and Operating Condition .....	3.6-80
Table 3.6.3-4—Tensile Properties for the Main Coolant Loop Piping.....	3.6-81
Table 3.6.3-5—Tensile Properties for the Surge Line Piping.....	3.6-82
Table 3.6.3-6—Surge Line Piping Locations Based on Key Geometry, Operating Conditions & Lower Bound Material Toughness .....	3.6-83
Table 3.6.3-7—Tensile Properties for the Main Steam Line Piping .....	3.6-83
Table 3.6.3-8—Minimum Moment versus Circumferential Crack Leakage Sizes for 5 gpm at Various Main Coolant Loop Piping Locations .....	3.6-84
Table 3.6.3-9—Axial Through-Wall Leakage Crack Sizes for 5 gpm at Various Main Coolant Loop Piping Locations.....	3.6-86
Table 3.6.3-10—Minimum Moment versus Circumferential Crack Leakage Sizes for 5 gpm at Two Surge Line Piping Locations.....	3.6-87
Table 3.6.3-11—Axial Through-Wall Leakage Crack Sizes for 5 gpm at Two Surge Line Piping Locations.....	3.6-88
Table 3.6.3-12—Minimum Moment versus Circumferential Crack Leakage Sizes for 1 gpm in the Main Steam Line Piping.....	3.6-88
Table 3.6.3-13—Main Coolant Loop Piping Locations based on Key Geometry, Operating Conditions and Lower Bound Material Toughness .....	3.6-89

Table 3.6.3-14—ALL for Reactor Vessel Outlet Nozzle at Alloy 52 Weld.....	3.6-90
Table 3.6.3-15—ALL for Steam Generator Inlet Nozzle at Alloy 52 Weld .....	3.6-91
Table 3.6.3-16—ALL for Steam Generator Outlet Nozzle at Alloy 52 Weld .....	3.6-92
Table 3.6.3-17—ALL for CASS RC Pump Outlet Nozzle, Cold Leg Pipe, and RPV Inlet Nozzle .....	3.6-93
Table 3.6.3-18—ALL for CASS RC Pump Inlet Nozzle .....	3.6-94
Table 3.6.3-19—ALL for Hot Leg and Crossover Leg Piping.....	3.6-95
Table 3.6.3-20—Critical Axial Crack Size at Main Coolant Loop Piping Locations .....	3.6-96
Table 3.6.3-21—ALL for Pressurizer Surge Nozzle at Alloy 52 Weld.....	3.6-97
Table 3.6.3-22—ALL for Surge Line Piping .....	3.6-98
Table 3.6.3-23—ALL for Hot Leg Nozzle .....	3.6-100
Table 3.6.3-24—Critical Axial Crack Size at Surge Line Piping Locations .....	3.6-102
Table 3.6.3-25—ALL for the Main Steam Line Piping with Safety Factor of 2 on Flaw Size (Base Metal) .....	3.6-103
Table 3.6.3-26—ALL for the MSL Piping with Safety Factor of 1.7 on Flaw Size (Base Metal) .....	3.6-103
Table 3.7.1-1—Damping Values for Safe Shutdown Earthquake.....	3.7-14
Table 3.7.1-2—U.S. EPR Design Response Spectra – Amplification Factors for Control Points (as taken from the European Utility Requirements Document) .....	3.7-16
Table 3.7.1-3—Strong Motion Duration of Synthetic Time Histories .....	3.7-17
Table 3.7.1-4—Values of $V/A$ and $AD/V^2$ for Synthetic Time Histories .....	3.7-18
Table 3.7.1-5—Cross-Correlation Coefficients Among Synthetic Time Histories ...	3.7-19
Table 3.7.1-6—Generic Soil Profiles for the U.S. EPR Standard Plant .....	3.7-20
Table 3.7.2-1—Frequencies and Modal Mass Ratios for Balance-of-NI Common Basemat Structures STICK-2T with All Masses Included.....	3.7-100
Table 3.7.2-2—Frequencies and Modal Mass Ratios for Reactor Containment Building STICK-3T with Polar Crane Included .....	3.7-102
Table 3.7.2-3—Frequencies and Modal Mass Ratios for Reactor Building Internal Structures STICK-1T with All Masses Included.....	3.7-103
Table 3.7.2-4—Modal Frequencies of the Simplified Stick Model of Reactor Coolant Loop .....	3.7-104

---

Table 3.7.2-5—Modal Frequencies of the Stick Models of NI Common Basemat Structures and RCS .....	3.7-106
Table 3.7.2-6—Modal Frequencies of the Stick Model of NAB.....	3.7-115
Table 3.7.2-7—Modal Frequencies of 3D FEM of Emergency Power Generating Building.....	3.7-116
Table 3.7.2-8—Modal Frequencies of 3D FEM of Emergency Service Water Building .....	3.7-122
Table 3.7.2-9—Soil Properties Associated With Different Generic Shear Wave Velocities.....	3.7-132
Table 3.7.2-10—Reactor Containment Building ZPAs.....	3.7-133
Table 3.7.2-11—Reactor Building Internal Structures ZPAs.....	3.7-136
Table 3.7.2-12—Safeguard Building 1 ZPAs .....	3.7-139
Table 3.7.2-13—Safeguard Building 2 & 3 ZPAs.....	3.7-141
Table 3.7.2-14—Safeguard Building 4 ZPAs .....	3.7-143
Table 3.7.2-15—Reactor Shield Building ZPAs .....	3.7-145
Table 3.7.2-16—Safeguard Building 2/3 Shield Structure ZPAs .....	3.7-148
Table 3.7.2-17—Fuel Building Shield Structure ZPAs .....	3.7-150
Table 3.7.2-18—Maximum Base Forces and Moments at Bottom of NI Common Basemat.....	3.7-153
Table 3.7.2-19—Worst Case Inter-Story Forces and Moments in Reactor Building Internal Structures .....	3.7-154
Table 3.7.2-20—Worst Case Inter-Story Forces and Moments in Reactor Containment Building .....	3.7-156
Table 3.7.2-21—Worst Case Inter-Story Forces and Moments in Reactor Shield Building.....	3.7-158
Table 3.7.2-22—Worst Case Inter-Story Forces and Moments in Safeguard Building 1.....	3.7-161
Table 3.7.2-23—Worst Case Inter-Story Forces and Moments in Safeguard Building 2/3.....	3.7-162
Table 3.7.2-24—Worst Case Inter-Story Forces and Moments in Safeguard Building 4.....	3.7-163
Table 3.7.2-25—Worst Case Inter-Story Forces and Moments in Safeguard Building 2/3 Shield Structure .....	3.7-164
Table 3.7.2-26—Maximum NI Common Basemat Displacement Relative to Free Field Input Motion .....	3.7-165
Table 3.7.2-27—Worst Case Maximum Accelerations in EPGB .....	3.7-166

---

Table 3.7.2-28—Worst Case Maximum Accelerations in ESWB .....	3.7-167
Table 3.7.2-29—Seismic Structural Interaction Criteria for Building Structures ...	3.7-168
Table 3.8-1—Thermal Properties for Heat Transfer Analysis-Reactor Containment Building .....	3.8-133
Table 3.8-2—Material Properties – Reactor Containment Building .....	3.8-133
Table 3.8-3—Tendon Frictional Losses .....	3.8-133
Table 3.8-4—Thermal Properties – Reactor Containment Building.....	3.8-133
Table 3.8-5—Tendon Losses and Effective Forces with Time .....	3.8-134
Table 3.8-6—Containment Ultimate Pressure Capacity .....	3.8-135
Table 3.8-7—ISI Schedule for the U.S. EPR .....	3.8-136
Table 3.8-8—Materials for Structural Steel Shapes and Plates.....	3.8-137
Table 3.8-9—Structural Bolting Materials .....	3.8-139
Table 3.8-10—Structural Bolting Nut and Washer Materials .....	3.8-140
Table 3.8-11—Minimum Required Factors of Safety Against Overturning, Sliding, and Flotation for Foundations .....	3.8-140
Table 3.8-12—Minimum Factors of Safety Against Overturning, Sliding, and Flotation for Foundations – NI Common Basemat Structure.....	3.8-140
Table 3.8-13—Static Spring Distribution.....	3.8-141
Table 3.8-14—Tri-Linear Subgrade Modulus vs. Bearing Pressures .....	3.8-141
Table 3.8-15—Fundamental Mode Frequencies for Dynamic Model Tuning .....	3.8-142
Table 3.8-16—Dynamic Analysis Results.....	3.8-143
Table 3.9.1-1—Summary of Design Transients.....	3.9-7
Table 3.9.2-1—Visual Inspection of the Accessible Areas of the Upper Internals While on the Storage Stand .....	3.9-24
Table 3.9.2-2—Visual Inspection of the Inside of the Lower Internals in the Reactor Pressure Vessel .....	3.9-25
Table 3.9.2-3—Visual Inspection of the Outside of the Lower Internals While on the Storage Stand .....	3.9-26
Table 3.9.2-4—Visual Inspection of the Inside of the RPV While on the Storage Stand.....	3.9-27
Table 3.9.2-5—Visual Inspection of the Inside of the RPV Head While on the Storage Stand .....	3.9-28
Table 3.9.3-1—Load Combinations and Acceptance Criteria for ASME Class 1 Components.....	3.9-40

---

Table 3.9.3-2—Load Combinations and Acceptance Criteria for ASME Class 2 and 3 Components .....	3.9-46
Table 3.9.3-3—Load Combinations and Acceptance Criteria for ASME Core Support Structures .....	3.9-47
Table 3.9.3-4—Load Combinations and Acceptance Criteria for ASME Class 1, 2, and 3 Component Supports .....	3.9-52
Table 3.9.4-1—Control Rod Withdrawal Sequence .....	3.9-61
Table 3.9.5-1—Component Classification .....	3.9-73
Table 3.9.6-1—Inservice Pump Testing Program Requirements .....	3.9-96
Table 3.9.6-2—Inservice Valve Testing Program Requirements.....	3.9-100
Table 3.10-1—List of Seismically and Dynamically Qualified Mechanical and Electrical Equipment .....	3.10-11
Table 3.10-2—List of U.S. EPR Important-to-Safety Systems Screened for the Seismic Qualification Program.....	3.10-172
Table 3.11-1—List of Environmentally Qualified Electrical/I&C Equipment.....	3.11-23
Table 3.11-2—List of U.S. EPR Important to Safety Systems Screened for the EQ Program .....	3.11-124
Table 3.11-3—Equipment Distribution in Safeguard Buildings.....	3.11-128
Table 3.11-4—Summary Comparison of IEEE Endorsed Standards versus Latest IEEE Standards.....	3.11-129
Table 3.11-5—Summary of IEEE Non-Endorsed Standards.....	3.11-130
Table 3.13-1—ASME BPV Code Section III Criteria for Selection and Testing of Bolted Materials .....	3.13-5
Table 3.13-2—ASME BPV Code Section XI Examination Categories for Inservice Inspections of Mechanical Joints in ASME Code Class 1, 2, and 3 Systems that are Secured by Threaded Fasteners.....	3.13-6
Table 3A-1—HVAC Ductwork Load Combinations.....	3A-11
Table 3A-2—HVAC Support and Restraint Load Combinations.....	3A-11
Table 3A-3—Deflection Limits .....	3A-11
Table 3A-4—Load Combinations for Cable Trays, Conduits and Supports.....	3A-13
Table 3D-1—Typical Mild Environment Parameter Limits .....	3D-20
Table 3D-2—Equipment Post-Accident Operability Times .....	3D-21
Table 3D-3—EQ Program Margin Requirements .....	3D-22
Table 3D-4—Normal Operating Environments .....	3D-23
Table 3D-5—Pressure Requirements of Controlled Buildings.....	3D-28

---

Table 3D-6—Operating Temperature Ranges for Selected Components .....	3D-29
Table 3D-7—Abnormal Room Conditions.....	3D-29
Table 3D-8—Bounding Normal EQ Radiation Dose .....	3D-30
Table 3D-9—Accident EQ Radiation Dose .....	3D-31
Table 3D-10—Mechanical Equipment Components Requiring Environmental Qualification .....	3D-32
Table 3E.1-1—Independent Loads Considered in the FEM .....	3E-24
Table 3E.1-2—Independent Loads Not Considered in the FEM.....	3E-25
Table 3E.1-3—Summary of Governing Design Data for the Wall to Foundation Connection .....	3E-26
Table 3E.1-4—Summary of Typical Gusset Reinforcement .....	3E-28
Table 3E.1-6—Governing Design Data for the Equipment Hatch Area (Service Loads) .....	3E-29
Table 3E.1-5—Governing Design Data for the Equipment Hatch Area (Factored Loads).....	3E-29
Table 3E.1-7—Summary of Typical Reinforcement for the Equipment Hatch Area .....	3E-30
Table 3E.1-9—Reduction of Thermal Bending Moments Due to Cracked Concrete for the Typical Cylinder Wall and Buttress Section.....	3E-31
Table 3E.1-8—Accidental Torsion Loadings for the Typical Cylinder Wall and Buttress Section .....	3E-31
Table 3E.1-10—Governing Design Data for Tangential Shear Design (Typical RCB Wall Section).....	3E-32
Table 3E.1-12—Governing Design Data for Radial Shear Design (Typical RCB Wall Section).....	3E-33
Table 3E.1-11—Governing Design Data for Membrane and Bending Design (Typical RCB Wall Section).....	3E-33
Table 3E.1-13—Reinforcing Summary (Typical RCB Wall Section).....	3E-34
Table 3E.1-14—Governing Design Data for Tangential Shear Design (Typical RCB Narrow Buttress Section).....	3E-35
Table 3E.1-16—Governing Design Data for Radial Shear Design (Typical RCB Narrow Buttress Section).....	3E-36
Table 3E.1-15—Governing Design Data for Combined Membrane and Bending Design (Typical RCB Narrow Buttress Section) .....	3E-36
Table 3E.1-17—Reinforcing Summary (Typical RCB Narrow Buttress Section).....	3E-37
Table 3E.1-18—Governing Design Data for Tangential Shear Design (Typical RCB Wide Buttress Section) .....	3E-38

---

Table 3E.1-19—Governing Design Data for Combined Membrane and Bending Design (Typical RCB Wide Buttress Section).....	3E-39
Table 3E.1-20—Governing Design Data for Radial Shear Design (Typical RCB Wide Buttress Section) .....	3E-39
Table 3E.1-21—Reinforcing Summary (Typical RCB Wide Buttress Section) .....	3E-40
Table 3E.1-22—Governing Design Cases for the SG and RCP Supports and Typical Cavity Wall.....	3E-41
Table 3E.1-23—Summary of Reinforcement for SG and RCP Floor Slab.....	3E-43
Table 3E.1-24—Typical SG and RCP Cavity Wall Reinforcement .....	3E-44
Table 3E.1-25—Summary of Governing Design Data .....	3E-46
Table 3E.1-26—Summary of Typical PZR Cubical Reinforcement .....	3E-47
Table 3E.1-27—Summary of Governing Design Data for the Operating Floor Area .....	3E-48
Table 3E.1-28—Summary of Typical Reinforcement for the Operating Floor Area .....	3E-49
Table 3E.1-29—Controlling Nodal Forces and Moments for FB Roof .....	3E-50
Table 3E.1-30—Controlling Nodal Forces and Moments for SB 2 and 3 Roof.....	3E-51
Table 3E.1-31—Controlling Nodal Forces and Moments for RSB Wall below FB Roof and SB 2 and 3 Roof .....	3E-52
Table 3E.1-32—Controlling Nodal Forces and Moments for RSB Wall above FB Roof and SB 2 and 3 Roof .....	3E-53
Table 3E.1-33—Specified Reinforcement Pattern for RSB Wall to Roof Connection.....	3E-54
Table 3E.1-34—Summary of Governing Design Data for SB External Walls Below Grade .....	3E-55
Table 3E.1-35—Reinforcement Design for SG Walls Below Grade (A13001, A13003, A33008, and A33003).....	3E-59
Table 3E.1-36—Governing Design Data for the NI Foundation Basemat and RB Internal Structures Base Slab .....	3E-60
Table 3E.1-37—Reinforcement Summary for the NI Foundation Basemat and RB Internal Structures Base Slab .....	3E-62
Table 3E.2-1—Governing Forces and Moments for the EPGB Basemat Foundation.....	3E-146
Table 3E.2-2—Governing Forces and Moments for EPGB Typical Wall at Column Line 11 for Vertical Reinforcement (Local Cut) .....	3E-148
Table 3E.2-3—Governing Forces and Moments for EPGB Typical Wall at Column Line 11 for Vertical Reinforcement (Shear Friction).....	3E-149

---

Table 3E.2-4—Governing Forces and Moments for EPGB Typical Wall at Column Line 11 for Horizontal Reinforcement (Local Cut) .....	3E-150
Table 3E.2-5—Governing Forces and Moments for EPGB Typical Wall at Column Line 11 for Horizontal Reinforcement (In-Plane Shear) ...	3E-151
Table 3E.2-6—Summary of Reinforcement for EPGB Wall along Column Line 11 .....	3E-152
Table 3E.3-1—Governing Forces and Moments for the ESWB Basemat Foundation.....	3E-170
Table 3E.3-2—Governing Design Data for ESWB Wall at Column Line 4 (Local Section Cut for Vertical Reinforcement).....	3E-172
Table 3E.3-3—Governing Design Data for ESWB Wall at Column Line 4 (Local Section Cut for Horizontal Reinforcement) .....	3E-173
Table 3E.3-4—Governing Design Data for ESWB Wall at Column Line 4 (Local Section Cut for Shear Friction Design) .....	3E-174
Table 3E.3-5—Governing Design Data for ESWB Wall at Column Line 4 (Long Section Cut for Horizontal Reinforcement).....	3E-175
Table 3E.3-6—Governing Design Data for ESWB Fan Deck Slab at Elevation 63 ft – 0 in (Out-of-Plane Design, X-Axis).....	3E-176
Table 3E.3-7—Governing Design Data for ESWB Fan Deck Slab at Elevation 63 ft – 0 in (Out-of-Plane Design, Z-Axis).....	3E-176
Table 3E.3-8—Governing Design Data for ESWB Fan Deck Slab at Elevation 63 ft – 0 in (Tension).....	3E-177
Table 3E.3-9—Governing Design Data for ESWB Fan Deck Slab at Elevation 63 ft – 0 in (In-Plane Shear).....	3E-177