

CHAPTER 15—ACCIDENT ANALYSES

LIST OF TABLES

| | |
|---|---------|
| Table 15.0-1—U.S. EPR Initiating Events | 15.0-43 |
| Table 15.0-2—Accident Analysis Acceptance Criteria..... | 15.0-45 |
| Table 15.0-3—Plant Operating Modes | 15.0-46 |
| Table 15.0-4—Nuclear Steam Supply System Power Levels Assumed in the Accident Analysis | 15.0-47 |
| Table 15.0-5—Plant Parameters Used in Accident Analyses..... | 15.0-48 |
| Table 15.0-6—Reactivity Coefficients, Scram Reactivity, and Computer Codes..... | 15.0-49 |
| Table 15.0-7—Reactor Trip Setpoints and Delays Used in the Accident Analysis..... | 15.0-54 |
| Table 15.0-8—Engineered Safety Features Functions Used in the Accident Analysis..... | 15.0-56 |
| Table 15.0-9—Pressurizer and Secondary Safety Relief Valve Settings Used in the Accident Analysis | 15.0-60 |
| Table 15.0-10—Plant Systems Used in the Accident Analysis..... | 15.0-61 |
| Table 15.0-11—Single Failures Assumed in the Accident Analysis | 15.0-66 |
| Table 15.0-12—Radiological Consequences of U.S. EPR Design Basis Accidents (rem TEDE) | 15.0-72 |
| Table 15.0-13—Parameters Used to Calculate Design Basis Core Radionuclide Inventory | 15.0-73 |
| Table 15.0-14—Design Basis Core Radionuclide Inventory..... | 15.0-74 |
| Table 15.0-15—U.S. EPR Primary Coolant Bounding Concentrations..... | 15.0-76 |
| Table 15.0-16—U.S. EPR Secondary Coolant Bounding Concentrations..... | 15.0-77 |
| Table 15.0-17—Iodine Appearance Rates into RCS from Defective Fuel..... | 15.0-78 |
| Table 15.0-18—Summary of MCR/TSC Characteristics..... | 15.0-79 |
| Table 15.0-19—Offsite Receptor Variables | 15.0-80 |
| Table 15.0-20—Design Input for Failure of Small Lines Carrying Primary Coolant Outside Containment..... | 15.0-81 |
| Table 15.0-21—Design Input for NSS and CVCS Break Locations and Flows | 15.0-82 |
| Table 15.0-22—MCR Composite χ/Q and Filter-Bypass Fractions for Small-Line Break Releases at the Main Stack Base..... | 15.0-83 |

| | |
|--|----------|
| Table 15.0-23—Small Line Break - Dose Results | 15.0-84 |
| Table 15.0-24—SGTR Accident Time Line..... | 15.0-85 |
| Table 15.0-25—SGTR Design Input..... | 15.0-86 |
| Table 15.0-26—SGTR Thermal-Hydraulic Variable Definitions..... | 15.0-88 |
| Table 15.0-27—Condensed Thermal-Hydraulic Data Arrays | 15.0-89 |
| Table 15.0-28—MCR Composite χ/Q and Filter-Bypass Fractions Post-SGTR Releases via the SG 3 Silencer | 15.0-91 |
| Table 15.0-29—SGTR Dose Summary | 15.0-92 |
| Table 15.0-30—MSLB Time Line..... | 15.0-93 |
| Table 15.0-31—MSLB Design Input | 15.0-94 |
| Table 15.0-32—MCR Composite (χ/Q)s and Filter-Bypass Fractions for Post-MSLB Releases via the SG 1, SG 2, and SG 3 Silencers | 15.0-96 |
| Table 15.0-33—MCR Composite χ/Q and Filter-Bypass Fractions (MSLB Releases via the MSL Break and Canopy Pt. 1)..... | 15.0-97 |
| Table 15.0-34—MLSB Dose Summary..... | 15.0-98 |
| Table 15.0-35—LRA Time Line | 15.0-99 |
| Table 15.0-36—Design Input for Locked Rotor Accident..... | 15.0-100 |
| Table 15.0-37—MCR Composite χ/Q and Filter-Bypass Fractions RCP Locked Rotor Accident Releases via the SG 3 Silencer | 15.0-102 |
| Table 15.0-38—RCP LRA Dose Summary..... | 15.0-103 |
| Table 15.0-39—Rod Ejection Accident Timeline | 15.0-104 |
| Table 15.0-40—Design Input for Rod Ejection Accident..... | 15.0-105 |
| Table 15.0-41—Correlations of PWR Effective Natural Deposition Decontamination Coefficients for Aerosols (NUREG/CR-6604, Reference 16, Section 2.2.2.1, Combined Powers and Henry models)..... | 15.0-108 |
| Table 15.0-42—MCR Composite χ/Q and Filter-Bypass Fractions, Post-REA Primary Containment Leakage Pathway..... | 15.0-109 |
| Table 15.0-43—MCR Composite (χ/Q)s and Filter-Bypass Fractions, Post-REA Secondary-Side Leakage Pathway | 15.0-110 |
| Table 15.0-44—REA Dose Summary | 15.0-111 |
| Table 15.0-45—Fuel Handling Accident Timeline..... | 15.0-112 |
| Table 15.0-46—Design Input for Fuel Handling Accident..... | 15.0-113 |
| Table 15.0-47—MCR Composite (χ/Q)s and Filter-Bypass Fractions for FHA Releases..... | 15.0-115 |

| | |
|--|----------|
| Table 15.0-48—FHA Dose Summary | 15.0-116 |
| Table 15.0-49—LOCA Radiological Sequence of Events Post-LOCA | 15.0-117 |
| Table 15.0-50—LOCA Inputs..... | 15.0-118 |
| Table 15.0-51—MCR Composite χ/Q and Filter-Bypass Fractions LOCA Releases at the Main Stack Base | 15.0-121 |
| Table 15.0-52—Effective Natural Deposition Decontamination Coefficients | 15.0-122 |
| Table 15.0-53—Radiological Consequences of U.S. EPR Design Basis Accidents (rem TEDE) | 15.0-123 |
| Table 15.0-54—IRWST pH Analysis Inputs..... | 15.0-124 |
| Table 15.0-55—H ⁺ Added to IRWST | 15.0-125 |
| Table 15.0-56—Mass of TSP vs. pH at 30 Days | 15.0-125 |
| Table 15.0-57—TMI Action Plan Items | 15.0-126 |
| Table 15.0-58—Unresolved Safety Issues | 15.0-129 |
| Table 15.0-59—Generic Safety Issues | 15.0-130 |
| Table 15.0-60—NRC Generic Letters..... | 15.0-132 |
| Table 15.0-61—NRC Bulletins..... | 15.0-135 |
| Table 15.0-62—Transient Analysis Limiting Cases | 15.0-137 |
| Table 15.0-63—Transient Analysis Limiting Case Conditions | 15.0-141 |
| Table 15.1-1—Decrease in Feedwater Temperature - Key Input Parameters | 15.1-27 |
| Table 15.1-2—Decrease in Feedwater Temperature - Key Equipment Status..... | 15.1-28 |
| Table 15.1-3—Decrease in Feedwater Temperature - Sequence of Events | 15.1-29 |
| Table 15.1-4—Increase in Feedwater Flow - Key Input Parameters | 15.1-30 |
| Table 15.1-5—Increase in Feedwater Flow - Key Equipment Status | 15.1-31 |
| Table 15.1-6—Increase in Feedwater Flow - Sequence of Events..... | 15.1-32 |
| Table 15.1-7—Increase in Steam Flow - Key Input Parameters..... | 15.1-33 |
| Table 15.1-8—Increase in Steam Flow - Key Equipment Status..... | 15.1-34 |
| Table 15.1-9—Increase in Steam Flow - Sequence of Events | 15.1-35 |
| Table 15.1-10—Inadvertent Opening of an SG Relief or Safety Valve - Key Input Parameters | 15.1-36 |
| Table 15.1-11—Inadvertent Opening of an SG Relief or Safety Valve - Key Equipment Status | 15.1-37 |
| Table 15.1-12—Inadvertent Opening of an SG Relief or Safety Valve - Sequence of Events..... | 15.1-38 |
| Table 15.1-13—MSLB - Key Input Parameters for Limiting Case | 15.1-39 |

| | |
|---|---------|
| Table 15.1-14—MSLB - Key Equipment Status for Limiting Case..... | 15.1-40 |
| Table 15.1-15—MSLB - Sequence of Events | 15.1-41 |
| Table 15.1-16—MSLB - Calculated Fuel Parameters..... | 15.1-43 |
| Table 15.2-1—Turbine Trip - Key Input Parameters..... | 15.2-31 |
| Table 15.2-2—Turbine Trip - Key Equipment Status | 15.2-32 |
| Table 15.2-3—Turbine Trip-RCS Overpressurization - Sequence of Events | 15.2-33 |
| Table 15.2-4—MSIVC Secondary Overpressurization - Key Input Parameters | 15.2-34 |
| Table 15.2-5—MSIVC Overpressurization - Key Equipment Status..... | 15.2-35 |
| Table 15.2-6—MSIVC Secondary Overpressurization - Sequence of Events | 15.2-36 |
| Table 15.2-7—LNFF - Key Input Parameters | 15.2-37 |
| Table 15.2-8—LNFF - Key Equipment Status | 15.2-39 |
| Table 15.2-9—LNFF - Sequence of Events..... | 15.2-40 |
| Table 15.2-10—Feedwater Line Break - Key Input Parameters | 15.2-41 |
| Table 15.2-11—Feedwater Line Break - Key Equipment Status | 15.2-43 |
| Table 15.2-12—Feedwater Line Break - Key Case Specific Assumptions | 15.2-44 |
| Table 15.2-13—Feedwater Line Break: Representative Small Break Case - Sequence of Events..... | 15.2-45 |
| Table 15.2-14—Feedwater Line Break: Maximum RCS Pressure Case - Sequence of Events | 15.2-46 |
| Table 15.2-15—Feedwater Line Break: Maximum Main Steam System Pressure - Sequence of Events | 15.2-47 |
| Table 15.3-1—Decrease in Reactor Coolant System Flow Rate Events - Key Input Parameters | 15.3-15 |
| Table 15.3-2—Decrease in Reactor Coolant System Flow Rate Events - Key Equipment Status | 15.3-15 |
| Table 15.3-3—Partial Loss of Forced Reactor Coolant Flow Event - Sequence of Events | 15.3-16 |
| Table 15.3-4—Complete Loss of Forced Reactor Coolant Flow Event - Sequence of Events | 15.3-17 |
| Table 15.3-5—Reactor Coolant Pump Rotor Seizure Event - Sequence of Events | 15.3-18 |
| Table 15.4-1—Uncontrolled Control Bank Withdrawal from a Subcritical or Low-Power Startup Condition - Key Input Parameters | 15.4-41 |
| Table 15.4-2—Uncontrolled Control Bank Withdrawal from a Subcritical or Low-Power Startup Condition - Equipment Status | 15.4-41 |

| | |
|--|---------|
| Table 15.4-3—Uncontrolled Control Bank Withdrawal from a Subcritical or Low-Power Startup Condition - Sequence of Events..... | 15.4-42 |
| Table 15.4-4—Uncontrolled Control Bank Withdrawal at Power - Key Input Parameters | 15.4-43 |
| Table 15.4-5—Uncontrolled Control Bank Withdrawal at Power - Equipment Status | 15.4-43 |
| Table 15.4-6—Uncontrolled Control Bank Withdrawal at Power - Sequence of Events | 15.4-44 |
| Table 15.4-7—Dropped RCCA - Key Input Parameters | 15.4-44 |
| Table 15.4-8—Dropped RCCA - Equipment Status..... | 15.4-45 |
| Table 15.4-9—Dropped RCCA - Sequence of Events..... | 15.4-45 |
| Table 15.4-10—Startup of an Inactive Reactor Coolant Pump at an Incorrect Temperature - Key Input Parameters | 15.4-46 |
| Table 15.4-11—Startup of an Inactive Reactor Coolant Pump at an Incorrect Temperature - Equipment Status..... | 15.4-46 |
| Table 15.4-12—Startup of an Inactive Reactor Coolant Pump at an Incorrect Temperature - Sequence of Events | 15.4-47 |
| Table 15.4-13—Chemical and Volume Control System Malfunction that Results in a Decrease in the Boron Concentration in the Reactor Coolant - Inputs for Anti-Dilution Analyses..... | 15.4-48 |
| Table 15.4-14—Rod Ejection Accident DNBR Analysis - Ejected Rod Analysis Limits for U.S. EPR..... | 15.4-49 |
| Table 15.4-15—Rod Ejection Accident Overpressurization Analysis - Key Input Parameters..... | 15.4-49 |
| Table 15.4-16—Rod Ejection Accident Overpressurization Analysis - Equipment Status | 15.4-50 |
| Table 15.4-17—Rod Ejection Accident DNBR Analysis - Ejected Rod Analysis Results for BOC..... | 15.4-51 |
| Table 15.4-18—Rod Ejection Accident DNBR Analysis - Ejected Rod Analysis Results for EOC..... | 15.4-52 |
| Table 15.4-19—Rod Ejection Accident Overpressurization Analysis - Sequence of Events | 15.4-53 |
| Table 15.5-1—Inadvertent Operation of the EBS - Key Input Parameters | 15.5-12 |
| Table 15.5-2—Inadvertent Operation of the EBS - Key Equipment Status | 15.5-12 |
| Table 15.5-3—Inadvertent Operation of the EBS - Sequence of Events | 15.5-13 |
| Table 15.5-4—CVCS Malfunction that Increases RCS Inventory - Key Input Parameters | 15.5-13 |



Table 15.5-5—CVCS Malfunction that Increases RCS Inventory - Key Equipment Status..... 15.5-14

Table 15.5-6—CVCS Malfunction that Increases RCS Inventory - Sequence of Events 15.5-15

Table 15.6-1—IOPSRV Event - Key Input Parameters 15.6-44

Table 15.6-2—IOPSRV Event - Key Equipment Status..... 15.6-45

Table 15.6-3—IOPSRV Event - Sequence of Events 15.6-46

Table 15.6-4—SGTR Event - Key Input Parameters 15.6-47

Table 15.6-5—SGTR Event - Key Equipment Status 15.6-49

Table 15.6-6—SGTR Radiological Case - Sequence of Events..... 15.6-50

Table 15.6-7—RLBLOCA - Sampled Parameters (Phenomenological) 15.6-51

Table 15.6-8—RLBLOCA - Sampled Parameters (Plant)..... 15.6-52

Table 15.6-9—RLBLOCA - Key Equipment Status..... 15.6-53

Table 15.6-10—RLBLOCA- Sequence of Events for Limiting Equilibrium Fuel Cycle Case..... 15.6-54

Table 15.6-11—RLBLOCA - Summary of Limiting Values for Top PCT Cases..... 15.6-55

Table 15.6-12—RLBLOCA - Summary of PCT Values for All Hot Rods for Top PCT Case 15.6-55

Table 15.6-13—RLBLOCA - Summary of 50/50 Case 15.6-55

Table 15.6-14—SBLOCA - U.S. EPR System Analyses Parameters..... 15.6-56

Table 15.6-15—SBLOCA - Axial Power Shape 15.6-58

Table 15.6-16—SBLOCA- Protection System Setpoints 15.6-59

Table 15.6-17—SBLOCA - Equipment Status 15.6-60

Table 15.6-18—SBLOCA - Minimum MHSI Flow 15.6-61

Table 15.6-19—SBLOCA- Minimum LHSI Flow 15.6-62

Table 15.6-20—SBLOCA - Break Spectrum Results with LOOP 15.6-63

Table 15.6-21—SBLOCA - Sequence of Events for 6.5 Inch Break with LOOP 15.6-64

Table 15.6-22—SBLOCA - Delayed Pump Trip (Without LOOP) Break Spectrum Results..... 15.6-65

Table 15.6-23—SBLOCA - PCT Comparison between SBLOCA with RCPs Tripped at RT and RCPs Tripped on ΔP 15.6-66

Table 15.6-24—SGTR Overfill Case - Sequence of Events 15.6-67

[Next File](#)