CHAPTER 16—TECHNICAL SPECIFICATIONS TABLE OF CONTENTS

16.0 TECHNICAL SPECIFICATIONS

1.0 USE AND APPLICATION 1.1-1
1.1 Definitions 1.1-1
1.2 Logical Connectors 1.2-1
1.3 Completion Times 1.3-1
1.4 Frequency 1.4-1
2.0 SAFETY LIMITS (SLs) 2.1-1
2.1 SLs 2.1-1
2.2 SL Violations 2.1-1
3.0 LIMITING CONDITION FOR OPERATION (LCO) APPLICABILITY 3.0-1
3.0 SURVEILLANCE REQUIREMENT (SR) APPLICABILITY 3.0-4
3.1 REACTIVITY CONTROL SYSTEMS 3.1.1-1
3.1.1 SHUTDOWN MARGIN (SDM) 3.1.1-1
3.1.2 Core Reactivity 3.1.2-1
3.1.3 Moderator Temperature Coefficient (MTC) 3.1.3-1
3.1.4 Rod Control Cluster Assembly (RCCA) Group Alignment Limits 3.1.4-1
3.1.5 Shutdown Bank Insertion Limits 3.1.5-1
3.1.6 Control Bank Insertion Limits 3.1.6-1
3.1.7 Rod Control Cluster Assembly (RCCA) Position Indication 3.1.7-1
3.1.8 Boron Dilution Protection (BDP) 3.1.8-1
3.1.9 PHYSICS TESTS Exceptions - MODE 2 ..... 3.1.9-1
3.2 POWER DISTRIBUTION LIMITS 3.2.1-1
3.2.1 Linear Power Density (LPD) 3.2.1-1
3.2.2 Nuclear Enthalpy Rise Hot Channel Factor ($F^N_{\Delta H}$) 3.2.2-1
3.2.3 Departure From Nucleate Boiling Ratio (DNBR) 3.2.3-1
3.2.4 AXIAL OFFSET (AO) 3.2.4-1
3.2.5 AZIMUTHAL POWER IMBALANCE (API) 3.2.5-1

3.3 INSTRUMENTATION 3.3.1-1
3.3.1 Protection System (PS) 3.3.1-1
3.3.2 Post Accident Monitoring (PAM) Instrumentation... 3.3.2-1
3.3.3 Remote Shutdown System (RSS) 3.3.3-1
3.4 REACTOR COOLANT SYSTEM (RCS) 3.4.1-1
3.4.1 RCS Pressure, Temperature, and Flow Departure from Nucleate Boiling (DNB) Limits 3.4.1-1
3.4.2 RCS Minimum Temperature for Criticality 3.4.2-1
3.4.3 RCS Pressure and Temperature (P/T) Limits 3.4.3-1
3.4.4 RCS Loops - MODES 1 and 2 ..... 3.4.4-1
3.4.5 RCS Loops - MODE 3 ..... 3.4.5-1
3.4.6 RCS Loops - MODE 4 ..... 3.4.6-1
3.4.7 RCS Loops - MODE 5, Loops Filled 3.4.7-1
3.4.8 RCS Loops - MODE 5, Loops Not Filled 3.4.8-1
3.4.9 Pressurizer 3.4.9-1
3.4.10 Pressurizer Safety Relief Valves 3.4.10-1
3.4.11 Low Temperature Overpressure Protection (LTOP) 3.4.11-1
3.4.12 RCS Operational LEAKAGE 3.4.12-1
3.4.13 RCS Pressure Isolation Valve (PIV) Leakage 3.4.13-1
3.4.14 RCS Leakage Detection Instrumentation 3.4.14-1
3.4.15 RCS Specific Activity 3.4.15-1
3.4.16 Steam Generator (SG) Tube Integrity 3.4.16-1
3.4.17 RCS Loops - Test Exceptions 3.4.17-1
3.5 EMERGENCY CORE COOLING SYSTEMS (ECCS) 3.5.1-1
3.5.1 Accumulators 3.5.1-1
3.5.2 ECCS - Operating 3.5.2-1
3.5.3 ECCS - Shutdown, MODE 4 ..... 3.5.3-1
3.5.4 In-Containment Refueling Water Storage Tank (IRWST) - Operating 3.5.4-1
3.5.5 Extra Borating System (EBS) 3.5.5-1
3.5.6 In-Containment Refueling Water Storage Tank (IRWST) - Shutdown, MODE 5 ..... 3.5.6-1

3.5.7 In-Containment Refueling Water Storage Tank (IRWST) - Shutdown, MODE 6 ..... 3.5.7-1
3.5.8 ECCS - Shutdown, MODES 5 and 6 ..... 3.5.8-1
3.6 CONTAINMENT SYSTEMS 3.6.1-1
3.6.1 Containment 3.6.1-1
3.6.2 Containment Air Locks 3.6.2-1
3.6.3 Containment Isolation Valves 3.6.3-1
3.6.4 Containment Pressure 3.6.4-1
3.6.5 Containment Air Temperature 3.6.5-1
3.6.6 Shield Building 3.6.6-1
3.6.7 Annulus Ventilation System (AVS) 3.6.7-1
3.6.8 pH Adjustment 3.6.8-1
3.7 PLANT SYSTEMS) 3.7.1-1
3.7.1 Main Steam Safety Valves (MSSVs) 3.7.1-1
3.7.2 Main Steam Isolation Valves (MSIVs) 3.7.2-1
3.7.3 Main Feedwater (MFW) Valves 3.7.3-1
3.7.4 Main Steam Relief Trains (MSRTs) 3.7.4-1
3.7.5 Emergency Feedwater (EFW) System 3.7.5-1
3.7.6 Emergency Feedwater (EFW) Storage Pools 3.7.6-1
3.7.7 Component Cooling Water (CCW) System 3.7.7-1
3.7.8 Essential Service Water (ESW) System 3.7.8-1
3.7.9 Safety Chilled Water (SCW) System 3.7.9-1
3.7.10 Control Room Emergency Filtration (CREF) 3.7.10-1
3.7.11 Control Room Air Conditioning System (CRACS) 3.7.11-1
3.7.12 Safeguard Building Controlled Area Ventilation System (SBVS) 3.7.12-1
3.7.13 Safeguard Building Ventilation System Electrical Division (SBVSED) 3.7.13-1
3.7.14 Spent Fuel Storage Pool Water Level 3.7.14-1
3.7.15 Spent Fuel Storage Pool Boron Concentration and Enrichment 3.7.15-1
3.7.16 Spent Fuel Storage 3.7.16-1
3.7.17 Secondary Specific Activity 3.7.17-1

3.7.18 Main Steam Line Leakage 3.7.18-1
3.7.19 Ultimate Heat Sink (UHS) 3.7.19-1
3.8 ELECTRICAL POWER SYSTEMS 3.8.1-1
3.8.1 AC Sources - Operating 3.8.1-1
3.8.2 AC Sources - Shutdown 3.8.2-1
3.8.3 Diesel Fuel Oil, Lube Oil, and Starting Air 3.8.3-1
3.8.4 DC Sources - Operating 3.8.4-1
3.8.5 DC Sources - Shutdown 3.8.5-1
3.8.6 Battery Parameters 3.8.6-1
3.8.7 Inverters - Operating 3.8.7-1
3.8.8 Inverters - Shutdown 3.8.8-1
3.8.9 Distribution Systems - Operating 3.8.9-1
3.8.10 Distribution Systems - Shutdown 3.8.10-1
3.9 REFUELING OPERATIONS 3.9.1-1
3.9.1 Boron Concentration 3.9.1-1
3.9.2 Nuclear Instrumentation 3.9.2-1
3.9.3 Decay Time 3.9.3-1
3.9.4 Residual Heat Removal (RHR) Loops - High WaterLevel 3.9.4-1
3.9.5 Residual Heat Removal (RHR) Loops - Low WaterLevel 3.9.5-1
3.9.6 Refueling Cavity Water Level 3.9.6-1
4.0 DESIGN FEATURES 4.0-1
4.1 Site Location 4.0-1
4.2 Reactor Core 4.0-1
4.3 Fuel Storage 4.0-1
5.0 ADMINISTRATIVE CONTROLS 5.1-1
5.1 Responsibility 5.1-1
5.2 Organization 5.2-1
5.3 Unit Staff Qualifications 5.3-1
5.4 Procedures 5.4-1
5.5 Programs and Manuals 5.5-1
5.6 Reporting Requirements 5.6-1
5.7 High Radiation Area 5.7-1

B 2.0 SAFETY LIMITS (SLs) ..... B 2.1.1-1
B 2.1.1 Reactor Core SL ..... B 2.1.1-1
B 2.1.2 Reactor Coolant System (RCS) Pressure SL ..... B 2.1.2-1
B 3.0 LIMITING CONDITION FOR OPERATION (LCO) APPLICABILITY ..... B 3.0-1
B 3.0 SURVEILLANCE REQUIREMENT (SR) APPLICABILITY ..... B 3.0-12
B 3.1 REACTIVITY CONTROL SYSTEMS ..... B 3.1.1-1
B 3.1.1 SHUTDOWN MARGIN (SDM) ..... B 3.1.1-1
B 3.1.2 Core Reactivity ..... B 3.1.2-1
B 3.1.3 Moderator Temperature Coefficient (MTC) ..... B 3.1.3-1
B 3.1.4 Rod Control Cluster Assembly (RCCA) Group Alignment Limits ..... B 3.1.4-1
B 3.1.5 Shutdown Bank Insertion Limits ..... B 3.1.5-1
B 3.1.6 Control Bank Insertion Limits ..... B 3.1.6-1
B 3.1.7 Rod Control Cluster Assembly (RCCA) Position Indication ..... B 3.1.7-1
B 3.1.8 Boron Dilution Protection (BDP) ..... B 3.1.8-1
B 3.1.9 PHYSICS TESTS Exceptions - MODE 2 ..... B 3.1.9-1
B 3.2 POWER DISTRIBUTION LIMITS ..... B 3.2.1-1
B 3.2.1 Linear Power Density (LPD) ..... B 3.2.1-1
B 3.2.2 Nuclear Enthalpy Rise Hot Channel Factor ($F^N_{\Delta H}$) ..... B 3.2.2-1
B 3.2.3 Departure From Nucleate Boiling Ratio (DNBR) ..... B 3.2.3-1
B 3.2.4 AXIAL OFFSET (AO) ..... B 3.2.4-1
B 3.2.5 AZIMUTHAL POWER IMBALANCE (API) ..... B 3.2.5-1
B 3.3 INSTRUMENTATION ..... B 3.3.1-1
B 3.3.1 Protection System (PS) ..... B 3.3.1-1
B 3.3.2 Post Accident Monitoring (PAM) Instrumentation ..... B 3.3.2-1
B 3.3.3 Remote Shutdown System (RSS) ..... B 3.3.3-1
B 3.4 REACTOR COOLANT SYSTEM (RCS) ..... B 3.4.1-1
B 3.4.1 RCS Pressure, Temperature, and Flow Departure from Nucleate Boiling (DNB) Limits ..... B 3.4.1-1
B 3.4.2 RCS Minimum Temperature for Criticality ..... B 3.4.2-1
B 3.4.3 RCS Pressure and Temperature (P/T) Limits ..... B 3.4.3-1
B 3.4.4 RCS Loops - MODES 1 and 2 ..... B 3.4.4-1
B 3.4.5 RCS Loops - MODE 3 ..... B 3.4.5-1
B 3.4.6 RCS Loops - MODE 4 ..... B 3.4.6-1

B 3.4.7 RCS Loops - MODE 5, Loops Filled ..... B 3.4.7-1
B 3.4.8 RCS Loops - MODE 5, Loops Not Filled ..... B 3.4.8-1
B 3.4.9 Pressurizer ..... B 3.4.9-1
B 3.4.10 Pressurizer Safety Relief Valves (PSRVs) ..... B 3.4.10-1
B 3.4.11 Low Temperature Overpressure Protection (LTOP) .... B 3.4.11-1
B 3.4.12 RCS Operational LEAKAGE ..... B 3.4.12-1
B 3.4.13 RCS Pressure Isolation Valve (PIV) Leakage ..... B 3.4.13-1
B 3.4.14 RCS Leakage Detection Instrumentation ..... B 3.4.14-1
B 3.4.15 RCS Specific Activity ..... B 3.4.15-1
B 3.4.16 Steam Generator (SG) Tube Integrity ..... B 3.4.16-1
B 3.4.17 RCS Loops - Test Exceptions ..... B 3.4.17-1
B 3.5 EMERGENCY CORE COOLING SYSTEMS (ECCS) ..... B 3.5.1-1
B 3.5.1 Accumulators ..... B 3.5.1-1
B 3.5.2 ECCS - Operating ..... B 3.5.2-1
B 3.5.3 ECCS - Shutdown, MODE 4 ..... B 3.5.3-1
B 3.5.4 In-Containment Refueling Water Storage Tank (IRWST) - Operating ..... B 3.5.4-1
B 3.5.5 Extra Borating System (EBS) ..... B 3.5.5-1
B 3.5.6 In-Containment Refueling Water Storage Tank (IRWST) - Shutdown, MODE 5 ..... B 3.5.6-1
B 3.5.7 In-Containment Refueling Water Storage Tank (IRWST) - Shutdown, MODE 6 ..... B 3.5.7-1
B 3.5.8 ECCS - Shutdown, MODES 5 and 6 ..... B 3.5.8-1
B 3.6 CONTAINMENT SYSTEMS ..... B 3.6.1-1
B 3.6.1 Containment ..... B 3.6.1-1
B 3.6.2 Containment Air Locks ..... B 3.6.2-1
B 3.6.3 Contaminent Isolation Valves ..... B 3.6.3-1
B 3.6.4 Containment Pressure ..... B 3.6.4-1
B 3.6.5 Containment Air Temperature ..... B 3.6.5-1
B 3.6.6 Shield Building ..... B 3.6.6-1
B 3.6.7 Annulus Ventilation System (AVS) ..... B 3.6.7-1
B 3.6.8 pH Adjustment ..... B 3.6.8-1
B 3.7 PLANT SYSTEMS ..... B 3.7.1-1
B 3.7.1 Main Steam Safety Valves (MSSVs) ..... B 3.7.1-1
B 3.7.2 Main Steam Isolation Valves (MSIVs) ..... B 3.7.2-1
B 3.7.3 Main Feedwater (MFW) Valves ..... B 3.7.3-1

B 3.7.4 Main Steam Relief Trains (MSRTs) ..... B 3.7.4-1
B 3.7.5 Emergency Feedwater (EFW) System..... B 3.7.5-1
B 3.7.6 Emergency Feedwater (EFW) Storage Pools ..... B 3.7.6-1
B 3.7.7 Component Cooling Water (CCW) System..... B 3.7.7-1
B 3.7.8 Essential Service Water (ESW) System ..... B 3.7.8-1
B 3.7.9 Safety Chilled Water (SCW) System..... B 3.7.9-1
B 3.7.10 Control Room Emergency Filtration (CREF)..... B 3.7.10-1
B 3.7.11 Control Room Air Conditioning System (CRACS)..... B 3.7.11-1
B 3.7.12 Safeguard Building Controlled Area Ventilation System (SBVS) ..... B 3.7.12-1
B 3.7.13 Safeguard Building Ventilation System Electrical Division (SBVSED)..... B 3.7.13-1
B 3.7.14 Spent Fuel Storage Pool Water Level..... B 3.7.14-1
B 3.7.15 Spent Fuel Storage Pool Boron Concentration and Enrichment..... B 3.7.15-1
B 3.7.16 Spent Fuel Storage ..... B 3.7.16-1
B 3.7.17 Secondary Specific Activity..... B 3.7.17-1
B 3.7.18 Main Steam Line Leakage ..... B 3.7.18-1
B 3.7.19 Ultimate Heat Sink (UHS) ..... B 3.7.19-1
B 3.8 ELECTRICAL POWER SYSTEMS ..... B 3.8.1-1
B 3.8.1 AC Sources - Operating..... B 3.8.1-1
B 3.8.2 AC Sources - Shutdown..... B 3.8.2-1
B 3.8.3 Diesel Fuel Oil, Lube Oil, and Starting Air..... B 3.8.3-1
B 3.8.4 DC Sources - Operating..... B 3.8.4-1
B 3.8.5 DC Sources - Shutdown..... B 3.8.5-1
B 3.8.6 Battery Parameters ..... B 3.8.6-1
B 3.8.7 Inverters - Operating ..... B 3.8.7-1
B 3.8.8 Inverters - Shutdown ..... B 3.8.8-1
B 3.8.9 Distribution Systems - Operating ..... B 3.8.9-1
B 3.8.10 Distribution Systems - Shutdown ..... B 3.8.10-1
B 3.9 REFUELING OPERATIONS ..... B 3.9.1-1
B 3.9.1 Boron Concentration ..... B 3.9.1-1
B 3.9.2 Nuclear Instrumentation..... B 3.9.2-1
B 3.9.3 Decay Time..... B 3.9.3-1
B 3.9.4 Residual Heat Removal (RHR) Loops - High Water Level..... B 3.9.4-1

B 3.9.5 Residual Heat Removal (RHR) Loops - Low Water Level ..... B 3.9.5-1
B 3.9.6 Refueling Cavity Water Level ..... B 3.9.6-1