

CHAPTER 16—TECHNICAL SPECIFICATIONS TABLE OF CONTENTS

16.0 TECHNICAL SPECIFICATIONS

1.0	USE AND APPLICATION.....	1.1-1
1.1	Definitions.....	1.1-1
1.2	Logical Connectors.....	1.2-1
1.3	Completion Times.....	1.3-1
1.4	Frequency.....	1.4-1
2.0	SAFETY LIMITS (SLs)	2.1-1
2.1	SLs	2.1-1
2.2	SL Violations.....	2.1-1
3.0	LIMITING CONDITION FOR OPERATION (LCO) APPLICABILITY	3.0-1
3.0	SURVEILLANCE REQUIREMENT (SR) APPLICABILITY	3.0-4
3.1	REACTIVITY CONTROL SYSTEMS.....	3.1.1-1
3.1.1	SHUTDOWN MARGIN (SDM)	3.1.1-1
3.1.2	Core Reactivity	3.1.2-1
3.1.3	Moderator Temperature Coefficient (MTC)	3.1.3-1
3.1.4	Rod Control Cluster Assembly (RCCA) Group Alignment Limits	3.1.4-1
3.1.5	Shutdown Bank Insertion Limits	3.1.5-1
3.1.6	Control Bank Insertion Limits	3.1.6-1
3.1.7	Rod Control Cluster Assembly (RCCA) Position Indication	3.1.7-1
3.1.8	Boron Dilution Protection (BDP).....	3.1.8-1
3.1.9	PHYSICS TESTS Exceptions - MODE 2	3.1.9-1
3.2	POWER DISTRIBUTION LIMITS	3.2.1-1
3.2.1	Linear Power Density (LPD).....	3.2.1-1
3.2.2	Nuclear Enthalpy Rise Hot Channel Factor ($F_{\Delta H}^N$)...	3.2.2-1
3.2.3	Departure From Nucleate Boiling Ratio (DNBR)....	3.2.3-1
3.2.4	AXIAL OFFSET (AO)	3.2.4-1
3.2.5	AZIMUTHAL POWER IMBALANCE (API)	3.2.5-1

3.3	INSTRUMENTATION	3.3.1-1
3.3.1	Protection System (PS).....	3.3.1-1
3.3.2	Post Accident Monitoring (PAM) Instrumentation...	3.3.2-1
3.3.3	Remote Shutdown System (RSS).....	3.3.3-1
3.4	REACTOR COOLANT SYSTEM (RCS).....	3.4.1-1
3.4.1	RCS Pressure, Temperature, and Flow Departure from Nucleate Boiling (DNB) Limits	3.4.1-1
3.4.2	RCS Minimum Temperature for Criticality	3.4.2-1
3.4.3	RCS Pressure and Temperature (P/T) Limits	3.4.3-1
3.4.4	RCS Loops - MODES 1 and 2.....	3.4.4-1
3.4.5	RCS Loops - MODE 3	3.4.5-1
3.4.6	RCS Loops - MODE 4	3.4.6-1
3.4.7	RCS Loops - MODE 5, Loops Filled.....	3.4.7-1
3.4.8	RCS Loops - MODE 5, Loops Not Filled	3.4.8-1
3.4.9	Pressurizer	3.4.9-1
3.4.10	Pressurizer Safety Relief Valves	3.4.10-1
3.4.11	Low Temperature Overpressure Protection (LTOP).....	3.4.11-1
3.4.12	RCS Operational LEAKAGE	3.4.12-1
3.4.13	RCS Pressure Isolation Valve (PIV) Leakage	3.4.13-1
3.4.14	RCS Leakage Detection Instrumentation	3.4.14-1
3.4.15	RCS Specific Activity	3.4.15-1
3.4.16	Steam Generator (SG) Tube Integrity	3.4.16-1
3.4.17	RCS Loops - Test Exceptions	3.4.17-1
3.5	EMERGENCY CORE COOLING SYSTEMS (ECCS).....	3.5.1-1
3.5.1	Accumulators.....	3.5.1-1
3.5.2	ECCS - Operating	3.5.2-1
3.5.3	ECCS - Shutdown, MODE 4	3.5.3-1
3.5.4	In-Containment Refueling Water Storage Tank (IRWST) - Operating	3.5.4-1
3.5.5	Extra Borating System (EBS).....	3.5.5-1
3.5.6	In-Containment Refueling Water Storage Tank (IRWST) - Shutdown, MODE 5	3.5.6-1

3.5.7	In-Containment Refueling Water Storage Tank (IRWST) - Shutdown, MODE 6	3.5.7-1
3.5.8	ECCS - Shutdown, MODES 5 and 6	3.5.8-1
3.6	CONTAINMENT SYSTEMS	3.6.1-1
3.6.1	Containment	3.6.1-1
3.6.2	Containment Air Locks	3.6.2-1
3.6.3	Containment Isolation Valves	3.6.3-1
3.6.4	Containment Pressure	3.6.4-1
3.6.5	Containment Air Temperature	3.6.5-1
3.6.6	Shield Building	3.6.6-1
3.6.7	Annulus Ventilation System (AVS)	3.6.7-1
3.6.8	pH Adjustment	3.6.8-1
3.7	PLANT SYSTEMS)	3.7.1-1
3.7.1	Main Steam Safety Valves (MSSVs)	3.7.1-1
3.7.2	Main Steam Isolation Valves (MSIVs)	3.7.2-1
3.7.3	Main Feedwater (MFW) Valves	3.7.3-1
3.7.4	Main Steam Relief Trains (MSRTs)	3.7.4-1
3.7.5	Emergency Feedwater (EFW) System	3.7.5-1
3.7.6	Emergency Feedwater (EFW) Storage Pools	3.7.6-1
3.7.7	Component Cooling Water (CCW) System	3.7.7-1
3.7.8	Essential Service Water (ESW) System	3.7.8-1
3.7.9	Safety Chilled Water (SCW) System	3.7.9-1
3.7.10	Control Room Emergency Filtration (CREF)	3.7.10-1
3.7.11	Control Room Air Conditioning System (CRACS)	3.7.11-1
3.7.12	Safeguard Building Controlled Area Ventilation System (SBVS)	3.7.12-1
3.7.13	Safeguard Building Ventilation System Electrical Division (SBVSED)	3.7.13-1
3.7.14	Spent Fuel Storage Pool Water Level	3.7.14-1
3.7.15	Spent Fuel Storage Pool Boron Concentration and Enrichment	3.7.15-1
3.7.16	Spent Fuel Storage	3.7.16-1
3.7.17	Secondary Specific Activity	3.7.17-1

3.7.18	Main Steam Line Leakage.....	3.7.18-1
3.7.19	Ultimate Heat Sink (UHS).....	3.7.19-1
3.8	ELECTRICAL POWER SYSTEMS.....	3.8.1-1
3.8.1	AC Sources - Operating	3.8.1-1
3.8.2	AC Sources - Shutdown	3.8.2-1
3.8.3	Diesel Fuel Oil, Lube Oil, and Starting Air.....	3.8.3-1
3.8.4	DC Sources - Operating	3.8.4-1
3.8.5	DC Sources - Shutdown.....	3.8.5-1
3.8.6	Battery Parameters	3.8.6-1
3.8.7	Inverters - Operating	3.8.7-1
3.8.8	Inverters - Shutdown	3.8.8-1
3.8.9	Distribution Systems - Operating.....	3.8.9-1
3.8.10	Distribution Systems - Shutdown	3.8.10-1
3.9	REFUELING OPERATIONS	3.9.1-1
3.9.1	Boron Concentration	3.9.1-1
3.9.2	Nuclear Instrumentation	3.9.2-1
3.9.3	Decay Time	3.9.3-1
3.9.4	Residual Heat Removal (RHR) Loops - High WaterLevel	3.9.4-1
3.9.5	Residual Heat Removal (RHR) Loops - Low WaterLevel	3.9.5-1
3.9.6	Refueling Cavity Water Level.....	3.9.6-1
4.0	DESIGN FEATURES	4.0-1
4.1	Site Location.....	4.0-1
4.2	Reactor Core	4.0-1
4.3	Fuel Storage	4.0-1
5.0	ADMINISTRATIVE CONTROLS	5.1-1
5.1	Responsibility	5.1-1
5.2	Organization	5.2-1
5.3	Unit Staff Qualifications	5.3-1
5.4	Procedures	5.4-1
5.5	Programs and Manuals	5.5-1
5.6	Reporting Requirements.....	5.6-1
5.7	High Radiation Area	5.7-1

B 2.0	SAFETY LIMITS (SLs)	B 2.1.1-1
B 2.1.1	Reactor Core SL	B 2.1.1-1
B 2.1.2	Reactor Coolant System (RCS) Pressure SL	B 2.1.2-1
B 3.0	LIMITING CONDITION FOR OPERATION (LCO) APPLICABILITY	B 3.0-1
B 3.0	SURVEILLANCE REQUIREMENT (SR) APPLICABILITY	B 3.0-12
B 3.1	REACTIVITY CONTROL SYSTEMS	B 3.1.1-1
B 3.1.1	SHUTDOWN MARGIN (SDM)	B 3.1.1-1
B 3.1.2	Core Reactivity	B 3.1.2-1
B 3.1.3	Moderator Temperature Coefficient (MTC)	B 3.1.3-1
B 3.1.4	Rod Control Cluster Assembly (RCCA) Group Alignment Limits	B 3.1.4-1
B 3.1.5	Shutdown Bank Insertion Limits	B 3.1.5-1
B 3.1.6	Control Bank Insertion Limits	B 3.1.6-1
B 3.1.7	Rod Control Cluster Assembly (RCCA) Position Indication	B 3.1.7-1
B 3.1.8	Boron Dilution Protection (BDP)	B 3.1.8-1
B 3.1.9	PHYSICS TESTS Exceptions - MODE 2	B 3.1.9-1
B 3.2	POWER DISTRIBUTION LIMITS	B 3.2.1-1
B 3.2.1	Linear Power Density (LPD)	B 3.2.1-1
B 3.2.2	Nuclear Enthalpy Rise Hot Channel Factor ($F_{\Delta H}^N$)	B 3.2.2-1
B 3.2.3	Departure From Nucleate Boiling Ratio (DNBR)	B 3.2.3-1
B 3.2.4	AXIAL OFFSET (AO)	B 3.2.4-1
B 3.2.5	AZIMUTHAL POWER IMBALANCE (API)	B 3.2.5-1
B 3.3	INSTRUMENTATION	B 3.3.1-1
B 3.3.1	Protection System (PS)	B 3.3.1-1
B 3.3.2	Post Accident Monitoring (PAM) Instrumentation	B 3.3.2-1
B 3.3.3	Remote Shutdown System (RSS)	B 3.3.3-1
B 3.4	REACTOR COOLANT SYSTEM (RCS)	B 3.4.1-1
B 3.4.1	RCS Pressure, Temperature, and Flow Departure from Nucleate Boiling (DNB) Limits	B 3.4.1-1
B 3.4.2	RCS Minimum Temperature for Criticality	B 3.4.2-1
B 3.4.3	RCS Pressure and Temperature (P/T) Limits	B 3.4.3-1
B 3.4.4	RCS Loops - MODES 1 and 2	B 3.4.4-1
B 3.4.5	RCS Loops - MODE 3	B 3.4.5-1
B 3.4.6	RCS Loops - MODE 4	B 3.4.6-1

B 3.4.7	RCS Loops - MODE 5, Loops Filled	B 3.4.7-1
B 3.4.8	RCS Loops - MODE 5, Loops Not Filled.....	B 3.4.8-1
B 3.4.9	Pressurizer	B 3.4.9-1
B 3.4.10	Pressurizer Safety Relief Valves (PSRVs).....	B 3.4.10-1
B 3.4.11	Low Temperature Overpressure Protection (LTOP)	B 3.4.11-1
B 3.4.12	RCS Operational LEAKAGE	B 3.4.12-1
B 3.4.13	RCS Pressure Isolation Valve (PIV) Leakage.....	B 3.4.13-1
B 3.4.14	RCS Leakage Detection Instrumentation.....	B 3.4.14-1
B 3.4.15	RCS Specific Activity.....	B 3.4.15-1
B 3.4.16	Steam Generator (SG) Tube Integrity	B 3.4.16-1
B 3.4.17	RCS Loops - Test Exceptions	B 3.4.17-1
B 3.5	EMERGENCY CORE COOLING SYSTEMS (ECCS).....	B 3.5.1-1
B 3.5.1	Accumulators	B 3.5.1-1
B 3.5.2	ECCS - Operating	B 3.5.2-1
B 3.5.3	ECCS - Shutdown, MODE 4	B 3.5.3-1
B 3.5.4	In-Containment Refueling Water Storage Tank (IRWST) - Operating	B 3.5.4-1
B 3.5.5	Extra Borating System (EBS).....	B 3.5.5-1
B 3.5.6	In-Containment Refueling Water Storage Tank (IRWST) - Shutdown, MODE 5	B 3.5.6-1
B 3.5.7	In-Containment Refueling Water Storage Tank (IRWST) - Shutdown, MODE 6	B 3.5.7-1
B 3.5.8	ECCS - Shutdown, MODES 5 and 6.....	B 3.5.8-1
B 3.6	CONTAINMENT SYSTEMS.....	B 3.6.1-1
B 3.6.1	Containment.....	B 3.6.1-1
B 3.6.2	Containment Air Locks	B 3.6.2-1
B 3.6.3	Contaminant Isolation Valves.....	B 3.6.3-1
B 3.6.4	Containment Pressure	B 3.6.4-1
B 3.6.5	Containment Air Temperature.....	B 3.6.5-1
B 3.6.6	Shield Building	B 3.6.6-1
B 3.6.7	Annulus Ventilation System (AVS).....	B 3.6.7-1
B 3.6.8	pH Adjustment.....	B 3.6.8-1
B 3.7	PLANT SYSTEMS.....	B 3.7.1-1
B 3.7.1	Main Steam Safety Valves (MSSVs).....	B 3.7.1-1
B 3.7.2	Main Steam Isolation Valves (MSIVs).....	B 3.7.2-1
B 3.7.3	Main Feedwater (MFW) Valves.....	B 3.7.3-1

B 3.7.4	Main Steam Relief Trains (MSRTs)	B 3.7.4-1
B 3.7.5	Emergency Feedwater (EFW) System.....	B 3.7.5-1
B 3.7.6	Emergency Feedwater (EFW) Storage Pools	B 3.7.6-1
B 3.7.7	Component Cooling Water (CCW) System.....	B 3.7.7-1
B 3.7.8	Essential Service Water (ESW) System	B 3.7.8-1
B 3.7.9	Safety Chilled Water (SCW) System.....	B 3.7.9-1
B 3.7.10	Control Room Emergency Filtration (CREF).....	B 3.7.10-1
B 3.7.11	Control Room Air Conditioning System (CRACS).....	B 3.7.11-1
B 3.7.12	Safeguard Building Controlled Area Ventilation System (SBVS)	B 3.7.12-1
B 3.7.13	Safeguard Building Ventilation System Electrical Division (SBVSED).....	B 3.7.13-1
B 3.7.14	Spent Fuel Storage Pool Water Level.....	B 3.7.14-1
B 3.7.15	Spent Fuel Storage Pool Boron Concentration and Enrichment	B 3.7.15-1
B 3.7.16	Spent Fuel Storage	B 3.7.16-1
B 3.7.17	Secondary Specific Activity	B 3.7.17-1
B 3.7.18	Main Steam Line Leakage	B 3.7.18-1
B 3.7.19	Ultimate Heat Sink (UHS)	B 3.7.19-1
B 3.8	ELECTRICAL POWER SYSTEMS	B 3.8.1-1
B 3.8.1	AC Sources - Operating	B 3.8.1-1
B 3.8.2	AC Sources - Shutdown.....	B 3.8.2-1
B 3.8.3	Diesel Fuel Oil, Lube Oil, and Starting Air.....	B 3.8.3-1
B 3.8.4	DC Sources - Operating.....	B 3.8.4-1
B 3.8.5	DC Sources - Shutdown.....	B 3.8.5-1
B 3.8.6	Battery Parameters	B 3.8.6-1
B 3.8.7	Inverters - Operating	B 3.8.7-1
B 3.8.8	Inverters - Shutdown.....	B 3.8.8-1
B 3.8.9	Distribution Systems - Operating	B 3.8.9-1
B 3.8.10	Distribution Systems - Shutdown	B 3.8.10-1
B 3.9	REFUELING OPERATIONS	B 3.9.1-1
B 3.9.1	Boron Concentration	B 3.9.1-1
B 3.9.2	Nuclear Instrumentation.....	B 3.9.2-1
B 3.9.3	Decay Time.....	B 3.9.3-1
B 3.9.4	Residual Heat Removal (RHR) Loops - High Water Level.....	B 3.9.4-1



B 3.9.5	Residual Heat Removal (RHR) Loops - Low	
	Water Level.....	B 3.9.5-1
B 3.9.6	Refueling Cavity Water Level.....	B 3.9.6-1