

FAX TRANSMISSION

Upper Michigan Cardiovascular Associates, PC
 Upper Peninsula Medical Center
 1414 W. Fair Ave., Ste 334
 Marquette, MI 49855
 Phone: (906) 225-3870
 FAX: (906) 225-4861



Cardiology Services

Thomas D. LeGalley, MD, FACC
 Gail P. Brayden, MD, FACC
 David A. Pesola, MD, FACC
 Mark D. Cowan, MD, FACC, FACP
 John M. Pap, MD, FACC
 William J. Jean, MD, FACC
 Nelson E. Gencheff, DO, FACC, FCCP
 Raymond A. Wood, DO, FACC
 Gary M. Friesen, MD, FACC
 Rudolph F. Evonich III, MD

Cardiothoracic and Vascular Surgery

Curtis C. Marder, MD, FACS
 Douglas R. Baldwin, MD

Pediatric Cardiology

James L. Christiansen, MD, FACC, FAAP, PC

TO: Colleen Casey

DATE: 6-17-09

FAX#: (630) 515-1078

Pages (without coversheet): 1

FROM: Ampla

SUBJECT: Materials License No. 21-32210-01

Comments: _____

Caring Hands for Healthy Hearts!

Serving the Cardiac, Thoracic, and Vascular needs of the Upper Peninsula and surrounding areas



Cardiology Services • Suite 334
Fax: (906) 225-4861

CARDIOVASCULAR ASSOCIATES, P.C.

Surgical Services • Suite 342
Fax: (906) 225-3975

1414 West Fair Avenue • Marquette, MI 49855
Phone: (906) 225-3870
www.upheart.net

Cardiac, Thoracic & Vascular Surgeons
Curtis C. Marder, MD, FACS, FACC, FACCP
Douglas R. Baldwin, MD

Thomas D. LeGalley, MD, FACC
Gail E. Brayden, MD, FACC
David A. Perola, MD, FACC
Mark D. Cowan, MD, FACC, FACF
John M. Pap, MD, FACC
William J. Jean, MD, FACC
Nelson E. Gencheff, DO, FACC, FCCP
Raymond A. Wood, DO, FACC
Gary M. Friesen, MD, FACC
Rudolph E. Evonich III, MD

Pediatric Cardiology
James L. Christiansen, MD, PC, FAAP, FACC

June 17, 2009

Nuclear Materials Licensing Branch
Nuclear Regulatory Commission Region III
2443 Warrenville Road Suite 210
Lisle, IL 60532-4352

Re: Materials License No. 21-32210-01

This letter is to request an amendment to our materials license listed above to permit receipt of Mo/Tc generators containing uranium depleted in uranium-235 as shielding. The form is solid metal and the possession limit requested is 200 kg.

This larger size generator is being offered by the vendor due to the current Moly shortage and is not anticipated to be used permanently. Because of this shortage we have been without our major radioactive material, Tc-99m for some weeks now. We have an ever increasing backlog of patients needing imaging procedures. As such we ask that this request be expedited as a medical emergency.

If you have further questions please contact our consultant, Shan Marlette at (906) 225-6967. Our fax number is (906) 225-4861.

Sincerely,

Thomas LeGalley, M.D.
President