

Tables

Table 1.1-201	Left Margin Annotations	1-8
Table 1.6-201	Referenced Topical Reports.....	1-15
Table 1.7-201	Summary of Electrical System Configuration Drawings	1-17
Table 1.7-202	Summary of Mechanical System Configuration Drawings.....	1-17
Table 1.8-201	Departures from the Referenced Certified Design	1-20
Table 1.8-202	Conceptual Design Information (CDI)	1-21
Table 1.9-201	Conformance with Standard Review Plan	1-26
Table 1.9-202	Conformance with Regulatory Guides.....	1-73
Table 1.9-203	Conformance with the FSAR Content Guidance in RG 1.206.....	1-97
Table 1.9-204	Industrial Codes and Standards	1-136
Table 1.9-205	NUREG Reports Cited	1-140
Table 1.10-201	Summary of FSAR Sections Where DCD COL Items Are Addressed	1-143
Table 1.11-201	COL Item Resolutions Related to NUREG-0933 Table II Task Action Plan Items and New Generic Issues	1-150
Table 1.11-202	Supplementary Resolutions Related to NUREG-0933 Table II TMI Action Plan Items and Human Factors Issues.....	1-152
Table 1.12-201	Potential Hazards to Fermi 2 from Fermi 3 Construction Activities	1-156
Table 1.12-202	Potential Consequences to Fermi 2 Due to Potential Hazards Resulting from Fermi 3 Construction Activities).....	1-158
Table 1.12-203	Managerial and Administrative Controls for Fermi 3 Construction Activity Hazards.....	1-161
Table 1C-201	Operating Experience Review Results Summary—Generic Letters	1-165
Table 1C-202	Operating Experience Review Results Summary—IE Bulletins	1-165
Table 2.0-2R	Limits Imposed on Acceptance Criteria in Section II of SRP by ESBWR Design	2-2
Table 2.0-201	Evaluation of Site/Design Parameters and Characteristics	2-7
	Evaluation of Site/Design Parameters and Characteristics (Notes)	2-35
	Evaluation of Site/Design Parameters and Characteristics (Notes)	2-36

Tables

Table 2.1-201	U.S. Counties and Canadian Counties within 80 km (50 mi) Radius of Fermi 3	2-57
Table 2.1-202	Resident Population Distribution by Segment, 0 to 16 km (10 mi) from Fermi 3, 2000	2-58
Table 2.1-203	Largest Population Areas within 16 km (10 mi) of the Fermi Site, 2000.....	2-59
Table 2.1-204	Segment Resident Population Distribution 0 to 80 km (50 mi) From the Proposed Fermi 3 Power Block, 2000	2-60
Table 2.1-205	Resident and Transient Population and Density, 0-10 mi Concentric Circles from the Fermi Site, 2000	2-61
Table 2.1-206	Resident and Transient Population and Density by Concentric Circle, 2000	2-62
Table 2.1-207	Commuter Information for the 80 km (50 mi) Region, 2000	2-63
Table 2.1-208	Special Facilities Transient Population Data for the Regional Counties, 2000	2-64
Table 2.1-209	Michigan and Ohio Regional County Populations and Average Annual Growth Rates	2-65
Table 2.1-210	0 to 16 km (10 mi) Resident and Transient Historical Population and Population Projections, 2000, 2008, 2013, 2018, and 2020-2060	2-66
Table 2.1-211	Canadian Population and Average Annual Growth Rates	2-72
Table 2.1-212	16 km (10 mi) to 80 km (50 mi) Resident and Transient Population, 2000, 2008, 2013, 2018, and 2020 to 2060	2-73
Table 2.1-213	Industrial Facilities within 5 mi of Fermi Site	2-77
Table 2.1-214	Schools within 5 mi of Fermi Site	2-78
Table 2.1-215	Current and Projected Population Data for the LPZ.....	2-79
Table 2.1-216	2013 Population Density by Concentric Circle	2-80
Table 2.1-217	2018 Population Density by Concentric Circle	2-81
Table 2.2-201	Industrial Facilities Within 8 Km (5 Mi)	2-109
Table 2.2-202	Offsite Hazardous Materials Within 8 Km (5 Mi).....	2-110
Table 2.2-203	Fermi Onsite Chemical Storage Locations and Quantities.....	2-115
Table 2.2-204	Airports Near Fermi 3	2-120

Tables

Table 2.2-205	Fermi Onsite Chemicals Evaluation	2-122
Table 2.3-201	National Weather Service First-Order and Cooperative Observing Stations Surrounding the Fermi Site	2-197
Table 2.3-202	Local Climatological Data Summary for Detroit, Michigan	2-198
Table 2.3-203	Local Climatological Data Summary for Flint, Michigan	2-200
Table 2.3-204	Local Climatological Data Summary for Toledo, Ohio.....	2-202
Table 2.3-205	Climatological Normals for National Weather Service First-Order and Cooperative Observation Stations in the Region Surrounding the Fermi Site.....	2-204
Table 2.3-206	Climatological Extremes for National Weather Service First-Order and Cooperative Observation Stations Surrounding the Fermi Site.....	2-205
Table 2.3-207	Annual Summaries of Hours with Dust Reported for Detroit Metropolitan Airport During the Period 1961-1995.....	2-206
Table 2.3-208	Distribution for Duration of Discrete Dust Events at Detroit Metropolitan Airport (1961-1995)	2-207
Table 2.3-209	Summaries for Ice Events Occurring in the Five-County Area Surrounding the Fermi Site (1993-2007).....	2-208
Table 2.3-210	Ambient Temperature and Humidity Statistics for Detroit Metropolitan Airport	2-209
Table 2.3-211	Monthly and Annual Temperature Data (°F) for Detroit Metropolitan Airport and Fermi Site (2003 - 2007)	2-210
Table 2.3-212	Monthly and Annual Dew-point Temperature (°F) Summaries for the Fermi Site (2003 - 2007)	2-211
Table 2.3-213	Hours with Precipitation and Hourly Precipitation Rate Distribution for Detroit Metropolitan Airport at Detroit, Michigan (2003-2007)	2-212
Table 2.3-214	Estimated Maximum Precipitation Amounts (Inches) for Durations 1 Hour to 24 Hours and Recurrence Intervals 1 year to 100 years for DTE	2-213
Table 2.3-215	Observed Maximum Precipitation Events at Detroit Metro Airport for Durations from 1 Hour to 24 Hours.....	2-214
Table 2.3-216	Mean Monthly and Annual Summaries (Hours) of Fog and Heavy Fog for Detroit, Michigan (1961-1995)	2-215

Tables

Table 2.3-217	Monthly and Annual Mean Wind Speeds (mph) for Detroit Metropolitan Airport and Fermi Site (2003 - 2007)	2-216
Table 2.3-218	Wind Direction Persistence Summaries - Fermi Site 10-m Level.....	2-217
Table 2.3-219	Wind Direction Persistence Summaries - Fermi Site 10-m Level.....	2-218
Table 2.3-220	Wind Direction Persistence Summaries - Fermi Site 10-m Level.....	2-219
Table 2.3-221	Wind Direction Persistence Summaries - Fermi Site 10-m Level.....	2-220
Table 2.3-222	Wind Direction Persistence Summaries - Fermi Site 10-m Level.....	2-221
Table 2.3-223	Wind Direction Persistence Summaries - Fermi Site 10-m Level.....	2-222
Table 2.3-224	Wind Direction Persistence Summaries - Fermi Site 10-m Level.....	2-223
Table 2.3-225	Wind Direction Persistence Summaries - Fermi Site 10-m Level.....	2-224
Table 2.3-226	Wind Direction Persistence Summaries - Fermi Site 10-m Level.....	2-225
Table 2.3-227	Wind Direction Persistence Summaries - Fermi Site 10-m Level.....	2-226
Table 2.3-228	Wind Direction Persistence Summaries - Fermi Site 10-m Level.....	2-227
Table 2.3-229	Wind Direction Persistence Summaries - Fermi Site 10-m Level.....	2-228
Table 2.3-230	Wind Direction Persistence Summaries - Fermi Site 60-m Level.....	2-229
Table 2.3-231	Wind Direction Persistence Summaries - Fermi Site 60-m Level.....	2-230
Table 2.3-232	Wind Direction Persistence Summaries - Fermi Site 60-m Level.....	2-231
Table 2.3-233	Wind Direction Persistence Summaries - Fermi Site 60-m Level.....	2-232
Table 2.3-234	Wind Direction Persistence Summaries - Fermi Site 60-m Level.....	2-233
Table 2.3-235	Wind Direction Persistence Summaries - Fermi Site 60-m Level.....	2-234
Table 2.3-236	Wind Direction Persistence Summaries - Fermi Site 60-m Level.....	2-235
Table 2.3-237	Wind Direction Persistence Summaries - Fermi Site 60-m Level.....	2-236
Table 2.3-238	Wind Direction Persistence Summaries - Fermi Site 60-m Level.....	2-237
Table 2.3-239	Wind Direction Persistence Summaries - Fermi Site 60-m Level.....	2-238
Table 2.3-240	Wind Direction Persistence Summaries - Fermi Site 60-m Level.....	2-239
Table 2.3-241	Wind Direction Persistence Summaries - Fermi Site 60-m Level.....	2-240

Tables

Table 2.3-242	Wind Direction Persistence Summaries - Detroit Metropolitan Airport 10 m Level	2-241
Table 2.3-243	Wind Direction Persistence Summaries - Detroit Metropolitan Airport 10 m Level	2-242
Table 2.3-244	Wind Direction Persistence Summaries - Detroit Metropolitan Airport 10 m Level	2-243
Table 2.3-245	Wind Direction Persistence Summaries - Detroit Metropolitan Airport 10 m Level	2-244
Table 2.3-246	Wind Direction Persistence Summaries - Detroit Metropolitan Airport 10 m Level	2-245
Table 2.3-247	Wind Direction Persistence Summaries - Detroit Metropolitan Airport 10 m Level	2-246
Table 2.3-248	Wind Direction Persistence Summaries - Detroit Metropolitan Airport 10 m Level	2-247
Table 2.3-249	Wind Direction Persistence Summaries - Detroit Metropolitan Airport 10 m Level	2-248
Table 2.3-250	Wind Direction Persistence Summaries - Detroit Metropolitan Airport 10 m Level	2-249
Table 2.3-251	Wind Direction Persistence Summaries - Detroit Metropolitan Airport 10 m Level	2-250
Table 2.3-252	Wind Direction Persistence Summaries - Detroit Metropolitan Airport 10 m Level	2-251
Table 2.3-253	Wind Direction Persistence Summaries - Detroit Metropolitan Airport 10 m Level	2-252
Table 2.3-254	Mean Monthly and Annual Mixing Heights (m) at White Lake, Michigan (2003 - 2007)	2-253
Table 2.3-255	Temperature Inversion Frequency and Persistence at the Fermi Site (2003 - 2007)	2-254
Table 2.3-256	Monthly Temperature Inversion Frequency and Persistence at the Fermi Site (2003 - 2007)	2-255
Table 2.3-257	Monthly Temperature Inversion Frequency and Persistence at the Fermi Site (2003 - 2007)	2-256

Tables

Table 2.3-258	Monthly Temperature Inversion Frequency and Persistence at the Fermi Site (2003 - 2007)	2-257
Table 2.3-259	Monthly Temperature Inversion Frequency and Persistence at the Fermi Site (2003 - 2007)	2-258
Table 2.3-260	Monthly Temperature Inversion Frequency and Persistence at the Fermi Site (2003 - 2007)	2-259
Table 2.3-261	Monthly Temperature Inversion Frequency and Persistence at the Fermi Site (2003 - 2007)	2-260
Table 2.3-262	Monthly Temperature Inversion Frequency and Persistence at the Fermi Site (2003 - 2007)	2-261
Table 2.3-263	Monthly Temperature Inversion Frequency and Persistence at the Fermi Site (2003 - 2007)	2-262
Table 2.3-264	Monthly Temperature Inversion Frequency and Persistence at the Fermi Site (2003 - 2007)	2-263
Table 2.3-265	Monthly Temperature Inversion Frequency and Persistence at the Fermi Site (2003 - 2007)	2-264
Table 2.3-266	Monthly Temperature Inversion Frequency and Persistence at the Fermi Site (2003 - 2007)	2-265
Table 2.3-267	Monthly Temperature Inversion Frequency and Persistence at the Fermi Site (2003 - 2007)	2-266
Table 2.3-268	Monthly and Annual Vertical Stability Class and Mean 60-m Wind Speed Distributions for Fermi Site (2003 - 2007).....	2-267
Table 2.3-269	Annual JFD of Wind Direction, Wind Speed, and Stability Class	2-269
Table 2.3-270	Annual JFD of Wind Direction, Wind Speed, and Stability Class	2-270
Table 2.3-271	Annual JFD of Wind Direction, Wind Speed, and Stability Class	2-271
Table 2.3-272	Annual JFD of Wind Direction, Wind Speed, and Stability Class	2-272
Table 2.3-273	Annual JFD of Wind Direction, Wind Speed, and Stability Class	2-273
Table 2.3-274	Annual JFD of Wind Direction, Wind Speed, and Stability Class	2-274
Table 2.3-275	Annual JFD of Wind Direction, Wind Speed, and Stability Class	2-275
Table 2.3-276	Annual JFD of Wind Direction, Wind Speed, and Stability Class	2-276
Table 2.3-277	Annual JFD of Wind Direction, Wind Speed, and Stability Class	2-277

Tables

Table 2.3-278	Annual JFD of Wind Direction, Wind Speed, and Stability Class	2-278
Table 2.3-279	Annual JFD of Wind Direction, Wind Speed, and Stability Class	2-279
Table 2.3-280	Annual JFD of Wind Direction, Wind Speed, and Stability Class	2-280
Table 2.3-281	Annual JFD of Wind Direction, Wind Speed, and Stability Class	2-281
Table 2.3-282	Annual JFD of Wind Direction, Wind Speed, and Stability Class	2-282
Table 2.3-283	Annual JFD of Wind Direction, Wind Speed, and Stability Class	2-283
Table 2.3-284	Annual JFD of Wind Direction, Wind Speed, and Stability Class	2-284
Table 2.3-285	SACTI Input Parameters	2-285
Table 2.3-286	Average Plume Lengths During NDCT Operation.....	2-286
Table 2.3-287	Annual Plume Length Frequency During NDCT Operations.....	2-287
Table 2.3-288	Meteorological Parameters Monitored at the Fermi Site	2-288
Table 2.3-289	Accuracies and Thresholds for the Fermi Onsite Meteorological Monitoring Program Instruments	2-289
Table 2.3-290	Method for Substituting Redundant Parameters of the Critical Meteorological Measurements	2-291
Table 2.3-291	Data Recovery Percentages for the Fermi Onsite Meteorological Monitoring Instruments During the 2003-2007 Time Period	2-292
Table 2.3-292	Joint Frequency Distribution in Hours of Wind Speed and Direction by Atmospheric Stability Class – Stability Class A	2-293
Table 2.3-293	Joint Frequency Distribution in Hours of Wind Speed and Direction by Atmospheric Stability Class – Stability Class B	2-294
Table 2.3-294	Joint Frequency Distribution in Hours of Wind Speed and Direction by Atmospheric Stability Class – Stability Class C	2-295
Table 2.3-295	Joint Frequency Distribution in Hours of Wind Speed and Direction by Atmospheric Stability Class – Stability Class D	2-296
Table 2.3-296	Joint Frequency Distribution in Hours of Wind Speed and Direction by Atmospheric Stability Class – Stability Class E	2-297
Table 2.3-297	Joint Frequency Distribution in Hours of Wind Speed and Direction by Atmospheric Stability Class – Stability Class F	2-298

Tables

	Joint Frequency Distribution in Hours of Wind Speed and Direction by Atmospheric Stability Class – Stability Class G.....	2-299
Table 2.3-299	Joint Frequency Distribution in Hours of Wind Speed and Direction by Atmospheric Stability Class – All Stability Classes.....	2-300
Table 2.3-300	Fermi 3 Offsite Short-Term Atmospheric Dispersion Factors.....	2-301
Table 2.3-303	Onsite X/Q Factors from ARCON96 Runs	2-302
Table 2.3-304	Cross-Unit X/Q Factors	2-306
Table 2.3-305	Distances to Site Boundary, Nearest Residences, and Nearest Gardens ...	2-307
Table 2.3-306	Distances to Nearest Sheep, Goat, Meat Cow, and Milk Cow Receptors....	2-308
Table 2.3-307	Site Boundary X/Q and D/Q Factors for Ground-Level Release	2-309
Table 2.3-308	Site Boundary X/Q and D/Q Factors for Mixed-Mode Release from the Reactor Building/Fuel Building Stack	2-310
Table 2.3-309	Site Boundary X/Q and D/Q Factors for Mixed-Mode Release from the Turbine Building Stack	2-311
Table 2.3-310	Nearest Residence X/Q and D/Q Factors for Ground-Level Release	2-312
Table 2.3-311	Nearest Residence X/Q and D/Q Factors for Mixed-Mode Release from the Reactor Building/Fuel Building Stack	2-313
Table 2.3-312	Nearest Residence X/Q and D/Q Factors for Mixed-Mode Release from the Turbine Building Stack	2-314
Table 2.3-313	Nearest Garden X/Q and D/Q Factors for Ground-Level Release	2-315
Table 2.3-314	Nearest Garden X/Q and D/Q Factors for Mixed-Mode Release from the Reactor Building/Fuel Building Stack	2-316
Table 2.3-315	Nearest Garden X/Q and D/Q Factors for Mixed-Mode Release from the Turbine Building Stack	2-317
Table 2.3-316	Nearest Sheep X/Q and D/Q Factors for Ground-Level Release	2-318
Table 2.3-317	Nearest Sheep X/Q and D/Q Factors for Mixed-Mode Release from the Reactor Building/Fuel Building Stack	2-319
Table 2.3-318	Nearest Sheep X/Q and D/Q Factors for Mixed-Mode Release from the Turbine Building Stack	2-320

Tables

Table 2.3-319	Nearest Goat X/Q and D/Q Factors for Ground-Level Release	2-321
Table 2.3-320	Nearest Goat X/Q and D/Q Factors for Mixed-Mode Release from the Reactor Building/Fuel Building Stack	2-322
Table 2.3-321	Nearest Goat X/Q and D/Q Factors for Mixed-Mode Release from the Turbine Building Stack	2-323
Table 2.3-322	Nearest Meat Cow X/Q and D/Q Factors for Ground-Level Release	2-324
Table 2.3-323	Nearest Meat Cow X/Q and D/Q Factors for Mixed-Mode Release from the Reactor Building/Fuel Building Stack	2-325
Table 2.3-324	Nearest Meat Cow X/Q and D/Q Factors for Mixed-Mode Release from the Turbine Building Stack	2-326
Table 2.3-325	Nearest Milk Cow X/Q and D/Q Factors for Ground-Level Release	2-327
Table 2.3-326	Nearest Milk Cow X/Q and D/Q Factors for Mixed-Mode Release from the Reactor Building/Fuel Building Stack	2-328
Table 2.3-327	Nearest Milk Cow X/Q and D/Q Factors for Mixed-Mode Release from the Turbine Building Stack	2-329
Table 2.3-328	Annual Average X/Q Values (No Decay, Undepleted) for Ground Level Release	2-330
Table 2.3-329	Annual Average X/Q Values (2.26 Day Decay, Undepleted) for Ground Level Release	2-333
Table 2.3-330	Annual Average X/Q Values (8.0 Day Decay, Depleted) for Ground Level Release	2-336
Table 2.3-331	Annual Average D/Q Values for Ground Level Release	2-339
Table 2.3-332	Annual Average X/Q Values (No Decay, Undepleted) for Mixed-Mode Release from the Reactor Building/Fuel Building Stack	2-342
Table 2.3-333	Annual Average X/Q Values (2.26 Day Decay, Undepleted) for Mixed-Mode Release from the Reactor Building/Fuel Building Stack	2-345
Table 2.3-334	Annual Average X/Q Values (8.0 Day Decay, Depleted) for Mixed-Mode Release from the Reactor Building/Fuel Building Stack	2-348
Table 2.3-335	Annual Average D/Q Values for Mixed-Mode Release from the Reactor Building/Fuel Building Stack	2-351

Tables

Table 2.3-336	Annual Average X/Q Values (No Decay, Undepleted) for Mixed-Mode Release from the Turbine Building Stack	2-354
Table 2.3-337	Annual Average X/Q Values (2.26 Day Decay, Undepleted) for Mixed-Mode Release from the Turbine Building Stack	2-357
Table 2.3-338	Annual Average X/Q Values (8.0 Day Decay, Depleted) for Mixed-Mode Release from the Turbine Building Stack	2-360
Table 2.3-339	Annual Average D/Q Values for Mixed-Mode Release from the Turbine Building Stack	2-363
Table 2.4-201	2004 Water Usage - Withdrawal and Consumptive Uses for Lake Erie	2-516
Table 2.4-202	2003 Summary Report and 2002 Basin Report for Lake Erie Water Usage	2-517
Table 2.4-203	2001 and 2000 Basin Water Usage Report for Lake Erie	2-518
Table 2.4-204	1999 and 1998 Basin Water Usage Report for Lake Erie	2-519
Table 2.4-205	Monroe County Water Usage (2000 – 2006)	2-520
Table 2.4-206	2005 Monroe County Report	2-522
Table 2.4-207	2006 Monroe County Report	2-523
Table 2.4-208	2006 Monroe County Water Capacity Report	2-524
Table 2.4-209	Net Basin Supply for Lake Erie	2-525
Table 2.4-210	Extreme Monthly Lake Levels for the Western Basin of Lake Erie at the Fermi Site (ID 9063090)	2-526
Table 2.4-211	Local Intense PMP Depth Duration	2-528
Table 2.4-212	Discharge (Q) from Existing Locations Calculated with the Rational Method	2-529
Table 2.4-213	Discharge (Q) from Final Grade Locations Calculated with the Rational Method	2-530
Table 2.4-214	Existing Site and Final Grade Runoff Comparison	2-531
Table 2.4-215	Swan Creek Flow Characteristics	2-532
Table 2.4-216	Swan Creek Watershed Incremental PMP Depths for the 72-Hour Storm...	2-533
Table 2.4-217	PMP Temporal Distribution	2-534
Table 2.4-218	NRCS Dimensionless Unit Hydrograph Ordinates	2-535

Tables

Table 2.4-219	Summary of Results for Alternative II - PMF	2-536
Table 2.4-220	Summary of Results for Alternative I – 500-Year Flood	2-537
Table 2.4-221	Summary of Results for Alternative III – Probable Maximum Surge and Seiche	2-538
Table 2.4-222	Lake Erie - Possible Storm Induced Lake Level Increases (Ft)	2-539
Table 2.4-223	Wavelengths for Various Points in the Lake.....	2-540
Table 2.4-224	Breaking Wave Heights	2-541
Table 2.4-225	Lake Erie Extreme Low Water Elevations from 1967-2007 at the Fermi Site (Station No. 9063090).....	2-542
Table 2.4-226	EPA Region 5 Sole Source Aquifers	2-543
Table 2.4-227	Monroe County, Michigan Projected Groundwater Use Through 2060	2-544
Table 2.4-228	Wayne County, Michigan Projected Groundwater Use Through 2060	2-545
Table 2.4-229	Monitoring Well/Piezometer Construction Data.....	2-546
Table 2.4-230	Surface Water Gauge Construction Data	2-548
Table 2.4-231	Water Level Data.....	2-549
Table 2.4-232	Overburden Hydraulic Conductivity	2-553
Table 2.4-233	Bedrock Aquifer Hydraulic Conductivity	2-554
Table 2.4-234	Groundwater Flow Estimates	2-556
Table 2.4-235	Radionuclide Concentrations at Receptor Based on Eastward Flow Path to Lake Erie	2-557
Table 2.4-236	Radionuclide Concentrations at Receptor Based on Westward Flow Path	2-561
Table 2.5.1-201	Regional Tectonic Structures Within 320 km (200 mi)	2-740
Table 2.5.1-202	Site Stratigraphy for Fermi 2 and Fermi 3	2-753
Table 2.5.2-201	Bechtel Team Seismic Sources	2-878
Table 2.5.2-202	Dames & Moore Team Seismic Sources	2-879
Table 2.5.2-203	Law Engineering Team Seismic Sources.....	2-880

Tables

Table 2.5.2-204	Rondout Team Seismic Sources	2-881
Table 2.5.2-205	Weston Geophysical Team Seismic Sources	2-882
Table 2.5.2-206	Woodward-Clyde Team Seismic Sources	2-883
Table 2.5.2-207	Magnitude Comparisons for New Madrid 1811/1812 Earthquake Sequence	2-884
Table 2.5.2-208	Magnitude Distributions for Repeating Large-Magnitude New Madrid Earthquakes	2-885
Table 2.5.2-209	Earthquake Frequencies for Repeating Large-Magnitude Earthquakes	2-886
Table 2.5.2-210	Estimates of Probability of Earthquake Detection for EPRI-SOG Completeness Regions in the Vicinity of the Fermi 3 Site	2-887
Table 2.5.2-211	PSHA Results for 0.5 Hz Spectral Acceleration on CEUS Generic Hard Rock for the FERMI 3 Site	2-888
Table 2.5.2-212	PSHA Results for 1 Hz Spectral Acceleration on CEUS Generic Hard Rock for the Fermi 3 Site	2-889
Table 2.5.2-213	PSHA Results for 2.5 Hz Spectral Acceleration on CEUS Generic Hard Rock for the Fermi 3 Site	2-890
Table 2.5.2-214	PSHA Results for 5 Hz Spectral Acceleration on CEUS Generic Hard Rock for the Fermi 3 Site	2-891
Table 2.5.2-215	PSHA Results for 10 Hz Spectral Acceleration on CEUS Generic Hard Rock for the Fermi 3 Site	2-892
Table 2.5.2-216	PSHA Results for 25 Hz Spectral Acceleration on CEUS Generic Hard Rock for the Fermi 3 Site	2-893
Table 2.5.2-217	PSHA Results for 100 Hz (PGA) Spectral Acceleration on CEUS Generic Hard Rock for the Fermi 3 Site	2-894
Table 2.5.2-218	Uniform Hazard Response Spectra for the Fermi 3 Site for Generic Hard Rock Conditions	2-895
Table 2.5.2-219	Rock Hazard Reference and Deaggregation Earthquakes	2-896
Table 2.5.2-220	Site Response Analysis Profiles	2-897
Table 2.5.2-221	Rock Damping Values for Site Response Analyses	2-901
Table 2.5.2-222	Time History Data Sets from McGuire et al. (2001) Used for Each Deaggregation Earthquake	2-902

Tables

Table 2.5.2-223	GMRS for the Fermi 3 Site	2-904
Table 2.5.2-224	R/FB FIRS for the Fermi 3 Site	2-908
Table 2.5.2-225	CB FIRS for the Fermi 3 Site.....	2-912
Table 2.5.2-226	FWSC FIRS for the Fermi 3 Site	2-916
Table 2.5.4-201	Approximate Elevation Ranges for Each Subsurface Material Encountered at Fermi 3	2-1098
Table 2.5.4-202	Summary Engineering Properties of Soils and Bedrock	2-1099
Table 2.5.4-203	Statistical Analysis of Results from Field and Laboratory Test Performed for Lacustrine Deposits.....	2-1101
Table 2.5.4-204	Statistical Analysis of Results from Field and Laboratory Test Performed for Glacial Till	2-1102
Table 2.5.4-205	Input Parameters to Estimate Rock Mass Strength	2-1103
Table 2.5.4-206	Statistical Analysis of Results from Field and Laboratory Test Performed for Bass Islands Group	2-1104
Table 2.5.4-207	Rock Mass Properties for Rock Units Encountered at Fermi 3 based on Hoek-Brown Criterion	2-1105
Table 2.5.4-208	Mohr-Coulomb Parameters for Bedrock Units Encountered at Fermi 3 based on Hoek-Brown Criterion	2-1106
Table 2.5.4-209	Statistical Analysis of Measured Compression and Shear Wave Velocities using P-S Suspension Logger in the Bass Islands Group	2-1107
Table 2.5.4-210	Statistical Analysis of Results from Field and Laboratory Test Performed for the Salina Group Unit F	2-1108
Table 2.5.4-211	Statistical Analysis of Measured Compression and Shear Wave Velocities using P-S Suspension Logger in Salina Group Unit F	2-1109
Table 2.5.4-212	Statistical Analysis of Results from Field and Laboratory Test Performed for the Salina Group Unit E.....	2-1110
Table 2.5.4-213	Statistical Analysis of Measured Compression and Shear Wave Velocities using P-S Suspension Logger in the Salina Group Unit E	2-1111
Table 2.5.4-214	Statistical Analysis of Results from Field and Laboratory Test Performed for the Salina Group Unit C	2-1112
Table 2.5.4-215	Statistical Analysis of Measured Compression and Shear Wave Velocities using P-S Suspension Logger in the Salina Group Unit C.....	2-1113

Tables

Table 2.5.4-216	Statistical Analysis of Results from Field and Laboratory Test Performed for Salina Group Unit B.....	2-1114
Table 2.5.4-217	Statistical Analysis of Measured Compression and Shear Wave Velocities using P-S Suspension Logger in Salina Group - Unit B.....	2-1115
Table 2.5.4-218	Elevations, Boring Depths and Depths to Top of Each Soil/Rock Layer Observed from Each Boring	2-1116
Table 2.5.4-219	Pressuremeter Testing Locations and Results in Boring RB-C6.....	2-1119
Table 2.5.4-220	Results of Index, Gradation and Chemical Tests on Soil Samples	2-1121
Table 2.5.4-221	Results of Strength Tests on Soil Samples	2-1123
Table 2.5.4-222	Results of Unconfined Compression Tests on Rock Samples	2-1125
Table 2.5.4-223	Results of Direct Shear Tests on Rock Discontinuities	2-1128
Table 2.5.4-224	Foundation Elevations of Major Structures in the Power Block Area	2-1129
Table 2.5.4-225	Locations, Logging Methods, and Depth Ranges for Geophysical Surveys Performed to obtain the Dynamic Characteristics of Soils and Rocks	2-1130
Table 2.5.4-226	Summary of Building Dimensions, Depths of Foundation Level and Loadings in the Power Block Area	2-1132
Table 2.5.4-227	Results of Bearing Capacity Analysis.....	2-1133
Table 2.5.4-228	Summary of Modulus of Elasticity of Bedrock Units based on Test Results, and Hoek-Brown Criterion	2-1134
Table 2.5.4-229	Selected Parameters for Linear Elastic Model used for Settlement Analysis	2-1135
Table 2.5.4-230	Calculated Rebound at Seismic Category I Structures due to Excavation to Foundation Level	2-1136
Table 2.5.4-231	Calculated Total Settlements due to Backfilling and Applied Loads for Seismic Category I Structures.....	2-1137
Table 2.5.4-232	Comparing Acceptance Criteria in Referenced DCD	2-1138
Table 9.2-201	PSWS Component Design Characteristics	9-13
Table 9.2-202	Major Makeup Water System Components.....	9-14

Table 9.2-203	Potable Water System Component Design Characteristics	9-15
Table 9.2-204	Station Water System – Plant Cooling Tower Makeup System Component Design Parameters	9-16
Table 9.2-205	Station Water System – Pretreated Water Supply System Component Design Parameters	9-17
Table 9.5-201	Codes and Standards.....	9-39
Table 10.4-201	Recommended Water Quality and Action Levels.....	10-8
Table 10.4-3R	Circulating Water System.....	10-9
Table 11.3-201	HEPA Filter Locations and Costs	11-8
Table 11.3-202	HEPA Filter Annual Costs	11-9
Table 11.5-201	Provisions for Sampling Liquid Streams.....	11-16
Table 11.5-201	Provisions for Sampling Liquid Streams (Notes).....	11-18
Table 12.2-15R	Airborne Sources Calculation.....	12-9
Table 12.2-17R	Comparison of Airborne Release Concentrations with 10 CFR 20 Limit.....	12-10
Table 12.2-18aR	Airborne Offsite Dose Calculation Bases	12-15
Table 12.2-18bR	Gaseous Pathway Doses to the MEI.....	12-16
Table 12.2-20aR	Liquid Pathway Offsite Dose Calculation Bases	12-17
Table 12.2-20bR	Liquid Pathway Doses from Fermi 3 for MEI at Lake Erie.....	12-18
Table 12.2-201	Comparison of Annual Doses to the MEI from Gaseous Effluents.....	12-19
Table 12.2-202	Comparison of Annual Doses to MEI from Liquid Effluents	12-20
Table 12.2-203	Comparison of Site Doses to the MEI	12-21
Table 12.2-204	Collective Total Body (Population) Doses Within 50 Miles.....	12-22
Table 13.1-201	Generic Position/Site Specific Position Cross Reference	13-25
Table 13.1-202	Minimum Shift Staffing for Unit 3.....	13-31
Table 13.4-201	Operational Programs Required by NRC Regulations	13-38
Table 13.5-201	Pre-COL Phase Administrative Programs and Procedures.....	13-62
Table 13.5-202	Nominal Procedure Development Schedule	13-63