




SHEET 2 OF 2

BECHTEL PROJECT NO.: 25409			MACTEC PROJECT NO.: 6468-07-1950			COUNTY: Miami-Dade			GEOLOGIST: J. Liles					
SITE DESCRIPTION: Turkey Point COL			DRILL MACHINE: CME-550 (Miller)			DRILLER: R. White/ J. Dugger/ C. White			GROUND WATER (ft)					
BORING NO.: B-726			DRILL METHOD: Mud Rotary/ Core			SAMPLE METHODS: SPT/Core			0 HR. NA					
GROUND ELEV.: -1.4 ft (NAVD88)			NORTHING: 396,876 US ft (NAD83/90)			EASTING: 876,004 US ft (NAD83/90)			24 HR. NA					
TOTAL DEPTH: 100.5 ft			BORING DIAMETER: 4" to 25.2', 3" to 100.5'			CASING DEPTH: 4" to 25.2'			HAMMER (ID): 140 lb. Auto (M06)					
DATE STARTED: 3/12/08			COMPLETED: 3/13/08			CORE SIZE: HQ3			BITS USED: 2 7/8" Roller Cone					
ELEV. (ft)	DEPTH (ft)	BLOW COUNT			BLOWS PER FOOT					SAMP. NO.	LOG	SOIL AND ROCK DESCRIPTION		
		0.5ft	0.5ft	0.5ft	0	20	40	60	80	100	MOI			
-76.2					Continued from previous page									
-79.9	78.5									RUN-11			LIMESTONE, boundstone, white (2.5Y8/1), hard, indurated, few vugs, fossiliferous, strong HCl reaction (Lower Fort Thompson Formation) (continued)	
-84.9	83.5									RUN-12			78.5ft: moderately hard to hard, moderately indurated to indurated	
-89.9	88.5									RUN-13			83.5ft: moderately hard, moderately indurated	
-94.9	93.5									RUN-14			88.5ft: moderately hard to hard, moderately indurated to indurated, some vugs	
-99.9	98.5									RUN-15			93.5ft: moderately hard, moderately indurated	
													-101.9	
												Boring Terminated at Elevation -101.9 ft		100.5


TURKEY POINT COL BORE TURKEY POINT GP TURKEY POINT COL GDI 530 08

TURKEY POINT COL CORE TURKEY POINT GPJ TURKEY POINT COL.GDT 5/30/08


DCN# TUR512




B-726 - Box 1



B-726 - Box 2



B-726 - Box 3



B-726 - Box 4