06/18/2009 Notification detail DDS2 Page 1

Notification 1253053 REVISE HB ISFSI QAP RE: NSOC COMPOSITION Notification type FQ HBPP Quality Problem

User Responsible

Reported by 14:10:28 06/18/2009

 Start date
 06/18/2009
 End date

 Start time
 14:10:28
 End time
 00:00:00

Priority Ena time 00:00:00

FunctLocation FHB03-ADM ADMINISTRATIVE AND REGULATORY
Equipment
SortField
Order

MaintPlanGroup

MainWorkCenter WORKMGR / E478 HBPP Work Reviewer/Evaluator

System status NOPT OSNO OSTS

06/18/2009 14:36:08 David D. Sokolsky (DDS2) Phone 707/444-0801 On June 18, 2008, PG&E had a telecon with the NRC regarding NRC questions about our LAR 09-01 re: moving the HB ISFSI QAP from the DCPP Part 50 license into the HBPP Part 50 license. One NRC concern is that DCPP FSAR Section 17.2.3 states the Site VP is normally an NSOC member, even though we proposed to delete the Site VP in FSAR Section 17.1. We agreed with this contradiction, and stated that it was an oversight on our part to not exclude the Site VP from the NSOC membership as described in DCPP FSAR Section 17.2.3. We stated that the HBPP SAFSTOR QAP and the HBPP NSOC procedure do not include the Site VP as an NSOC member, and consequently the Site VP is not part of the HBPP/HB ISFSI NSOC. We mentioned that the HBPP Plant Manager (our highest ranking person onsite, i.e. our equivalent to the DCPP Site VP) is an NSOC member. We also stated that the current wording in DCPP FSAR 17.2.3 states that the NSOC composition will NORMALLY include the Site VP, so that we are technically not out of compliance with the FSAR requirements.

As a result of the above discussions, David Sokolsky committed to write a SAPN and send it to the NRC that identifies the problem and recommends changing the wording in 17.2.3 after the NRC approves the LAR.

changing the wording in 17.2.3 after the NRC approves the LAR.

Task detail 0001

Code FTASK-QA SLT See Long Text

Text REVISE HB ISFSI QAP

User resp. JMHE

Planned Start Date Planned Finish Date

Status TSOS

06/18/2009 14:36:54 David D. Sokolsky (DDS2) Phone 707/444-0801 After NRC approves HB ISFSI LAR 09-01, revise DCPP FSAR Section 7.2.3 to delete mention of the Site VP as normally a member of the HB ISFSI NSOC.