

ANALYTICAL SUMMARY REPORT

October 30, 2006

NFU-WY LLC
10758 W Centennial Rd Ste 200
Ken Caryl Ranch, CO 80127

Workorder No.: C06090501

Project Name: Lost Soldier and Lost Creek

Energy Laboratories, Inc. received the following 4 samples from NFU-WY LLC on 9/13/2006 for analysis.

Sample ID	Client Sample ID	Collect Date	Receive Date	Matrix	Test
C06090501-001	LS5018M	09/12/06 14:30	09/13/06	Aqueous	Metals by ICP/ICPMS, Dissolved Metals by ICP/ICPMS, Total Alkalinity QA Calculations Conductivity Fluoride Nitrogen, Ammonia Nitrogen, Nitrate + Nitrite pH Metals Digestion by EPA 200.2 Gross Alpha, Gross Beta Radium 226, Dissolved Radium 228, Dissolved Solids, Total Dissolved
C06090501-002	LC15M	09/12/06 16:55	09/13/06	Aqueous	Same As Above
C06090501-003	LC16M	09/12/06 16:00	09/13/06	Aqueous	Same As Above
C06090501-004	LC17M	09/12/06 17:15	09/13/06	Aqueous	Same As Above

There were no problems with the analyses and all data for associated QC met EPA or laboratory specifications except where noted in the Case Narrative or Report.

If you have any questions regarding these tests results, please call.

Report Approved By:



ROGER GURLINO
LABORATORY SUPERVISOR



LABORATORY ANALYTICAL REPORT

Client:
 Project: Lost Soldier and Lost Creek
 Lab ID: C06090501-001
 Client Sample ID: LS5018M

Report Date: 10/30/06
 Collection Date: 09/12/06 14:30
 Date Received: 09/13/06
 Matrix: Aqueous

Analyses	Result	Units	Qualifiers	RL	MCL/ QCL	Method	Analysis Date / By
MAJOR IONS							
Alkalinity, Total as CaCO3	106	mg/L		1		A2320 B	09/14/06 13:03 / th
Carbonate as CO3	4	mg/L		1		A2320 B	09/14/06 13:03 / th
Bicarbonate as HCO3	123	mg/L		1		A2320 B	09/14/06 13:03 / th
Calcium	46	mg/L		1		E200.7	09/26/06 16:54 / cp
Chloride	4	mg/L		1		E200.7	09/26/06 16:54 / cp
Fluoride	0.2	mg/L		0.1		A4500-F C	09/15/06 13:49 / th
Magnesium	6	mg/L		1		E200.7	09/26/06 16:54 / cp
Nitrogen, Ammonia as N	0.14	mg/L		0.05		A4500-NH3 G	09/15/06 08:42 / jal
Nitrogen, Nitrate+Nitrite as N	ND	mg/L		0.1		E353.2	09/14/06 11:41 / jal
Potassium	2	mg/L		1		E200.7	09/26/06 16:54 / cp
Silica	18.2	mg/L		0.1		E200.7	09/26/06 16:54 / cp
Sodium	21	mg/L		1		E200.7	09/26/06 16:54 / cp
Sulfate	61	mg/L		1		E200.7	09/26/06 16:54 / cp
PHYSICAL PROPERTIES							
Solids, Total Dissolved TDS @ 180 C	216	mg/L		10		A2540 C	09/15/06 18:49 / th
METALS - DISSOLVED							
Aluminum	ND	mg/L		0.1		E200.8	09/15/06 02:09 / bws
Arsenic	ND	mg/L		0.001		E200.8	09/15/06 02:09 / bws
Barium	ND	mg/L		0.1		E200.8	09/15/06 02:09 / bws
Boron	ND	mg/L		0.1		E200.7	09/26/06 16:54 / cp
Cadmium	ND	mg/L		0.005		E200.8	09/15/06 02:09 / bws
Chromium	ND	mg/L		0.05		E200.8	09/15/06 02:09 / bws
Copper	ND	mg/L		0.01		E200.8	09/15/06 02:09 / bws
Iron	ND	mg/L		0.03		E200.7	09/26/06 16:54 / cp
Lead	ND	mg/L		0.05		E200.8	09/15/06 02:09 / bws
Manganese	ND	mg/L		0.01		E200.8	09/15/06 02:09 / bws
Mercury	ND	mg/L		0.001		E200.8	09/15/06 02:09 / bws
Molybdenum	ND	mg/L		0.1		E200.8	09/15/06 02:09 / bws
Nickel	ND	mg/L		0.05		E200.8	09/15/06 02:09 / bws
Selenium	ND	mg/L		0.001		E200.8	09/15/06 02:09 / bws
Uranium	0.0094	mg/L		0.0003		E200.8	09/15/06 02:09 / bws
Vanadium	ND	mg/L		0.1		E200.8	09/15/06 02:09 / bws
Zinc	ND	mg/L		0.01		E200.8	09/15/06 02:09 / bws
METALS - TOTAL							
Iron	ND	mg/L		0.03		E200.7	09/22/06 11:26 / ts
Manganese	ND	mg/L		0.01		E200.7	09/22/06 11:26 / ts

Report RL - Analyte reporting limit.
 Definitions: QCL - Quality control limit.

MCL - Maximum contaminant level.
 ND - Not detected at the reporting limit.



LABORATORY ANALYTICAL REPORT

Client:
 Project: Lost Soldier and Lost Creek
 Lab ID: C06090501-001
 Client Sample ID: LS5018M

Report Date: 10/30/06
 Collection Date: 09/12/06 14:30
 Date Received: 09/13/06
 Matrix: Aqueous

Analyses	Result	Units	Qualifiers	RL	MCL/ QCL	Method	Analysis Date / By
RADIONUCLIDES - DISSOLVED							
Gross Alpha	33.1	pCi/L		1.0		E900.0	09/26/06 05:36 / rs
Gross Alpha precision (±)	1.4	pCi/L				E900.0	09/26/06 05:36 / rs
Gross Beta	23.3	pCi/L		2.0		E900.0	09/26/06 05:36 / rs
Gross Beta precision (±)	1.7	pCi/L				E900.0	09/26/06 05:36 / rs
Radium 226	20.5	pCi/L		0.2		E903.0	10/02/06 16:28 / cw
Radium 226 precision (±)	1.6	pCi/L				E903.0	10/02/06 16:28 / cw
Radium 228	2.4	pCi/L		1.0		RA-05	09/26/06 14:52 / pj
Radium 228 precision (±)	0.8	pCi/L				RA-05	09/26/06 14:52 / pj
DATA QUALITY							
A/C Balance (± 5)	2.74	%				Calculation	09/28/06 16:00 / cp
Anions	3.50	meq/L				Calculation	09/28/06 16:00 / cp
Cations	3.69	meq/L				Calculation	09/28/06 16:00 / cp
Solids, Total Dissolved Calculated	220	mg/L				Calculation	09/28/06 16:00 / cp
TDS Balance (0.80 - 1.20)	0.980	dec. %				Calculation	09/28/06 16:00 / cp

Report RL - Analyte reporting limit.
 Definitions: QCL - Quality control limit.

MCL - Maximum contaminant level.
 ND - Not detected at the reporting limit.



LABORATORY ANALYTICAL REPORT

Client:
 Project: Lost Soldier and Lost Creek
 Lab ID: C06090501-002
 Client Sample ID: LC15M

Report Date: 10/30/06
 Collection Date: 09/12/06 16:55
 Date Received: 09/13/06
 Matrix: Aqueous

Analyses	Result	Units	Qualifiers	RL	MCL/ QCL	Method	Analysis Date / By
MAJOR IONS							
Alkalinity, Total as CaCO3	104	mg/L		1		A2320 B	09/14/06 13:04 / th
Carbonate as CO3	ND	mg/L		1		A2320 B	09/14/06 13:04 / th
Bicarbonate as HCO3	127	mg/L		1		A2320 B	09/14/06 13:04 / th
Calcium	86	mg/L		1		E200.7	09/26/06 17:03 / cp
Chloride	8	mg/L		1		E200.7	09/26/06 17:03 / cp
Fluoride	0.2	mg/L		0.1		A4500-F C	09/15/06 13:50 / th
Magnesium	4	mg/L		1		E200.7	09/26/06 17:03 / cp
Nitrogen, Ammonia as N	0.05	mg/L		0.05		A4500-NH3 G	09/15/06 08:43 / jal
Nitrogen, Nitrate+Nitrite as N	0.1	mg/L		0.1		E353.2	09/14/06 11:44 / jal
Potassium	4	mg/L		1		E200.7	09/26/06 17:03 / cp
Silica	16.0	mg/L		0.1		E200.7	09/26/06 17:03 / cp
Sodium	31	mg/L		1		E200.7	09/26/06 17:03 / cp
Sulfate	180	mg/L		1		E200.7	09/26/06 17:03 / cp
PHYSICAL PROPERTIES							
Solids, Total Dissolved TDS @ 180 C	390	mg/L		10		A2540 C	09/15/06 18:49 / th
METALS - DISSOLVED							
Aluminum	ND	mg/L		0.1		E200.8	09/15/06 02:17 / bws
Arsenic	ND	mg/L		0.001		E200.8	09/15/06 02:17 / bws
Barium	ND	mg/L		0.1		E200.8	09/15/06 02:17 / bws
Boron	ND	mg/L		0.1		E200.7	09/26/06 17:03 / cp
Cadmium	ND	mg/L		0.005		E200.8	09/15/06 02:17 / bws
Chromium	ND	mg/L		0.05		E200.8	09/15/06 02:17 / bws
Copper	ND	mg/L		0.01		E200.8	09/15/06 02:17 / bws
Iron	ND	mg/L		0.03		E200.7	09/26/06 17:03 / cp
Lead	ND	mg/L		0.05		E200.8	09/15/06 02:17 / bws
Manganese	ND	mg/L		0.01		E200.8	09/15/06 02:17 / bws
Mercury	ND	mg/L		0.001		E200.8	09/15/06 02:17 / bws
Molybdenum	ND	mg/L		0.1		E200.8	09/15/06 02:17 / bws
Nickel	ND	mg/L		0.05		E200.8	09/15/06 02:17 / bws
Selenium	0.019	mg/L		0.001		E200.8	09/15/06 02:17 / bws
Uranium	0.489	mg/L		0.0003		E200.8	09/15/06 02:17 / bws
Vanadium	ND	mg/L		0.1		E200.8	09/15/06 02:17 / bws
Zinc	ND	mg/L		0.01		E200.8	09/15/06 02:17 / bws
METALS - TOTAL							
Iron	ND	mg/L		0.03		E200.7	09/22/06 11:29 / ts
Manganese	ND	mg/L		0.01		E200.7	09/22/06 11:29 / ts

Report RL - Analyte reporting limit.
 Definitions: QCL - Quality control limit.

MCL - Maximum contaminant level.
 ND - Not detected at the reporting limit.



LABORATORY ANALYTICAL REPORT

Client:
 Project: Lost Soldier and Lost Creek
 Lab ID: C06090501-002
 Client Sample ID: LC15M

Report Date: 10/30/06
 Collection Date: 09/12/06 16:55
 Date Received: 09/13/06
 Matrix: Aqueous

Analyses	Result	Units	Qualifiers	RL	MCL/ QCL	Method	Analysis Date / By
RADIONUCLIDES - DISSOLVED							
Gross Alpha	263	pCi/L		1.0		E900.0	09/26/06 05:36 / rs
Gross Alpha precision (±)	3.6	pCi/L				E900.0	09/26/06 05:36 / rs
Gross Beta	83.3	pCi/L		2.0		E900.0	09/26/06 05:36 / rs
Gross Beta precision (±)	2.5	pCi/L				E900.0	09/26/06 05:36 / rs
Radium 226	5.3	pCi/L		0.2		E903.0	10/02/06 16:28 / cw
Radium 226 precision (±)	0.9	pCi/L				E903.0	10/02/06 16:28 / cw
Radium 228	ND	pCi/L		1.0		RA-05	09/26/06 14:52 / pj
DATA QUALITY							
A/C Balance (± 5)	-0.015	%				Calculation	09/28/06 16:00 / cp
Anions	6.08	meq/L				Calculation	09/28/06 16:00 / cp
Cations	6.08	meq/L				Calculation	09/28/06 16:00 / cp
Solids, Total Dissolved Calculated	392	mg/L				Calculation	09/28/06 16:00 / cp
TDS Balance (0.80 - 1.20)	0.990	dec. %				Calculation	09/28/06 16:00 / cp

Report Definitions: RL - Analyte reporting limit.
 QCL - Quality control limit.

MCL - Maximum contaminant level.
 ND - Not detected at the reporting limit.



LABORATORY ANALYTICAL REPORT

Client: Lost Soldier and Lost Creek
 Project: Lost Soldier and Lost Creek
 Lab ID: C06090501-003
 Client Sample ID: LC16M

Report Date: 10/30/06
 Collection Date: 09/12/06 16:00
 Date Received: 09/13/06
 Matrix: Aqueous

Analyses	Result	Units	Qualifiers	RL	MCL/ QCL	Method	Analysis Date / By
MAJOR IONS							
Alkalinity, Total as CaCO3	110	mg/L		1		A2320 B	09/14/06 13:06 / th
Carbonate as CO3	ND	mg/L		1		A2320 B	09/14/06 13:06 / th
Bicarbonate as HCO3	134	mg/L		1		A2320 B	09/14/06 13:06 / th
Calcium	77	mg/L		1		E200.7	09/26/06 17:07 / cp
Chloride	5	mg/L		1		E200.7	09/26/06 17:07 / cp
Fluoride	0.1	mg/L		0.1		A4500-F C	09/15/06 13:51 / th
Magnesium	4	mg/L		1		E200.7	09/26/06 17:07 / cp
Nitrogen, Ammonia as N	ND	mg/L	D	0.1		A4500-NH3 G	09/15/06 08:46 / jal
Nitrogen, Nitrate+Nitrite as N	ND	mg/L		0.1		E353.2	09/14/06 11:46 / jal
Potassium	2	mg/L		1		E200.7	09/26/06 17:07 / cp
Silica	16.0	mg/L		0.1		E200.7	09/26/06 17:07 / cp
Sodium	27	mg/L		1		E200.7	09/26/06 17:07 / cp
Sulfate	144	mg/L		1		E200.7	09/26/06 17:07 / cp
PHYSICAL PROPERTIES							
Solids, Total Dissolved TDS @ 180 C	330	mg/L		10		A2540 C	09/15/06 18:49 / th
METALS - DISSOLVED							
Aluminum	ND	mg/L		0.1		E200.8	09/15/06 02:24 / bws
Arsenic	0.002	mg/L		0.001		E200.8	09/15/06 02:24 / bws
Barium	ND	mg/L		0.1		E200.8	09/15/06 02:24 / bws
Boron	ND	mg/L		0.1		E200.7	09/26/06 17:07 / cp
Cadmium	ND	mg/L		0.005		E200.8	09/15/06 02:24 / bws
Chromium	ND	mg/L		0.05		E200.8	09/15/06 02:24 / bws
Copper	ND	mg/L		0.01		E200.8	09/15/06 02:24 / bws
Iron	ND	mg/L		0.03		E200.7	09/26/06 17:07 / cp
Lead	ND	mg/L		0.05		E200.8	09/15/06 02:24 / bws
Manganese	0.01	mg/L		0.01		E200.8	09/15/06 02:24 / bws
Mercury	ND	mg/L		0.001		E200.8	09/15/06 02:24 / bws
Molybdenum	ND	mg/L		0.1		E200.8	09/15/06 02:24 / bws
Nickel	ND	mg/L		0.05		E200.8	09/15/06 02:24 / bws
Selenium	ND	mg/L		0.001		E200.8	09/15/06 02:24 / bws
Uranium	0.164	mg/L		0.0003		E200.8	09/15/06 02:24 / bws
Vanadium	ND	mg/L		0.1		E200.8	09/15/06 02:24 / bws
Zinc	ND	mg/L		0.01		E200.8	09/15/06 02:24 / bws
METALS - TOTAL							
Iron	ND	mg/L		0.03		E200.7	09/22/06 11:33 / ts
Manganese	0.01	mg/L		0.01		E200.7	09/22/06 11:33 / ts

Report RL - Analyte reporting limit.
 Definitions: QCL - Quality control limit.
 D - RL increased due to sample matrix interference.

MCL - Maximum contaminant level.
 ND - Not detected at the reporting limit.



LABORATORY ANALYTICAL REPORT

Client:
 Project: Lost Soldier and Lost Creek
 Lab ID: C06090501-003
 Client Sample ID: LC16M

Report Date: 10/30/06
 Collection Date: 09/12/06 16:00
 Date Received: 09/13/06
 Matrix: Aqueous

Analyses	Result	Units	Qualifiers	RL	MCL/ QCL	Method	Analysis Date / By
RADIONUCLIDES - DISSOLVED							
Gross Alpha	299	pCi/L		1.0		E900.0	09/26/06 05:37 / rs
Gross Alpha precision (±)	3.8	pCi/L				E900.0	09/26/06 05:37 / rs
Gross Beta	109	pCi/L		2.0		E900.0	09/26/06 05:37 / rs
Gross Beta precision (±)	2.7	pCi/L				E900.0	09/26/06 05:37 / rs
Radium 226	166	pCi/L		0.2		E903.0	10/02/06 16:28 / cw
Radium 226 precision (±)	4.3	pCi/L				E903.0	10/02/06 16:28 / cw
Radium 228	ND	pCi/L		1.0		RA-05	09/26/06 14:52 / pj
DATA QUALITY							
A/C Balance (± 5)	0.483	%				Calculation	09/28/06 16:01 / cp
Anions	5.33	meq/L				Calculation	09/28/06 16:01 / cp
Cations	5.39	meq/L				Calculation	09/28/06 16:01 / cp
Solids, Total Dissolved Calculated	341	mg/L				Calculation	09/28/06 16:01 / cp
TDS Balance (0.80 - 1.20)	0.970	dec. %				Calculation	09/28/06 16:01 / cp

Report Definitions: RL - Analyte reporting limit.
 QCL - Quality control limit.

MCL - Maximum contaminant level.
 ND - Not detected at the reporting limit.



LABORATORY ANALYTICAL REPORT

Client:
 Project: Lost Soldier and Lost Creek
 Lab ID: C06090501-004
 Client Sample ID: LC17M

Report Date: 10/30/06
 Collection Date: 09/12/06 17:15
 Date Received: 09/13/06
 Matrix: Aqueous

Analyses	Result	Units	Qualifiers	RL	MCL/ QCL	Method	Analysis Date / By
MAJOR IONS							
Alkalinity, Total as CaCO3	92	mg/L		1		A2320 B	09/14/06 13:07 / th
Carbonate as CO3	4	mg/L		1		A2320 B	09/14/06 13:07 / th
Bicarbonate as HCO3	107	mg/L		1		A2320 B	09/14/06 13:07 / th
Calcium	55	mg/L		1		E200.7	09/26/06 17:10 / cp
Chloride	4	mg/L		1		E200.7	09/26/06 17:10 / cp
Fluoride	0.2	mg/L		0.1		A4500-F C	09/15/06 13:51 / th
Magnesium	2	mg/L		1		E200.7	09/26/06 17:10 / cp
Nitrogen, Ammonia as N	0.10	mg/L		0.05		A4500-NH3 G	09/15/06 08:54 / jal
Nitrogen, Nitrate+Nitrite as N	ND	mg/L		0.1		E353.2	09/14/06 11:49 / jal
Potassium	4	mg/L		1		E200.7	09/26/06 17:10 / cp
Silica	15.2	mg/L		0.1		E200.7	09/26/06 17:10 / cp
Sodium	27	mg/L		1		E200.7	09/26/06 17:10 / cp
Sulfate	107	mg/L		1		E200.7	09/26/06 17:10 / cp
PHYSICAL PROPERTIES							
Solids, Total Dissolved TDS @ 180 C	262	mg/L		10		A2540 C	09/15/06 18:50 / th
METALS - DISSOLVED							
Aluminum	ND	mg/L		0.1		E200.8	09/15/06 02:32 / bws
Arsenic	0.006	mg/L		0.001		E200.8	09/15/06 02:32 / bws
Barium	ND	mg/L		0.1		E200.8	09/15/06 02:32 / bws
Boron	ND	mg/L		0.1		E200.7	09/26/06 17:10 / cp
Cadmium	ND	mg/L		0.005		E200.8	09/15/06 02:32 / bws
Chromium	ND	mg/L		0.05		E200.8	09/15/06 02:32 / bws
Copper	ND	mg/L		0.01		E200.8	09/15/06 02:32 / bws
Iron	ND	mg/L		0.03		E200.7	09/26/06 17:10 / cp
Lead	ND	mg/L		0.05		E200.8	09/15/06 02:32 / bws
Manganese	ND	mg/L		0.01		E200.8	09/15/06 02:32 / bws
Mercury	ND	mg/L		0.001		E200.8	09/15/06 02:32 / bws
Molybdenum	ND	mg/L		0.1		E200.8	09/15/06 02:32 / bws
Nickel	ND	mg/L		0.05		E200.8	09/15/06 02:32 / bws
Selenium	0.001	mg/L		0.001		E200.8	09/15/06 02:32 / bws
Uranium	0.0135	mg/L		0.0003		E200.8	09/15/06 02:32 / bws
Vanadium	ND	mg/L		0.1		E200.8	09/15/06 02:32 / bws
Zinc	ND	mg/L		0.01		E200.8	09/15/06 02:32 / bws
METALS - TOTAL							
Iron	0.03	mg/L		0.03		E200.7	09/22/06 11:57 / ts
Manganese	ND	mg/L		0.01		E200.7	09/22/06 11:57 / ts

Report RL - Analyte reporting limit.
 Definitions: QCL - Quality control limit.

MCL - Maximum contaminant level.
 ND - Not detected at the reporting limit.



LABORATORY ANALYTICAL REPORT

Client:
 Project: Lost Soldier and Lost Creek
 Lab ID: C06090501-004
 Client Sample ID: LC17M

Report Date: 10/30/06
 Collection Date: 09/12/06 17:15
 Date Received: 09/13/06
 Matrix: Aqueous

Analyses	Result	Units	Qualifiers	RL	MCL/ QCL	Method	Analysis Date / By
RADIONUCLIDES - DISSOLVED							
Gross Alpha	28.4	pCi/L		1.0		E900.0	09/26/06 05:37 / rs
Gross Alpha precision (±)	1.3	pCi/L				E900.0	09/26/06 05:37 / rs
Gross Beta	13.7	pCi/L		2.0		E900.0	09/26/06 05:37 / rs
Gross Beta precision (±)	1.6	pCi/L				E900.0	09/26/06 05:37 / rs
Radium 226	10.6	pCi/L		0.2		E903.0	10/02/06 16:28 / cw
Radium 226 precision (±)	1.1	pCi/L				E903.0	10/02/06 16:28 / cw
Radium 228	ND	pCi/L		1.0		RA-05	09/26/06 14:52 / pj
DATA QUALITY							
A/C Balance (± 5)	-0.829	%				Calculation	09/28/06 16:01 / cp
Anions	4.20	meq/L				Calculation	09/28/06 16:01 / cp
Cations	4.13	meq/L				Calculation	09/28/06 16:01 / cp
Solids, Total Dissolved Calculated	269	mg/L				Calculation	09/28/06 16:01 / cp
TDS Balance (0.80 - 1.20)	0.970	dec. %				Calculation	09/28/06 16:01 / cp

Report RL - Analyte reporting limit.
 Definitions: QCL - Quality control limit.

MCL - Maximum contaminant level.
 ND - Not detected at the reporting limit.



Chain of Custody and Analytical Request Record

Page _____ of _____

PLEASE PRINT, provide as much information as possible. Refer to corresponding notes on reverse side.



ENERGY LABORATORIES, INC. • 2393 Salt Creek Highway (82601) • P.O. Box 3258 • Casper, WY 82602
Toll Free 888.235.0515 • 307.235.0515 • Fax 307.234.1639 • casper@energylab.com • www.energylab.com

Company Name: NP4 - WYOMING
 Report Mail Address: Dawn Schippe
 Invoice Address: see 7/18

Project Name, PWS #, Permit #, Etc.: LOST SALIDEN & LOST CREEK
 Contact Name, Phone, Fax, E-mail: George Hoffman
Hydro -

Report Required For: POT/WWTP DW Other _____
 Special Report Formats - ELI must be notified prior to sample submittal for the following:
 NELAC AZLA Level IV
 Other _____
 EDD/EDT Format _____

Notify ELI prior to RUSH sample submittal for additional charges and scheduling
 Comments: _____

Shipped by: Dawn Schippe
 Cooler ID(s): 1534
 Receipt Temp: 3.4 °C
 Custody Seal Y N
 Intact Y N
 Signature Y N
 Match Y N
 Lab ID _____

Number of Containers	Sample Type: A W S B O Air Water Soils/Solids Vegetation Biossay Other	MATRIX	ANALYSIS REQUESTED		RUSH Turnaround (TAT)	Normal Turnaround (TAT)	Comments
			SEE ATTACHED				
1	LS 5018 M set 6	4-W					
2	LC 15 M set 7						
3	LC 16 M set 1						
4	LC 17 M set 8						
5							
6							
7							
8							
9							
10							

Relinquished by (print): 3:05 9/13/06 YSH Signature: _____ Date/Time: _____
 Relinquished by (print): _____ Signature: _____ Date/Time: _____

Received by (print): _____ Signature: _____ Date/Time: 9/13/06 10:00
 Received by (print): _____ Signature: _____ Date/Time: _____

Custody Record MUST be Signed

Sample Disposal: _____ Return to client: _____ Lab Disposal: _____
 Sample Type: _____ # of fractions: _____

LABORATORY USE ONLY

In certain circumstances, samples submitted to Energy Laboratories, Inc. may be subcontracted to other certified laboratories in order to complete the analysis requested. This serves as notice of this possibility. All sub-contract data will be clearly noted on your analytical report.

Visit our web site at www.energylab.com for additional information, downloadable fee schedule, forms, & links.



Energy Laboratories, Inc.

Sample Receipt Checklist

Client Name **NFU-WY LLC**

Date and Time Received: **9/13/2006 16:00:00**

Work Order Number **C06090501**

Received by **tae**

Login completed by: Kerri Schroeder 9/13/2006 16:00:00
 Signature Date

Reviewed by _____
 Initials Date

Carrier name Hand Del

- Shipping container/cooler in good condition? Yes No Not Present
- Custody seals intact on shipping container/cooler? Yes No Not Present
- Custody seals intact on sample bottles? Yes No Not Present
- Chain of custody present? Yes No
- Chain of custody signed when relinquished and received? Yes No
- Chain of custody agrees with sample labels? Yes No
- Samples in proper container/bottle? Yes No
- Sample containers intact? Yes No
- Sufficient sample volume for indicated test? Yes No
- All samples received within holding time? Yes No
- Container/Temp Blank temperature in compliance? Yes No 3.4 °C
- Water - VOA vials have zero headspace? Yes No No VOA vials submitted
- Water - pH acceptable upon receipt? Yes No Not Applicable

Adjusted? _____ Checked by _____

Contact and Corrective Action Comments:

None



Date: 30-Oct-06

CLIENT: NFU-WY LLC
Project: Lost Soldier and Lost Creek
Sample Delivery Group: C06090501

CASE NARRATIVE

THIS IS THE FINAL PAGE OF THE LABORATORY ANALYTICAL REPORT

BRANCH LABORATORY LOCATIONS

eli-b - Energy Laboratories, Inc. - Billings, MT
eli-f - Energy Laboratories, Inc. - Idaho Falls, ID
eli-g - Energy Laboratories, Inc. - Gillette, WY
eli-h - Energy Laboratories, Inc. - Helena, MT
eli-r - Energy Laboratories, Inc. - Rapid City, SD
eli-t - Energy Laboratories, Inc. - College Station, TX

ORIGINAL SAMPLE SUBMITTAL(S)

All original sample submittals have been returned with the data package. A copy of the submittal(s) has been included and tracked in the data package.

SUBCONTRACTING ANALYSIS

Subcontracting of sample analyses to an outside laboratory may be required. If so, ENERGY LABORATORIES will utilize its branch laboratories or qualified contract laboratories for this service. Any such laboratories will be indicated within the Laboratory Analytical Report.

SAMPLE TEMPERATURE COMPLIANCE: 4°C (±2°C)

Temperature of samples received may not be considered properly preserved by accepted standards. Samples that are hand delivered immediately after collection shall be considered acceptable if there is evidence that the chilling process has begun.

ENERGY LABORATORIES, INC. - CASPER, WY certifies that certain method selections contained in this report meet requirements as set forth by NELAC. Some client specific reporting requirements may not require NELAC reporting protocol. NELAC Certification Number E87641.

PCB ANALYSIS USING EPA 505

Data reported by ELI using EPA method 505 reflects the results for seven individual Aroclors. When the results for all seven are ND (not detected), the sample meets EPA compliance criteria for PCB monitoring.

ELI appreciates the opportunity to provide you with this analytical service. For additional information and services visit our web page www.energylab.com.

The total number of pages of this report are indicated by the page number located in the lower right corner.



Chain of Custody and Analytical Request Record

PLEASE PRINT, provide as much information as possible. Refer to corresponding notes on reverse side.

Company Name: NRU - WYOMING
 Report Mail Address: Dawn Schippe 7/18
 Invoice Address: see 7/18

Project Name, PWS #, Permit #, Etc.: LOST SOLDIER & LOST CREEK
 Contact Name, Phone, Fax, E-mail: George Hoffman Hydro - see 7/18

Invoice Contact & Phone #: see 7/18
 Purchase Order #: _____
 ELI Quote #: _____

Report Required For: POTWWTP DW Other _____

Special Report Formats - ELI must be notified prior to sample submittal for the following:
 NELAC A2LA Level IV Other _____

EDD/EDT Format _____

SAMPLE IDENTIFICATION (Name, Location, Interval, etc.)	Collection Date	Collection Time	Number of Containers	Sample Type: A W S V B O	Air Water Soils/Solids Vegetation	Bioassay Other	ANALYSIS REQUESTED	Normal Turnaround (TAT)	RUSH Turnaround (TAT)	Comments:	Notify ELI prior to RUSH sample submittal for additional charges and scheduling
1 LS 5018M set 6	9/12/03	19:30	4-W	MATRIX			SEE ATTACHED				
2 LC 15M set 7	"	16:55									
3 LC 16M set 1	"	16:00									
4 LC 17M set 8	"	17:15									
5											
6											
7											
8											
9											
10											

Shipped by: Hand Del.
 Cooler ID(s): 1534
 Receipt Temp: 3.4 °C
 Custody Seal Y N
 Intact Y N
 Signature Y N
 Match Y N
 Lab ID _____

Relinquished by (print): _____ Date/Time: 3:55 9/13/06
 Relinquished by (print): _____ Date/Time: _____

Received by (print): _____ Date/Time: 9/13/06 16:00
 Received by (print): _____ Date/Time: _____

Signature: _____
 Signature: [Signature]

Signature: _____
 Signature: [Signature]

Sample Disposal: _____ Lab Disposal: _____
 Return to client: _____
 Sample Type: _____
 # of fractions _____

Custody Record MUST be Signed

LABORATORY USE ONLY

In certain circumstances, samples submitted to Energy Laboratories, Inc. may be subcontracted to other certified laboratories in order to complete the analysis requested. This serves as notice of this possibility. All sub-contract data will be clearly notated on your analytical report.

Visit our web site at www.energylab.com for additional information, downloadable fee schedule, forms, & links.