



UNITED STATES
NUCLEAR REGULATORY COMMISSION
REGION IV
612 EAST LAMAR BLVD, SUITE 400
ARLINGTON, TEXAS 76011-4125

July 27, 2009

The Cancer Center of Hawaii, LLC
ATTN: Ronald W. Frick
Radiation Safety Officer
2226 Liliha Street
Honolulu, HI 96817

SUBJECT: LICENSE AMENDMENT

Please find enclosed Amendment No. 03 to NRC License No. 53-27797-01. **This license amendment removes the authorization for Iodine-125 liquid (Iotrex) as requested by letter dated April 13, 2009.**

An environmental assessment for this action is not required, since this action is categorically excluded under 10 CFR 51.22(c)(14)(iv). You should review the enclosed document carefully and be sure that you understand all conditions. If there are any questions, please contact me at (817) 276-6552.

NRC's Regulatory Issue Summary (RIS) 2005-31, provides criteria to identify security-related sensitive information and guidance for handling and marking of such documents. This ensures that potentially sensitive information is not made publicly available through ADAMS. The RIS may be located on the NRC Web site at: <http://www.nrc.gov/reading-rm/doc-collections/gen-comm/reg-issues/2005/>. Additionally, the link for frequently asked questions may be located at: <http://www.nrc.gov/reading-rm/sensitive-info/materials.html>. Pursuant to NRC's RIS 2005-31, the enclosed materials license will not be made publicly available.

NRC expects licensees to conduct their programs with meticulous attention to detail and a high standard of compliance. Because of the serious consequences to employees and the public that can result from failure to comply with NRC requirements, you must conduct your radiation safety program according to the conditions of your NRC license, representations made in your license application, and NRC regulations. In particular, note that you must:

1. Operate by NRC regulations 10 CFR Part 19, "Notices, Instructions and Reports to Workers: Inspection and Investigations," 10 CFR Part 20, "Standards for Protection Against Radiation," and other applicable regulations.
2. In accordance with 10 CFR 35.14, notify the NRC no later than 30 days after:
 - a. The date that the licensee permits an individual to work as an authorized user, an authorized nuclear pharmacist or an authorized medical physicist under 10 CFR 35.13(b)(1) through (b)(4);
 - b. An authorized user, an authorized nuclear pharmacist, a Radiation Safety Officer, or an authorized medical physicist permanently discontinues duties under the license or has a name change;
 - c. The licensee's mailing address changes;


- d. The licensee's name changes, but the name change does not constitute a transfer of control of the license as described in 10 CFR 30.34(b); or
 - e. The licensee has added to or changed the areas of use identified in the application or on the license where byproduct material is used in accordance with either 35.100 or 35.200.
3. Request and obtain a license amendment before you:
- a. Change Radiation Safety Officers;
 - b. Order byproduct material in excess of the amount, radionuclide or form authorized on the license;
 - c. Add or change the areas or address(es) of use identified in the license application or on the license, except for 10 CFR 35.100 or 35.200 areas of use; or
 - d. Change the name or ownership of your organization.

NRC will periodically inspect the licensee's radiation safety program. The failure of the licensee to conduct its program in accordance with NRC regulations, license conditions, and representations made in the license application and supplemental correspondence with NRC, may result in enforcement action against the licensee. This could include issuance of a notice of violation; imposition of a civil penalty; or an order suspending, modifying, or revoking the license as specified in the NRC Enforcement Policy. The NRC Enforcement Policy is available on the following internet address: <http://www.nrc.gov/reading-rm/doc-collections/enforcement/>.

In accordance with 10 CFR 2.390 of the NRC's "Rules of Practice," a copy of this letter will be available electronically for public inspection in the NRC Public Document Room or from the NRC's document system (ADAMS). ADAMS is accessible from the NRC Web site at <http://www.nrc.gov/reading-rm/adams.html>.

Thank you for your cooperation.

Sincerely,


Rachel S. Browder
Health Physicist
Nuclear Materials Safety Branch B

Docket: 030-36775
License: 53-27797-01
Control: 472340

Enclosure: As stated