



~~Official Use Only - Security-Related Information~~

UNITED STATES  
NUCLEAR REGULATORY COMMISSION  
REGION III  
2443 WARRENVILLE ROAD, SUITE 210  
LISLE, ILLINOIS 60532-4352

AUG 10 2009

Dennis R. Szmania, M.S.  
Radiation Safety Officer  
Munson Medical Center  
1105 Sixth Street  
Traverse City, MI 46984


Dear Mr. Szmania:

It has come to our attention that Amendment No 39 to NRC License No. 21-08317-01 contained errors. After your request for an amendment to delete you attenuation correcton sources and depleted uranium, License Condition 10. A. should have read "Subitems A. through E". and License Condition 10. B. should have read Subitem F. Also, License Condition No. 18 should have been deleted since it only pertained to sources listed in Subitem 6. E. (depleted uranium) which is now deleted from your NRC license.

We apologize for any inconvenience this may have caused you.

NRC's Regulatory Issue Summary (RIS) 2005-31 provides criteria to identify security-related sensitive information and guidance for handling and marking of such documents. This ensures that potentially sensitive information is not made publicly available through ADAMS, the NRC's electronic document system. Pursuant to NRC's RIS 2005-31 and in accordance with 10 CFR 2.390, the enclosed license document is exempt from public disclosure because its disclosure to unauthorized individuals could present a security vulnerability. The RIS may be located on the NRC Web site at: <http://www.nrc.gov/reading-rm/doc-collections/gen-comm/reg-issues/2005/ri200531.pdf> and the link for frequently asked questions regarding protection of security related sensitive information may be located at: <http://www.nrc.gov/reading-rm/sensitive-info/faq.html>. A copy of this letter will be available electronically for public inspection in the NRC Public Document Room or from the Publicly Available Records (PARS) component of NRC's document system (ADAMS). The NRC's document system is accessible from the NRC Web site at <http://www.nrc.gov/reading-rm/adams.html> (the Public Electronic Reading Room).

Sincerely,

  
James R. Mulfauer, M.H.S.  
Health Physicist  
Materials Licensing Branch

License No. 21-08317-01  
Docket No. 030-02074

Enclosure: Corrected copy of Amendment No. 39

~~Official Use Only - Security-Related Information~~

The enclosed document contains sensitive security-related information.  
When separated from this cover letter this letter is uncontrolled.