

Table of Contents

Part I: Mixture Sums and Single Radionuclide Guidelines

Dose Conversion Factor (and Related) Parameter Summary ...	2
Site-Specific Parameter Summary	3
Summary of Pathway Selections	7
Contaminated Zone and Total Dose Summary	8
Total Dose Components	
Time = 0.000E+00	9
Time = 1.000E+00	10
Time = 3.000E+00	11
Time = 1.000E+01	12
Time = 3.000E+01	13
Time = 1.000E+02	14
Time = 3.000E+02	15
Time = 1.000E+03	16
Dose/Source Ratios Summed Over All Pathways	17
Single Radionuclide Soil Guidelines	17
Dose Per Nuclide Summed Over All Pathways	18
Soil Concentration Per Nuclide	18

Summary : Hematite - Surface Th-232+C CSM

File : C:\RESRAD_FAMILY\RESRAD\USERFILES\HEMATITE - SURFACE TH-232+C CSM.RAD

Dose Conversion Factor (and Related) Parameter Summary

Dose Library: Hematite Plus FGR 11

Menu	Parameter	Current Value#	Base Case*	Parameter Name
A-1	DCF's for external ground radiation, (mrem/yr)/(pCi/g)			
A-1	Ac-228 (Source: FGR 12)	5.978E+00	5.978E+00	DCF1(1)
A-1	Bi-212 (Source: FGR 12)	1.171E+00	1.171E+00	DCF1(2)
A-1	Pb-212 (Source: FGR 12)	7.043E-01	7.043E-01	DCF1(3)
A-1	Po-212 (Source: FGR 12)	0.000E+00	0.000E+00	DCF1(4)
A-1	Po-216 (Source: FGR 12)	1.042E-04	1.042E-04	DCF1(5)
A-1	Ra-224 (Source: FGR 12)	5.119E-02	5.119E-02	DCF1(6)
A-1	Ra-228 (Source: FGR 12)	0.000E+00	0.000E+00	DCF1(7)
A-1	Rn-220 (Source: FGR 12)	2.298E-03	2.298E-03	DCF1(8)
A-1	Th-228 (Source: FGR 12)	7.940E-03	7.940E-03	DCF1(9)
A-1	Th-232 (Source: FGR 12)	5.212E-04	5.212E-04	DCF1(10)
A-1	Tl-208 (Source: FGR 12)	2.298E+01	2.298E+01	DCF1(11)
B-1	Dose conversion factors for inhalation, mrem/pCi:			
B-1	Ra-228+D	5.078E-03	4.770E-03	DCF2(1)
B-1	Th-228+D	3.454E-01	3.420E-01	DCF2(2)
B-1	Th-232	1.640E+00	1.640E+00	DCF2(3)
D-1	Dose conversion factors for ingestion, mrem/pCi:			
D-1	Ra-228+D	1.442E-03	1.440E-03	DCF3(1)
D-1	Th-228+D	8.086E-04	3.960E-04	DCF3(2)
D-1	Th-232	2.730E-03	2.730E-03	DCF3(3)
D-34	Food transfer factors:			
D-34	Ra-228+D , plant/soil concentration ratio, dimensionless	7.400E-02	4.000E-02	RTF(1,1)
D-34	Ra-228+D , beef/livestock-intake ratio, (pCi/kg)/(pCi/d)	1.000E-03	1.000E-03	RTF(1,2)
D-34	Ra-228+D , milk/livestock-intake ratio, (pCi/L)/(pCi/d)	1.000E-04	1.000E-03	RTF(1,3)
D-34	Th-228+D , plant/soil concentration ratio, dimensionless	9.930E-04	1.000E-03	RTF(2,1)
D-34	Th-228+D , beef/livestock-intake ratio, (pCi/kg)/(pCi/d)	9.900E-05	1.000E-04	RTF(2,2)
D-34	Th-228+D , milk/livestock-intake ratio, (pCi/L)/(pCi/d)	4.900E-06	5.000E-06	RTF(2,3)
D-34	Th-232 , plant/soil concentration ratio, dimensionless	9.930E-04	1.000E-03	RTF(3,1)
D-34	Th-232 , beef/livestock-intake ratio, (pCi/kg)/(pCi/d)	9.900E-05	1.000E-04	RTF(3,2)
D-34	Th-232 , milk/livestock-intake ratio, (pCi/L)/(pCi/d)	4.900E-06	5.000E-06	RTF(3,3)
D-5	Bioaccumulation factors, fresh water, L/kg:			
D-5	Ra-228+D , fish	4.930E+01	5.000E+01	BIOFAC(1,1)
D-5	Ra-228+D , crustacea and mollusks	2.500E+02	2.500E+02	BIOFAC(1,2)
D-5	Th-228+D , fish	9.030E+01	1.000E+02	BIOFAC(2,1)
D-5	Th-228+D , crustacea and mollusks	5.000E+02	5.000E+02	BIOFAC(2,2)
D-5	Th-232 , fish	9.030E+01	1.000E+02	BIOFAC(3,1)
D-5	Th-232 , crustacea and mollusks	5.000E+02	5.000E+02	BIOFAC(3,2)

#For DCF1(xxx) only, factors are for infinite depth & area. See ETFG table in Ground Pathway of Detailed Report.

*Base Case means Default.Lib w/o Associate Nuclide contributions.

Summary : Hematite - Surface Th-232+C CSM

File : C:\RESRAD_FAMILY\RESRAD\USERFILES\HEMATITE - SURFACE TH-232+C CSM.RAD

Site-Specific Parameter Summary

Menu	Parameter	User Input	Default	Used by RESRAD (If different from user input)	Parameter Name
R011	Area of contaminated zone (m**2)	1.534E+05	1.000E+04	---	AREA
R011	Thickness of contaminated zone (m)	1.500E-01	2.000E+00	---	THICKO
R011	Length parallel to aquifer flow (m)	2.910E+02	1.000E+02	---	LCZPAQ
R011	Basic radiation dose limit (mrem/yr)	2.500E+01	3.000E+01	---	BRDL
R011	Time since placement of material (yr)	0.000E+00	0.000E+00	---	TI
R011	Times for calculations (yr)	1.000E+00	1.000E+00	---	T(2)
R011	Times for calculations (yr)	3.000E+00	3.000E+00	---	T(3)
R011	Times for calculations (yr)	1.000E+01	1.000E+01	---	T(4)
R011	Times for calculations (yr)	3.000E+01	3.000E+01	---	T(5)
R011	Times for calculations (yr)	1.000E+02	1.000E+02	---	T(6)
R011	Times for calculations (yr)	3.000E+02	3.000E+02	---	T(7)
R011	Times for calculations (yr)	1.000E+03	1.000E+03	---	T(8)
R011	Times for calculations (yr)	not used	0.000E+00	---	T(9)
R011	Times for calculations (yr)	not used	0.000E+00	---	T(10)
R012	Initial principal radionuclide (pCi/g): Ra-228	1.000E+00	0.000E+00	---	S1(1)
R012	Initial principal radionuclide (pCi/g): Th-228	1.000E+00	0.000E+00	---	S1(2)
R012	Initial principal radionuclide (pCi/g): Th-232	1.000E+00	0.000E+00	---	S1(3)
R012	Concentration in groundwater (pCi/L): Ra-228	not used	0.000E+00	---	W1(1)
R012	Concentration in groundwater (pCi/L): Th-228	not used	0.000E+00	---	W1(2)
R012	Concentration in groundwater (pCi/L): Th-232	not used	0.000E+00	---	W1(3)
R013	Cover depth (m)	0.000E+00	0.000E+00	---	COVERO
R013	Density of cover material (g/cm**3)	not used	1.500E+00	---	DENSCV
R013	Cover depth erosion rate (m/yr)	not used	1.000E-03	---	VCV
R013	Density of contaminated zone (g/cm**3)	1.690E+00	1.500E+00	---	DENSCZ
R013	Contaminated zone erosion rate (m/yr)	6.000E-04	1.000E-03	---	VCZ
R013	Contaminated zone total porosity	4.500E-01	4.000E-01	---	TPCZ
R013	Contaminated zone field capacity	1.700E-01	2.000E-01	---	FCCZ
R013	Contaminated zone hydraulic conductivity (m/yr)	1.456E+01	1.000E+01	---	HCCZ
R013	Contaminated zone b parameter	9.900E+00	5.300E+00	---	BCZ
R013	Average annual wind speed (m/sec)	4.300E+00	2.000E+00	---	WIND
R013	Humidity in air (g/m**3)	not used	8.000E+00	---	HUMID
R013	Evapotranspiration coefficient	8.000E-01	5.000E-01	---	EVAPTR
R013	Precipitation (m/yr)	1.010E+00	1.000E+00	---	PRECIP
R013	Irrigation (m/yr)	1.400E-01	2.000E-01	---	RI
R013	Irrigation mode	overhead	overhead	---	IDITCH
R013	Runoff coefficient	4.000E-01	2.000E-01	---	RUNOFF
R013	Watershed area for nearby stream or pond (m**2)	9.989E+05	1.000E+06	---	WAREA
R013	Accuracy for water/soil computations	1.000E-03	1.000E-03	---	EPS
R014	Density of saturated zone (g/cm**3)	1.510E+00	1.500E+00	---	DENSAQ
R014	Saturated zone total porosity	4.300E-01	4.000E-01	---	TPSZ
R014	Saturated zone effective porosity	3.800E-01	2.000E-01	---	EPSZ
R014	Saturated zone field capacity	1.500E-01	2.000E-01	---	FCSZ
R014	Saturated zone hydraulic conductivity (m/yr)	2.520E+03	1.000E+02	---	HCSZ
R014	Saturated zone hydraulic gradient	1.100E-02	2.000E-02	---	HGWT
R014	Saturated zone b parameter	not used	5.300E+00	---	BSZ
R014	Water table drop rate (m/yr)	0.000E+00	1.000E-03	---	VWT
R014	Well pump intake depth (m below water table)	2.500E+00	1.000E+01	---	DWIBWT

Summary : Hematite - Surface Th-232+C CSM

File : C:\RESRAD_FAMILY\RESRAD\USERFILES\HEMATITE - SURFACE TH-232+C CSM.RAD

Site-Specific Parameter Summary (continued)

Menu	Parameter	User Input	Default	Used by RESRAD (If different from user input)	Parameter Name
R014	Model: Nondispersion (ND) or Mass-Balance (MB)	ND	ND	---	MODEL
R014	Well pumping rate (m**3/yr)	3.338E+03	2.500E+02	---	UW
R015	Number of unsaturated zone strata	1	1	---	NS
R015	Unsat. zone 1, thickness (m)	8.950E+00	4.000E+00	---	H (1)
R015	Unsat. zone 1, soil density (g/cm**3)	1.690E+00	1.500E+00	---	DENSUZ (1)
R015	Unsat. zone 1, total porosity	4.500E-01	4.000E-01	---	TPUZ (1)
R015	Unsat. zone 1, effective porosity	2.900E-01	2.000E-01	---	EPUZ (1)
R015	Unsat. zone 1, field capacity	1.700E-01	2.000E-01	---	FCUZ (1)
R015	Unsat. zone 1, soil-specific b parameter	9.900E+00	5.300E+00	---	BUZ (1)
R015	Unsat. zone 1, hydraulic conductivity (m/yr)	1.456E+01	1.000E+01	---	HCUZ (1)
R016	Distribution coefficients for Ra-228				
R016	Contaminated zone (cm**3/g)	9.100E+03	7.000E+01	---	DCNUCC (1)
R016	Unsat. zone 1 (cm**3/g)	9.100E+03	7.000E+01	---	DCNUCU (1,1)
R016	Saturated zone (cm**3/g)	5.000E+02	7.000E+01	---	DCNUCS (1)
R016	Leach rate (/yr)	0.000E+00	0.000E+00	6.468E-05	ALEACH (1)
R016	Solubility constant	0.000E+00	0.000E+00	not used	SOLUBK (1)
R016	Distribution coefficients for Th-228				
R016	Contaminated zone (cm**3/g)	3.300E+03	6.000E+04	---	DCNUCC (2)
R016	Unsat. zone 1 (cm**3/g)	3.300E+03	6.000E+04	---	DCNUCU (2,1)
R016	Saturated zone (cm**3/g)	3.200E+03	6.000E+04	---	DCNUCS (2)
R016	Leach rate (/yr)	0.000E+00	0.000E+00	1.783E-04	ALEACH (2)
R016	Solubility constant	0.000E+00	0.000E+00	not used	SOLUBK (2)
R016	Distribution coefficients for Th-232				
R016	Contaminated zone (cm**3/g)	3.300E+03	6.000E+04	---	DCNUCC (3)
R016	Unsat. zone 1 (cm**3/g)	3.300E+03	6.000E+04	---	DCNUCU (3,1)
R016	Saturated zone (cm**3/g)	3.200E+03	6.000E+04	---	DCNUCS (3)
R016	Leach rate (/yr)	0.000E+00	0.000E+00	1.783E-04	ALEACH (3)
R016	Solubility constant	0.000E+00	0.000E+00	not used	SOLUBK (3)
R017	Inhalation rate (m**3/yr)	8.400E+03	8.400E+03	---	INHALR
R017	Mass loading for inhalation (g/m**3)	2.300E-05	1.000E-04	---	MLINH
R017	Exposure duration	3.000E+01	3.000E+01	---	ED
R017	Shielding factor, inhalation	5.500E-01	4.000E-01	---	SHF3
R017	Shielding factor, external gamma	2.000E-01	7.000E-01	---	SHF1
R017	Fraction of time spent indoors	6.600E-01	5.000E-01	---	FIND
R017	Fraction of time spent outdoors (on site)	1.200E-01	2.500E-01	---	FOTD
R017	Shape factor flag, external gamma	1.000E+00	1.000E+00	>0 shows circular AREA.	FS

Summary : Hematite - Surface Th-232+C CSM

File : C:\RESRAD_FAMILY\RESRAD\USERFILES\HEMATITE - SURFACE TH-232+C CSM.RAD

Site-Specific Parameter Summary (continued)

Menu	Parameter	User Input	Default	Used by RESRAD (If different from user input)	Parameter Name
R017	Radii of shape factor array (used if FS = -1):				
R017	Outer annular radius (m), ring 1:	not used	5.000E+01	---	RAD_SHAPE (1)
R017	Outer annular radius (m), ring 2:	not used	7.071E+01	---	RAD_SHAPE (2)
R017	Outer annular radius (m), ring 3:	not used	0.000E+00	---	RAD_SHAPE (3)
R017	Outer annular radius (m), ring 4:	not used	0.000E+00	---	RAD_SHAPE (4)
R017	Outer annular radius (m), ring 5:	not used	0.000E+00	---	RAD_SHAPE (5)
R017	Outer annular radius (m), ring 6:	not used	0.000E+00	---	RAD_SHAPE (6)
R017	Outer annular radius (m), ring 7:	not used	0.000E+00	---	RAD_SHAPE (7)
R017	Outer annular radius (m), ring 8:	not used	0.000E+00	---	RAD_SHAPE (8)
R017	Outer annular radius (m), ring 9:	not used	0.000E+00	---	RAD_SHAPE (9)
R017	Outer annular radius (m), ring 10:	not used	0.000E+00	---	RAD_SHAPE (10)
R017	Outer annular radius (m), ring 11:	not used	0.000E+00	---	RAD_SHAPE (11)
R017	Outer annular radius (m), ring 12:	not used	0.000E+00	---	RAD_SHAPE (12)
R017	Fractions of annular areas within AREA:				
R017	Ring 1	not used	1.000E+00	---	FRACA (1)
R017	Ring 2	not used	2.732E-01	---	FRACA (2)
R017	Ring 3	not used	0.000E+00	---	FRACA (3)
R017	Ring 4	not used	0.000E+00	---	FRACA (4)
R017	Ring 5	not used	0.000E+00	---	FRACA (5)
R017	Ring 6	not used	0.000E+00	---	FRACA (6)
R017	Ring 7	not used	0.000E+00	---	FRACA (7)
R017	Ring 8	not used	0.000E+00	---	FRACA (8)
R017	Ring 9	not used	0.000E+00	---	FRACA (9)
R017	Ring 10	not used	0.000E+00	---	FRACA (10)
R017	Ring 11	not used	0.000E+00	---	FRACA (11)
R017	Ring 12	not used	0.000E+00	---	FRACA (12)
R018	Fruits, vegetables and grain consumption (kg/yr)	1.120E+02	1.600E+02	---	DIET (1)
R018	Leafy vegetable consumption (kg/yr)	2.100E+01	1.400E+01	---	DIET (2)
R018	Milk consumption (L/yr)	2.330E+02	9.200E+01	---	DIET (3)
R018	Meat and poultry consumption (kg/yr)	6.500E+01	6.300E+01	---	DIET (4)
R018	Fish consumption (kg/yr)	2.100E+01	5.400E+00	---	DIET (5)
R018	Other seafood consumption (kg/yr)	9.000E-01	9.000E-01	---	DIET (6)
R018	Soil ingestion rate (g/yr)	1.820E+01	3.650E+01	---	SOIL
R018	Drinking water intake (L/yr)	4.600E+02	5.100E+02	---	DWI
R018	Contamination fraction of drinking water	1.000E+00	1.000E+00	---	FDW
R018	Contamination fraction of household water	not used	1.000E+00	---	FHHW
R018	Contamination fraction of livestock water	1.000E+00	1.000E+00	---	FLW
R018	Contamination fraction of irrigation water	1.000E+00	1.000E+00	---	FIRW
R018	Contamination fraction of aquatic food	1.000E+00	5.000E-01	---	FR9
R018	Contamination fraction of plant food	-1	-1	0.500E+00	FPLANT
R018	Contamination fraction of meat	-1	-1	0.100E+01	FMEAT
R018	Contamination fraction of milk	-1	-1	0.100E+01	FMILK
R019	Livestock fodder intake for meat (kg/day)	1.200E+01	6.800E+01	---	LFI5
R019	Livestock fodder intake for milk (kg/day)	9.000E+00	5.500E+01	---	LFI6
R019	Livestock water intake for meat (L/day)	3.700E+01	5.000E+01	---	LWI5
R019	Livestock water intake for milk (L/day)	1.050E+02	1.600E+02	---	LWI6
R019	Livestock soil intake (kg/day)	4.500E-01	5.000E-01	---	LSI

Summary : Hematite - Surface Th-232+C CSM

File : C:\RESRAD_FAMILY\RESRAD\USERFILES\HEMATITE - SURFACE TH-232+C CSM.RAD

Site-Specific Parameter Summary (continued)

Menu	Parameter	User Input	Default	Used by RESRAD (If different from user input)	Parameter Name
R019	Mass loading for foliar deposition (g/m**3)	2.300E-05	1.000E-04	---	MLFD
R019	Depth of soil mixing layer (m)	1.500E-01	1.500E-01	---	DM
R019	Depth of roots (m)	9.000E-01	9.000E-01	---	DROOT
R019	Drinking water fraction from ground water	1.000E+00	1.000E+00	---	FGWDW
R019	Household water fraction from ground water	not used	1.000E+00	---	FGWHH
R019	Livestock water fraction from ground water	1.000E+00	1.000E+00	---	FGWLW
R019	Irrigation fraction from ground water	1.000E+00	1.000E+00	---	FGWIR
R19B	Wet weight crop yield for Non-Leafy (kg/m**2)	1.750E+00	7.000E-01	---	YV(1)
R19B	Wet weight crop yield for Leafy (kg/m**2)	1.500E+00	1.500E+00	---	YV(2)
R19B	Wet weight crop yield for Fodder (kg/m**2)	1.100E+00	1.100E+00	---	YV(3)
R19B	Growing Season for Non-Leafy (years)	2.600E-01	1.700E-01	---	TE(1)
R19B	Growing Season for Leafy (years)	1.700E-01	2.500E-01	---	TE(2)
R19B	Growing Season for Fodder (years)	2.100E-01	8.000E-02	---	TE(3)
R19B	Translocation Factor for Non-Leafy	1.000E-01	1.000E-01	---	TIV(1)
R19B	Translocation Factor for Leafy	1.000E+00	1.000E+00	---	TIV(2)
R19B	Translocation Factor for Fodder	1.000E+00	1.000E+00	---	TIV(3)
R19B	Dry Foliar Interception Fraction for Non-Leafy	2.500E-01	2.500E-01	---	RDRY(1)
R19B	Dry Foliar Interception Fraction for Leafy	2.500E-01	2.500E-01	---	RDRY(2)
R19B	Dry Foliar Interception Fraction for Fodder	2.500E-01	2.500E-01	---	RDRY(3)
R19B	Wet Foliar Interception Fraction for Non-Leafy	2.500E-01	2.500E-01	---	RWET(1)
R19B	Wet Foliar Interception Fraction for Leafy	6.000E-01	2.500E-01	---	RWET(2)
R19B	Wet Foliar Interception Fraction for Fodder	2.500E-01	2.500E-01	---	RWET(3)
R19B	Weathering Removal Constant for Vegetation	3.300E+01	2.000E+01	---	WLAM
C14	C-12 concentration in water (g/cm**3)	not used	2.000E-05	---	C12WTR
C14	C-12 concentration in contaminated soil (g/g)	not used	3.000E-02	---	C12CZ
C14	Fraction of vegetation carbon from soil	not used	2.000E-02	---	CSOIL
C14	Fraction of vegetation carbon from air	not used	9.800E-01	---	CAIR
C14	C-14 evasion layer thickness in soil (m)	not used	3.000E-01	---	DMC
C14	C-14 evasion flux rate from soil (1/sec)	not used	7.000E-07	---	EVSN
C14	C-12 evasion flux rate from soil (1/sec)	not used	1.000E-10	---	REVSN
C14	Fraction of grain in beef cattle feed	not used	8.000E-01	---	AVFG4
C14	Fraction of grain in milk cow feed	not used	2.000E-01	---	AVFG5
STOR	Storage times of contaminated foodstuffs (days):				
STOR	Fruits, non-leafy vegetables, and grain	1.400E+01	1.400E+01	---	STOR_T(1)
STOR	Leafy vegetables	1.000E+00	1.000E+00	---	STOR_T(2)
STOR	Milk	1.000E+00	1.000E+00	---	STOR_T(3)
STOR	Meat and poultry	2.000E+01	2.000E+01	---	STOR_T(4)
STOR	Fish	7.000E+00	7.000E+00	---	STOR_T(5)
STOR	Crustacea and mollusks	7.000E+00	7.000E+00	---	STOR_T(6)
STOR	Well water	1.000E+00	1.000E+00	---	STOR_T(7)
STOR	Surface water	1.000E+00	1.000E+00	---	STOR_T(8)
STOR	Livestock fodder	4.500E+01	4.500E+01	---	STOR_T(9)
R021	Thickness of building foundation (m)	not used	1.500E-01	---	FLOOR1
R021	Bulk density of building foundation (g/cm**3)	not used	2.400E+00	---	DENSFL
R021	Total porosity of the cover material	not used	4.000E-01	---	TPCV
R021	Total porosity of the building foundation	not used	1.000E-01	---	TPFL

Summary : Hematite - Surface Th-232+C CSM

File : C:\RESRAD_FAMILY\RESRAD\USERFILES\HEMATITE - SURFACE TH-232+C CSM.RAD

Site-Specific Parameter Summary (continued)

Menu	Parameter	User Input	Default	Used by RESRAD (If different from user input)	Parameter Name
R021	Volumetric water content of the cover material	not used	5.000E-02	---	PH2OCV
R021	Volumetric water content of the foundation	not used	3.000E-02	---	PH2OFL
R021	Diffusion coefficient for radon gas (m/sec):				
R021	in cover material	not used	2.000E-06	---	DIFCV
R021	in foundation material	not used	3.000E-07	---	DIFFL
R021	in contaminated zone soil	not used	2.000E-06	---	DIFCZ
R021	Radon vertical dimension of mixing (m)	not used	2.000E+00	---	HMIX
R021	Average building air exchange rate (1/hr)	not used	5.000E-01	---	REXG
R021	Height of the building (room) (m)	not used	2.500E+00	---	HRM
R021	Building interior area factor	not used	0.000E+00	---	FAI
R021	Building depth below ground surface (m)	not used	-1.000E+00	---	DMFL
R021	Emanating power of Rn-222 gas	not used	2.500E-01	---	EMANA (1)
R021	Emanating power of Rn-220 gas	not used	1.500E-01	---	EMANA (2)
TITL	Number of graphical time points	128	---	---	NPTS
TITL	Maximum number of integration points for dose	5	---	---	LYMAX
TITL	Maximum number of integration points for risk	1	---	---	KYMAX

Summary of Pathway Selections

Pathway	User Selection
1 -- external gamma	active
2 -- inhalation (w/o radon)	active
3 -- plant ingestion	active
4 -- meat ingestion	active
5 -- milk ingestion	active
6 -- aquatic foods	active
7 -- drinking water	active
8 -- soil ingestion	active
9 -- radon	suppressed
Find peak pathway doses	active

Summary : Hematite - Surface Th-232+C CSM

File : C:\RESRAD_FAMILY\RESRAD\USERFILES\HEMATITE - SURFACE TH-232+C CSM.RAD

Contaminated Zone Dimensions	Initial Soil Concentrations, pCi/g	
Area: 153375.00 square meters	Ra-228	1.000E+00
Thickness: 0.15 meters	Th-228	1.000E+00
Cover Depth: 0.00 meters	Th-232	1.000E+00

Total Dose TDOSE(t), mrem/yr

Basic Radiation Dose Limit = 2.500E+01 mrem/yr

Total Mixture Sum M(t) = Fraction of Basic Dose Limit Received at Time (t)

t (years):	0.000E+00	1.000E+00	3.000E+00	1.000E+01	3.000E+01	1.000E+02	3.000E+02	1.000E+03
TDOSE(t):	4.862E+00	4.852E+00	4.831E+00	4.758E+00	4.535E+00	3.625E+00	0.000E+00	0.000E+00
M(t):	1.945E-01	1.941E-01	1.932E-01	1.903E-01	1.814E-01	1.450E-01	0.000E+00	0.000E+00

Maximum TDOSE(t): 4.862E+00 mrem/yr at t = 0.000E+00 years

Summary : Hematite - Surface Th-232+C CSM

File : C:\RESRAD_FAMILY\RESRAD\USERFILES\HEMATITE - SURFACE TH-232+C CSM.RAD

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As mrem/yr and Fraction of Total Dose At t = 0.000E+00 years

Water Independent Pathways (Inhalation excludes radon)

Radio- Nuclide	Ground		Inhalation		Radon		Plant		Meat		Milk		Soil	
	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
Ra-228	1.582E+00	0.3254	5.739E-04	0.0001	0.000E+00	0.0000	1.120E+00	0.2304	5.360E-02	0.0110	1.780E-02	0.0037	2.102E-02	0.0043
Th-228	1.789E+00	0.3680	2.859E-03	0.0006	0.000E+00	0.0000	7.455E-03	0.0015	1.969E-03	0.0004	3.490E-04	0.0001	9.610E-03	0.0020
Th-232	9.090E-02	0.0187	1.621E-02	0.0033	0.000E+00	0.0000	9.461E-02	0.0195	1.071E-02	0.0022	2.442E-03	0.0005	3.993E-02	0.0082
Total	3.462E+00	0.7122	1.964E-02	0.0040	0.000E+00	0.0000	1.222E+00	0.2514	6.629E-02	0.0136	2.059E-02	0.0042	7.056E-02	0.0145

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As mrem/yr and Fraction of Total Dose At t = 0.000E+00 years

Water Dependent Pathways

Radio- Nuclide	Water		Fish		Radon		Plant		Meat		Milk		All Pathways*	
	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
Ra-228	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	2.795E+00	0.5750
Th-228	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	1.812E+00	0.3726
Th-232	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	2.548E-01	0.0524
Total	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	4.862E+00	1.0000

*Sum of all water independent and dependent pathways.

Summary : Hematite - Surface Th-232+C CSM

File : C:\RESRAD_FAMILY\RESRAD\USERFILES\HEMATITE - SURFACE TH-232+C CSM.RAD

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As mrem/yr and Fraction of Total Dose At t = 1.000E+00 years

Water Independent Pathways (Inhalation excludes radon)

Radio- Nuclide	Ground		Inhalation		Radon		Plant		Meat		Milk		Soil	
	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
Ra-228	1.911E+00	0.3938	1.319E-03	0.0003	0.000E+00	0.0000	9.917E-01	0.2044	4.793E-02	0.0099	1.582E-02	0.0033	2.129E-02	0.0044
Th-228	1.244E+00	0.2563	1.982E-03	0.0004	0.000E+00	0.0000	5.168E-03	0.0011	1.365E-03	0.0003	2.419E-04	0.0000	6.661E-03	0.0014
Th-232	3.036E-01	0.0626	1.626E-02	0.0034	0.000E+00	0.0000	2.207E-01	0.0455	1.673E-02	0.0034	4.446E-03	0.0009	4.232E-02	0.0087
Total	3.458E+00	0.7127	1.956E-02	0.0040	0.000E+00	0.0000	1.218E+00	0.2509	6.602E-02	0.0136	2.051E-02	0.0042	7.027E-02	0.0145

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As mrem/yr and Fraction of Total Dose At t = 1.000E+00 years

Water Dependent Pathways

Radio- Nuclide	Water		Fish		Radon		Plant		Meat		Milk		All Pathways*	
	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
Ra-228	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	2.989E+00	0.6160
Th-228	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	1.259E+00	0.2595
Th-232	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	6.040E-01	0.1245
Total	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	4.852E+00	1.0000

*Sum of all water independent and dependent pathways.

Summary : Hematite - Surface Th-232+C CSM

File : C:\RESRAD_FAMILY\RESRAD\USERFILES\HEMATITE - SURFACE TH-232+C CSM.RAD

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As mrem/yr and Fraction of Total Dose At t = 3.000E+00 years

Water Independent Pathways (Inhalation excludes radon)

Radio- Nuclide	Ground		Inhalation		Radon		Plant		Meat		Milk		Soil	
	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
Ra-228	2.058E+00	0.4259	1.915E-03	0.0004	0.000E+00	0.0000	7.752E-01	0.1604	3.796E-02	0.0079	1.243E-02	0.0026	1.957E-02	0.0041
Th-228	6.008E-01	0.1244	9.521E-04	0.0002	0.000E+00	0.0000	2.483E-03	0.0005	6.558E-04	0.0001	1.162E-04	0.0000	3.200E-03	0.0007
Th-232	7.904E-01	0.1636	1.653E-02	0.0034	0.000E+00	0.0000	4.299E-01	0.0890	2.686E-02	0.0056	7.785E-03	0.0016	4.691E-02	0.0097
Total	3.449E+00	0.7139	1.939E-02	0.0040	0.000E+00	0.0000	1.208E+00	0.2499	6.548E-02	0.0136	2.034E-02	0.0042	6.968E-02	0.0144

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As mrem/yr and Fraction of Total Dose At t = 3.000E+00 years

Water Dependent Pathways

Radio- Nuclide	Water		Fish		Radon		Plant		Meat		Milk		All Pathways*	
	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
Ra-228	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	2.905E+00	0.6012
Th-228	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	6.082E-01	0.1259
Th-232	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	1.318E+00	0.2729
Total	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	4.831E+00	1.0000

*Sum of all water independent and dependent pathways.

Summary : Hematite - Surface Th-232+C CSM

File : C:\RESRAD_FAMILY\RESRAD\USERFILES\HEMATITE - SURFACE TH-232+C CSM.RAD

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As mrem/yr and Fraction of Total Dose At t = 1.000E+01 years

Water Independent Pathways (Inhalation excludes radon)

Radio- Nuclide	Ground		Inhalation		Radon		Plant		Meat		Milk		Soil	
	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
Ra-228	1.190E+00	0.2500	1.286E-03	0.0003	0.000E+00	0.0000	3.250E-01	0.0683	1.619E-02	0.0034	5.253E-03	0.0011	9.808E-03	0.0021
Th-228	4.706E-02	0.0099	7.314E-05	0.0000	0.000E+00	0.0000	1.907E-04	0.0000	5.038E-05	0.0000	8.927E-06	0.0000	2.458E-04	0.0001
Th-232	2.179E+00	0.4580	1.746E-02	0.0037	0.000E+00	0.0000	8.470E-01	0.1780	4.732E-02	0.0099	1.448E-02	0.0030	5.758E-02	0.0121
Total	3.416E+00	0.7179	1.882E-02	0.0040	0.000E+00	0.0000	1.172E+00	0.2464	6.356E-02	0.0134	1.974E-02	0.0041	6.763E-02	0.0142

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As mrem/yr and Fraction of Total Dose At t = 1.000E+01 years

Water Dependent Pathways

Radio- Nuclide	Water		Fish		Radon		Plant		Meat		Milk		All Pathways*	
	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
Ra-228	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	1.547E+00	0.3252
Th-228	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	4.762E-02	0.0100
Th-232	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	3.163E+00	0.6648
Total	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	4.758E+00	1.0000

*Sum of all water independent and dependent pathways.

Summary : Hematite - Surface Th-232+C CSM

File : C:\RESRAD_FAMILY\RESRAD\USERFILES\HEMATITE - SURFACE TH-232+C CSM.RAD

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As mrem/yr and Fraction of Total Dose At t = 3.000E+01 years

Water Independent Pathways (Inhalation excludes radon)

Radio- Nuclide	Ground		Inhalation		Radon		Plant		Meat		Milk		Soil	
	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
Ra-228	1.097E-01	0.0242	1.145E-04	0.0000	0.000E+00	0.0000	2.672E-02	0.0059	1.336E-03	0.0003	4.325E-04	0.0001	8.356E-04	0.0002
Th-228	3.242E-05	0.0000	4.761E-08	0.0000	0.000E+00	0.0000	1.242E-07	0.0000	3.280E-08	0.0000	5.811E-09	0.0000	1.600E-07	0.0000
Th-232	3.200E+00	0.7055	1.707E-02	0.0038	0.000E+00	0.0000	1.044E+00	0.2302	5.672E-02	0.0125	1.760E-02	0.0039	6.093E-02	0.0134
Total	3.309E+00	0.7297	1.719E-02	0.0038	0.000E+00	0.0000	1.071E+00	0.2361	5.806E-02	0.0128	1.803E-02	0.0040	6.177E-02	0.0136

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As mrem/yr and Fraction of Total Dose At t = 3.000E+01 years

Water Dependent Pathways

Radio- Nuclide	Water		Fish		Radon		Plant		Meat		Milk		All Pathways*	
	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
Ra-228	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	1.391E-01	0.0307
Th-228	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	3.279E-05	0.0000
Th-232	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	4.396E+00	0.9693
Total	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	4.535E+00	1.0000

*Sum of all water independent and dependent pathways.

Summary : Hematite - Surface Th-232+C CSM

File : C:\RESRAD_FAMILY\RESRAD\USERFILES\HEMATITE - SURFACE TH-232+C CSM.RAD

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As mrem/yr and Fraction of Total Dose At t = 1.000E+02 years

Water Independent Pathways (Inhalation excludes radon)

Radio- Nuclide	Ground		Inhalation		Radon		Plant		Meat		Milk		Soil	
	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
Ra-228	2.022E-05	0.0000	1.682E-08	0.0000	0.000E+00	0.0000	3.921E-06	0.0000	1.961E-07	0.0000	6.347E-08	0.0000	1.226E-07	0.0000
Th-228	2.633E-16	0.0000	3.096E-19	0.0000	0.000E+00	0.0000	8.076E-19	0.0000	2.133E-19	0.0000	3.780E-20	0.0000	1.041E-18	0.0000
Th-232	2.800E+00	0.7725	1.156E-02	0.0032	0.000E+00	0.0000	7.203E-01	0.1987	3.906E-02	0.0108	1.213E-02	0.0033	4.155E-02	0.0115
Total	2.800E+00	0.7725	1.156E-02	0.0032	0.000E+00	0.0000	7.203E-01	0.1987	3.906E-02	0.0108	1.213E-02	0.0033	4.155E-02	0.0115

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As mrem/yr and Fraction of Total Dose At t = 1.000E+02 years

Water Dependent Pathways

Radio- Nuclide	Water		Fish		Radon		Plant		Meat		Milk		All Pathways*	
	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
Ra-228	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	2.454E-05	0.0000
Th-228	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	2.657E-16	0.0000
Th-232	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	3.625E+00	1.0000
Total	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	3.625E+00	1.0000

*Sum of all water independent and dependent pathways.

Summary : Hematite - Surface Th-232+C CSM

File : C:\RESRAD_FAMILY\RESRAD\USERFILES\HEMATITE - SURFACE TH-232+C CSM.RAD

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
 As mrem/yr and Fraction of Total Dose At t = 3.000E+02 years

Water Independent Pathways (Inhalation excludes radon)

Radio- Nuclide	Ground		Inhalation		Radon		Plant		Meat		Milk		Soil	
	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
Ra-228	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Th-228	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Th-232	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Total	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
 As mrem/yr and Fraction of Total Dose At t = 3.000E+02 years

Water Dependent Pathways

Radio- Nuclide	Water		Fish		Radon		Plant		Meat		Milk		All Pathways*	
	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
Ra-228	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Th-228	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Th-232	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Total	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000

*Sum of all water independent and dependent pathways.

Summary : Hematite - Surface Th-232+C CSM

File : C:\RESRAD_FAMILY\RESRAD\USERFILES\HEMATITE - SURFACE TH-232+C CSM.RAD

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As mrem/yr and Fraction of Total Dose At t = 1.000E+03 years

Water Independent Pathways (Inhalation excludes radon)

Radio- Nuclide	Ground		Inhalation		Radon		Plant		Meat		Milk		Soil	
	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
Ra-228	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Th-228	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Th-232	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Total	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As mrem/yr and Fraction of Total Dose At t = 1.000E+03 years

Water Dependent Pathways

Radio- Nuclide	Water		Fish		Radon		Plant		Meat		Milk		All Pathways*	
	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
Ra-228	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Th-228	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Th-232	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Total	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000

*Sum of all water independent and dependent pathways.

Summary : Hematite - Surface Th-232+C CSM

File : C:\RESRAD_FAMILY\RESRAD\USERFILES\HEMATITE - SURFACE TH-232+C CSM.RAD

Dose/Source Ratios Summed Over All Pathways
 Parent and Progeny Principal Radionuclide Contributions Indicated

Parent (i)	Product (j)	Thread Fraction	DSR(j,t) At Time in Years (mrem/yr)/(pCi/g)							
			0.000E+00	1.000E+00	3.000E+00	1.000E+01	3.000E+01	1.000E+02	3.000E+02	1.000E+03
Ra-228+D	Ra-228+D	1.000E+00	2.454E+00	2.170E+00	1.696E+00	7.163E-01	6.078E-02	1.022E-05	0.000E+00	0.000E+00
Ra-228+D	Th-228+D	1.000E+00	3.411E-01	8.186E-01	1.208E+00	8.308E-01	7.832E-02	1.432E-05	0.000E+00	0.000E+00
Ra-228+D	ΣDSR(j)		2.795E+00	2.989E+00	2.905E+00	1.547E+00	1.391E-01	2.454E-05	0.000E+00	0.000E+00
Th-228+D	Th-228+D	1.000E+00	1.812E+00	1.259E+00	6.082E-01	4.762E-02	3.279E-05	2.657E-16	0.000E+00	0.000E+00
Th-232	Th-232	1.000E+00	9.432E-02	9.393E-02	9.314E-02	9.038E-02	8.255E-02	5.557E-02	0.000E+00	0.000E+00
Th-232	Ra-228+D	1.000E+00	1.461E-01	4.233E-01	8.835E-01	1.816E+00	2.329E+00	1.841E+00	0.000E+00	0.000E+00
Th-232	Th-228+D	1.000E+00	1.440E-02	8.686E-02	3.418E-01	1.257E+00	1.985E+00	1.728E+00	0.000E+00	0.000E+00
Th-232	ΣDSR(j)		2.548E-01	6.040E-01	1.318E+00	3.163E+00	4.396E+00	3.625E+00	0.000E+00	0.000E+00

The DSR includes contributions from associated (half-life ≤ 180 days) daughters.

Single Radionuclide Soil Guidelines G(i,t) in pCi/g
 Basic Radiation Dose Limit = 2.500E+01 mrem/yr

Nuclide (i)	t =	0.000E+00	1.000E+00	3.000E+00	1.000E+01	3.000E+01	1.000E+02	3.000E+02	1.000E+03
Ra-228	8.943E+00	8.365E+00	8.607E+00	1.616E+01	1.797E+02	1.019E+06	*2.726E+14	*2.726E+14	
Th-228	1.380E+01	1.986E+01	4.110E+01	5.249E+02	7.624E+05	*8.195E+14	*8.195E+14	*8.195E+14	
Th-232	9.812E+01	4.139E+01	1.896E+01	7.904E+00	5.687E+00	6.897E+00	*1.097E+05	*1.097E+05	

*At specific activity limit

Summed Dose/Source Ratios DSR(i,t) in (mrem/yr)/(pCi/g)
 and Single Radionuclide Soil Guidelines G(i,t) in pCi/g
 at tmin = time of minimum single radionuclide soil guideline
 and at tmax = time of maximum total dose = 0.000E+00 years

Nuclide (i)	Initial (pCi/g)	tmin (years)	DSR(i,tmin)	G(i,tmin) (pCi/g)	DSR(i,tmax)	G(i,tmax) (pCi/g)
Ra-228	1.000E+00	1.577 ± 0.003	3.013E+00	8.297E+00	2.795E+00	8.943E+00
Th-228	1.000E+00	0.000E+00	1.812E+00	1.380E+01	1.812E+00	1.380E+01
Th-232	1.000E+00	33.14 ± 0.07	4.404E+00	5.676E+00	2.548E-01	9.812E+01

Summary : Hematite - Surface Th-232+C CSM

File : C:\RESRAD_FAMILY\RESRAD\USERFILES\HEMATITE - SURFACE TH-232+C CSM.RAD

Individual Nuclide Dose Summed Over All Pathways
Parent Nuclide and Branch Fraction Indicated

Nuclide (j)	Parent (i)	THF(i)	DOSE(j,t), mrem/yr							
			t= 0.000E+00	1.000E+00	3.000E+00	1.000E+01	3.000E+01	1.000E+02	3.000E+02	1.000E+03
Ra-228	Ra-228	1.000E+00	2.454E+00	2.170E+00	1.696E+00	7.163E-01	6.078E-02	1.022E-05	0.000E+00	0.000E+00
Ra-228	Th-232	1.000E+00	1.461E-01	4.233E-01	8.835E-01	1.816E+00	2.329E+00	1.841E+00	0.000E+00	0.000E+00
Ra-228	ΣDOSE(j)		2.600E+00	2.593E+00	2.580E+00	2.532E+00	2.389E+00	1.842E+00	0.000E+00	0.000E+00
Th-228	Ra-228	1.000E+00	3.411E-01	8.186E-01	1.208E+00	8.308E-01	7.832E-02	1.432E-05	0.000E+00	0.000E+00
Th-228	Th-228	1.000E+00	1.812E+00	1.259E+00	6.082E-01	4.762E-02	3.279E-05	2.657E-16	0.000E+00	0.000E+00
Th-228	Th-232	1.000E+00	1.440E-02	8.686E-02	3.418E-01	1.257E+00	1.985E+00	1.728E+00	0.000E+00	0.000E+00
Th-228	ΣDOSE(j)		2.167E+00	2.165E+00	2.158E+00	2.135E+00	2.063E+00	1.728E+00	0.000E+00	0.000E+00
Th-232	Th-232	1.000E+00	9.432E-02	9.393E-02	9.314E-02	9.038E-02	8.255E-02	5.557E-02	0.000E+00	0.000E+00

THF(i) is the thread fraction of the parent nuclide.

Individual Nuclide Soil Concentration
Parent Nuclide and Branch Fraction Indicated

Nuclide (j)	Parent (i)	THF(i)	S(j,t), pCi/g							
			t= 0.000E+00	1.000E+00	3.000E+00	1.000E+01	3.000E+01	1.000E+02	3.000E+02	1.000E+03
Ra-228	Ra-228	1.000E+00	1.000E+00	8.864E-01	6.964E-01	2.994E-01	2.683E-02	5.779E-06	1.930E-16	0.000E+00
Ra-228	Th-232	1.000E+00	0.000E+00	1.136E-01	3.034E-01	6.995E-01	9.688E-01	9.832E-01	9.488E-01	8.374E-01
Ra-228	ΣS(j):		1.000E+00	9.999E-01	9.998E-01	9.989E-01	9.956E-01	9.833E-01	9.488E-01	8.374E-01
Th-228	Ra-228	1.000E+00	0.000E+00	2.853E-01	5.382E-01	4.085E-01	4.016E-02	8.657E-06	2.892E-16	0.000E+00
Th-228	Th-228	1.000E+00	1.000E+00	6.959E-01	3.371E-01	2.665E-02	1.893E-05	1.807E-16	0.000E+00	0.000E+00
Th-228	Th-232	1.000E+00	0.000E+00	1.864E-02	1.243E-01	5.636E-01	9.554E-01	9.832E-01	9.488E-01	8.374E-01
Th-228	ΣS(j):		1.000E+00	9.998E-01	9.996E-01	9.987E-01	9.956E-01	9.833E-01	9.488E-01	8.374E-01
Th-232	Th-232	1.000E+00	1.000E+00	9.998E-01	9.995E-01	9.982E-01	9.947E-01	9.823E-01	9.479E-01	8.367E-01

THF(i) is the thread fraction of the parent nuclide.

RESRAD.EXE execution time = 1.36 seconds