

Summary : Hematite - GW DSR Th-232+C

File : C:\RESRAD_FAMILY\RESRAD\USERFILES\HEMATITE - GW DSR TH-232+C.RAD

Table of Contents

Part I: Mixture Sums and Single Radionuclide Guidelines

Dose Conversion Factor (and Related) Parameter Summary ...	2
Site-Specific Parameter Summary	3
Summary of Pathway Selections	7
Contaminated Zone and Total Dose Summary	8
Total Dose Components	
Time = 0.000E+00	9
Time = 1.000E+00	10
Dose/Source Ratios Summed Over All Pathways	11
Single Radionuclide Soil Guidelines	11
Dose Per Nuclide Summed Over All Pathways	12
Soil Concentration Per Nuclide	12

Summary : Hematite - GW DSR Th-232+C

File : C:\RESRAD_FAMILY\RESRAD\USERFILES\HEMATITE - GW DSR TH-232+C.RAD

Dose Conversion Factor (and Related) Parameter Summary
 Dose Library: Hematite Plus FGR 11

Menu	Parameter	Current Value#	Base Case*	Parameter Name
A-1	DCF's for external ground radiation, (mrem/yr)/(pCi/g)			
A-1	Ac-228 (Source: FGR 12)	5.978E+00	5.978E+00	DCF1(1)
A-1	Bi-212 (Source: FGR 12)	1.171E+00	1.171E+00	DCF1(2)
A-1	Pb-212 (Source: FGR 12)	7.043E-01	7.043E-01	DCF1(3)
A-1	Po-212 (Source: FGR 12)	0.000E+00	0.000E+00	DCF1(4)
A-1	Po-216 (Source: FGR 12)	1.042E-04	1.042E-04	DCF1(5)
A-1	Ra-224 (Source: FGR 12)	5.119E-02	5.119E-02	DCF1(6)
A-1	Ra-228 (Source: FGR 12)	0.000E+00	0.000E+00	DCF1(7)
A-1	Rn-220 (Source: FGR 12)	2.298E-03	2.298E-03	DCF1(8)
A-1	Th-228 (Source: FGR 12)	7.940E-03	7.940E-03	DCF1(9)
A-1	Th-232 (Source: FGR 12)	5.212E-04	5.212E-04	DCF1(10)
A-1	Tl-208 (Source: FGR 12)	2.298E+01	2.298E+01	DCF1(11)
B-1	Dose conversion factors for inhalation, mrem/pCi:			
B-1	Ra-228+D	5.078E-03	4.770E-03	DCF2(1)
B-1	Th-228+D	3.454E-01	3.420E-01	DCF2(2)
B-1	Th-232	1.640E+00	1.640E+00	DCF2(3)
D-1	Dose conversion factors for ingestion, mrem/pCi:			
D-1	Ra-228+D	1.442E-03	1.440E-03	DCF3(1)
D-1	Th-228+D	8.086E-04	3.960E-04	DCF3(2)
D-1	Th-232	2.730E-03	2.730E-03	DCF3(3)
D-34	Food transfer factors:			
D-34	Ra-228+D , plant/soil concentration ratio, dimensionless	7.400E-02	4.000E-02	RTF(1,1)
D-34	Ra-228+D , beef/livestock-intake ratio, (pCi/kg)/(pCi/d)	1.000E-03	1.000E-03	RTF(1,2)
D-34	Ra-228+D , milk/livestock-intake ratio, (pCi/L)/(pCi/d)	1.000E-04	1.000E-03	RTF(1,3)
D-34	Th-228+D , plant/soil concentration ratio, dimensionless	9.930E-04	1.000E-03	RTF(2,1)
D-34	Th-228+D , beef/livestock-intake ratio, (pCi/kg)/(pCi/d)	9.900E-05	1.000E-04	RTF(2,2)
D-34	Th-228+D , milk/livestock-intake ratio, (pCi/L)/(pCi/d)	4.900E-06	5.000E-06	RTF(2,3)
D-34	Th-232 , plant/soil concentration ratio, dimensionless	9.930E-04	1.000E-03	RTF(3,1)
D-34	Th-232 , beef/livestock-intake ratio, (pCi/kg)/(pCi/d)	9.900E-05	1.000E-04	RTF(3,2)
D-34	Th-232 , milk/livestock-intake ratio, (pCi/L)/(pCi/d)	4.900E-06	5.000E-06	RTF(3,3)
D-5	Bioaccumulation factors, fresh water, L/kg:			
D-5	Ra-228+D , fish	4.930E+01	5.000E+01	BIOFAC(1,1)
D-5	Ra-228+D , crustacea and mollusks	2.500E+02	2.500E+02	BIOFAC(1,2)
D-5	Th-228+D , fish	9.030E+01	1.000E+02	BIOFAC(2,1)
D-5	Th-228+D , crustacea and mollusks	5.000E+02	5.000E+02	BIOFAC(2,2)
D-5	Th-232 , fish	9.030E+01	1.000E+02	BIOFAC(3,1)
D-5	Th-232 , crustacea and mollusks	5.000E+02	5.000E+02	BIOFAC(3,2)

#For DCF1(xxx) only, factors are for infinite depth & area. See ETFG table in Ground Pathway of Detailed Report.
 *Base Case means Default.Lib w/o Associate Nuclide contributions.

Summary : Hematite - GW DSR Th-232+C

File : C:\RESRAD_FAMILY\RESRAD\USERFILES\HEMATITE - GW DSR TH-232+C.RAD

Site-Specific Parameter Summary

Menu	Parameter	User Input	Default	Used by RESRAD (If different from user input)	Parameter Name
R011	Area of contaminated zone (m**2)	1.534E+05	1.000E+04	---	AREA
R011	Thickness of contaminated zone (m)	5.200E+00	2.000E+00	---	THICKO
R011	Length parallel to aquifer flow (m)	2.910E+02	1.000E+02	---	LCZPAQ
R011	Basic radiation dose limit (mrem/yr)	2.500E+01	3.000E+01	---	BRDL
R011	Time since placement of material (yr)	1.000E+00	0.000E+00	---	TI
R011	Times for calculations (yr)	1.000E+00	1.000E+00	---	T(2)
R011	Times for calculations (yr)	not used	3.000E+00	---	T(3)
R011	Times for calculations (yr)	not used	1.000E+01	---	T(4)
R011	Times for calculations (yr)	not used	3.000E+01	---	T(5)
R011	Times for calculations (yr)	not used	1.000E+02	---	T(6)
R011	Times for calculations (yr)	not used	3.000E+02	---	T(7)
R011	Times for calculations (yr)	not used	1.000E+03	---	T(8)
R011	Times for calculations (yr)	not used	0.000E+00	---	T(9)
R011	Times for calculations (yr)	not used	0.000E+00	---	T(10)
R012	Initial principal radionuclide (pCi/g): Ra-228	1.000E+00	0.000E+00	---	S1(1)
R012	Initial principal radionuclide (pCi/g): Th-228	1.000E+00	0.000E+00	---	S1(2)
R012	Initial principal radionuclide (pCi/g): Th-232	1.000E+00	0.000E+00	---	S1(3)
R012	Concentration in groundwater (pCi/L): Ra-228	not used	0.000E+00	---	W1(1)
R012	Concentration in groundwater (pCi/L): Th-228	not used	0.000E+00	---	W1(2)
R012	Concentration in groundwater (pCi/L): Th-232	not used	0.000E+00	---	W1(3)
R013	Cover depth (m)	1.500E+00	0.000E+00	---	COVERO
R013	Density of cover material (g/cm**3)	not used	1.500E+00	---	DENSCV
R013	Cover depth erosion rate (m/yr)	6.000E-04	1.000E-03	---	VCV
R013	Density of contaminated zone (g/cm**3)	1.690E+00	1.500E+00	---	DENSCZ
R013	Contaminated zone erosion rate (m/yr)	6.000E-04	1.000E-03	---	VCZ
R013	Contaminated zone total porosity	4.500E-01	4.000E-01	---	TPCZ
R013	Contaminated zone field capacity	1.700E-01	2.000E-01	---	FCCZ
R013	Contaminated zone hydraulic conductivity (m/yr)	1.456E+01	1.000E+01	---	HCCZ
R013	Contaminated zone b parameter	9.900E+00	5.300E+00	---	BCZ
R013	Average annual wind speed (m/sec)	4.300E+00	2.000E+00	---	WIND
R013	Humidity in air (g/m**3)	not used	8.000E+00	---	HUMID
R013	Evapotranspiration coefficient	8.000E-01	5.000E-01	---	EVAPTR
R013	Precipitation (m/yr)	1.010E+00	1.000E+00	---	PRECIP
R013	Irrigation (m/yr)	1.400E-01	2.000E-01	---	RI
R013	Irrigation mode	overhead	overhead	---	IDITCH
R013	Runoff coefficient	4.000E-01	2.000E-01	---	RUNOFF
R013	Watershed area for nearby stream or pond (m**2)	9.989E+05	1.000E+06	---	WAREA
R013	Accuracy for water/soil computations	1.000E-03	1.000E-03	---	EPS
R014	Density of saturated zone (g/cm**3)	1.510E+00	1.500E+00	---	DENSAQ
R014	Saturated zone total porosity	4.300E-01	4.000E-01	---	TPSZ
R014	Saturated zone effective porosity	3.800E-01	2.000E-01	---	EPSZ
R014	Saturated zone field capacity	1.500E-01	2.000E-01	---	FCSZ
R014	Saturated zone hydraulic conductivity (m/yr)	2.520E+03	1.000E+02	---	HCSZ
R014	Saturated zone hydraulic gradient	1.100E-02	2.000E-02	---	HGWT
R014	Saturated zone b parameter	not used	5.300E+00	---	BSZ
R014	Water table drop rate (m/yr)	0.000E+00	1.000E-03	---	VWT
R014	Well pump intake depth (m below water table)	2.500E+00	1.000E+01	---	DWIBWT

Summary : Hematite - GW DSR Th-232+C

File : C:\RESRAD_FAMILY\RESRAD\USERFILES\HEMATITE - GW DSR TH-232+C.RAD

Site-Specific Parameter Summary (continued)

Menu	Parameter	User Input	Default	Used by RESRAD (If different from user input)	Parameter Name
R014	Model: Nondispersion (ND) or Mass-Balance (MB)	MB	ND	---	MODEL
R014	Well pumping rate (m**3/yr)	3.338E+03	2.500E+02	---	UW
R015	Number of unsaturated zone strata	0	1	---	NS
R016	Distribution coefficients for Ra-228				
R016	Contaminated zone (cm**3/g)	9.100E+03	7.000E+01	---	DCNUCC (1)
R016	Saturated zone (cm**3/g)	0.000E+00	7.000E+01	---	DCNUCS (1)
R016	Leach rate (/yr)	0.000E+00	0.000E+00	1.866E-06	ALEACH (1)
R016	Solubility constant	0.000E+00	0.000E+00	not used	SOLUBK (1)
R016	Distribution coefficients for Th-228				
R016	Contaminated zone (cm**3/g)	3.300E+03	6.000E+04	---	DCNUCC (2)
R016	Saturated zone (cm**3/g)	0.000E+00	6.000E+04	---	DCNUCS (2)
R016	Leach rate (/yr)	0.000E+00	0.000E+00	5.144E-06	ALEACH (2)
R016	Solubility constant	0.000E+00	0.000E+00	not used	SOLUBK (2)
R016	Distribution coefficients for Th-232				
R016	Contaminated zone (cm**3/g)	3.300E+03	6.000E+04	---	DCNUCC (3)
R016	Saturated zone (cm**3/g)	0.000E+00	6.000E+04	---	DCNUCS (3)
R016	Leach rate (/yr)	0.000E+00	0.000E+00	5.144E-06	ALEACH (3)
R016	Solubility constant	0.000E+00	0.000E+00	not used	SOLUBK (3)
R017	Inhalation rate (m**3/yr)	not used	8.400E+03	---	INHALR
R017	Mass loading for inhalation (g/m**3)	not used	1.000E-04	---	MLINH
R017	Exposure duration	3.000E+01	3.000E+01	---	ED
R017	Shielding factor, inhalation	not used	4.000E-01	---	SHF3
R017	Shielding factor, external gamma	not used	7.000E-01	---	SHF1
R017	Fraction of time spent indoors	not used	5.000E-01	---	FIND
R017	Fraction of time spent outdoors (on site)	not used	2.500E-01	---	FOTD
R017	Shape factor flag, external gamma	not used	1.000E+00	>0 shows circular AREA.	FS
R017	Radii of shape factor array (used if FS = -1):				
R017	Outer annular radius (m), ring 1:	not used	5.000E+01	---	RAD_SHAPE (1)
R017	Outer annular radius (m), ring 2:	not used	7.071E+01	---	RAD_SHAPE (2)
R017	Outer annular radius (m), ring 3:	not used	0.000E+00	---	RAD_SHAPE (3)
R017	Outer annular radius (m), ring 4:	not used	0.000E+00	---	RAD_SHAPE (4)
R017	Outer annular radius (m), ring 5:	not used	0.000E+00	---	RAD_SHAPE (5)
R017	Outer annular radius (m), ring 6:	not used	0.000E+00	---	RAD_SHAPE (6)
R017	Outer annular radius (m), ring 7:	not used	0.000E+00	---	RAD_SHAPE (7)
R017	Outer annular radius (m), ring 8:	not used	0.000E+00	---	RAD_SHAPE (8)
R017	Outer annular radius (m), ring 9:	not used	0.000E+00	---	RAD_SHAPE (9)
R017	Outer annular radius (m), ring 10:	not used	0.000E+00	---	RAD_SHAPE (10)
R017	Outer annular radius (m), ring 11:	not used	0.000E+00	---	RAD_SHAPE (11)
R017	Outer annular radius (m), ring 12:	not used	0.000E+00	---	RAD_SHAPE (12)

Summary : Hematite - GW DSR Th-232+C

File : C:\RESRAD_FAMILY\RESRAD\USERFILES\HEMATITE - GW DSR TH-232+C.RAD

Site-Specific Parameter Summary (continued)

Menu	Parameter	User Input	Default	Used by RESRAD (If different from user input)	Parameter Name
R017	Fractions of annular areas within AREA:				
R017	Ring 1	not used	1.000E+00	---	FRACA (1)
R017	Ring 2	not used	2.732E-01	---	FRACA (2)
R017	Ring 3	not used	0.000E+00	---	FRACA (3)
R017	Ring 4	not used	0.000E+00	---	FRACA (4)
R017	Ring 5	not used	0.000E+00	---	FRACA (5)
R017	Ring 6	not used	0.000E+00	---	FRACA (6)
R017	Ring 7	not used	0.000E+00	---	FRACA (7)
R017	Ring 8	not used	0.000E+00	---	FRACA (8)
R017	Ring 9	not used	0.000E+00	---	FRACA (9)
R017	Ring 10	not used	0.000E+00	---	FRACA(10)
R017	Ring 11	not used	0.000E+00	---	FRACA(11)
R017	Ring 12	not used	0.000E+00	---	FRACA(12)
R018	Fruits, vegetables and grain consumption (kg/yr)	1.120E+02	1.600E+02	---	DIET(1)
R018	Leafy vegetable consumption (kg/yr)	2.100E+01	1.400E+01	---	DIET(2)
R018	Milk consumption (L/yr)	2.330E+02	9.200E+01	---	DIET(3)
R018	Meat and poultry consumption (kg/yr)	6.500E+01	6.300E+01	---	DIET(4)
R018	Fish consumption (kg/yr)	2.100E+01	5.400E+00	---	DIET(5)
R018	Other seafood consumption (kg/yr)	9.000E-01	9.000E-01	---	DIET(6)
R018	Soil ingestion rate (g/yr)	not used	3.650E+01	---	SOIL
R018	Drinking water intake (L/yr)	4.600E+02	5.100E+02	---	DWI
R018	Contamination fraction of drinking water	1.000E+00	1.000E+00	---	FDW
R018	Contamination fraction of household water	not used	1.000E+00	---	FHHW
R018	Contamination fraction of livestock water	1.000E+00	1.000E+00	---	FLW
R018	Contamination fraction of irrigation water	1.000E+00	1.000E+00	---	FIRW
R018	Contamination fraction of aquatic food	1.000E+00	5.000E-01	---	FR9
R018	Contamination fraction of plant food	-1	-1	0.500E+00	FPLANT
R018	Contamination fraction of meat	-1	-1	0.100E+01	FMEAT
R018	Contamination fraction of milk	-1	-1	0.100E+01	FMILK
R019	Livestock fodder intake for meat (kg/day)	1.200E+01	6.800E+01	---	LFI5
R019	Livestock fodder intake for milk (kg/day)	9.000E+00	5.500E+01	---	LFI6
R019	Livestock water intake for meat (L/day)	3.700E+01	5.000E+01	---	LWI5
R019	Livestock water intake for milk (L/day)	1.050E+02	1.600E+02	---	LWI6
R019	Livestock soil intake (kg/day)	4.500E-01	5.000E-01	---	LSI
R019	Mass loading for foliar deposition (g/m**3)	2.300E-05	1.000E-04	---	MLFD
R019	Depth of soil mixing layer (m)	1.500E-01	1.500E-01	---	DM
R019	Depth of roots (m)	9.000E-01	9.000E-01	---	DROOT
R019	Drinking water fraction from ground water	1.000E+00	1.000E+00	---	FGWDW
R019	Household water fraction from ground water	not used	1.000E+00	---	FGWHH
R019	Livestock water fraction from ground water	1.000E+00	1.000E+00	---	FGWLW
R019	Irrigation fraction from ground water	1.000E+00	1.000E+00	---	FGWIR
R19B	Wet weight crop yield for Non-Leafy (kg/m**2)	1.750E+00	7.000E-01	---	YV(1)
R19B	Wet weight crop yield for Leafy (kg/m**2)	1.500E+00	1.500E+00	---	YV(2)
R19B	Wet weight crop yield for Fodder (kg/m**2)	1.100E+00	1.100E+00	---	YV(3)
R19B	Growing Season for Non-Leafy (years)	2.600E-01	1.700E-01	---	TE(1)
R19B	Growing Season for Leafy (years)	1.700E-01	2.500E-01	---	TE(2)
R19B	Growing Season for Fodder (years)	2.100E-01	8.000E-02	---	TE(3)

Summary : Hematite - GW DSR Th-232+C

File : C:\RESRAD_FAMILY\RESRAD\USERFILES\HEMATITE - GW DSR TH-232+C.RAD

Site-Specific Parameter Summary (continued)

Menu	Parameter	User Input	Default	Used by RESRAD (If different from user input)	Parameter Name
R19B	Translocation Factor for Non-Leafy	1.000E-01	1.000E-01	---	TIV(1)
R19B	Translocation Factor for Leafy	1.000E+00	1.000E+00	---	TIV(2)
R19B	Translocation Factor for Fodder	1.000E+00	1.000E+00	---	TIV(3)
R19B	Dry Foliar Interception Fraction for Non-Leafy	2.500E-01	2.500E-01	---	RDRY(1)
R19B	Dry Foliar Interception Fraction for Leafy	2.500E-01	2.500E-01	---	RDRY(2)
R19B	Dry Foliar Interception Fraction for Fodder	2.500E-01	2.500E-01	---	RDRY(3)
R19B	Wet Foliar Interception Fraction for Non-Leafy	2.500E-01	2.500E-01	---	RWET(1)
R19B	Wet Foliar Interception Fraction for Leafy	6.000E-01	2.500E-01	---	RWET(2)
R19B	Wet Foliar Interception Fraction for Fodder	2.500E-01	2.500E-01	---	RWET(3)
R19B	Weathering Removal Constant for Vegetation	3.300E+01	2.000E+01	---	WLAM
C14	C-12 concentration in water (g/cm*3)	not used	2.000E-05	---	C12WTR
C14	C-12 concentration in contaminated soil (g/g)	not used	3.000E-02	---	C12CZ
C14	Fraction of vegetation carbon from soil	not used	2.000E-02	---	CSOIL
C14	Fraction of vegetation carbon from air	not used	9.800E-01	---	CAIR
C14	C-14 evasion layer thickness in soil (m)	not used	3.000E-01	---	DMC
C14	C-14 evasion flux rate from soil (1/sec)	not used	7.000E-07	---	EVSN
C14	C-12 evasion flux rate from soil (1/sec)	not used	1.000E-10	---	REVSN
C14	Fraction of grain in beef cattle feed	not used	8.000E-01	---	AVFG4
C14	Fraction of grain in milk cow feed	not used	2.000E-01	---	AVFG5
STOR	Storage times of contaminated foodstuffs (days):				
STOR	Fruits, non-leafy vegetables, and grain	1.400E+01	1.400E+01	---	STOR_T(1)
STOR	Leafy vegetables	1.000E+00	1.000E+00	---	STOR_T(2)
STOR	Milk	1.000E+00	1.000E+00	---	STOR_T(3)
STOR	Meat and poultry	2.000E+01	2.000E+01	---	STOR_T(4)
STOR	Fish	7.000E+00	7.000E+00	---	STOR_T(5)
STOR	Crustacea and mollusks	7.000E+00	7.000E+00	---	STOR_T(6)
STOR	Well water	1.000E+00	1.000E+00	---	STOR_T(7)
STOR	Surface water	1.000E+00	1.000E+00	---	STOR_T(8)
STOR	Livestock fodder	4.500E+01	4.500E+01	---	STOR_T(9)
R021	Thickness of building foundation (m)	not used	1.500E-01	---	FLOOR1
R021	Bulk density of building foundation (g/cm*3)	not used	2.400E+00	---	DENSFL
R021	Total porosity of the cover material	not used	4.000E-01	---	TPCV
R021	Total porosity of the building foundation	not used	1.000E-01	---	TPFL
R021	Volumetric water content of the cover material	not used	5.000E-02	---	PH2OCV
R021	Volumetric water content of the foundation	not used	3.000E-02	---	PH2OFL
R021	Diffusion coefficient for radon gas (m/sec):				
R021	in cover material	not used	2.000E-06	---	DIFCV
R021	in foundation material	not used	3.000E-07	---	DIFFL
R021	in contaminated zone soil	not used	2.000E-06	---	DIFCZ
R021	Radon vertical dimension of mixing (m)	not used	2.000E+00	---	HMIX
R021	Average building air exchange rate (1/hr)	not used	5.000E-01	---	REXG
R021	Height of the building (room) (m)	not used	2.500E+00	---	HRM
R021	Building interior area factor	not used	0.000E+00	---	FAI
R021	Building depth below ground surface (m)	not used	-1.000E+00	---	DMFL
R021	Emanating power of Rn-222 gas	not used	2.500E-01	---	EMANA(1)
R021	Emanating power of Rn-220 gas	not used	1.500E-01	---	EMANA(2)
TITL	Number of graphical time points	128	---	---	NPTS

Summary : Hematite - GW DSR Th-232+C

File : C:\RESRAD_FAMILY\RESRAD\USERFILES\HEMATITE - GW DSR TH-232+C.RAD

Site-Specific Parameter Summary (continued)

Menu	Parameter	User Input	Default	Used by RESRAD (If different from user input)	Parameter Name
TITL	Maximum number of integration points for dose	5	---	---	LYMAX
TITL	Maximum number of integration points for risk	1	---	---	KYMAX

Summary of Pathway Selections

Pathway	User Selection
1 -- external gamma	suppressed
2 -- inhalation (w/o radon)	suppressed
3 -- plant ingestion	active
4 -- meat ingestion	active
5 -- milk ingestion	active
6 -- aquatic foods	active
7 -- drinking water	active
8 -- soil ingestion	suppressed
9 -- radon	suppressed
Find peak pathway doses	active

Summary : Hematite - GW DSR Th-232+C

File : C:\RESRAD_FAMILY\RESRAD\USERFILES\HEMATITE - GW DSR TH-232+C.RAD

Contaminated Zone Dimensions	Initial Soil Concentrations, pCi/g	
Area: 153375.00 square meters	Ra-228	1.000E+00
Thickness: 5.20 meters	Th-228	1.000E+00
Cover Depth: 1.50 meters	Th-232	1.000E+00

Total Dose TDOSE(t), mrem/yr

Basic Radiation Dose Limit = 2.500E+01 mrem/yr

Total Mixture Sum M(t) = Fraction of Basic Dose Limit Received at Time (t)

t (years): 0.000E+00 1.000E+00

TDOSE(t): 1.006E+00 1.007E+00

M(t): 4.024E-02 4.028E-02

Maximum TDOSE(t): 1.007E+00 mrem/yr at t = 1.000E+00 years

Summary : Hematite - GW DSR Th-232+C

File : C:\RESRAD_FAMILY\RESRAD\USERFILES\HEMATITE - GW DSR TH-232+C.RAD

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As mrem/yr and Fraction of Total Dose At t = 0.000E+00 years

Water Independent Pathways (Inhalation excludes radon)

Radio- Nuclide	Ground		Inhalation		Radon		Plant		Meat		Milk		Soil	
	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
Ra-228	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Th-228	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Th-232	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Total	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As mrem/yr and Fraction of Total Dose At t = 0.000E+00 years

Water Dependent Pathways

Radio- Nuclide	Water		Fish		Radon		Plant		Meat		Milk		All Pathways*	
	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
Ra-228	1.022E-01	0.1016	5.762E-02	0.0573	0.000E+00	0.0000	4.760E-03	0.0047	4.493E-04	0.0004	3.625E-04	0.0004	1.654E-01	0.1644
Th-228	6.411E-02	0.0637	5.021E-02	0.0499	0.000E+00	0.0000	2.948E-03	0.0029	4.355E-05	0.0000	1.809E-05	0.0000	1.173E-01	0.1166
Th-232	3.976E-01	0.3952	3.069E-01	0.3051	0.000E+00	0.0000	1.830E-02	0.0182	3.508E-04	0.0003	1.831E-04	0.0002	7.234E-01	0.7190
Total	5.639E-01	0.5605	4.147E-01	0.4123	0.000E+00	0.0000	2.601E-02	0.0259	8.436E-04	0.0008	5.637E-04	0.0006	1.006E+00	1.0000

*Sum of all water independent and dependent pathways.

Summary : Hematite - GW DSR Th-232+C

File : C:\RESRAD_FAMILY\RESRAD\USERFILES\HEMATITE - GW DSR TH-232+C.RAD

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As mrem/yr and Fraction of Total Dose At t = 1.000E+00 years

Water Independent Pathways (Inhalation excludes radon)

Radio- Nuclide	Ground		Inhalation		Radon		Plant		Meat		Milk		Soil	
	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
Ra-228	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Th-228	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Th-232	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Total	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As mrem/yr and Fraction of Total Dose At t = 1.000E+00 years

Water Dependent Pathways

Radio- Nuclide	Water		Fish		Radon		Plant		Meat		Milk		All Pathways*	
	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
Ra-228	1.093E-01	0.1086	6.574E-02	0.0653	0.000E+00	0.0000	5.082E-03	0.0050	4.112E-04	0.0004	3.266E-04	0.0003	1.809E-01	0.1796
Th-228	4.463E-02	0.0443	3.495E-02	0.0347	0.000E+00	0.0000	2.052E-03	0.0020	3.032E-05	0.0000	1.259E-05	0.0000	8.167E-02	0.0811
Th-232	4.104E-01	0.4076	3.144E-01	0.3123	0.000E+00	0.0000	1.890E-02	0.0188	4.028E-04	0.0004	2.247E-04	0.0002	7.444E-01	0.7392
Total	5.644E-01	0.5605	4.151E-01	0.4123	0.000E+00	0.0000	2.603E-02	0.0259	8.443E-04	0.0008	5.639E-04	0.0006	1.007E+00	1.0000

*Sum of all water independent and dependent pathways.

Summary : Hematite - GW DSR Th-232+C

File : C:\RESRAD_FAMILY\RESRAD\USERFILES\HEMATITE - GW DSR TH-232+C.RAD

Dose/Source Ratios Summed Over All Pathways

Parent and Progeny Principal Radionuclide Contributions Indicated

Parent (i)	Product (j)	Thread Fraction	DSR(j,t) At Time in Years (mrem/yr)/(pCi/g)	
			0.000E+00	1.000E+00
Ra-228+D	Ra-228+D	1.000E+00	9.012E-02	7.989E-02
Ra-228+D	Th-228+D	1.000E+00	7.523E-02	1.010E-01
Ra-228+D	ΣDSR(j)		1.654E-01	1.809E-01
Th-228+D	Th-228+D	1.000E+00	1.173E-01	8.167E-02
Th-232	Th-232	1.000E+00	6.964E-01	6.964E-01
Th-232	Ra-228+D	1.000E+00	1.925E-02	2.951E-02
Th-232	Th-228+D	1.000E+00	7.729E-03	1.851E-02
Th-232	ΣDSR(j)		7.234E-01	7.444E-01

The DSR includes contributions from associated (half-life ≤ 180 days) daughters.

Single Radionuclide Soil Guidelines G(i,t) in pCi/g

Basic Radiation Dose Limit = 2.500E+01 mrem/yr

Nuclide (i)	t= 0.000E+00	1.000E+00
Ra-228	1.512E+02	1.382E+02
Th-228	2.131E+02	3.061E+02
Th-232	3.456E+01	3.358E+01

Summed Dose/Source Ratios DSR(i,t) in (mrem/yr)/(pCi/g)

and Single Radionuclide Soil Guidelines G(i,t) in pCi/g

at tmin = time of minimum single radionuclide soil guideline

and at tmax = time of maximum total dose = 1.000E+00 years

Nuclide (i)	Initial (pCi/g)	tmin (years)	DSR(i,tmin)	G(i,tmin) (pCi/g)	DSR(i,tmax)	G(i,tmax) (pCi/g)
Ra-228	1.000E+00	1.000E+00	1.809E-01	1.382E+02	1.809E-01	1.382E+02
Th-228	1.000E+00	0.000E+00	1.173E-01	2.131E+02	8.167E-02	3.061E+02
Th-232	1.000E+00	1.000E+00	7.444E-01	3.358E+01	7.444E-01	3.358E+01

Summary : Hematite - GW DSR Th-232+C

File : C:\RESRAD_FAMILY\RESRAD\USERFILES\HEMATITE - GW DSR TH-232+C.RAD

Individual Nuclide Dose Summed Over All Pathways

Parent Nuclide and Branch Fraction Indicated

Nuclide (j)	Parent (i)	THF(i)	DOSE(j,t), mrem/yr	
			t= 0.000E+00	1.000E+00
Ra-228	Ra-228	1.000E+00	9.012E-02	7.989E-02
Ra-228	Th-232	1.000E+00	1.925E-02	2.951E-02
Ra-228	∑DOSE(j)		1.094E-01	1.094E-01
Th-228	Ra-228	1.000E+00	7.523E-02	1.010E-01
Th-228	Th-228	1.000E+00	1.173E-01	8.167E-02
Th-228	Th-232	1.000E+00	7.729E-03	1.851E-02
Th-228	∑DOSE(j)		2.003E-01	2.012E-01
Th-232	Th-232	1.000E+00	6.964E-01	6.964E-01

THF(i) is the thread fraction of the parent nuclide.

Individual Nuclide Soil Concentration

Parent Nuclide and Branch Fraction Indicated

Nuclide (j)	Parent (i)	THF(i)	S(j,t), pCi/g	
			t= 0.000E+00	1.000E+00
Ra-228	Ra-228	1.000E+00	1.000E+00	8.864E-01
Ra-228	Th-232	1.000E+00	0.000E+00	1.136E-01
Ra-228	∑S(j):		1.000E+00	1.000E+00
Th-228	Ra-228	1.000E+00	0.000E+00	2.853E-01
Th-228	Th-228	1.000E+00	1.000E+00	6.961E-01
Th-228	Th-232	1.000E+00	0.000E+00	1.864E-02
Th-228	∑S(j):		1.000E+00	1.000E+00
Th-232	Th-232	1.000E+00	1.000E+00	1.000E+00

THF(i) is the thread fraction of the parent nuclide.

RESRAD.EXE execution time = 1.74 seconds