CCNPP3COLA PEmails

From: Rycyna, John
Sent: Tuesday, August 04, 2009 12:40 PM
To: Peralta, Juan; Kavanagh, Kerri
Cc: CCNPP3COL Resource; Roy, Tarun; Arora, Surinder
Subject: RE: Calvert Cliffs RAI 120, eRAI2262

I asked UniStar to suggest times for a call.

John Rycyna

From: Peralta, Juan
Sent: Thursday, July 30, 2009 11:05 AM
To: Kavanagh, Kerri; Rycyna, John
Cc: CCNPP3COL Resource
Subject: RE: Calvert Cliffs RAI 120, eRAI2262

But you can let them know ahead of time ;-)

Juan Peralta, Chief
Quality & Vendor Inspection Branch 1 (EPR/AP1000/USAPWR)
Division of Construction Inspection and
Operational Programs, NRO
301-415-6621 (Office)
301-401-5036 (Cell)

From: Kavanagh, Kerri
Sent: Thursday, July 30, 2009 10:05 AM
To: Peralta, Juan; Rycyna, John
Cc: CCNPP3COL Resource
Subject: RE: Calvert Cliffs RAI 120, eRAI2262

John,

Once the responses arrive, we will probably need a call with them. We can't leave the RAI open since it is a topical report review.

Thanks

Kerri

From: Peralta, Juan
Sent: Thursday, July 30, 2009 9:56 AM
To: Rycyna, John; Kavanagh, Kerri
Cc: CCNPP3COL Resource
Subject: RE: Calvert Cliffs RAI 120, eRAI2262

Then the RAI will remain open. They are taking those words out of context.

Juan Peralta, Chief
Quality & Vendor Inspection Branch 1 (EPR/AP1000/USAPWR)
Division of Construction Inspection and

Operational Programs, NRO
301-415-6621 (Office)
301-401-5036 (Cell)

From: Rycyna, John
Sent: Thursday, July 30, 2009 9:51 AM
To: Kavanagh, Kerri
Cc: Peralta, Juan; CCNPP3COL Resource
Subject: Calvert Cliffs RAI 120, eRAI2262

Kerri,

The response to this RAI is en route to NRC.

UniStar called me about their response to:

17.5-5
The use of the term "Guidance" in Section 17.5, "Quality Assurance Program Guidance" of the CCNPP Unit 3 FSAR is misleading as provisions described therein are requirements not guidance. Please insert the term "Requirements" in lieu of "Guidance" to identify Section 17.5 of the CCNPP Unit 3 FSAR. A similar request will be forwarded to AREVA to make a conforming revision to Section 17.5 of the U.S. EPR FSAR.

They say that the title they use matches RG 1.206 so they are not going to change it.

John Rycyna, PE
Sr. Project Manager
Division of New Reactor Licensing
Office of New Reactors
U.S. Nuclear Regulatory Commission
301-415-4122

Hearing Identifier: CalvertCliffs_Unit3Cola_Public_EX
Email Number: 831

Mail Envelope Properties (499C2FC6BB962446994CA8682D8ADF33188DADB761)

Subject: RE: Calvert Cliffs RAI 120, eRAI2262
Sent Date: 8/4/2009 12:39:40 PM
Received Date: 8/4/2009 12:39:41 PM
From: Rycyna, John

Created By: John.Rycyna@nrc.gov

Recipients:
"CCNPP3COL Resource" <CCNPP3COL.Resource@nrc.gov>
Tracking Status: None
"Roy, Tarun" <Tarun.Roy@nrc.gov>
Tracking Status: None
"Arora, Surinder" <Surinder.Arora@nrc.gov>
Tracking Status: None
"Peralta, Juan" <Juan.Peralta@nrc.gov>
Tracking Status: None
"Kavanagh, Kerri" <Kerri.Kavanagh@nrc.gov>
Tracking Status: None

Post Office: HQCLSTR02.nrc.gov

Files	**Size**	**Date & Time**
MESSAGE	2310	8/4/2009 12:39:41 PM

Options
Priority: Standard
Return Notification: No
Reply Requested: No
Sensitivity: Normal
Expiration Date:
Recipients Received: