

U.S. NUCLEAR REGULATORY COMMISSION

MATERIALS LICENSE

Pursuant to the Atomic Energy Act of 1954, as amended, the Energy Reorganization Act of 1974 (Public Law 93-438), and Title 10, Code of Federal Regulations, Chapter I, Parts 30, 31, 32, 33, 34, 35, 36, 39, 40, and 70, and in reliance on statements and representations heretofore made by the licensee, a license is hereby issued authorizing the licensee to receive, acquire, possess, and transfer byproduct, source, and special nuclear material designated below; to use such material for the purpose(s) and at the place(s) designated below; to deliver or transfer such material to persons authorized to receive it in accordance with the regulations of the applicable Part(s). This license shall be deemed to contain the conditions specified in Section 183 of the Atomic Energy Act of 1954, as amended, and is subject to all applicable rules, regulations, and orders of the Nuclear Regulatory Commission now or hereafter in effect and to any conditions specified below.

Licensee	
1. Smiths Detection Inc.	3. License number 29-28620-03
2. 30 Technology Drive Warren, New Jersey 07059	4. Expiration date April 30, 2012
	5. Docket No. 030-38063 Reference No.

6. Byproduct, source, and/or special nuclear material	7. Chemical and/or physical form	8. Maximum amount that licensee may possess at any one time under this license
A. Nickel 63	A. Sealed Source (Isotope Products Laboratories Model NER-004)	A. 5 millicuries per source and 15 millicuries total
B. Nickel 63	B. Sealed Sources (Amersham Model NBC and NRD Model N1001)	B. 15 millicuries per source and 7.5 curies total
C. Californium 252	C. Sealed Sources (QSA Global Model CVN.CYn Series)	C. 6 microcuries per source and 20 microcuries total

9. Authorized use:
- A. Research and development as defined in 10 CFR 30.4.
 - B. Installation of ion mobility spectrometry (IMS) assemblies in the manufacture of IONSCAN, Sabre, Sabre EXV, Sabre Centurian, Sabre Centurian II, Sentinel II, APD 2000 and MMTD devices; instruction and training of individuals in the use of the devices; and for demonstration at customer facilities in the devices.
 - B. and C. Repair and servicing of the IONSCAN, Sabre, Sabre EXV, Sabre Centurian, Sabre Centurian II, Sentinel II, APD 2000 and MMTD devices that does not involve the IMS assemblies.

**MATERIALS LICENSE
SUPPLEMENTARY SHEET**License Number
29-28620-03Docket or Reference Number
030-38063**CONDITIONS**

10. Licensed material may be used or stored at the licensee's facilities located at 30 Hook Mountain Road, Pine Brook, New Jersey; 30 Technology Drive, Warren, New Jersey; and may be used at temporary job sites of the licensee anywhere in the State of New Jersey where the State maintains jurisdiction for regulating the use of licensed material. Authorization for use of radioactive materials at job sites under exclusive Federal jurisdiction or in Agreement States shall be obtained from the appropriate regulatory agency.
11. Licensed material shall be used by, or under the supervision of, Richard Keosian.
12. The Radiation Safety Officer for this license is Richard Keosian.
13. This license does not authorize commercial distribution of licensed material to persons generally licensed pursuant to 10 CFR Part 31 or to persons exempt from licensing pursuant to 10 CFR 30.14 through 30.21, inclusive, or equivalent regulations of any Agreement State.
14.
 - A. Sealed sources shall be tested for leakage and/or contamination at intervals not to exceed six months or at the intervals specified in the certificate of registration issued by the U.S. Nuclear Regulatory Commission under 10 CFR 32.210 or under equivalent regulations of an Agreement State.
 - B. Notwithstanding Paragraph A of this Condition, sealed sources designed to primarily emit alpha particles shall be tested for leakage and/or contamination at intervals not to exceed 3 months.
 - C. In the absence of a certificate from a transferor indicating that a leak test has been made within the intervals specified in the certificate of registration issued by the U.S. Nuclear Regulatory Commission under 10 CFR 32.210 or under equivalent regulations of an Agreement State, prior to the transfer, a sealed source received from another person shall not be put into use until tested and the test results received.
 - D. Sealed sources need not be tested if they contain only hydrogen-3; or they contain only a radioactive gas; or the half-life of the isotope is 30 days or less; or they contain not more than 100 microcuries of beta- and/or gamma-emitting material or not more than 10 microcuries of alpha-emitting material.
 - E. Sealed sources need not be tested if they are in storage and are not being used; however, when they are removed from storage for use or transferred to another person and have not been tested within the required leak test interval, they shall be tested before use or transfer. No sealed source shall be stored for a period of more than 10 years without being tested for leakage and/or contamination.

**MATERIALS LICENSE
SUPPLEMENTARY SHEET**License Number
29-28620-03Docket or Reference Number
030-38063

- F. The leak test shall be capable of detecting the presence of 0.005 microcurie (185 becquerels) of radioactive material on the test sample. If the test reveals the presence of 0.005 microcurie (185 becquerels) or more of removable contamination, a report shall be filed with the U.S. Nuclear Regulatory Commission in accordance with 10 CFR 30.50(c)(2), and the source shall be removed immediately from service and decontaminated, repaired, or disposed of in accordance with Commission regulations.
- G. Tests for leakage and/or contamination, limited to leak test sample collection, shall be performed by the licensee or by other persons specifically licensed by the U.S. Nuclear Regulatory Commission or an Agreement State to perform such services. The licensee is not authorized to perform the analysis; analysis of leak test samples must be performed by persons specifically licensed by U.S. Nuclear Regulatory Commission or an Agreement State to perform such services.
- H. Records of leak test results shall be kept in units of microcuries and shall be maintained for 5 years.
15. The licensee shall conduct a physical inventory every six months, or at other intervals approved by the U.S. Nuclear Regulatory Commission, to account for all sources and/or devices received and possessed under the license. Records of inventories shall be maintained for 5 years from the date of each inventory and shall include the radionuclides, quantities, manufacturer's name and model numbers, and the date of the inventory.
16. Sealed sources or detector cells containing licensed material shall not be opened or sources removed from source holders by the licensee.
17. The licensee is authorized to transport licensed material in accordance with the provisions of 10 CFR Part 71, "Packaging and Transportation of Radioactive Material."

**MATERIALS LICENSE
SUPPLEMENTARY SHEET**License Number
29-28620-03Docket or Reference Number
030-38063

18. Except as specifically provided otherwise in this license, the licensee shall conduct its program in accordance with the statements, representations, and procedures contained in the documents, including any enclosures, listed below. The U.S. Nuclear Regulatory Commission's regulations shall govern unless the statements, representations, and procedures in the licensee's application and correspondence are more restrictive than the regulations.
- A. Letter dated February 27, 2002 [ML020600384]
 - B. Letter dated November 4, 2004 [ML043200675]
 - C. Letter dated August 23, 2005 [ML052420634]
 - D. Letter dated December 21, 2007 [ML080040479]
 - E. Letter dated September 29, 2008 [ML082880545]
 - F. Letter dated March 6, 2009 [ML090760869]



For the U.S. Nuclear Regulatory Commission

Date September 29, 2009

By

Original signed by Stephen HammannStephen Hammann
Commercial and R&D Branch
Division of Nuclear Materials Safety
Region I
King of Prussia, Pennsylvania 19406