

PMFermiCOLNPEm Resource

From: Lemont, Stephen
Sent: Friday, February 13, 2009 8:40 AM
To: Randall D Westmoreland
Cc: FermiCOL Resource
Subject: RE: Request for DTE Feedback on Remaining Fermi 3 Information Needs 021309
Attachments: Remaining site audit information needs.doc

Randy,

The spread sheet is attached. It's been cleaned up from the version you saw last Friday, but there are no changes to the info needs themselves.

Stephen Lemont, Ph.D.

Environmental Project Manager
United States Nuclear Regulatory Commission
Office of New Reactors
Mail Stop: T-6D32
Washington, DC 20555-0001
Telephone: 301-415-5163
Fax: 301-415-6350
Email: Stephen.Lemont@nrc.gov

From: Randall D Westmoreland [mailto:westmorelandr@dteenergy.com]
Sent: Friday, February 13, 2009 8:04 AM
To: Stephen Lemont
Subject: Re: Request for DTE Feedback on Remaining Fermi 3 Information Needs

Steve,

Can you send me a copy of the draft audit exit spread sheet? I have a hard copy but would like an electronic copy for sorting purposes.

Happy Friday! :)

Randy Westmoreland
Nuclear Development-Licensing
Technical Expert
Office: 313-235-3368
Pager: 734-457-7895

CARING ABOUT THE ENVIRONMENT IS THE NATURE OF
OUR JOB.

PROPRIETARY, CONFIDENTIAL OR PRIVILEGED
COMMUNICATION

This communication may contain proprietary, privileged or confidential information protected by law. It is solely for the use of the intended recipient named above. Any review, dissemination, distribution, forwarding, or copying of this communication by someone other than the intended

recipient, or the employee responsible for delivering this communication to the intended recipient, is prohibited. If you have received this communication in error, please immediately notify the sender via email, then destroy the original message.

-----Stephen Lemont <Stephen.Lemont@nrc.gov> wrote: -----

To: 'Randall D Westmoreland' <westmorelandr@dteenergy.com>
From: Stephen Lemont <Stephen.Lemont@nrc.gov>
Date: 02/11/2009 09:16AM
cc: Peter Smith <smithpw@dteenergy.com>, Laura Quinn <Laura.Quinn@nrc.gov>, Kirk LaGory <lagory@anl.gov>, John Hayse <hayse@anl.gov>
Subject: Request for DTE Feedback on Remaining Fermi 3 Information Needs

Randy,

I hope that by now you have recuperated from last week's site audit ordeal. Thanks again for all your help and for DTE's cooperation, which allowed us to pull off a highly successful and productive audit.

As a follow-up to the audit, as we discussed at the close-out last Friday I need to get the following information from DTE as soon as possible regarding the remaining information needs that we provided to and discussed with DTE, preferably before the end of this week:

1. Which of the remaining info needs can DTE fulfill in the very near-term, and by approximately when? By "very near-term", I mean within the next 30 days. (By the way, that doesn't mean that you shouldn't keep sending us information in response to these info needs past this 30-day point. Also, when you send any such items to NRC under oath and affirmation through the official channels, in the near-term and in the future, please provide me with a courtesy copy of each item (electronically where possible).)
2. Which of the remaining info needs will require more time for DTE to fulfill, such that they may need to be processed by the NRC as Requests for Additional Information (RAIs).
3. Which of the remaining info needs does DTE definitely want the NRC to process as RAIs.
4. Of the documents requested, which ones cannot be provided to us by DTE in the very near-term or cannot be provided at all for various reasons (e.g., the 2006 Site Selection Study). These documents would be candidates for including in one or more post-audit reading rooms.
5. Do you have any further questions on the remaining information needs?

Please contact me if you have any questions or need additional information.

Thanks,

Steve Lemont

Hearing Identifier: Fermi_COL_NonPublic
Email Number: 472

Mail Envelope Properties (Stephen.Lemont@nrc.gov20090213084000)

Subject: RE: Request for DTE Feedback on Remaining Fermi 3 Information Needs
021309
Sent Date: 2/13/2009 8:40:01 AM
Received Date: 2/13/2009 8:40:00 AM
From: Lemont, Stephen

Created By: Stephen.Lemont@nrc.gov

Recipients:
"FermiCOL Resource" <FermiCOL.Resource@nrc.gov>
Tracking Status: None
"Randall D Westmoreland" <westmorelandr@dteenergy.com>
Tracking Status: None

Post Office:

Files	Size	Date & Time
MESSAGE	3935	2/13/2009 8:40:00 AM
Remaining site audit information needs.doc		394234

Options
Priority: Standard
Return Notification: No
Reply Requested: No
Sensitivity: Normal
Expiration Date:
Recipients Received:

RECORD OF INFORMATION NEEDS CLOSEOUT FOR THE FERMI 3 SITE AUDIT

Information Needs Identified by the U.S. Nuclear Regulatory Commission (NRC)

ITEM NO.	ORIGINAL INFORMATION NEED	REMAINING DOCUMENTS AND INFORMATION REQUESTED AT AUDIT
GE-1	Provide an overall site tour that shows: <ul style="list-style-type: none"> The proposed Fermi 3 project area, and locations of major project facilities including reactor building, plant stack, cooling towers, cooling water system intake and discharge points, and barge slip., Existing Fermi 1 and 2 facilities, Proposed interfaces between Fermi 3 infrastructure and existing infrastructure, and Surrounding areas and features. 	Provide copy of Fermi 3 general site tour handouts.
GE-2	Provide originals of all Environmental Report Rev. 0, September 2008 (the "ER") figures in .jpeg, .png or .tif format at a resolution of at least 300 dpi, and sized correctly. (Note: these are not needed at the site audit itself, but should be provided shortly thereafter.)	Provide originals of all Environmental Report Rev. 0, September 2008 (the "ER") figures in .jpeg, .png or .tif format at a resolution of at least 300 dpi, and sized correctly.
GE-3	Provide separate layers for GIS files given in the attached list as shapefiles. (Note: these are not needed at the site audit itself, but should be provided shortly thereafter.)	Provide separate layers for GIS files given in the attached list as shapefiles.
GE-4	Provide all of the ER references in either electronic or hard copy form. For large documents that will be regularly used by the audit team (e.g., Combined License [COL] Application, Design Control Document [DCD] Rev. 4), provide both hard copy and electronic versions, and have at least two copies for review. For electronic copies, provide multiple computer terminals (e.g., laptops) for viewing these at the site audit.	May need some of these documents in reading rooms to be discussed later.
GE-5	Provide a copy of the draft Environmental Protection Plan (EPP).	Provide when requested later.
GE-6	Provide or make available copies of all permits related to the existing Fermi 2 reactor.	To be requested if needed.
GE-7	Provide copies of the calculation packages for the PAVAN, XOQDOQ, LADTAP, GASPAP, SACTI, MACCS2, and CORMIX models. Note, these are also requested in individual topical areas below (AC-3, AQ-5, AQ-9, HH-1, HY24)	May need some of these documents in reading rooms to be discussed later.
GE-8	Provide two hard copies and electronic access to DCD Rev. 5.	None

ITEM NO.	ORIGINAL INFORMATION NEED	REMAINING DOCUMENTS AND INFORMATION REQUESTED AT AUDIT
GE-9	New request added at site audit	Provide updated site layout information and a complete evaluation/assessment of short-term and long-term direct, indirect, and cumulative impacts on all resources.

Information Needs Provided by the U.S. Army Corps of Engineers

ITEM NO.	ORIGINAL INFORMATION NEED	REMAINING DOCUMENTS AND INFORMATION REQUESTED AT AUDIT
GE-10	Added at site audit	To be determined: provide additional information needed to meet Corps of Engineers requirements as related to Section 404(b)(1).

Information Needs Identified by the U.S. Nuclear Regulatory Commission (NRC)

ITEM NO.	ORIGINAL INFORMATION NEED	REMAINING DOCUMENTS AND INFORMATION REQUESTED AT AUDIT
AC-1	Provide a knowledgeable expert to discuss the differences between the PAVAN discussion in Section 2.7 and those in Section 7.1 of the ER.	None
AC-2	Provide a knowledgeable expert to discuss issues related to the Design Basis Accident (DBA) analysis including the locations of the DBA release point, and implications of differences between the current DCD version (Rev. 5), and that used for the ER (i.e., Rev. 4) (see ER Section 7.1).	Provide revised analyses of Design Basis Accident, severe accidents, and SAMAs analyses based on DCD Revision 5.
AC-3	Provide a knowledgeable expert to discuss assumptions and input parameters used for consequence analyses (ER Section 7.2), including the use of SECPOP2000 for estimating agricultural census and population distribution. Also, please provide electronic copies of MACCS2 code input and output files for the base case calculation as well as sensitivities with respect to the release height, energy, meteorology, and precipitation assumptions. Furthermore, make available the documentation on any supporting calculations or assumptions that were used in the analysis	Provide copy of entire MACCS2 calculation package if possible, but will accept input/output files (ASAP)
AC-4	Provide a knowledgeable expert to discuss the groundwater and surface water pathways (ER Section 7.2).	None.
AC-5	Provide a knowledgeable expert to discuss details on SAMA/SAMDA analyses results, and make available documentation on supporting assumptions and calculations (ER Section 7.3).	None.

Information Needs Identified by the U.S. Nuclear Regulatory Commission (NRC)

ITEM NO.	ORIGINAL INFORMATION NEED	REMAINING DOCUMENTS AND INFORMATION REQUESTED AT AUDIT
AE-1	<p>Provide a tour of:</p> <ul style="list-style-type: none"> • Aquatic habitats and water bodies (i.e., Lake Erie shoreline, quarry lakes, Swan Creek, and other waters and wetlands) on or adjacent to the Fermi site, including but not necessarily limited to those associated with the portions of Lagoona Beach Unit of the Detroit River International Wildlife Refuge (DRIWR). • Existing cooling water system, including the cooling basin, natural draft cooling tower, intake structure, trash rack, traveling screens, sluiceway return system, and cooling water discharge into Lake Erie. • Location of proposed cooling water system intake and discharge locations and barge slip <p>This tour can be combined with the Hydrology and Terrestrial Ecology tours requested in Items No. HY-1 and TE-1, respectively.</p>	None.
AE-2	Provide copies of any and all correspondence with Federal and State agencies (U.S. Fish and Wildlife Service [USFWS], Michigan Department of Natural Resources [DNR], Ohio DNR, Canadian agencies, etc.) regarding potential impacts to aquatic species and monitoring studies for the Fermi facility.	Provide copies of all correspondence with Federal and State agencies (U.S. Fish and Wildlife Service [USFWS], Michigan Department of Natural Resources [DNR], Ohio DNR, Canadian agencies, etc.) regarding potential impacts to threatened, endangered, and sensitive species in the vicinity of the proposed Fermi 3 project area.
AE-3	Provide a knowledgeable expert to discuss cumulative impacts of other past, present, and reasonably foreseeable future actions on the aquatic resources in the region.	<p>Provide copies of recent 316b evaluation reports from the DTE Monroe plant.</p> <p>Provide copies of 316b evaluation reports for other power plants within the western basin as available. (e.g., Bayshore (in Ohio)).</p>
AE-4	Provide a knowledgeable expert to discuss Federal- and State-listed threatened and endangered aquatic species in the vicinity of the Fermi site.	Provide a copy of the interim monitoring report: Aquatic Ecology Survey, Detroit Edison Company Fermi 3 Project, Interim Report, AECOM Environment, December, 2008.
AE-5	Provide a knowledgeable expert to discuss commercial and recreational fisheries statistics and issues in surface waters near the Fermi site and the related impact analyses presented in the ER (Section 5.3.1.2).	None.

ITEM NO.	ORIGINAL INFORMATION NEED	REMAINING DOCUMENTS AND INFORMATION REQUESTED AT AUDIT
AE-6	Provide a knowledgeable expert to discuss construction and operation of the proposed makeup water system intake structure, including intake design, areas and aquatic habitats and species likely to be impacted, information on proposed timing and length of the construction period, predictions of the need for future dredging in the vicinity of the intake, and mitigation plans for potentially impacted aquatic and habitats.	None.
AE-7	Provide a knowledgeable expert to discuss construction of the proposed makeup water system discharge structure and cooling discharge structures, including discharge locations and design, areas and aquatic habitats and species likely to be impacted, as well as any information on proposed timing and length of the construction period.	Provide a copy of the interim monitoring report: Aquatic Ecology Survey, Detroit Edison Company Fermi 3 Project, Interim Report, AECOM Environment, December 2008. Provide final report when available.
AE-8	Provide a knowledgeable expert to discuss the thermal regimes, thermal plume modeling, and the potential impacts to aquatic biota from changes in water temperatures associated with the operation of the proposed cooling water discharge.	None.
AE-9	Provide a knowledgeable expert to discuss the current status of aquatic environmental permits and consultations (National Pollutant Discharge Elimination System [NPDES], Section 404 Wetlands Permits/Issues, and threatened and endangered species issues related to the proposed makeup water intake systems, etc.). Provide a copy of the existing Fermi 2 NPDES permit documentation for review.	Provide a copy of the interim monitoring report: Water Quality Survey Detroit Edison Company Fermi 3 Project, Interim Report, AECOM Environment, December 2008. Print final report when available.
AE-10	Provide a knowledgeable expert to discuss the aquatic ecological monitoring program activities conducted in the past and those currently underway (as noted in Section 2.4.2 of the ER). Provide copy of draft report for the ongoing ecological monitoring program if available.	See AE-7.

ITEM NO.	ORIGINAL INFORMATION NEED	REMAINING DOCUMENTS AND INFORMATION REQUESTED AT AUDIT
AE-11	<p>Provide a knowledgeable expert to discuss the potential for impingement and entrainment of aquatic organisms at makeup water intake with regard to:</p> <ul style="list-style-type: none">• Species of fish that are impinged at the existing intake facility and/or could be entrained or impinged by the proposed modifications to the facility.• Estimates of the magnitude of the potential impingement and entrainment impacts on aquatic species populations and the aquatic ecosystems in Lake Erie, especially the western basin.• Estimates of the transit time from the intake structure to the point of discharge (e.g., via sluiceway from the traveling screens).	See AE-7.
AE-12	Provide a knowledgeable expert to discuss and provide information regarding locations of wetlands and perennial and intermittent streams crossed by the transmission line right-of-way (ROW).	None.
AE-13	Provide a knowledgeable expert to discuss and provide information regarding the occurrences (location and abundance) of important aquatic species discussed in Section 2 of the ER.	See AE-7.
AE-14	See AL-19 for aquatic ecology information needs relative to alternative sites.	None.
AE-15	See TL-1 and 2 for aquatic ecology information needs relative to transmission lines.	None.

Information Needs Provided by the U.S. Army Corps of Engineers

ITEM NO.	ORIGINAL INFORMATION NEED	REMAINING DOCUMENTS AND INFORMATION REQUESTED AT AUDIT
AE-16	Provide a knowledgeable expert to discuss: <ul style="list-style-type: none"> • Aquatic sites present at the proposed project site and natural feature context of the aquatic sites and the status of development of the natural feature (for example, coastal marsh) • Special aquatic sites (sanctuaries and refuges, wetlands, mudflats, vegetated shallows, riffle & pool complexes) present at the proposed project site, and functions and values. 	None.
AE-17	Provide a knowledgeable expert to discuss, for the proposed site, the potential short-term and long-term effects that the proposed dredge/fill discharges (including temporary actions) associated with construction, operation, and maintenance of the project (including transmission lines) will have, both individually and cumulatively, on: <ul style="list-style-type: none"> • Physical and chemical characteristics of the aquatic ecosystem (subpart C of 404(b)(1) Guidelines): substrate; suspended particulates/turbidity; current patterns and water circulation; water fluctuations; threatened and endangered species • Biological characteristics of the aquatic ecosystem (Subpart D of 404(b)(1) Guidelines): threatened and endangered species, fish; crustaceans, mollusks and other aquatic organisms in the food web; other wildlife • Special aquatic sites (Subpart E of 404(b)(1) Guidelines): sanctuaries and refuges, wetlands, mud flats, vegetated shallows, riffle and pool complexes. • Human use characteristics including recreational and commercial fisheries; municipal and private water supplies; water-related recreation; parks, national and historical monuments, research sites, and similar preserves 	See AE-7.
AE-18	Provide a knowledgeable expert to discuss contaminant determination of proposed dredge/fill discharge material.	Provide chemical and physical characterization of dredge sediments.

ITEM NO.	ORIGINAL INFORMATION NEED	REMAINING DOCUMENTS AND INFORMATION REQUESTED AT AUDIT
AE-19	<p>Provide a knowledgeable expert to discuss:</p> <ul style="list-style-type: none">• Actions to minimize adverse affects of the proposed dredge/fill discharges related to construction and operation/maintenance, including those related to transmission lines (Subpart H of 404(b)(1) Guidelines)• Actions concerning the location of the discharge and the material to be discharged• Actions controlling the material after discharge• Actions related to technology• Actions affecting plant and animal populations• Actions affecting human use• Other actions.	See GE-10.

Information Needs Identified by the U.S. Nuclear Regulatory Commission (NRC)

ITEM NO.	ORIGINAL INFORMATION NEED	REMAINING DOCUMENTS AND INFORMATION REQUESTED AT AUDIT
AL-1	<p>Provide a knowledgeable expert familiar with the alternative power assessment for Detroit Edison Energy (DTE Energy) presented in ER Section 9.2.2. This expert should be able to discuss and/or provide information on how the assessments of alternative power provided in the ER may be impacted by various regulatory and policy developments in Michigan.</p> <ul style="list-style-type: none"> • Whether renewable energy alternatives must be located within (or adjacent to) the DTE service area to be considered viable (ER Section 9.2.2.1.4 suggests that to be the case for geothermal, but ER Section 9.2.2.1.1 appears to characterize the wind resources in all offshore areas, not just those offshore areas opposite the DTE service area). • Whether the DTE analysis of the feasibilities and values of alternative technologies and strategies was compared against priority policy options being developed by Michigan Climate Action Council's Energy Supply Technical Work Group to reduce greenhouse gases (GHG). • How the Michigan Public Service Commission's Michigan Renewable Energy Program activities were considered in the analysis of alternative renewable technologies. • Why the use of renewable technologies in distributed systems (especially solar photovoltaic [PV]) that could reduce overall power demands was not identified as a possible strategy to replace a base load nuclear plant. • Why hydroelectric power from Canada was not identified as possible purchased power to replace Fermi 3 under ESRP 9.2.1 Alternative Not Requiring New Generating Capacity. 	None.
AL-2	<p>Provide a knowledgeable expert to discuss the following technical issues regarding assessment of alternative energy technologies:</p> <ul style="list-style-type: none"> • Whether other yet-to-be-developed sources of landfill gas proximate to existing DTE natural gas-fired power plants were considered for co-firing in those plants. • Clarifications of statements contained in ER Section 9.2.2.1.1 that increasing installed capacity of wind turbines would effectively increase the average reliable capacity factor (from the typical 20-30% to > 90%) for wind energy facilities. • The basis for the statement in 9.2.2.1.1 that thermal energy storage (TES) technology for solar thermal power plants is not economical. 	None.

ITEM NO.	ORIGINAL INFORMATION NEED	REMAINING DOCUMENTS AND INFORMATION REQUESTED AT AUDIT
AL-3	Provide a knowledgeable expert to discuss how the data in ER Tables 9.2-5 and 9.2-6 (from EPA Grid database and Natural Gas Supply Association, respectively) compare with data from a National Environmental Technology Laboratory (NETL) study of hypothetical configurations of new fossil fuel plants expected to be built within the planning horizon.	None.
AL-4	Provide a knowledgeable expert to discuss data presented in ER Table 9.2-7, in particular the relationship between water quality impacts and the location of the proposed or alternative generation technology.	None.
AL-5	Provide a knowledgeable expert to discuss the use of circa-2000 National Renewable Energy Laboratory (NREL) maps appearing in a DOE/Energy Information Administration (EIA) study of resource potential on Indian lands versus other sources of information (e.g., the latest available NREL renewable resource maps for solar PV, concentrating solar power, geothermal, and biomass/biofuels).	None.
AL-6	Provide a knowledgeable expert to discuss how the data from the State of Michigan's 21 st Century Energy Plan were used in evaluating alternatives and whether any correction was made for the fact that the Energy Plan has a much larger region of interest (ROI) than the DTE service area. Provide a knowledgeable expert to define the ROI against which the alternative energy technology assessment was conducted.	None.

ITEM NO.	ORIGINAL INFORMATION NEED	REMAINING DOCUMENTS AND INFORMATION REQUESTED AT AUDIT
AL-7	<p>Regarding valuations of alternative sites with respect to impacts on water quality, provide a knowledgeable expert who can:</p> <ul style="list-style-type: none"> Clarify the apparent discrepancy between environmental screening, for which the highest value is assigned to sites that are more than 1 mile from a water body, and technical evaluation of water source availability and adequacy (presumably for cooling), which assigns the highest value to sites where the water resource is “onsite, adjacent, or within 5 miles.” Discuss the manner in which potential impacts from development of an on-site well field on other groundwater uses were identified and assessed (e.g. proximity to private drinking water supplies, contamination potential, potential cones of depression, etc) Discuss how wellhead protection programs were considered in identifying the location of potential well fields and in the evaluation of groundwater adequacy and sufficient. Discuss how river flow data were obtained and applied to the assessment of the adequacy of available surface water supplies. 	None.
AL-8	<p>Provide a knowledgeable expert to discuss how the initial 24 candidate sites were evaluated and how, specifically, 16 sites were eliminated, whether there was a minimum environmental or technical score that needed to be achieved to avoid elimination, whether there was a priority order among impact categories, and whether mitigation potential for adverse conditions were considered as a way to improve the attractiveness of a site.</p>	None.
AL-9	<p>For the site acreages appearing in ER Table 9.3-1, provide a knowledgeable expert to clarify what percentages of the site totals are available for new reactor construction among the DTE generation sites listed.</p>	None.

ITEM NO.	ORIGINAL INFORMATION NEED	REMAINING DOCUMENTS AND INFORMATION REQUESTED AT AUDIT
AL-10	<p>Provide a knowledgeable expert who can speak to the following issues associated with the alternative heat dissipation system evaluation:</p> <ul style="list-style-type: none"> • The feasibility of a hybrid once-through/closed loop cooling system (i.e. a system with the capability to elect to recirculate water or not). • The feasibility of a wet/dry hybrid cooling system (e.g., water sprays on incoming airstream of a dry cooling condenser or incoming air passing through saturated media filters positioned before the dry condenser) given local meteorological conditions of temperature and humidity. • The feasibility of plume abatement technology. • Provide a more quantitative discussion on the performance penalties associated with various cooling system alternatives. 	None.
AL-11	Provide two hard copies and electronic access to the site selection report (both the original site selection study completed in 2006 and the 2008 update on which the alternative sites discussion in ER Section 9.3 is based).	Provide copy for review in reading room.
AL-12	<p>Provide a knowledgeable expert to explain how Candidate sites A and C were determined to have adequate water supplies to support a 1,600 MW nuclear reactor, providing the specific information:</p> <ul style="list-style-type: none"> • The exact point on the River Raisin system where water would be withdrawn for each site • The data sources and supporting calculations that determined the average daily flows at those prospective points of water withdrawal. • Other technical options that could be applied to improve the viability of Sites A and C. 	Provide a more complete evaluation of how cooling demands would be met at sites A and C.
AL-13	Provide a knowledgeable expert to discuss the specific process by which Sites W1, W2 and W3 were evaluated in the 2008 site selection study and identify the options by which inherent deficiencies of those sites could be overcome, the difficulties and costs of such options, and other ways in which the viabilities of the "W" sites to support a nuclear power plant could be improved.	None.

ITEM NO.	ORIGINAL INFORMATION NEED	REMAINING DOCUMENTS AND INFORMATION REQUESTED AT AUDIT
AL-14	Provide a knowledgeable expert to discuss the factors that established the geographic scope of the 2008 site selection study to be the DTE service area and the reasons why other regions of interest beyond the DTE service area were not selected for study.	None.
AL-15	<p>Provide a knowledgeable expert who can provide information on all technically feasible options for providing an alternative supply of cooling water at the Greenwood Energy Center than the supply now being used to support the existing power generating units at the site and who will be prepared to discuss:</p> <ul style="list-style-type: none"> • Relative costs and environmental impacts of each technically feasible alternative identified • Other actions that would be required to implement each of the identified alternatives 	None.
AL-16	<p>Provide a knowledgeable expert who can discuss the “Public Receptivity” evaluation criterion and who can provide information on the following:</p> <ul style="list-style-type: none"> • The methodology for data collection • The specific questions that were asked • Any other information that was also obtained to corroborate the statements of the survey participants • The deliberations that supported assignment of relative weight to this criterion. 	None.
AL-17	<p>Provide a knowledgeable expert to discuss the determination that all viable sites within the specified region of interest were considered in the site selection study and how the construction and execution of the site selection study satisfied the ESRP requirements, specifically:</p> <ul style="list-style-type: none"> • That all sites were evaluated for environmental preferability relative to the proposed site • That all sites found to be environmentally preferable were evaluated for obvious superiority to the proposed site • That all aspects of the site selection study are reproducible. • That supporting calculations (e.g. regarding water adequacy, or regarding site development costs) are available for review, if necessary. 	None.

ITEM NO.	ORIGINAL INFORMATION NEED	REMAINING DOCUMENTS AND INFORMATION REQUESTED AT AUDIT
AL-18	Provide a knowledgeable expert to discuss whether any international or interstate agreements regarding withdrawal and/or discharges of water from or to Lake Erie, Lake Huron, the St. Clair River, or any other shared surface water body exist or are under consideration that would preempt or otherwise restrict the use of those water bodies to support a nuclear power plant in the DTE service area.	None
AL-19	Provide a knowledgeable expert to discuss and provide an overview of the aquatic biota and aquatic habitats that are present at alternative sites F, N, A, and C and the impacts that could occur to those biota and habitats from construction and operations of a nuclear power facility. This includes: <ul style="list-style-type: none"> • Potential occurrence of Federal- and State-listed threatened and endangered aquatic species in the potential cooling water sources. • Sensitive aquatic habitats in the vicinity of alternate sites F, N, A, and C (including streams, ponds, lakes, and wetlands). 	None.
AL-20	Provide a knowledgeable expert to discuss water-related screening and evaluation criteria for alternative sites. Please provide any site selection studies carried out for Fermi 3. Please also be prepared to discuss all hydrologic reconnaissance-level data used to assess the suitability of alternative sites.	None
AL-21	Provide copies of surveillance level information used to evaluate cultural resource impacts at alternative sites F, N, A, and C.	Provide copies of surveillance level information used to evaluate cultural resource impacts at alternative sites F, N, A, and C.
AL-21a	Added at site audit	Provide additional information on socioeconomic/EJ data related to alternative sites. Data needs will be specified in RAI.
AL-21b	Added at site audit	See CR-12.

Information Needs Provided by the U.S. Army Corps of Engineers

ITEM NO.	ORIGINAL INFORMATION NEED	REMAINING DOCUMENTS AND INFORMATION REQUESTED AT AUDIT
AL-22	<p>Provide a knowledgeable expert to discuss how practicable alternatives, as defined in Subpart B- Compliance with the Guidelines (40 CFR part 230.10), to the (proposed plan, including transmission lines) discharge of dredged/fill material into waters of the U.S. were considered and analyzed relative to:</p> <ul style="list-style-type: none">• Avoiding special aquatic sites• Whether or not the alternatives would have less adverse impact (than proposed plan) on the aquatic ecosystem• Whether or not the alternatives would have other significant adverse environmental consequences.	<p>In addition to the alternatives analysis provided in the ER, provide a written alternatives analysis that meets the requirements of Section 404(b)(1).</p>
AL-23	<p>Provide a knowledgeable expert to discuss consideration of floodplain impacts during the alternatives analysis.</p>	<p>None.</p>

Information Needs Identified by the U.S. Nuclear Regulatory Commission (NRC)

ITEM NO.	ORIGINAL INFORMATION NEED	REMAINING DOCUMENTS AND INFORMATION REQUESTED AT AUDIT
AQ-1	Provide a detailed, scaled map of the Fermi site showing site boundaries, air emission and noise sources (existing and planned), and nearby sensitive receptors (e.g., residences, schools, hospitals, nursing homes, churches); electronic file is preferred to read off the real coordinates such as UTM or latitude/longitude.	Provide figure titled "DTE Fermi Site" which was handed out on the first date of the site audit and includes locations of existing and proposed air emission sources
AQ-2	Provide a tour of the following: <ul style="list-style-type: none"> • Existing and proposed locations of major indoor/outdoor noise sources (cooling towers, transformers, etc.) and control measures on the Fermi site. • Windshield tour of offsite noise sources that would also affect Fermi 3 receptors. • Existing onsite meteorological tower and discussions regarding: <ul style="list-style-type: none"> ○ Meteorological sensors (e.g., sensor types, manufacturer and model numbers, performance characteristics) ○ Meteorological sensors (e.g., sensor types, manufacturer and model numbers, performance characteristics) ○ Instrument surveillance (e.g., inspection, maintenance, and calibration activities and frequencies) ○ Data acquisition and reduction (e.g., type of recorders, sampling frequencies, averaging times/algorithms, system accuracy, data review procedures) 	Provide copy of tour handout. Provide copies of map in electronic format. Provide a copy of DTE's report to MDEQ regarding to Fermi 2 existing emissions (2000-2001). Provide a copy of the memo (possibly prepared by B&V) about emission factors for the standby generator, fire-water pump engine, and auxiliary boiler.

ITEM NO.	ORIGINAL INFORMATION NEED	REMAINING DOCUMENTS AND INFORMATION REQUESTED AT AUDIT
AQ-2 (cont.)	<ul style="list-style-type: none"> Location of proposed meteorological tower. Windshield survey of nearby sensitive receptors (residences, schools, hospitals, nursing homes, daycare centers, etc.). Major existing air emission sources and control equipment (boilers, diesel generators, etc.), and their release points on the Fermi site. Any other meteorological equipment. <p>As part of this tour, include a meeting with the staff who operate and maintain the meteorological equipment.</p> <p>Note: this tour can be combined with that requested in HH-2.</p>	
AQ-3	Provide a knowledgeable expert who can discuss any noise complaints and their resolution.	None.
AQ-4	<p>Provide a knowledgeable expert who can discuss:</p> <ul style="list-style-type: none"> The basis of the meteorology, air quality, and noise sections of the ER (Sections 2.5.5 and 2.7). Variations of meteorological variables and air dispersion patterns due to the large water body (Lake Erie). Air quality standards attainment status of Monroe County and the Fermi site. 	<p>Provide conformity analysis for construction and operation for 8-hr ozone and PM2.5</p> <p>Provide a copy of "An investigation of atmospheric diffusion in the vicinity of the Enrico Fermi Atomic Power Plant" Ryznar et al. Mar 1973.</p>
AQ-5	<p>Provide input and output data (including original and processed meteorological data) used for the X/Q and D/Q calculations presented in ER Section 2.7.4 (for the PAVAN and XOQDOQ models). Note, this is also requested in Item No. HH-1.</p>	Provide input/output files for X/Q D/Q and PAVAN models.
AQ-6	Provide relevant data (original data and output file), and indicate software or program if any used for calculating meteorological data summaries such as wind roses, wind persistence, etc.	Provide hourly meteorological database (2001-2007) in a format consistent with Appendix A of Reg. Guide 1.23 Rev 1.
AQ-7	Provide a knowledgeable expert to make available and discuss the assumptions to estimate Leq at the source for construction heavy equipment in ER Section 4.4.1.1.6.	Provide typical and worst case Fermi 3 construction noise levels at nearby receptors, and the basis for determining those levels.
AQ-8	Provide a knowledgeable expert to discuss the cooling system in sufficient detail to evaluate issues related to noise and cloud formation from the cooling towers (ER Sections 5.3.3.1.4-5.3.4.2).	None.

ITEM NO.	ORIGINAL INFORMATION NEED	REMAINING DOCUMENTS AND INFORMATION REQUESTED AT AUDIT
AQ-9	Provide input and output data (including original and processed meteorological data) used for the X/Q calculations and cooling tower impact analysis presented in ER Section 5.3.3 (for the SACTI model).	Provide recalculation of design-basis accident X/Q values using the correct exclusionary and outer boundaries of the low population zone. Provide input/output files for SACTI model.
AQ-10	Provide a knowledgeable expert to provide the rationale for selecting the surface roughness height of 100 cm typical of industrial facilities (ER Section 5.3.3.1). The general area around the facility where the plume from a cooling tower is dispersed is a rural environment and, thus, a surface roughness height of 100 cm seems quite high.	None.
AQ-11	Provide a knowledgeable expert to: <ul style="list-style-type: none"> • Discuss impact analysis for the 4-cell mechanical draft cooling tower. • Provide the reference for drift droplet spectrum data in ER Table 5.3-17. 	None.
AQ-12	Provide a knowledgeable expert to discuss the noise analysis. Provide relevant data (input data including octave-band sound levels, directivity, emission point, and receptor grids, and output file) used for the Cadna/A noise model.	Provide a recalculation of, and input-output files for the noise contours during operation, using the Cadna/A model, for the new cooling tower location and also including the site-specific Fermi 3 switchyard and the transmission lines.
AQ-13	Provide a meeting with (1) individual(s) that have written the meteorological monitoring section (Section 6.4) and (2) the staff that operate and maintain the meteorological equipment. This should include discussions regarding: <ul style="list-style-type: none"> • Meteorological sensors (e.g., sensor types, manufacturer and model numbers, performance characteristics) • Instrument surveillance (e.g., inspection, maintenance, and calibration activities and frequencies) • Data acquisition and reduction (e.g., type of recorders, sampling frequencies, averaging times/algorithms, system accuracy, data review procedures) 	Provide a summary of how the corrective action item regarding the height of trees vs. their distance from the Fermi 2 met tower was resolved. Provide an evaluation of the impact of the Fermi 2 met tower delta-T discrepancy on the dispersion estimates. Provide correct met tower instrumentation manufacturer names.
AQ-14	Provide a knowledgeable expert to discuss cumulative impacts of other past, present, and reasonably foreseeable future actions on air quality in the region.	None.
AQ-16	Added at site audit	Provide estimates of the cooling tower PM ₁₀ and PM _{2.5} emissions during operations.

ITEM NO.	ORIGINAL INFORMATION NEED	REMAINING DOCUMENTS AND INFORMATION REQUESTED AT AUDIT
AQ-17	Added at site audit	Provide estimates of CO ₂ emissions during operations.

Information Needs Identified by the U.S. Nuclear Regulatory Commission (NRC)

ITEM NO.	ORIGINAL INFORMATION NEED	REMAINING DOCUMENTS AND INFORMATION REQUESTED AT AUDIT
BC-1	Provide a knowledgeable expert who can discuss estimated spent fuel management costs.	Provide data on spent fuel storage costs. Data would show total construction and annual operating costs for an independent spent fuel storage facility (ISFSI), that is either: <ul style="list-style-type: none">• Built to support spent fuel storage at the Fermi 2 reactor,• An expansion of a Fermi 2 reactor ISFSI to accommodate Fermi 3 spent fuel, or• Built at the Fermi 3 reactor, after a specified time period to be provided by DTE.
BC-2	Added at site audit	Provide updated monetized benefits and costs.

Information Needs Identified by the U.S. Nuclear Regulatory Commission (NRC)

ITEM NO.	ORIGINAL INFORMATION NEED	REMAINING DOCUMENTS AND INFORMATION REQUESTED AT AUDIT
CR-1	<p>Provide a tour to include the following:</p> <ul style="list-style-type: none"> • The aboveground area of potential effect for Fermi 3 and all properties recommended eligible for the National Register of Historic Places (NRHP)—one 4-building historic district and 19 individual properties (ER Section 2.5.3.5). • The exterior of Fermi 1, currently under consideration for NRHP-eligibility (ER Section 2.5.3.5). • The area in Lake Erie of archaeological work around the Fermi 3 discharge location. 	None.
CR-2	Provide copies of all consultation correspondence between the applicant and the SHPO, Native American Tribes, and interested parties, and provide the status of any outstanding correspondence. Provide a knowledgeable expert to discuss the results of consultations with these entities to date.	<p>Provide copies of all past, present, and future correspondence (outgoing and incoming) between the Applicant, or its consultants and the SHPO, regarding cultural resource and/or historic properties in the direct and/or indirect APEs for Fermi 3, and Fermi 1 and 2 as it relates to Fermi 3.</p> <p>Provide documentation of all past, present, and future discussions with the SHPO by the Applicant or its consultants, regarding cultural resources and/or historic properties in the direct and/or indirect APEs for Fermi 3, and Fermi 1 and 2 as it relates to Fermi 3.</p>
CR-3	Provide copies of all survey reports and documentation used to prepare ER Sections 2.5.3 and 4.1.3.	<p>Provide copies of:</p> <ul style="list-style-type: none"> • Current and forthcoming Fermi 3 Phase I reports revised based on SHPO comments (in color, including all figures, photos and appendices) • Fermi 1 Phase I report when available, in color, including all figures, photos and appendices. • Maritime assessment report when available, in color, including all figures, photos, and appendices.

ITEM NO.	ORIGINAL INFORMATION NEED	REMAINING DOCUMENTS AND INFORMATION REQUESTED AT AUDIT
CR-4	Provide a knowledgeable expert to: <ul style="list-style-type: none"> • Explain the approach taken to identify the areas of potential effect and identify cultural and historic resources. • Describe the properties recommended as NRHP-eligible, including the one 4-building historic district, the 19 individual properties, and Fermi 1. • Discuss the potential impacts and NEPA/Section 106 effects of the project on these recommended NRHP-eligible properties and other cultural resources that may not be NRHP-eligible.. 	See CR-3.
CR-5	Provide a knowledgeable expert to describe the process used to identify interested Tribes and other parties regarding cultural resources.	Provide copies of outgoing Native American consultation; documentation of meeting with Wyandotte Nation; additional outgoing and response correspondence with the Wyandotte regarding the draft Phase I report and the Wyandotte letter of support.
CR-6	Provide copies of the documentation of the procedures and controls that DTE will implement during construction and operations (including any work conducted as part of the Limited Work Authorization (LWA) rule and/or other pre-construction and site preparation activities, as applicable) to address the unanticipated discovery of archaeological resources and to ensure compliance with any relevant burial laws.	Provide a document outlining standard procedures that the Applicant would follow in the event that unanticipated archaeological resources or human burials are identified during construction, including procedures required by applicable state and federal laws for human burials.
CR-7	Provide a knowledgeable expert to discuss project specific LWA and/or other "pre-construction" activities and locations, as applicable, so that impacts to cultural resources can be properly evaluated.	None.
CR-8	Provide a knowledgeable expert to discuss the cumulative effects of the project and other past, present, and reasonably foreseeable future actions on cultural resources, as well as those associated with any LWA activities and/or other pre-construction work.	None.
CR-9	Provide a knowledgeable expert to discuss the activities to determine the NRHP-eligibility of Fermi 1 and other sites, and the results of these activities to date.	Provide a report evaluating Fermi 1 and Fermi 2 NRHP-eligibility, making recommendations on their eligibility, the potential impacts of the project on Fermi 1 and Fermi 2, and recommendations for the Section 106 effects of Fermi 3 on Fermi 1 and Fermi 2.

ITEM NO.	ORIGINAL INFORMATION NEED	REMAINING DOCUMENTS AND INFORMATION REQUESTED AT AUDIT
CR-10	Provide a knowledgeable expert to discuss the procedures used to protect cultural resources during ROW construction and maintenance.	Provide a description of standard procedures that ITC would use to protect cultural resources during ROW construction and maintenance, including measures in the event that unanticipated archaeological resources or human burials are identified during construction, and including procedures required by applicable state and federal laws for human burials.
CR-11	See TL-1 and 2 for cultural resource information needs relative to transmission lines.	None.
CR-12	See AL-21 for cultural resource information needs relative to alternatives.	Provide documentation that identifies the following types of cultural resources within the study areas for the alternatives, including a brief description of: <ul style="list-style-type: none"> • NRHP-listed and –eligible historic properties (archaeological and above ground) • National Historic Landmarks, • State Register listed and eligible cultural resources (archaeological and architectural).
CR-13	Information on locations of aboveground resources and archaeological sites identified in the APEs in the Phase I report.	None.

Information Needs Provided by the U.S. Army Corps of Engineers

ITEM NO.	ORIGINAL INFORMATION NEED	REMAINING DOCUMENTS AND INFORMATION REQUESTED AT AUDIT
CR-14	Added at site audit	Provide description of the measures that will be used to avoid, minimize and mitigate any effects on all historic properties associated with all construction and pre-construction work.
CR-15	Added at site audit	Provide description of methods that are in place or will be in place to comply with any and all state and federal burial laws during all preconstruction and construction activities for Fermi 3.
CR-16	Added at site audit	To be determined: need for descriptions of any known foreseeable actions to be considered for cumulative impacts on cultural resources.

Information Needs Identified by the U.S. Nuclear Regulatory Commission (NRC)

ITEM NO.	ORIGINAL INFORMATION NEED	REMAINING DOCUMENTS AND INFORMATION REQUESTED AT AUDIT
FC-1	Provide a knowledgeable expert to discuss the proposed plant features and reactor characteristics and their use in estimating uranium fuel cycle impacts for comparison to 10 CFR 51.51 Table S3 values. Note that this information need will be discussed in a telephone conference between NRC and the applicant rather than during the site audit.	To be provided as relates to changing certain information to reflect the appropriate scaling of the reference reactor to Fermi 3.
FC-2	Provide a knowledgeable expert to discuss the releases of Rn-222 and Tc-99 and their dose impacts. Note that this information need will be discussed in a telephone conference between NRC and the applicant rather than during the site audit.	To be determined.

Information Needs Identified by the U.S. Nuclear Regulatory Commission (NRC)

ITEM NO.	ORIGINAL INFORMATION NEED	REMAINING DOCUMENTS AND INFORMATION REQUESTED AT AUDIT
HH-1	<p>Please provide input and output data and calculation packages, and a knowledgeable expert who can discuss application of the following computer codes:</p> <ul style="list-style-type: none"> • LADTAP • GASPAR • XOQDOQ. <p>Note, XOQDOQ input and output are also requested in AQ-5.</p>	<p>Request input and output data for:</p> <ul style="list-style-type: none"> • LADTAP • GASPAR
HH-2	<p>Please provide a windshield tour, aerial photographs, and maps that show nearby residents and sensitive receptors (residences, schools, hospitals, nursing homes, daycare centers, etc.). (See Item No. AQ-1.) The tour can be part of the tour requested in Item No. AQ-2.</p>	<p>Provide site tour handout (if any)</p>
HH-3	<p>Provide a knowledgeable expert to discuss the estimated gaseous effluent source terms used in the analysis.</p>	<p>None</p>
HH-4	<p>Provide a knowledgeable expert to discuss the calculation of doses to construction workers, including the assumptions and models used. Issues to be discussed will include the number and locations of construction workers who will be exposed to the radiation sources at the site and the amount of time per year that they will spend at those locations. Areas of interest also include the likely direct exposure sources, liquid and gaseous radiological source terms and release points from Fermi 2 including X/Q data to estimate radiation dose rates and airborne radioactivity concentrations during construction at the site, and the assumptions used to produce those estimates.</p>	<p>Provide a written explanation for the conclusion that the TLD location T-48 is the most representative location to be used for construction worker dose estimates.</p> <p>Table 4.5-3 uses the 2001 data for thyroid and whole body direct dose calculations.</p> <p>Provide discussion as to why those values were used.</p> <ul style="list-style-type: none"> • Provide information to address these needs: Section 4.5 does not have any information about specific construction activities and the number of workers used in construction worker dose calculations. • Construction worker dose calculations do not include any component or discussion about effects of Fermi 1 on Fermi 3 construction.
HH-5	<p>Provide a knowledgeable expert to discuss the distances from the proposed reactor to the nearest site boundary for each radial sector, and the location of the nearest residence, milk cow, milk goat, meat animal, and vegetable garden larger than 50 m² to a distance of 5 miles.</p>	<p>None</p>

ITEM NO.	ORIGINAL INFORMATION NEED	REMAINING DOCUMENTS AND INFORMATION REQUESTED AT AUDIT
HH-6	Provide a knowledgeable expert to discuss radiation doses from sources of direct radiation to the maximally exposed individual, the collective doses from direct radiation sources to the population within 50 miles of the facility, and the occupational collective dose from sources of direct radiation.	To be determined.
HH-7	Provide a knowledgeable expert to discuss exposure pathways and the calculation of doses to the public and populations, gardens, wells, water intakes, fisheries, including seasonal variations in the exposure pathways.	None
HH-8	Provide a knowledgeable expert to discuss the transit time of each facility discharge stream containing liquid radwaste discharge, from the point at which the stream enters an unrestricted area to the identified location, and the estimated stream dilution at that location and the stream discharge in m ³ /sec.	Provide justification for the transit time and dilution factors used in LADTAP calculations for liquid discharges for different receptors. Calculation package provided by DTE did not discuss any impact of thermal variations in the discharge on the dilution factors.
HH-9	Provide a knowledgeable expert to discuss the projected population five years from the time of the licensing action; the present annual milk, vegetable and meat production; and the estimated direct radiation doses from sources within the site for each radial sector out to distances of 50 miles from the reactor.	None.
HH-10	Provide a knowledgeable expert to discuss the present commercial fish and invertebrate catch from waters within 50 miles downstream of the facility radwaste discharge; and major catch locations, their distance from the facility radwaste discharge and the amount caught within 50 miles of the facility that is consumed. Issues to be discussed will include the transit time from the point at which the discharge stream enters an unrestricted area to each major catch location, the estimated dilution at each location, and the basis for calculating transit time and dilution.	See HH-8. Provide information on invertebrate catch (this information is currently not in ER [Table 5.4-1] but is in the calculation package provided by DTE).

ITEM NO.	ORIGINAL INFORMATION NEED	REMAINING DOCUMENTS AND INFORMATION REQUESTED AT AUDIT
HH-11	Provide a knowledgeable expert to discuss the irrigation rate, crop yield, annual production, and growing period for irrigated land using water withdrawn within 50 miles of the facility radwaste discharge (downstream or radius); the crop type and its use, total crop production (by type) within the 50-mile distance, the amounts consumed within a 50-mile radius of the facility; and transit time from the point at which the discharge stream enters an unrestricted area to the points of withdrawal, estimated dilution at each withdrawal point, and the bases for calculating transit times and dilution factors.	See HH-8.
HH-12	Provide a knowledgeable expert to discuss the present and known future drinking water intake locations within 50 miles of the facility radwaste discharge (downstream and radius), the transit time and estimated dilution at each major location, the basis for calculating transit time and dilution, and the populations served and the daily water consumption at each location.	To be determined.
HH-13	Provide a knowledgeable expert to discuss the unusual animals, plants, agricultural practices, game harvests, or food processing operations having the potential to contribute 10% or more to either individual or population doses in areas affected by liquid effluents, and food-processing operations involving large quantities of water as identified in ESRP 5.4.1.	To be determined
HH-14	Provide a knowledgeable expert to discuss the occupational dose estimates.	Provide occupational dose calculations for Fermi 3 to include dose from Fermi 2 operations.
HH-15	Provide a knowledgeable expert to discuss whether there will be onsite out-of-plant storage of solid waste and if so, the exposure rates.	None.
HH-16	Provide a knowledgeable expert to discuss how spent fuel will be stored and handled.	Provide information on where the spent fuel would be kept for the last 30 years of operation.
HH-17	Provide a knowledgeable expert to discuss the ongoing and planned radiological environmental monitoring program for Fermi 1, 2, and 3.	None.
HH-18	Provide a knowledgeable expert to discuss waste systems, including seasonal variations of principal constituents of intake and receiving waters, and the concentration factor on a seasonal basis for evaporative cooling systems.	None.

ITEM NO.	ORIGINAL INFORMATION NEED	REMAINING DOCUMENTS AND INFORMATION REQUESTED AT AUDIT
HH-19	Provide a knowledgeable expert to discuss ambient concentrations in the receiving water body of the chemicals and other materials contained in the waste discharges, as well as the receiving water body water quality criteria for domestic industrial, agricultural and recreational uses.	None.
HH-20	Provide a knowledgeable expert to discuss non-radiological health issues, dust control, electric shock, thermophilic microorganisms, occupation injuries, and electric and magnetic fields.	Provide documentation related to correspondence on infectious diseases associated with Lake Erie for last 10 years (see Section 5.3.4.1.1).
HH-21	Provide a knowledgeable expert to discuss the decommissioning of Fermi 1.	None.
HH-22	Provide a knowledgeable expert to discuss cumulative impacts of other past, present, and reasonably foreseeable future actions on human health in the region.	To be determined.
HH-23	Added at site audit	Provide results from groundwater monitoring based on NEI initiative (2008 report).
HH-24	Added at site audit	Provide information to clarify usage parameters used for population both inside and at boundary
HH-25	Added at site audit	Provide calculations of biota dose inside the site boundary (at 0.25 mi from Fermi 3 emission sources). Provide bald eagle dose evaluation.
HH-26	Added at site audit	Potential information need related to non-radioactive gaseous emission (EPA Tier 4 requirement consistency with 40 CFR 80). To be determined.
HH-27	Added at site audit	Provide updated dose calculations based on new site layout for construction worker and site boundary doses .

Information Needs Identified by the U.S. Nuclear Regulatory Commission (NRC)

ITEM NO.	ORIGINAL INFORMATION NEED	REMAINING DOCUMENTS AND INFORMATION REQUESTED AT AUDIT
HY-1	<p>Please provide a tour to show the following features of the Fermi site:</p> <ul style="list-style-type: none"> • Location of the cooling tower basin for Fermi 3. • Location of the Condensate Storage Tank basin for Fermi 3. • Water intake structure for Fermi 2. • Blowdown discharge point in Lake Erie for Fermi 2. • Locations of proposed stormwater outfalls for Fermi 3. • Locations of stormwater outfalls for Fermi 2. • Gauge station at the mouth of Swan Creek. • Pond for dredge material. • Wetlands, canals, streams, ponds, and other waterbodies on the Fermi site. • Northern and southern lagoons. • Proposed cooling water intake and discharge locations in Lake Erie. • Quarry to provide fill stones for Fermi 3. • Rocky barrier near the shore in front of Fermi 2. • Proposed location for waste soil pile from Fermi 3 excavation. 	<p>Provide map showing proposed waste soil location.</p> <p>Provide information about design of the cooling water basin in terms of depth and dimension.</p>
HY-2	<p>Provide a knowledgeable expert to discuss, using text and figures:</p> <ul style="list-style-type: none"> • Vertical and lateral extent of existing fill material in Fermi 1 and 2 areas. • Vertical and lateral extent of proposed Fermi 3 area. • Geologic profiles (preferably in NW/SE and NE/SW directions) across the general Fermi site. 	<p>Provide revisions to dikes in ER Figure 2.3-17 to conform to original Fermi 2 construction drawings.</p> <p>Provide new cross section that extends west of site beyond dikes.</p> <p>Provide copies of Fermi 1 and Fermi 2 Construction Drawings. (DWG # 6C721-24; 6C721-9 (Fermi 1); 6C721-32; 6C721-23; 6C721-33; 6M721-2130; 6M721-2250; 6C721-40)</p>

ITEM NO.	ORIGINAL INFORMATION NEED	REMAINING DOCUMENTS AND INFORMATION REQUESTED AT AUDIT
HY-3	<p>Provide a knowledgeable expert to discuss, using text and figures, the methods, materials, design and construction of:</p> <ul style="list-style-type: none"> • Dikes in the general Fermi site. • Cooling pond of Fermi 2, existing dredge pond, and spoil pile from Fermi 2 • Proposed cooling pond of Fermi 3, and basin for Condensate Storage Tank for Fermi 3. 	<p>Provide design of the CST (Condensed Storage Tank) basin (depth, confinement around the basin, basin construction materials) as it pertains to Fermi 3.</p>
HY-4	<p>Provide a knowledgeable expert to discuss:</p> <ul style="list-style-type: none"> • Karst development in SE Michigan. • Presence of mineral and petroleum resources in the region of the Fermi site. • Textural characteristics of the glacial overburden using boring logs. 	None
HY-5	<p>Provide a knowledgeable expert to discuss the currents of the western Lake Erie basin.</p>	<p>Provide historical aerial photos including recent (for the site in general, both before and after Fermi 2 was constructed. Go back as far as possible, every 5 years)</p>
HY-6	<p>Provide large-scale topographic maps of the Fermi site.</p>	<p>Provide current 1-ft topographical maps of plant site.</p>
HY-7	<p>Provide detailed bathymetric maps near the shore of Fermi site.</p>	None
HY-8	<p>Provide a knowledgeable expert to discuss and make available information on the location of the outfall in Lake Erie for Fermi 2.</p>	<p>Provide info on all NPDES discharge violations. Provide history of any radwaste /waste water discharges (to any location), if any.</p>
HY-9	<p>Provide a knowledgeable expert to discuss and make available information on the source of fill material for Fermi 3.</p>	None
HY-10	<p>Provide a knowledgeable expert to discuss the assumptions used in slug tests and the calculations of the hydraulic conductivities of the overburden and dolomite bedrock (Bass Islands Group) aquifer.</p>	<p>Provide packer testing and slug testing calculation packages (electronic measurement and calculation results)</p>
HY-11	<p>Provide a knowledgeable expert to discuss the assumptions, inputs, and boundary conditions used in the MODFLOW model for the proposed dewatering operation of Fermi 3.</p>	<p>Provide calculation packages for excavation dewatering modeling (and electronic input files)</p>

ITEM NO.	ORIGINAL INFORMATION NEED	REMAINING DOCUMENTS AND INFORMATION REQUESTED AT AUDIT
HY-12	Provide a knowledgeable expert to discuss the impacts from obtaining water from Frenchtown Township for potable water and potential makeup water.	Provide confirmatory statements regarding: <ul style="list-style-type: none"> • Frenchtown Township supplies water (potable and demineralized) to make up the demand for FERMI 2 and will supply potable and Demineralized for Fermi 3. • Demineralized water is the majority of demand. Demineralized water will be supplied to one unit at a time. • Adequate water supply pipe size to site for Fermi 2 and Fermi 3. Possible upgrade to piping in the future for reasons that are unrelated to Fermi 3. • Sewage piping does not appear to need upgraded at this time. Currently adequate for suspected flow. • Need for installing fire protection wells onsite.
HY-13	Provide a knowledgeable expert to discuss and make available information on the disposal of spoil generated from the construction of Fermi 3 and BMPs applied to disposal.	Provide plan for disposal of spoils from Fermi 3 construction and showing BMPs used for disposal.
HY-14	Provide a knowledgeable expert to discuss precipitation-driven runoff and sediment and erosion controls during construction and operation.	Provide SWPP Plan needs to be developed and provided for operations. Provide Soil Erosion and Sedimentation Control (SESC) plan for construction.
HY-15	Provide a knowledgeable expert to discuss the dredging operations near existing and future water intake sites.	Provide information about: <ul style="list-style-type: none"> • Sampling associated with Fermi dredging permit. • Reasons for increased dredging frequency. • Sediment particle size of the dredging material. • Plan for any turbidity monitoring before / during / after the dredging. • Dredge basin history summary dated 7/9/2004.
HY-16	Provide a knowledgeable expert to discuss the impacts on the environment from mining operations and the transportation of fill material to Fermi 3.	None.
HY-17	Provide a knowledgeable expert to discuss the method to be used to construct the discharge pipe for Fermi 3.	Provide information regarding methods to construct discharge pipe and barge slip. Level of detail required will be provided in the RAI.

ITEM NO.	ORIGINAL INFORMATION NEED	REMAINING DOCUMENTS AND INFORMATION REQUESTED AT AUDIT
HY-18	Provide a knowledgeable expert to discuss and make available information on the types of grouts to be used in the construction of Fermi 3 and their leaching potential.	None.
HY-19	Provide a knowledgeable expert to discuss and make available information on locations for vehicle washing during the construction of Fermi 3, and runoff control.	See HY-14.
HY-20	Provide a knowledgeable expert to discuss and make available information on any dewatering operations in quarries that will provide fill materials for the construction of Fermi 3.	None.
HY-21	Provide a knowledgeable expert to discuss the retention time of the western Lake Erie basin and its hydraulic connection with other parts of Lake Erie.	None.
HY-22	Provide a knowledgeable expert to discuss the bathymetry and characteristics in the area of the Fermi 3 intake (e.g., screen width and stream velocity near intake) and discharge structures, and water velocities at multiple depths and locations near the discharge structure.	See HY-17.
HY-23	Provide a knowledgeable expert to discuss historical shore erosion and deposition since the construction of Fermi site, using historical aerial photographs if available.	See HY-5.
HY-24	Provide a knowledgeable expert to discuss thermal and chemical releases to Lake Erie, including CORMIX analyses (input and output data used for CORMIX and the application of CORMIX associated with the discharge structure), analyses of optional discharge of treated liquid radwaste, and dilution factors.	Provide calculation package and electronic input files for CORMIX models.
HY-25	Provide a knowledgeable expert to discuss the impacts from discharging sewer water to Frenchtown Township Sewage Treatment Facility.	See HY-12.
HY-26	Provide a knowledgeable expert to describe the disposal of dewatering products, and its potential impact on wetlands and surface water.	None.
HY-27	Provide a knowledgeable expert to discuss, using model results, the impact of the dewatering operation on the makeup pond for Fermi 2.	See HY-11.

ITEM NO.	ORIGINAL INFORMATION NEED	REMAINING DOCUMENTS AND INFORMATION REQUESTED AT AUDIT
HY-28	Provide a knowledgeable expert to discuss and make available the anticipated contents and impact mitigation of the Storm Water Pollution Prevention Plan (SWPPP) and the qualitative and/or quantitative analyses and assessments that form the basis for determining that the SWPPP would control runoff from the construction area.	See HY-14.
HY-29	<p>Provide a knowledgeable expert who can identify and discuss the actual NPDES, and U.S. Army Corps of Engineers (USACE), and other agencies' permits that must be secured for the construction and operation of Fermi 3. The may include, but are not necessarily limited to permits for: dredging, cooling tower blowdown, storm water runoff, optional radwaste releases, intake screen backwash, etc.</p> <p>Please be prepared to:</p> <ul style="list-style-type: none"> • Identify the anticipated discharges or discharge limits, concentrations, and constituents covered by the permits. • Discuss the qualitative and/or quantitative analyses and assessments that form the basis for the classification impact level associated with implementing each permit. • Discuss the timeline and interdependencies between these permits and any other Federal permits. • Discuss the role of Canadian regulatory agencies with respect to construction and operation of Fermi 3. 	Provide final site layout changes and work plan and schedule for conducting studies and obtaining other information to obtain Section 404 and Section 10 permits.
HY-30	Provide a knowledgeable expert to describe the leak detection systems and containments of radioactive waste tanks, spent fuel pool, and condensate storage tanks for potential releases and applicable mitigation measures.	None.
HY-31	Provide groundwater monitoring data for Fermi 2 for the past 10 years or more.	<p>Provide copy of EnviroSolutions Remedial Action Plan Closure Report (Fuel Tank Release), Dec. 2007</p> <p>Provide modification needed for overburden ground water maps to reflect any changes to understanding of the dike configuration.</p>
HY-32	Provide a knowledgeable expert to describe the calculation of stream flow, ice jam conditions (if any), and flooding potential of Swan Creek and the hydraulic relationship between the creek and the wetlands on the Fermi site.	Based on monthly data provide maximum / average maximum/ average/ average minimum/ minimum discharge estimates for Swan Creek.

ITEM NO.	ORIGINAL INFORMATION NEED	REMAINING DOCUMENTS AND INFORMATION REQUESTED AT AUDIT
HY-33	Provide a knowledgeable expert to discuss monitoring plans and programs on surface water and groundwater monitoring during pre-construction, construction, post-construction and pre-operation, and operation phases of Fermi 3.	Provide description of specific groundwater monitoring program after site layout is finalized. See HY-8 and HY-14 for SWPPP and NPDES requests.
HY-34	Provide a knowledgeable expert who can discuss thermal monitoring for the planned thermal discharge outfall.	None.
HY-35	Provide a knowledgeable expert to discuss cumulative impacts of other past, present, and reasonably foreseeable future actions on surface water, groundwater, and geological resources in the region.	None.
HY-36	See AL-20 for hydrology information needs relative to alternative sites.	None.
HY-36a	Added at site audit	Provide copies of the following: <ul style="list-style-type: none"> • DTE Energy Nuclear Generation Memorandum, January 5, 2005 NPMA-05-0001 • ACRES International Comprehensive Report #P13827.00, dated July 2001 • Facsimile to Mick Blunden from Mike Parrish, dated 12/19/2000 containing dredging map • MDEQ Permit No. 04-58-009-P, dated (issued) July 21, 2004 • January 2001 Dredging Story (handwritten note) • MDEQ NPDES Permit No. MI0037208 • Storm Water Pollution Prevention Plan for Fermi 2 Plant, Rev. 7 • Facsimile to Mike Parrish from Mick Blunden, dated 01/03/2001 • USACE Detroit District approval letter for dredging by hydraulic means, dated Nov. 8, 2000 • USACE Detroit District Permit No. 88-001-040-8, dated May 26, 2004 • DTE Final Siting Study Report.

Information Needs Provided by the U.S. Army Corps of Engineers

ITEM NO.	ORIGINAL INFORMATION NEED	REMAINING DOCUMENTS AND INFORMATION REQUESTED AT AUDIT
HY-37	Provide a knowledgeable expert to discuss the hydraulic relationship between Lake Erie and the wetlands on the Fermi site.	Provide adjacent FEMA map(s) to include Swan Creek.

Information Needs Identified by the U.S. Nuclear Regulatory Commission (NRC)

ITEM NO.	ORIGINAL INFORMATION NEED	REMAINING DOCUMENTS AND INFORMATION REQUESTED AT AUDIT
LU-1	<p>Provide a knowledgeable expert to discuss the following actions and to describe the subsequent impacts, local laws, and impact mitigation requirements.</p> <ul style="list-style-type: none"> • Timber harvesting and wetland impacts along the Lake Erie shoreline and other areas affected by project construction. • Road and park relocation activities. • Any new wetlands that may be created. 	<p>Provide statement regarding any timber management on the property.</p> <p>Provide information regarding any plans to sell trees cleared for construction purposes.</p>
LU-2	Provide a knowledgeable expert to discuss whether local roads or highways would need reconditioning to handle the expected increase in traffic and loads for onsite construction.	None.
LU-3	Provide a knowledgeable expert to discuss the disposition of spoil piles or borrow pits created during construction.	<p>Provide statement to confirm that no borrow materials would be obtained and where they would be maintained</p> <p>Identify where spoils materials would be disposed of.</p>
LU-4	Provide evidence of communication with relevant agencies showing how the planned construction and operation of Fermi 3 either complement or conflict with existing land use plans.	None.
LU-5	Provide a knowledgeable expert to discuss the effects of the proposed land withdrawals from the Detroit River International Wildlife Refuge (DRIWR) or future management of the refuge.	Provide copy of 2003 agreement between USFWS and DTE regarding DRIWR.
LU-6	Provide a knowledgeable expert to discuss cumulative impacts of other past, present, and reasonably foreseeable future actions on land use in the region.	None.
LU-7	See TL-3, TL-4, TL-5, and TL-6 for land use information needs relative to transmission lines.	None.
LU-7a	Added at site audit.	Provide statement regarding intent to obtain Coastal Zone Management Certification prior to construction

Information Needs Provided by the U.S. Army Corps of Engineers

ITEM NO.	ORIGINAL INFORMATION NEED	REMAINING DOCUMENTS AND INFORMATION REQUESTED AT AUDIT
LU-9	Provide a knowledgeable expert to discuss project impacts on riparian neighbors' rights to access navigable waters of the U.S.	Provide verification and confirmation that Exclusion Zone for Fermi 3 would be within existing Fermi 2 since Fermi 3 would be west of Fermi 2.
LU-10	Provide a knowledgeable expert to discuss the potential of the project to support (directly and indirectly) floodplain development.	Provide information on effects of site layout on 100 and 500 year floodplains.

Information Needs Identified by the U.S. Nuclear Regulatory Commission (NRC)

ITEM NO.	ORIGINAL INFORMATION NEED	REMAINING DOCUMENTS AND INFORMATION REQUESTED AT AUDIT
NP-1	<p>Provide a knowledgeable expert on the Need for Power analysis for the DTE service area to:</p> <ul style="list-style-type: none">• Explain how data from the Michigan 21st Century Energy Plan were used in the analysis and whether any corrections were made to account for the fact that the Energy Plan's study boundaries extend beyond DTE's service area.• Provide the economic parameter data used in DTE's power projections; describe the time period over which automobile industry economic data used in the long range power demand forecast was generated; and define "Detroit index of coincident indicators."• Identify and provide all of the data sources besides DTE's that were used by the DWG to produce the Southeastern Michigan forecast.	None.
NP-2	<p>Provide a knowledgeable expert who can explain the manner in which the relationships (interties) between the DTE service area and Midwest ISO Regional Reliability Area and PJM area and the Reliability First Service Areas influenced the Need for Power Analysis, and how forecasted transfers of power outside the DTE service area were established.</p>	None.
NP-3	<p>Provide a knowledgeable expert who can address the manner in which the retirement schedules for DTE's fossil fuel generating plants would be affected by severe downturns in the industrial power demand within Southeast Michigan.</p>	None.
NP-4	<p>Provide a knowledgeable expert who can discuss how the recently passed Michigan Renewable Portfolio Standard (RPS) (Renewable Electricity Standard) (10% renewable generation by 2015) (Act 295, approved and filed on October 6, 2008) impacts the Need for Power analysis.</p>	None.

ITEM NO.	ORIGINAL INFORMATION NEED	REMAINING DOCUMENTS AND INFORMATION REQUESTED AT AUDIT
NP-5	<p>Provide a knowledgeable expert who can provide an expansion of discussions in ER Section 8.4.2.3; specifically, how the national policy on reduction of reliance on fossil fuels as well as policies listed below, adopted by the Michigan Climate Action Council (MCAC) through its Technical Working Group for Energy Supply, might impact the DTE portfolio and the ER's Need for Power analysis, and especially, the upgrade or retirement schedules of DTE's fossil fuel electric generation plants:</p> <ul style="list-style-type: none"> • Cap and Trade policy • Carbon Tax policy. (Note: the comprehensive report from MCAC, due by December 31, 2008, may provide additional data which, if incorporated into the Need for Power Analysis, might impact the analysis results.) 	None.
NP-6	<p>Provide a knowledgeable expert who can discuss what meteorological data, over what time frame, are used to calculate the peak day average temperature and whether actual peak day loads are used to verify the appropriateness of the selected peak day temperature.</p>	None.
NP-7	<p>Provide a knowledgeable expert who can discuss the percentage of the estimated savings in GWh from energy efficiency programs documented in the 21st Century Energy Plan that would be realized within the DTE service area. Other discussion topics include whether DTE's current or proposed demand side management programs would be sufficient to meet the projected reductions for the DTE service area.</p>	None.
NP-8	<p>ER Table 8.3-11 shows a reduction in collective generating capacity over the entire DTE portfolio of 1,628 MW through 2024 as a result of retirement of older generating units. Yet, Fermi 3 will provide only 1,600 MW of new capacity. Provide a knowledgeable expert who can explain the reason for this discrepancy and provide additional details on the following:</p> <ul style="list-style-type: none"> • Upgrades planned for the remaining DTE generating plants to maintain DTE's current power capacity, and the plants involved in such upgrades. 	None.

ITEM NO.	ORIGINAL INFORMATION NEED	REMAINING DOCUMENTS AND INFORMATION REQUESTED AT AUDIT
NP-8 (cont)	<ul style="list-style-type: none"> • Impacts on retirement schedules for older DTE fossil fuel plants from changes in power transfers into or out of the DTE service area. • Adjustments to the DTE reserve margin used in its forecasting models to account for the age, condition, and reliability of its oldest fossil fuel generating stations. • Explanation of the differences if any between DTE reserve margin and the statewide reserve margin of 15%. • Whether a facility's age and reliability factors were used by the State in establishing the reserve margin used in its statewide forecasting. 	None.
NP-9	Provide a knowledgeable expert who can identify other factors besides age that will impact the schedule for fossil fuel generating plant retirements (e.g. RPS, GHG initiatives, changes to limits on criteria pollutant emissions, the feasibility of technical upgrades to effectively forestall their retirement, etc.).	None.
NP-10	<p>Provide a knowledgeable expert to provide additional details on the discussion contained in ER section 8.3.1.2 regarding forecasted generating capacity; specifically,</p> <ul style="list-style-type: none"> • Whether the renewable energy technology interconnection requests made to Midwest ISO (tables 8.3-8 and 8.3-9) are believed to be consistent with Michigan 21st Century Electric Energy Plan objectives regarding the role of renewable energy technologies or whether additional renewable energy interconnection requests can be reasonably anticipated in light of the adoption of the 21st Century Electric Energy Plan. • The expected impact to the interconnection queue as a result of the passage of the Michigan Renewable Energy Portfolio Standard (RPS) (Act 295) on October 6, 2008. • Whether renewable energy technologies and net metering programs facilitating the development of distributed systems were considered (as suggested in 8.3 of the ESRP). 	None.
NP-11	Provide a knowledgeable expert who can provide a detailed discussion on the DTE Integrated Resource Plan, and provide a copy of this plan.	None.

Information Needs Identified by the U.S. Nuclear Regulatory Commission (NRC)

ITEM NO.	ORIGINAL INFORMATION NEED	REMAINING DOCUMENTS AND INFORMATION REQUESTED AT AUDIT
SE-1	Provide copies of all correspondence and communications with Monroe County officials and citizens confirming that the areas near the Fermi site do not qualify as low income or minority areas as stated on ER pp.1-3 and 4-87.	Provide copies of all correspondence and documentation of personal communications used to support analysis in ER sections, including but not limited to environmental justice, public services and education.
SE-2	<p>Provide a knowledgeable expert to discuss population and demographic characteristics around the Fermi site for both permanent and transient populations, and housing. Discussion topics will include:</p> <ul style="list-style-type: none"> • Availability of updated census or other estimates for population, housing, etc. • Outputs of all demographic analysis using LandView® 6 and MARPLOT for ER Sections 2.5, 4.4, and 5.8. • Population data shown in segments of Figures 2.5-2 (S-SE 1-2 mi and S 2-3 mi, and 2.5-3 and 2.5-7(E-SE 30-40 mi) that appear not to have land masses. • Population data on Native American populations within the 50-mile region (ER Section 2.5.4.2.1). • Housing availability in relation to existing workforce and income levels, and periods of construction for different types of workers (temporary versus permanent housing). 	Provide existing Fermi 2 workforce data by zip code.
SE-3	<p>Provide a knowledgeable expert to discuss educational system, public and private recreational facilities, and social services and public facilities. This expert should be able to provide and discuss:</p> <ul style="list-style-type: none"> • Current or projected capacity or percentage of use for all infrastructure types. • Capacity of the sanitary sewer system in Frenchtown Township. • All correspondence and communications with officials to determine significance of impact. 	Provide copies of all correspondence and documentation of communications used to support analysis in ER sections, including but not limited to environmental justice, public services and education.

ITEM NO.	ORIGINAL INFORMATION NEED	REMAINING DOCUMENTS AND INFORMATION REQUESTED AT AUDIT
SE-4	<p>Provide a knowledgeable expert on the regional and local transportation network, including but not limited to the Level of Service (LOS) analysis (ER Section 2.5.2) and any updates to that analysis as identified in ER Section 4.4.2.4.2. This expert should be able to address transportation issues such as:</p> <ul style="list-style-type: none"> • Carrying capacity and condition of roads and highways. • Information related to relevant transportation and traffic information (i.e., likely commuter or emergency evacuation routes) in Michigan and Ohio. • Availability and types of public transportation. • Proposed road modifications that may affect traffic flow to and from the Fermi site. • Hourly present and future rates of worker flow through Fermi security gates. To include: existing plant operations workers and outage workers. Proposed new unit construction workers, proposed new unit service vehicle and truck deliveries, and proposed new unit operations workers (during and after construction phases). 	<p>Provide copy of LOS analysis/traffic study. DTE committed to supply this within one year of submittal of the COLA.</p>
SE-5	<p>Provide a knowledgeable expert to discuss the settlement pattern of the existing workforce, the construction workforce, and assumptions related to housing, commutes, etc.</p>	<p>See SE-2.</p> <p>Provide list of job categories and wages/salaries of construction and operations workforce.</p>
SE-6	<p>Provide a knowledgeable expert on the construction process. Discussion topics will include:</p> <ul style="list-style-type: none"> • Estimate of applicant's planned expenditures for supplies and materials within local area versus outside local area (ER Section 4.4.2), and between preconstruction and construction activities • Construction workforce size estimates by month (ER Section 4.4.2). • Estimates of property taxes by type and jurisdiction to be paid by the applicant annually during construction and operation (ER Section 5.8.2). 	<p>Provide revised and updated construction cost estimates.</p> <p>Provided revised RIMS II output.</p>

ITEM NO.	ORIGINAL INFORMATION NEED	REMAINING DOCUMENTS AND INFORMATION REQUESTED AT AUDIT
SE-7	Provide a knowledgeable expert that can identify current and future activities/projects (public and private) in the vicinity of the Fermi plant that may contribute to a cumulative impact on transportation (ESRP 5.11). Discussion topics will include how these activities may affect plant construction and/or operations to a degree that would support a SMALL, MODERATE, or LARGE impact designation.	Copies of all correspondence and documentation of personal communications used to support analysis in ER sections, including but not limited to discussions with local government authorities on current or future activities/projects (public or private) in the vicinity of the Fermi plant.
SE-8	Provide a knowledgeable expert to discuss cumulative impacts of other past, present, and reasonably foreseeable future actions on socioeconomics and environmental justice in the region.	None.
SE-8a	Added at site audit	Provide copies of contact sheets for personal contacts and interviews.

Information Needs Provided by the U.S. Army Corps of Engineers

ITEM NO.	ORIGINAL INFORMATION NEED	REMAINING DOCUMENTS AND INFORMATION REQUESTED AT AUDIT
SE-9	Provide a knowledgeable expert to discuss project impacts related to transporting construction or other materials via waters of the U.S., including Federal and public navigation.	To be determined.

Information Needs Identified by the U.S. Nuclear Regulatory Commission (NRC)

ITEM NO.	ORIGINAL INFORMATION NEED	REMAINING DOCUMENTS AND INFORMATION REQUESTED AT AUDIT
TE-1	<p>Please provide a tour of, and an opportunity to independently observe in the field:</p> <ul style="list-style-type: none"> • Typical wetland and upland habitat types on the Fermi site. • Overview of project site in context of project component locations. • Habitats adjacent to the Fermi site that could be affected by construction and operations of Fermi 3. <p>This tour can be combined with the Aquatic Ecology tour requested in Item No. AE-1.</p>	<p>Provide Fermi terrestrial ecology special tour handouts.</p>
TE-2	<p>Provide a knowledgeable expert to discuss the status and findings of the confirmatory updated terrestrial ecological survey, as discussed in ER Section 2.4.1. Provide copy for review of a draft report if available.</p>	<p>Provide interim report on confirmatory updated terrestrial ecology survey for first 6 months of study (ASAP) and final report when complete (estimated for completion by B&V September 1, 2009).</p>
TE-3	<p>Provide a knowledgeable expert familiar with the Terrestrial Ecology Impacts Section (ER Section 5.3.3). The knowledgeable expert will need to address whether water withdrawals could adversely affect wetland and shoreline habitats during droughts. Same information request as HY-26.</p>	<p>Provide documentation that there will be no significant groundwater withdrawals that could affect the water table.</p> <p>Provide documentation on discharge location(s) for dewatering operations.</p> <p>Provide water budget for on-site wetlands or documentation that proposed activities will have no potential to substantially alter the water budget of the wetlands.</p> <p>All information requested must address the revised site plan locations.</p>
TE-4	<p>Provide copies of all correspondence with regulatory, natural heritage, and wildlife agencies, including but not necessarily limited to:</p> <ul style="list-style-type: none"> • U.S. Fish and Wildlife Service • Michigan Department of Natural Resources • Michigan Natural Features Inventory • Ohio Department of Natural Resources. 	<p>Provide copies of correspondence (letters/emails) from USFWS (11/26/07) & MDNR (11/28/07).</p>
TE-5	<p>Provide a knowledgeable expert to discuss and make available a copy of the Wildlife Management Plan for the DTE Fermi property, prepared in 2000 by the DTE Fermi 2 Plant Wildlife Habitat Team in cooperation with the Wildlife Habitat Council.</p>	<p>Provide copies of:</p> <ul style="list-style-type: none"> • Wildlife Management Plan for DTE Fermi property, 2000 • Wildlife Management Program Re-Certification for Fermi Power Plant, July 2002.

ITEM NO.	ORIGINAL INFORMATION NEED	REMAINING DOCUMENTS AND INFORMATION REQUESTED AT AUDIT
TE-6	<p>Provide a knowledgeable expert to discuss and make available a copy of:</p> <ul style="list-style-type: none"> Wetlands Functions-Values Assessment, noted in paragraph 2 on page 2-336 of the ER. Wetland Delineation Report for Fermi 3 Site, prepared by Ducks Unlimited in 2008. 	<p>Provide copies of:</p> <ul style="list-style-type: none"> Wetland Delineation/Wetlands Functional Values Assessment Report Conceptual Wetlands Mitigation Plan 1-foot topographic map of areas affected by project and areas possibly suited to on-site mitigation (for USACE and MDEQ), if map is available
TE-7	<p>Provide a knowledgeable expert to discuss and make available a copy of:</p> <ul style="list-style-type: none"> Terrestrial Ecology Reconnaissance Surveys performed for proposed Fermi 3 Site between November 2006 and May 2008. Grid/Transect Survey of Terrestrial Habitats on proposed Fermi 3 Site (discussed in paragraph 3 on page 2-321 of the ER). Avian point surveys conducted on proposed Fermi 3 site between late 2006 and mid 2008 (discussed in paragraph 3 on page 2-327 of the ER). Map or sketch showing locations of bald eagle nests on Fermi property in 2008 (discussed in paragraph 2 on page 2-330 of the ER). Map or sketch showing locations where the eastern fox snake was observed on Fermi property in June 2008 (discussed in paragraph 1 on page 2-333 of the ER). 	<p>Provide copies of:</p> <ul style="list-style-type: none"> Eagle nest location map Anecdotal fox snake sighting map MDNR protected species assessment report as mentioned in letter from MDNR to Ralph Brooks dated Nov. 28, 2007; DTE will provide by 9/1/09 Provide point maps of any protected species observed by Black & Veatch in planned spring and summer 2009 field observations
TE-8	<p>Provide a knowledgeable expert to discuss cumulative impacts to terrestrial ecology in the region.</p>	<p>Provide data provided by MDEQ on overall existing wetlands and/or coastal wetlands acreage and permitting data for Monroe County, if available; see table 4.16-1 of ER</p>
TE-9	<p>Provide copies of the USACE jurisdictional determination, MDEQ wetland certification, and related documentation.</p>	<p>Provide copy of Nov. 7, 2008 Wetlands Assessment letter from MDEQ and Jurisdictional Determination letter from USACE once available (USACE JD letter tentatively expected around end of Feb. 2008)</p>
TE-10	<p>See TL-1, TL-2, and TL-7 for terrestrial ecology information needs relative to transmission lines.</p>	<p>None.</p>

ITEM NO.	ORIGINAL INFORMATION NEED	REMAINING DOCUMENTS AND INFORMATION REQUESTED AT AUDIT
TE-11	<p>Provide a knowledgeable expert to discuss:</p> <ul style="list-style-type: none">• Aquatic sites present at the proposed project site and natural feature context of the aquatic sites and the status of development of the natural feature (for example, coastal marsh)• Special aquatic sites (sanctuaries and refuges, wetlands, mudflats, vegetated shallows, riffle & pool complexes) present at the proposed project site, and functions and values.	None.

Information Needs Identified by the U.S. Nuclear Regulatory Commission (NRC)

ITEM NO.	ORIGINAL INFORMATION NEED	REMAINING DOCUMENTS AND INFORMATION REQUESTED AT AUDIT
TL-1	<p>Provide a tour (using areas with easy vehicular access, e.g., existing road crossings, to the extent possible) that shows:</p> <ul style="list-style-type: none"> • Vegetation management practices in different habitats especially forest, wetlands, streams, or lakes along the existing ROW. • If possible, show an area where cultural resources were protected during ROW construction and maintenance. • Proposed ROW to the Milan substation showing representative and important habitats (e.g., forest, wetlands, stream crossings, agricultural lands, and residential areas) that would be crossed by the transmission line. • Any important cultural resources within the proposed ROW. 	None.
TL-2	Provide a knowledgeable expert to discuss Best Management Practices (BMPs) associated with construction and operation/maintenance of the plant and transmission corridors related to aquatic habitats, wetlands, and cultural resources.	Provide a description of BMPs related to construction, operations, and maintenance of transmission lines as related to protection of aquatic habitats, wetlands, cultural resources, invasive species control, threatened and endangered species, wildlife management, and habitat maintenance.
TL-3	Provide a knowledgeable expert to discuss and make available data on transmission tower and substation locations.	None.
TL-4	Provide a knowledgeable expert to discuss the transmission line routing process. Provide supporting documents for siting decisions if available.	Provide a description of the routing process used by ITC.
TL-5	Provide a knowledgeable expert to discuss whether local roads or highways would need reconditioning to handle the expected increase in traffic and loads for construction of transmission lines.	Provide a statement regarding the need to upgrade roads and, if applicable, plans to upgrade roads for transmission line construction.

ITEM NO.	ORIGINAL INFORMATION NEED	REMAINING DOCUMENTS AND INFORMATION REQUESTED AT AUDIT
TL-6	<p>Provide a knowledgeable expert on land use of the site, transmission lines, access corridors, and ROWs. This expert should be able to address questions related to land use such as:</p> <ul style="list-style-type: none">• Would projected access corridors for on-site construction and transmission lines, including ROWs, have any associated restrictions on development?• Would proposed access to transmission or access corridors be limited due to maintenance or seasonal uses (e.g., agricultural)?	See TL-2.
TL-7	<p>Provide a knowledgeable expert who can discuss:</p> <ul style="list-style-type: none">• The DTE/NAWCA transmission line ROW prairie planting that was surveyed for plant species occurrences in 2005 and 2007 (p. 2-339 of ER). Also provide a copy of this report.• ITC Transmission's vegetation management plan (p. 5-133 of ER). Also provide a copy of this plan.• Wildlife management practices currently implemented in the transmission line ROWs.	None.
TL-8	<p>Provide a knowledgeable expert to provide a copy of and discuss the transmission line siting study report, if any. If no such report is available, then be prepared to discuss the relevant issues associated with the transmission line siting.</p>	None.

Information Needs Identified by the U.S. Nuclear Regulatory Commission (NRC)

ITEM NO.	ORIGINAL INFORMATION NEED	REMAINING DOCUMENTS AND INFORMATION REQUESTED AT AUDIT
TR-1	<p>Provide a knowledgeable expert who can discuss the following topics:</p> <ul style="list-style-type: none"> The major types and quantities of construction materials required to construct the proposed 1600 MWe reactor and the impacts related to transporting these construction materials. The estimated current average distance traveled to work by Fermi 2 employees or an estimate, with a supporting line of reasoning, of the average distance to work that might be traveled by Fermi 3 construction and/or operations personnel and the impacts related to transporting these personnel to the site. 	<p>Provide estimates for the major types and quantities of construction materials required to construct the proposed reactor.</p> <p>Provide estimate of the average distance travelled to work for future construction and operations personnel.</p>
TR-2	<p>Provide a knowledgeable expert that can provide data and discuss the following topics:</p> <ul style="list-style-type: none"> The relationship between the population densities along the Fermi route and the Grand Gulf route with respect to the Grand Gulf transportation analysis being bounding for the Fermi site. The relationship between the highway route distance from the Grand Gulf reactor site to Yucca Mountain and the Fermi/Yucca Mountain route with respect to the Grand Gulf transportation analysis being bounding for the Fermi site. 	Issue is under consideration by NRC.
TR-3	<p>Please provide a knowledgeable expert that can make available and discuss the following information:</p> <ul style="list-style-type: none"> The analysis for the estimation of the heat load expected in a spent fuel shipping cask for comparison with that in 10 CFR 51.52 Table S-4 (250,000 Btu/hr). Compliance of irradiated fuel and other waste shipments with 10 CFR 51.52 Table S-4 with respect to shipment weight limits (73,000 lbs per truck). Estimates of the number of annual shipments of irradiated fuel and waste for comparison with the truck traffic density of less than 1 per day in 10 CFR 51.52 Table S-4. Provide the calculations performed to estimate the value of 165 truck shipments per year for unirradiated fuel for the ESPWR reactor (Section 3.8.1 of the ER). 	<p>Provide calculation of the heat load, document that irradiated fuel and waste shipments will comply with Table S-4 truck weight limits, and provide the supporting data and the calculation of the normalized number of unirradiated fuel shipments.</p> <p>Provide a revision of the normalization ratio to reflect a 1605 MWe reactor instead of 1535 MWe since the 1535 value is what leaves the plant rather than what the reactor generates.</p> <p>Provide information that documents features of the ESBWR that are expected to reduce crud buildup compared to currently operation BWRs.</p>

ITEM NO.	ORIGINAL INFORMATION NEED	REMAINING DOCUMENTS AND INFORMATION REQUESTED AT AUDIT
TR-3 (cont)	<ul style="list-style-type: none">• Provide supporting documentation that shows the radionuclide inventory (NUREG-1817, Table H-11) used in the transportation accident risk calculations (as referenced in Section 3.8.2.5 of the ER) to be representative of an irradiated fuel average burnup of 46,000 MWd/MTU. Provide documentation that the crud-related concerns (NUREG-1817, Section H.2.2.2) are not applicable to the referenced radionuclide inventory for use in the Fermi 3 EIS.	
TR-4	Provide a knowledgeable expert to discuss how the non-radiological transportation impacts for Fermi 3 compare with Table S 4 in 10 CFR 51.52 (i.e., non-radiological accidents result in one fatal injury per 100 reactor years, 1 non-fatal injury in 10 reactor years, and \$475 in property damage per year). Discussion topics will include the assumptions on the number of shipments of each type, external dose rates, and shipment distances.	Provide the non-radiological transportation estimates for the unirradiated fuel, irradiated fuel, and waste shipments for comparison with Table S-4.