



9/30/09

United States Nuclear Regulatory Commission
Region III, Materials Licensing
2443 Warrenville Road, Suite 210
Lisle, IL 60532-4352

RE: Amendment to NRC License No. 21-20250-01
Cheboygan Memorial Hospital

Dear Sir/Madam:

The purpose of this letter is to amend our current NRC license to reflect the following changes.

Item #1

We previously amended our NRC Material licenses to re-location of our Stress Lab. Enclosed are the results of the close-out survey of our old Stress Lab location.

A close-out survey of our old Stress Lab location was performed on September 11, 2009 at the above address and is enclosed for your review.

The last date of use of radioactive material at this site was September 11, 2009 for Tc-99m. No other radioactive materials used at this Stress Lab location.

A current copy of the leak test results for the sealed sources used at our facility is enclosed for your review. These sources include a Co-57 flood source, Cs-137, and Ba-133 vials for constancy and accuracy testing. And one Gd-153 source used for gamma camera quality control. These sources were never used or stored in the Stress Lab.

We did not dispose of radioactive materials by release to sewers or incineration. In addition, there were no spills of any long-lived radioactive material or on-site burials of radioactive materials.

Thank you for your cooperation. If you have any questions or require additional information, please contact our physics consultant, Kevin B. Miller at 734-662-3197.

Respectfully Yours,


Executive Management (VP or higher)
Cheboygan Memorial Hospital



Close-out Survey

Date performed: September 11, 2009

Performed by: Chris Seward, C.N.M.T.

Comments: The Stress Lab was used in the morning prior to performing the close-out survey. No radioactive materials were ever stored at this location.
Instruments

Wipe tests analyzed with a Capintec CRC-15W S/N# 171061
Instrument: Well Counter
Radionuclide: Full Spectrum MDA for Full Spectrum: 133 dpm
Date completed: 09/08/08 Conversion factor: 1.2 cpm/dpm

Area survey performed with the following survey meter:

Manufacturer: Ludlum
Type: GM
Model Number: 14C
Serial Number: 213075
Probe Model: End Window
Annual Calibration Due: 09/16/09
Battery check acceptable: YES
Operational check acceptable: YES
Current reading: 3.25 mR/hr

History of Radionuclides Used

Unsealed: The last date of use of radioactive material in the Stress Lab was September 11, 2009 for Tc-99m. No other radioactive materials were used at this Stress Lab.

Sealed: Sealed sources were never used or stored in the Stress Lab.

Last date of byproduct radiopharmaceutical use: September 11, 2009.

Visual Check: The area was checked to ensure that all radioactive materials had been removed. No evidence of radioactive material was noted.

Sealed Source Leak Testing: No history of leaks from Sealed Sources at this facility.

Radiation Level Survey: No area within the department demonstrated radiation levels in excess of the background reading of 0.02 mR/hr.

Removable Contamination: No area within the Stress Lab demonstrated removable contamination in excess of 0.0 dpm's. There is no history of any spills of long-lived radioisotopes.

Conclusion: No radioactive materials remain in this Stress Lab. No removable contamination is present.




Survey Meter:		Ludlum 14C EWGM Calibrated 09/16/09	Check Value:	3.25 mR/hr
	Stress Lab	cpm	net dpm	mR/hr
1	Floor	168.00	0	0.02
2	Door	170.00	0	0.02
3	Sink	188.00	0	0.02
4	Trash	190.00	0	0.02
5	Counter	159.00	0	0.02
6	Bathroom Door	170.00	0	0.02
7	Floor	185.00	0	0.02
8	Floor	185.00	0	0.02
9	Floor	186.00	0	0.02
10	Floor	191.00	0	0.02
11	Floor	193.00	0	0.02
12	Floor	169.00	0	0.02
13	Floor	165.00	0	0.02
14	Floor	171.00	0	0.02
15	Floor	173.00	0	0.02
16	Floor	182.00	0	0.02
17	Floor	190.00	0	0.02
18	Floor	191.00	0	0.02
19	Floor	180.00	0	0.02
20	Floor	179.00	0	0.02
21	Floor	176.00	0	0.02
22	Floor	192.00	0	0.02
	Background	195	0	0.02
ACTION LEVELS: 2000 dpm < 0.2 mR/hr			Efficiency (dpm/cpm):	1.2
COMMENTS: No evidence of removable contamination.				

Maximum removable contamination: 0.0 net dpm/100 cm²

Conclusion

As of September 11, 2009 all radioactive materials were removed from the site and no removable contamination was present.



CHEBOYGAN MEMORIAL HOSPITAL


CHEBOYGAN MEMORIAL HOSPITAL

748 South Main Street

Cheboygan, MI 49172

NRC License No. 21-20250-01

Old Stress Lab



422
500

WORLD

RECIP: PEEL HERE

fedex.com 1800.GoFedEx 1800.463.3339

RT 535 1 D
FZ 0323 10.15

422

500

FedEx US Airbill
Express

FedEx Tracking Number 8698 1812 0323

1 From This portion can be removed for Recipient's records.

Date 4-9-09 FedEx Tracking Number 869818120323

Sender's Name [Handwritten] Phone [Handwritten]

Company COMMUNITY MEM HOSP

Address 748 S MAIN ST Dept./Floor/Room

City CHEBOYGAN State MI ZIP 49721-2220

2 Your Internal Billing Reference

3 To Recipient's Name [Handwritten] Phone [Handwritten]

Company [Handwritten] HOLD Weekday [] HOLD Saturday []

Address [Handwritten] Dept./Floor/Room [Handwritten]

Address [Handwritten] Print FedEx location address here if HOLD option is selected.

City [Handwritten] State [Handwritten] ZIP [Handwritten]



8698 1812 0323

MUR 1.2

0215 Recipient's Copy

4a Express Package Service

FedEx Priority Overnight
Next business morning. * Friday shipments will be delivered on Monday unless SATURDAY Delivery is selected.

FedEx Standard Overnight
Next business afternoon. * Saturday Delivery NOT available.

FedEx 2Day
Second business day. * Thursday shipments will be delivered on Monday unless SATURDAY Delivery is selected.

FedEx Express Saver
Third business day. * Saturday Delivery NOT available.

4b Express Freight Service

FedEx 10 day Freight
Next business day. ** FedEx shipments will be delivered on Monday unless SATURDAY Delivery is selected.

FedEx 2Day Freight
Second business day. ** Thursday shipments will be delivered on Monday unless SATURDAY Delivery is selected.

FedEx 30 day Freight
Third business day. ** Saturday Delivery NOT available.

5 Packaging

FedEx Envelope* FedEx Pak* FedEx Box FedEx Tube Other

6 Special Handling and Delivery Signature Options

SATURDAY Delivery
NOT available for FedEx Standard Overnight, FedEx First Overnight, FedEx Express Saver, or FedEx 30 day Freight.

No Signature Required
Package may be left without obtaining a signature for delivery.

Direct Signature
Someone at recipient's address may sign for delivery. Fee applies.

Indirect Signature
If no one is available at recipient's address, someone at a neighboring address may sign for delivery. For residential deliveries only. Fee applies.

Does this shipment contain dangerous goods?

One box must be checked.

No Yes Yes Dry Ice Cargo Aircraft Only

7 Payment Bill to:

Sender Acct. No. in Section Recipient Third Party Credit Card Cash/Check

Total Packages Total Weight

553

Rev. Date 2/08/07 art #158279 ©1994-2008 FedEx PRINTED IN U.S.A. -SMS


The World On Time®

FedEx
TRK# 8698 1812 0323
0215

THU - 15 OCT A1
STANDARD OVERNIGHT

XH ENLA

60532
IL-US
ORD



Emp # 73483 140CT09 SSMA

Align bottom of Peel and Stick Airbill or Pouch here.