

Figure 2.5-76—{G/G_{max} Curves Representing Uncertainty in Shear Stiffness for Soil Type 2 (Chesapeake Clay/Silt}



Figure 2.5-77—{Damping Curves Representing Uncertainty in Shear Stiffness for Soil Type 2 (Chesapeake Clay/Silt)}



Figure 2.5-78—{Logarithmic Mean Site Amplification Factor and Standard Deviation at the Top of a Soil Column with no Backfill for 10^{-4} HF Input Motion}



Figure 2.5-79—{Maximum Strains vs. Depth for 10^{-4} HF Input Motion}

Figure 2.5-80—{Logarithmic Mean Site Amplification Factor and Standard Deviation at the Top of a Soil Column with no Backfill for 10^{-4} LF Input Motion}





Figure 2.5-81—{Maximum Strains vs. Depth for 10^{-4} LF Input Motion}

Figure 2.5-82—{Logarithmic Mean Site Amplification Factor and Standard Deviation at the Top of a Soil Column with no Backfill for 10^{-5} HF Input Motion}



Figure 2.5-83—{Maximum Strains vs. Depth for 10^{-5} HF Input Motion}



Figure 2.5-84—{Logarithmic Mean Site Amplification Factor and Standard Deviation at the Top of a Soil Column with no Backfill for 10^{-5} LF Input Motion}





Figure 2.5-85—{Maximum Strains vs Depth for 10^{-5} LF Input Motion}



Figure 2.5-86—{HF and LF Spectra and Envelopes for 10^{-4} and 10^{-5}}



Figure 2.5-87—{Recommended Horizontal and Vertical SSE Spectra}



Figure 2.5-88—{V/H Ratios from Several Publications and Recommended V/H Ratios}

Figure 2.5-89—{Mean Seismic Hazard by Source for Rondout Team, 10 Hz Spectral Acceleration}



Figure 2.5-90—{Mean 10^{-6} Deaggregation Plot for 5 and 10 Hz}



Figure 2.5-91—{Mean Seismic Hazard by Source for Rondout Team, 10 Hz Spectral Acceleration}



Figure 2.5-92—{Mean Seismic Hazard by Source for Rondout Team, 1 Hz Spectral Acceleration}



Figure 2.5-93—{Median Seismic Hazard by Source for Rondout Team, 10 Hz Spectral Acceleration}



Figure 2.5-94—{Median Seismic Hazard by Source for Rondout Team, 1 Hz Spectral Acceleration}





Figure 2.5-95—{Mean and Fractile Rock Hazard Curves for PGA}



Figure 2.5-96—{Mean and Fractile Rock Hazard Curves for 25 Hz}



Figure 2.5-97—{Mean and Fractile Rock Hazard Curves for 10 Hz}



Figure 2.5-98—{Mean and Fractile Rock Hazard Curves for 5 Hz}



Figure 2.5-99—{Mean and Fractile Rock Hazard Curves for 2.5 Hz}



Figure 2.5-100—{Mean and Fractile Rock Hazard Curves for 1 HZ}



Figure 2.5-101—{Mean and Fractile Rock Hazard Curves for 0.5 Hz}



Figure 2.5-102—{CCNPP Unit 3 10 Generic Soil Profiles}



Figure 2.5-103—{Subsurface Investigation Location Plan}



Figure 2.5-104—{Subsurface Investigation Location (Powerblock) CCNPP Unit 3}



Figure 2.5-105—{Test Pit Test Location Plan}

Figure 2.5-106—{Subsurface Profile Legend}



Notes – Boring locations & elevations were obtained from as-built survey
Soil strata boundaries are inferred from boring locations & may differ from actual soil conditions.



Figure 2.5-107—{Inferred Subsurface Profile NS-1}



Figure 2.5-108—{Inferred Subsurface Profile NS-2}



Figure 2.5-109—{Inferred Subsurface Profile NS-3}



Figure 2.5-110—{Inferred Subsurface Profile NS-4}



Figure 2.5-111—{Inferred Subsurface profile IDP-1}

Figure 2.5-112—{Measured Standard Penetration Test N-Values}



Figure 2.5-113—{Measured CPT TIP Resistance Values}



Figure 2.5-114—{Water Contents and Limits Profile}