



B-344; S-21
52.5 – 53.4 ft



B-344; S-22
55.0 - 56.5 ft



B-344; S-23
57.5 – 59.0 ft



B-344; S-24
60.0 – 61.5 ft



**B-344; S-25
62.5 – 64.0 ft**



**B-344; S-26
65.0 – 66.5 ft**



B-344; S-27
67.5 – 69.0 ft



B-344; S-28
70.0 – 71.5 ft



B-344; S-29
72.5 – 74.0 ft




B-344; S-30
75.0 - 76.5 ft



B-344; S-31
77.5 – 79.0 ft



B-344; S-32
80.0 – 81.5 ft




**B-344; S-33
82.5 – 83.5 ft**



**B-344; S-34
85.0 – 86.5 ft**



B-344; S-35
87.5 – 89.0 ft



B-344; S-36
90.0 – 91.5 ft



B-344; S-37
92.5 – 94.0 ft



B-344; S-38
98.5 – 100.0 ft



B-344; S-39
103.5 – 105.0 ft



B-344; S-40
108.5 – 110.0 ft



B-344; S-41
113.5 – 115.0 ft



B-344; S-42
118.5 – 120.0 ft




B-344; S-43
123.5 – 125.0 ft



B-344; S-44
128.5 – 130.0 ft



B-344; S-45
133.5 – 135.0 ft



B-344; S-46
138.5 – 140.0 ft



B-344; S-47
143.5 – 145.0 ft



B-344; S-48
148.5 – 150.0 ft



B-344; S-49
153.5 – 155.0 ft



B-344; S-50
158.5 – 160.0 ft



B-344; S-51
163.5 – 165.0 ft




B-344; S-52
168.5 – 170.0 ft



B-344; S-53
173.5 – 175.0 ft



B-344; S-54
178.5 – 180.0 ft



B-344; S-55
183.5 – 185.0 ft



B-344; S-56
188.5 – 190.0 ft



B-344; S-57
193.5 – 195.0 ft



B-344; S-58
198.5 – 200.0 ft



B-344; S-59
206.0 – 207.5 ft



B-344; S-60
208.5 – 210.0 ft



B-344; S-61
213.5 – 215.0 ft



B-344; S-62
218.5 – 220.0 ft