




B-351; S-17
63.5 – 65.0 ft




B-351; S-18
68.5 – 70.0 ft



B-351; S-19
73.5 – 75.0 ft



B-351; S-20
78.5 – 79.4 ft



B-351; S-21
83.5 – 85.0 ft



B-351; S-22
88.5 – 90.0 ft



B-351; S-23
93.5 – 95.0 ft




B-351; S-24
98.5 – 100.0 ft




B-352; S-1
0.0 – 1.5 ft



B-352; S-2
2.5 - 4.0 ft



B-352; S-3
5.0 - 6.5 ft



B-352; S-4
7.5 - 9.0 ft



B-352; S-5
10.0 – 11.5 ft




B-352; S-6
13.5 – 15.0 ft




B-352; S-7
18.5 - 20.0 ft



B-352; S-8
23.5 - 25.0 ft



B-352; S-9
28.5 – 30.0 ft



B-352; S-10
33.5 -35.0 ft



B-352; S-11
38.5 – 40.0 ft



B-352; S-12
43.5 – 45.0 ft




B-352; S-13
48.5 - 50.0 ft



B-352; S-14
53.5 - 55.0 ft



B-352; S-15
58.5 – 60.0 ft




B-352; S-16
61.0 – 62.5 ft




**B-352; S-17
63.5 – 65.0 ft**



**B-352; S-18
66.0 – 66.8 ft**




B-352; S-19
68.5 – 68.7 ft



B-351; S-20
71.0 – 72.0 ft




B-352; S-21
73.5 – 73.9 ft



B-352; S-22
76.0 – 76.4 ft



**B-352; S-23
78.5 – 80.0 ft**




**B-352; S-24
81.0 – 82.5 ft**



B-352; S-25
83.5 – 85.0 ft



B-352; S-26
86.0 – 86.9 ft




B-352; S-27
88.5 – 89.5 ft



B-352; S-28
91.0 – 92.5 ft




B-352; S-29
93.5 – 95.0 ft



B-352; S-30
96.0 – 97.5 ft



B-352; S-31
98.5 – 100.0 ft



B-352; S-32
101.0 – 102.5 ft