





B-352; S-33
103.5 – 105.0 ft




B-352; S-34
106.0 – 107.5 ft




B-352; S-35
108.5 – 110.0 ft




B-352; S-36
111.0 – 112.5 ft




B-352; S-37
113.5 – 115.0 ft



B-352; S-38
116.0 – 117.5 ft




B-352; S-39
118.5 – 120.0 ft



B-352; S-40
121.0 – 122.5 ft




B-352; S-41
123.5 – 125.0 ft



B-352; S-42
126.0 – 127.5 ft




B-352; S-43
128.5 – 130.0 ft




B-352; S-44
133.5 – 135.0 ft



B-352; S-45
138.5 – 140.0 ft



B-352; S-46
143.5 – 145.0 ft




B-352; S-47
148.5 – 150.0 ft



B-352; S-48
153.5 – 155.0 ft




B-352; S-49
158.5 – 160.0 ft



B-352; S-50
163.5 – 165.0 ft



B-352; S-51
168.5 – 170.0 ft



B-352; S-52
173.5 – 175.0 ft




B-352; S-53
178.5 – 180.0 ft




B-352; S-54
183.5 – 185.0 ft




B-352; S-55
188.5 – 190.0 ft




B-352; S-56
193.5 – 195.0 ft




B-352; S-57
198.5 – 200.0 ft



B-353; S-1
0.0 – 1.5 ft




B-353; S-2
2.5 - 4.0 ft



B-353; S-3
5.0 – 6.5 ft



B-353; S-4
7.5 - 9.0 ft




B-353; S-5
10.0 – 11.5 ft




B-353; S-6
13.5 – 15.0 ft



B-353; S-7
18.5 - 20.0 ft



B-353; S-8
23.5 - 25.0 ft




B-353; S-9
28.5 – 30.0 ft



B-353; S-10
33.5 - 35.0 ft



B-353; S-11
38.5 – 40.0 ft



B-353; S-12
43.5 – 45.0 ft



B-353; S-13
48.5 - 50.0 ft



B-353; S-14
53.5 - 55.0 ft