




B-355; S-25
70.0 – 70.4 ft



B-355; S-26
72.5 – 74.0 ft



B-355; S-27
75.0 – 76.5 ft



B-355; S-28
77.5 – 79.0 ft



B-355; S-29
80.0 – 81.5 ft



B-355; S-30
82.5 – 84.0 ft



B-355; S-31
85.0 – 86.5 ft



B-355; S-32
87.5 – 89.0 ft



**B-355; S-33
90.0 – 91.5 ft**



**B-355; S-34
92.5 – 94.0 ft**



B-355; S-35
95.0 – 96.4 ft



B-355; S-36
97.5 – 99.0 ft



B-355; S-37
100.0 – 100.9 ft



B-355; S-38
102.5 – 104.0 ft



B-355; S-39
105.0 – 106.5 ft



B-355; S-40
107.5 – 109.0 ft



B-355; S-41
113.5 – 115.0 ft



B-355; S-42
118.5 – 120.0 ft




B-355; S-43
123.5 – 125.0 ft



B-355; S-44
128.5 – 130.0 ft



B-355; S-45
133.5 – 135.0 ft



B-355; S-46
138.5 – 140.0 ft



**B-355; S-47
143.5 – 145.0 ft**



**B-355; S-48
148.5 – 150.0 ft**



B-355; S-49
153.5 – 155.0 ft



B-355; S-50
158.5 – 160.0 ft




**B-355; S-51
163.5 – 165.0 ft**



**B-355; S-52
168.5 – 170.0 ft**



B-355; S-53
173.5 – 175.0 ft



B-355; S-54
178.5 – 180.0 ft



B-355; S-55
183.5 – 185.0 ft



B-355; S-56
188.5 – 190.0 ft



B-355; S-57
193.5 – 195.0 ft



B-355; S-58
198.5 – 200.0 ft



B-355; S-59
203.5 – 205.0 ft



B-355; S-60
208.5 – 210.0 ft



B-355; S-61
213.5 – 215.0 ft



B-355; S-62
218.5 – 220.0 ft




B-355; S-63
225.0 – 226.5 ft



B-355; S-64
228.5 – 230.0 ft



B-355; S-65
233.5 – 235.0 ft



B-355; S-66
238.5 – 240.0 ft