

UNITED STATES  
NUCLEAR REGULATORY COMMISSION  
REGION I  
475 ALLENDALE ROAD  
KING OF PRUSSIA, PENNSYLVANIA 19406-1415

Office

tion



November 10, 2009

Docket No. 030-35424

License No. 08-30607-01

Kimberly Russo  
Chief Operating Officer  
District Hospital Partners, L.P.  
D/B/A The George Washington University Hospital  
Office of Administration, Suite G2054  
900 23rd Street, N.W.  
Washington, DC 20037

SUBJECT: NRC INSPECTION REPORT NO. 030-35424/2009001, DISTRICT HOSPITAL PARTNERS, L.P., D/B/A THE GEORGE WASHINGTON UNIVERSITY HOSPITAL, WASHINGTON, D.C. AND NOTICE OF VIOLATION

Dear Ms. Russo:

On October 1, 2009, Kathy Modes of this office conducted a safety and security inspection at the above address of activities authorized by the above listed NRC license. Additional information provided in Dr. Chowdhury's correspondence dated October 12 and 14, 2009 was also examined as part of the inspection. The findings of the inspection were discussed with you, and members of your organization at the conclusion of the inspection on October 1, 2009.

Based on the results of this inspection and in accordance with the NRC Enforcement Policy, the NRC has determined that your activities were not conducted in full compliance with NRC requirements. Since the NRC had identified the violation(s), a Notice of Violation is enclosed that categorizes the non-escalated security-related violation(s) by severity level. The NRC has concluded that information regarding the reason for the violation(s), the corrective actions taken and planned to correct the violation(s) and prevent recurrence is already adequately addressed on the docket. The corrective actions were adequately described in Dr. Chowdhury's correspondence dated October 12 and 14, 2009. Therefore, you are not required to respond to this letter unless the description therein does not accurately reflect your corrective actions or your position. In that case, or if you choose to provide additional information, you should follow the instructions specified in the enclosed Notice.

In accordance with 10 CFR 2.390 of the NRC's "Rules of Practice," a copy of this letter will be made available electronically for public inspection in the NRC Public Document Room or from the NRC document system (ADAMS), accessible from the NRC website at <http://www.nrc.gov/reading-rm/adams.html>.

Enclosure(s) transmitted herewith contain(s) SUNSI. When separated from enclosure(s), this transmittal document is decontrolled.

~~Official Use Only – Security-Related Information~~

District Hospital Partners, L.P.

2

Current NRC regulations are included on the NRC's website at [www.nrc.gov](http://www.nrc.gov); select **Nuclear Materials; Medical, Academic, and Industrial Uses of Nuclear Material**; then **Regulations, Guidance, and Communications Page**. The current Enforcement Policy is included on the NRC's website at [www.nrc.gov](http://www.nrc.gov); select **About NRC; How We Regulate; Enforcement**; then **Enforcement Policy**. You may also obtain these documents by contacting the Government Printing Office (GPO) toll-free at 1-866-512-1800. The GPO is open from 7:00 a.m. to 6:30 p.m. EST, Monday through Friday (except Federal holidays).

Please contact Kathy Modes at (610) 337-5251 if you have any questions regarding this matter.

Sincerely,

*Original signed by Kathy Modes for*

Judith A. Joustra, Chief  
Decommissioning Branch  
Division of Nuclear Materials Safety

Enclosure:

Notice of Violation (**Contains Security-Related Information**)

cc:

Anisuzzaman Chowdhury, Ph.D., Radiation Safety Officer  
District of Columbia

District Hospital Partners, L.P.

Current NRC regulations are included on the NRC's website at [www.nrc.gov](http://www.nrc.gov); select **Nuclear Materials; Medical, Academic, and Industrial Uses of Nuclear Material**; then **Regulations, Guidance, and Communications Page**. The current Enforcement Policy is included on the NRC's website at [www.nrc.gov](http://www.nrc.gov); select **About NRC; How We Regulate; Enforcement**; then **Enforcement Policy**. You may also obtain these documents by contacting the Government Printing Office (GPO) toll-free at 1-866-512-1800. The GPO is open from 7:00 a.m. to 6:30 p.m. EST, Monday through Friday (except Federal holidays).

Please contact Kathy Modes at (610) 337-5251 if you have any questions regarding this matter.

Sincerely,

***Original signed by Kathy Modes for***

Judith A. Joustra, Chief  
Decommissioning Branch  
Division of Nuclear Materials Safety

Enclosure:  
Notice of Violation (**Contains Security-Related Information**)

cc:  
Anisuzzaman Chowdhury, Ph.D., Radiation Safety Officer  
District of Columbia

Distribution:  
D. J. Holody, RI

DOCUMENT NAME: G:\WordDocs\Current\Insp Letter\L08-30607-01.2009001.doc

**SUNSI Review Complete:** KModes

After declaring this document "An Official Agency Record" it will be released to the Public. (only letter)

To receive a copy of this document, indicate in the box: "C" = Copy w/o attach/encl "E" = Copy w/ attach/encl "N" = No copy

OFFICE	DNMS/RI	N	DNMS/RI	DNMS/RI			
NAME	KModes/KDM		JJoustra/KDM f/				
DATE	11/10/2009		11/10/09				

OFFICIAL RECORD COPY

ML093140529