

Table 1A. Preliminary estimates of waterfowl harvest and hunter activity in the Atlantic Flyway during the 2004 and 2005 hunting seasons.

Duck Species Composition	Connecticut		Delaware		Florida	
	2004	2005	2004	2005	2004	2005
Mallard	11,877	13,857	21,054	18,501	345	822
Domestic Mallard	77	50	68	265	345	352
Black Duck	3,085	3,615	4,211	5,438	0	0
Mallard x Black Duck Hybrid	308	301	815	995	173	235
Mottled Duck	0	0	0	0	15,097	10,504
Gadwall	154	251	611	3,581	259	2,054
Wigeon	77	100	679	1,326	4,055	4,225
Green-winged Teal	1,080	1,054	7,742	4,907	10,956	16,725
Blue-winged/Cinnamon Teal	0	0	407	133	55,990	46,653
Northern Shoveler	0	0	1,562	1,326	2,502	8,098
Northern Pintail	0	100	1,630	1,592	949	5,516
Wood Duck	2,545	2,460	3,939	1,525	8,541	8,157
Redhead	0	0	0	66	518	2,582
Canvasback	0	0	0	66	0	411
Greater Scaup	308	201	68	66	604	235
Lesser Scaup	0	50	272	597	6,988	9,272
Ring-necked Duck	0	351	272	1,326	34,077	50,937
Goldeneyes	308	402	68	0	0	59
Bufflehead	231	502	883	862	1,208	763
Ruddy Duck	0	0	272	265	86	1,291
Long-tailed Duck	4,727	400	0	0	0	0
Eiders	0	0	0	0	0	0
Scoters	1,773	1,300	900	900	0	0
Hooded Merganser	77	50	679	398	2,502	2,993
Other Mergansers	771	954	68	398	431	117
Other Ducks	0	0	0	66	2,674	2,699
Total Duck Harvest	27,400±19%	26,000±26%	46,200±18%	44,600±19%	148,300±39%	174,700±23%
Total Active Duck Hunters ^a	2,900±15%	3,000±15%	4,500±12%	4,500±13%	12,400±26%	11,200±20%
Total Duck Hunter Days Afield ^b	16,700±18%	20,700±22%	32,400±16%	33,000±17%	75,600±40%	73,400±22%
Seasonal Duck Harvest Per Hunter ^a	7.2±24%	8.0±30%	10.1±22%	9.8±23%	12.0±47%	15.6±31%
<hr/>						
Goose Species Composition						
Canada Goose	20,400	20,900	14,003	19,029	---	0
Snow Goose	0	0	12,397	6,508	---	0
Blue Goose	0	0	0	0	---	0
Ross's Goose	0	0	0	0	---	0
White-fronted Goose	0	0	0	0	---	0
Brant	1,000	700	600	1,500	---	0
Other Geese	0	0	0	62	---	0
Total Goose Harvest	21,400±28%	21,600±27%	27,000±24%	27,100±19%	300±195% ^c	0
Total Active Goose Hunters ^b	3,000±12%	2,900±16%	4,300±12%	4,300±13%	200±138%	100±195%
Total Goose Hunter Days Afield ^b	17,500±19%	17,000±18%	28,700±22%	25,900±17%	1,100±151%	300±195%
Seasonal Goose Harvest Per Hunter ^b	6.8±31%	7.2±31%	6.1±27%	6.0±23%	1.5±239%	0
<hr/>						
Active Waterfowl Hunters	4,000±12%	4,100±12%	5,900±9%	5,500±10%	12,400±26%	11,200±20%
<hr/>						
Sample Sizes						
Duck Wings	282	501	672	661	1,719	2,977
Goose Tails	453	626	302	422	0	1

Table 1A. Preliminary estimates of waterfowl harvest and hunter activity in the Atlantic Flyway during the 2004 and 2005 hunting seasons.

Duck Species Composition	Georgia		Maine		Maryland	
	2004	2005	2004	2005	2004	2005
Mallard	10,200	5,015	12,218	16,855	69,754	50,749
Domestic Mallard	179	0	106	70	2,598	2,143
Black Duck	0	251	5,765	7,623	15,977	11,401
Mallard x Black Duck Hybrid	179	0	317	979	1,689	1,886
Mottled Duck	0	0	0	0	0	0
Gadwall	3,400	2,759	159	70	2,208	2,829
Wigeon	895	0	264	70	1,169	2,400
Green-winged Teal	3,758	4,263	2,750	3,077	22,732	13,373
Blue-winged/Cinnamon Teal	3,758	3,762	0	909	1,039	1,886
Northern Shoveler	1,074	502	0	140	390	600
Northern Pintail	0	0	159	350	1,169	1,372
Wood Duck	51,537	65,452	4,231	6,224	11,821	10,630
Redhead	0	1,755	0	0	909	429
Canvasback	0	752	0	0	7,534	1,886
Greater Scaup	0	0	0	0	2,338	6,086
Lesser Scaup	358	1,003	0	0	14,808	9,773
Ring-necked Duck	3,579	8,025	529	699	4,936	686
Goldeneyes	0	0	1,745	3,777	1,039	2,143
Bufflehead	537	1,254	1,798	1,609	8,703	9,001
Ruddy Duck	0	502	53	0	649	772
Long-tailed Duck	0	0	1,754	690	1,511	5,228
Eiders	0	0	14,736	10,842	151	0
Scoters	0	0	4,210	2,168	18,738	15,173
Hooded Merganser	2,147	2,006	740	629	1,948	1,372
Other Mergansers	0	0	264	1,818	1,689	686
Other Ducks	0	0	0	0	0	0
Total Duck Harvest	81,600±37%	97,300±32%	51,800±34%	58,600±43%	195,500±15%	152,500±14%
Total Active Duck Hunters^a	13,200±24%	12,300±30%	5,700±26%	6,200±23%	20,600±9%	17,900±10%
Total Duck Hunter Days Afield^d	67,500±29%	77,000±37%	26,600±30%	26,700±31%	110,900±12%	100,500±13%
Seasonal Duck Harvest Per Hunter^a	6.2±44%	7.9±44%	5.5±42%	7.2±49%	8.5±17%	7.4±17%
<hr/>						
Goose Species Composition						
Canada Goose	21,200	35,100	7,000	7,826	141,974	170,034
Snow Goose	0	0	0	87	5,426	5,766
Blue Goose	0	0	0	0	0	0
Ross's Goose	0	0	0	0	0	0
White-fronted Goose	0	0	0	87	0	0
Brant	0	0	0	0	800	1,700
Other Geese	0	0	0	0	0	0
Total Goose Harvest	21,200±39%	35,100±54%	7,000±34%	8,000±42%	148,200±11%	177,500±11%
Total Active Goose Hunters^b	6,600±31%	8,500±29%	3,900±28%	3,400±31%	24,600±7%	25,600±7%
Total Goose Hunter Days Afield^b	32,000±41%	46,500±42%	14,700±32%	15,100±41%	136,300±10%	143,900±10%
Seasonal Goose Harvest Per Hunter^b	3.2±50%	4.1±62%	1.8±44%	2.3±52%	6.0±13%	6.9±13%
<hr/>						
Active Waterfowl Hunters	13,600±23%	13,600±28%	6,500±24%	7,000±22%	32,400±5%	30,600±6%
<hr/>						
Duck Wings	456	388	824	920	1,483	1,701
Goose Tails	219	52	97	92	1,151	1,622

Table 1A. Preliminary estimates of waterfowl harvest and hunter activity in the Atlantic Flyway during the 2004 and 2005 hunting seasons.

Duck Species Composition	Massachusetts		New Hampshire		New Jersey	
	2004	2005	2004	2005	2004	2005
Mallard	9,245	10,717	5,185	5,934	15,789	20,143
Domestic Mallard	50	66	0	63	319	441
Black Duck	1,809	3,119	1,131	1,601	8,187	10,982
Mallard x Black Duck Hybrid	201	332	141	283	851	1,214
Mottled Duck	0	0	0	0	0	0
Gadwall	0	33	47	0	691	607
Wigeon	50	66	71	31	585	828
Green-winged Teal	1,156	1,095	754	1,162	7,708	5,408
Blue-winged/Cinnamon Teal	0	66	0	94	0	331
Northern Shoveler	50	0	0	0	266	331
Northern Pintail	0	199	24	0	532	883
Wood Duck	3,165	2,887	2,805	3,359	3,562	4,194
Redhead	0	0	0	0	213	166
Canvasback	0	0	0	0	53	0
Greater Scaup	0	33	0	0	6,167	2,097
Lesser Scaup	0	0	0	0	1,010	1,324
Ring-necked Duck	301	332	71	220	159	331
Goldeneyes	452	133	71	94	159	0
Bufflehead	2,110	1,194	24	220	6,539	8,774
Ruddy Duck	0	33	0	31	159	331
Long-tailed Duck	539	296	46	0	2,014	1,330
Eiders	5,717	8,301	162	185	0	0
Scoters	3,344	3,202	92	615	886	2,470
Hooded Merganser	352	332	236	157	1,435	1,656
Other Mergansers	1,558	863	141	251	1,116	1,104
Other Ducks	0	0	0	0	0	55
Total Duck Harvest	30,100±18%	33,300±24%	11,000±27%	14,300±13%	58,400±14%	65,000±14%
Total Active Duck Hunters ^a	3,100±10%	3,300±11%	1,900±14%	2,300±13%	6,400±9%	6,600±7%
Total Duck Hunter Days Afield ^b	18,900±15%	20,200±17%	12,400±18%	14,400±13%	35,700±14%	42,800±11%
Seasonal Duck Harvest Per Hunter ^a	6.6±21%	6.4±26%	5.6±30%	5.8±18%	8.7±17%	9.3±16%
<hr/>						
Goose Species Composition						
Canada Goose	15,200	12,649	3,200	5,300	24,559	24,183
Snow Goose	0	17	0	0	2,941	3,717
Blue Goose	0	0	0	0	0	0
Ross's Goose	0	0	0	0	0	0
White-fronted Goose	0	0	0	0	0	0
Brant	300	500	100	0	5,000	8,300
Other Geese	0	34	0	0	0	0
Total Goose Harvest	15,500±56%	13,200±22%	3,300±25%	5,300±21%	32,500±19%	36,200±16%
Total Active Goose Hunters ^b	2,400±11%	2,300±14%	1,400±17%	1,900±13%	3,900±12%	4,000±10%
Total Goose Hunter Days Afield ^b	14,300±20%	14,000±20%	7,800±21%	12,600±21%	19,500±15%	20,500±13%
Seasonal Goose Harvest Per Hunter ^b	6.3±57%	5.6±26%	2.3±30%	2.8±25%	7.1±23%	7.0±19%
<hr/>						
Active Waterfowl Hunters	4,200±8%	4,400±9%	2,300±13%	2,600±12%	7,300±8%	7,700±6%
<hr/>						
Sample Sizes						
Duck Wings	497	847	480	443	1,080	1,169
Goose Tails	358	780	130	186	622	703

Table 1A. Preliminary estimates of waterfowl harvest and hunter activity in the Atlantic Flyway during the 2004 and 2005 hunting seasons.

Duck Species Composition	New York		North Carolina		Pennsylvania	
	2004	2005	2004	2005	2004	2005
Mallard	85,379	79,593	47,648	63,049	71,594	66,496
Domestic Mallard	870	704	1,417	1,588	1,454	891
Black Duck	15,438	23,714	3,735	4,309	5,572	7,125
Mallard x Black Duck Hybrid	2,174	2,426	386	1,588	485	198
Mottled Duck	0	0	129	0	0	0
Gadwall	1,522	2,113	9,014	11,113	848	2,573
Wigeon	2,609	2,896	6,310	4,082	363	1,682
Green-winged Teal	10,654	11,583	14,037	25,401	4,967	6,135
Blue-winged/Cinnamon Teal	1,087	2,035	2,576	3,175	121	1,880
Northern Shoveler	290	1,017	3,348	3,856	0	198
Northern Pintail	1,884	2,191	2,704	3,856	485	396
Wood Duck	20,439	21,444	49,708	66,678	27,741	28,597
Redhead	870	1,800	1,803	907	242	891
Canvasback	580	313	515	227	0	0
Greater Scaup	2,392	2,896	1,159	3,402	2,786	2,078
Lesser Scaup	1,957	2,348	31,164	27,896	3,150	2,672
Ring-necked Duck	4,856	3,365	8,886	17,236	2,181	1,781
Goldeneyes	5,581	8,531	258	0	1,211	792
Bufflehead	8,118	9,079	5,795	9,979	5,209	2,078
Ruddy Duck	145	391	1,545	6,577	969	792
Long-tailed Duck	6,195	4,638	0	227	121	99
Eiders	0	497	0	0	0	0
Scoters	4,905	3,065	6,439	4,309	969	99
Hooded Merganser	2,029	2,974	4,894	8,618	3,634	2,474
Other Mergansers	5,726	5,009	1,030	3,629	3,998	2,276
Other Ducks	0	78	0	0	0	99
Total Duck Harvest	185,700±8%	194,700±10%	204,500±47%	271,700±22%	138,100±22%	132,300±14%
Total Active Duck Hunters ^a	19,500±6%	21,500±5%	17,500±34%	24,800±17%	23,500±14%	28,600±13%
Total Duck Hunter Days Afield ^b	123,200±8%	134,700±9%	115,600±43%	155,300±18%	138,900±20%	128,600±12%
Seasonal Duck Harvest Per Hunter ^a	9.0±11%	8.7±11%	11.7±58%	11.0±28%	5.9±26%	4.6±19%
<hr/>						
Goose Species Composition						
Canada Goose	109,305	119,980	28,129	73,200	167,600	180,943
Snow Goose	4,460	8,821	0	1,800	3,575	8,249
Blue Goose	0	0	0	600	0	109
Ross's Goose	0	0	0	0	0	0
White-fronted Goose	0	0	0	0	0	0
Brant	5,834	4,700	1,100	6,200	825	0
Other Geese	0	0	471	0	0	0
Total Goose Harvest	119,600±11%	133,500±10%	29,700±57%	81,800±29%	172,000±17%	189,300±13%
Total Active Goose Hunters ^b	16,900±6%	17,500±6%	10,200±46%	19,800±18%	32,500±11%	37,000±10%
Total Goose Hunter Days Afield ^b	95,000±8%	104,400±9%	26,500±41%	81,700±27%	180,800±14%	189,800±11%
Seasonal Goose Harvest Per Hunter ^b	6.9±12%	7.4±11%	2.8±73%	3.8±34%	5.3±20%	5.1±17%
<hr/>						
Active Waterfowl Hunters	23,800±5%	25,800±4%	18,700±33%	27,700±16%	43,900±10%	47,900±10%
<hr/>						
Sample Sizes						
Duck Wings	2,452	2,482	1,588	1,198	1,140	1,337
Goose Tails	1,511	1,730	243	128	1,251	1,744

Table 1A. Preliminary estimates of waterfowl harvest and hunter activity in the Atlantic Flyway during the 2004 and 2005 hunting seasons.

Duck Species Composition	Rhode Island		South Carolina		Vermont	
	2004	2005	2004	2005	2004	2005
Mallard	1,409	2,155	22,480	24,817	10,882	10,689
Domestic Mallard	0	33	1,911	2,345	82	0
Black Duck	1,075	1,459	674	977	1,923	2,319
Mallard x Black Duck Hybrid	185	199	112	1,563	0	181
Mottled Duck	0	0	112	195	0	0
Gadwall	223	298	2,248	782	205	109
Wigeon	371	265	2,136	586	245	254
Green-winged Teal	74	133	17,422	15,438	2,495	2,718
Blue-winged/Cinnamon Teal	0	0	8,542	14,265	245	652
Northern Shoveler	0	0	899	1,759	82	145
Northern Pintail	37	0	337	195	450	145
Wood Duck	371	265	68,226	78,751	4,336	3,805
Redhead	0	33	337	195	0	0
Canvasback	37	0	112	0	0	0
Greater Scaup	111	66	112	195	82	181
Lesser Scaup	74	66	2,810	1,954	123	362
Ring-necked Duck	74	33	6,070	12,702	695	725
Goldeneyes	371	133	0	0	1,432	1,920
Bufflehead	297	398	562	1,954	123	181
Ruddy Duck	0	0	0	195	0	217
Long-tailed Duck	48	0	0	195	41	254
Eiders	820	3,069	0	0	0	0
Scoters	932	1,631	0	782	41	254
Hooded Merganser	148	298	3,147	6,253	245	109
Other Mergansers	742	464	0	0	573	181
Other Ducks	0	0	450	0	0	0
Total Duck Harvest	7,400±17%	11,000±24%	138,700±15%	166,100±17%	24,300±29%	25,400±16%
Total Active Duck Hunters ^a	800±15%	1,000±20%	15,400±18%	19,400±16%	2,600±24%	2,400±25%
Total Duck Hunter Days Afield ^b	5,400±17%	6,000±21%	89,300±13%	111,000±16%	17,100±25%	20,200±41%
Seasonal Duck Harvest Per Hunter ^a	7.0±23%	6.5±31%	9.0±24%	8.6±23%	9.3±38%	10.6±30%
<hr/>						
Goose Species Composition						
Canada Goose	4,378	3,086	16,961	27,600	7,127	9,341
Snow Goose	22	14	170	0	1,740	359
Blue Goose	0	0	0	0	0	0
Ross's Goose	0	0	0	0	0	0
White-fronted Goose	0	0	0	0	0	0
Brant	300	700	0	0	33	0
Other Geese	0	0	170	0	0	0
Total Goose Harvest	4,700±28%	3,800±23%	17,300±36%	27,600±37%	8,900±28%	9,700±30%
Total Active Goose Hunters ^b	800±17%	900±22%	6,500±29%	8,000±22%	2,200±21%	2,200±24%
Total Goose Hunter Days Afield ^b	5,300±26%	4,700±25%	20,300±30%	32,900±35%	11,300±28%	13,300±46%
Seasonal Goose Harvest Per Hunter ^b	5.5±33%	3.6±31%	2.7±46%	3.5±43%	4.0±35%	4.4±38%
<hr/>						
Active Waterfowl Hunters	1,200±11%	1,400±15%	16,700±19%	19,800±16%	2,900±23%	3,300±24%
<hr/>						
Sample Sizes						
Duck Wings	263	311	1,234	850	594	701
Goose Tails	208	248	102	44	266	324

Table 1A. Preliminary estimates of waterfowl harvest and hunter activity in the Atlantic Flyway during the 2004 and 2005 hunting seasons.

Duck Species Composition	Virginia		West Virginia		Flyway Total	
	2004	2005	2004	2005	2004	2005
Mallard	41,054	53,538	3,104	1,374	439,216	444,305
Domestic Mallard	520	545	61	0	10,055	9,557
Black Duck	7,102	9,260	578	214	76,263	93,406
Mallard x Black Duck Hybrid	779	1,245	61	31	8,857	13,655
Mottled Duck	0	0	0	0	15,339	10,700
Gadwall	5,890	5,136	30	31	27,509	34,337
Wigeon	1,732	2,023	30	31	21,642	20,867
Green-winged Teal	11,606	8,171	122	31	120,014	120,672
Blue-winged/Cinnamon Teal	173	1,245	30	61	73,970	77,147
Northern Shoveler	606	700	0	0	11,069	18,672
Northern Pintail	866	545	0	0	11,226	17,339
Wood Duck	18,968	16,886	1,491	2,168	283,426	323,482
Redhead	953	467	0	0	5,844	9,291
Canvasback	1,126	778	0	0	9,957	4,433
Greater Scaup	1,126	700	0	0	17,254	18,237
Lesser Scaup	3,378	6,381	0	0	66,091	63,698
Ring-necked Duck	10,826	10,272	30	0	77,542	109,021
Goldeneyes	433	856	0	0	13,129	18,838
Bufflehead	12,212	8,093	0	0	54,348	55,941
Ruddy Duck	953	311	30	0	4,862	11,709
Long-tailed Duck	3,912	1,642	0	0	20,909	14,999
Eiders	0	0	0	0	21,585	22,893
Scoters	7,388	6,158	0	0	50,617	42,125
Hooded Merganser	3,205	3,657	30	61	27,450	34,037
Other Mergansers	1,992	311	0	0	20,099	18,061
Other Ducks	0	78	0	0	3,124	3,076
Total Duck Harvest	136,800±17%	139,000±16%	5,600±31%	4,000±45%	1,491,400±9%	1,610,500±6%
Total Active Duck Hunters^a	16,900±11%	18,600±11%	1,100±27%	800±28%		
Total Duck Hunter Days Afield^d	88,600±13%	98,700±15%	5,200±34%	4,100±33%	980,000±7%	1,067,300±5%
Seasonal Duck Harvest Per Hunter^a	7.4±20%	7.1±19%	5.1±42%	4.9±53%		
<hr/>						
Goose Species Composition						
Canada Goose	54,983	61,444	7,400	3,900	643,419	774,515
Snow Goose	817	56	0	0	31,548	35,394
Blue Goose	0	0	0	0	0	709
Ross's Goose	0	0	0	0	0	0
White-fronted Goose	0	0	0	0	0	87
Brant	2,800	6,100	0	0	18,693	30,400
Other Geese	0	0	0	0	640	96
Total Goose Harvest	58,600±16%	67,600±14%	7,400±60%	3,900±67%	694,600±6%^c	841,200±6%
Total Active Goose Hunters^b	12,900±11%	14,500±11%	1,100±30%	500±34%		
Total Goose Hunter Days Afield^b	63,400±14%	70,400±13%	7,100±46%	3,700±41%	681,600±5%	796,300±6%
Seasonal Goose Harvest Per Hunter^b	4.3±19%	4.3±18%	6.7±67%	7.1±75%		
<hr/>						
Active Waterfowl Hunters	20,600±9%	25,000±9%	1,400±24%	1,000±25%		
<hr/>						
Sample Sizes						
Duck Wings	1,475	1,705	184	131	16,423	18,322
Goose Tails	780	1,154	234	159	7,927	10,015

Table 1B. Preliminary estimates of waterfowl harvest and hunter activity in the Mississippi Flyway during the 2004 and 2005 hunting seasons.

Duck Species Composition	Alabama		Arkansas		Illinois	
	2004	2005	2004	2005	2004	2005
Mallard	29,404	20,138	556,533	475,075	194,135	209,044
Domestic Mallard	684	0	0	0	562	589
Black Duck	1,710	1,467	319	835	2,059	2,944
Mallard x Black Duck Hybrid	0	133	0	0	0	589
Mottled Duck	0	400	319	835	0	0
Gadwall	25,643	50,546	177,759	177,005	23,214	26,106
Wigeon	684	2,267	24,530	24,630	4,306	9,029
Green-winged Teal	5,129	7,068	147,814	125,239	16,662	24,928
Blue-winged/Cinnamon Teal	6,496	4,534	18,158	23,796	7,114	14,721
Northern Shoveler	2,393	2,134	59,253	60,532	7,676	14,133
Northern Pintail	0	934	16,565	22,961	3,931	6,281
Wood Duck	75,903	34,142	91,747	119,812	28,268	31,013
Redhead	342	133	1,593	2,505	1,498	3,337
Canvasback	0	1,600	0	835	936	4,711
Greater Scaup	2,051	133	2,230	2,087	2,434	1,963
Lesser Scaup	5,812	934	8,283	12,941	5,429	13,151
Ring-necked Duck	13,676	6,535	16,247	24,213	14,228	12,562
Goldeneyes	684	400	0	417	2,621	1,963
Bufflehead	3,419	400	956	835	1,685	1,767
Ruddy Duck	684	667	0	0	374	0
Long-tailed Duck	0	0	0	0	0	0
Eiders	0	0	0	0	0	0
Scoters	0	0	0	0	1,310	785
Hooded Merganser	4,787	1,734	4,460	5,845	1,685	589
Other Mergansers	0	0	0	0	374	196
Other Ducks	0	0	637	0	0	0
Total Duck Harvest	179,500±45%	136,300±34%	1,127,400±12%	1,080,400±14%	320,500±12%	380,400±11%
Total Active Duck Hunters	12,400±24%	10,200±29%	67,800±8%	64,900±9%	37,300±8%	31,600±9%
Total Duck Hunter Days Afield	96,600±32%	61,800±29%	538,000±11%	462,700±13%	314,100±11%	260,900±10%
Seasonal Duck Harvest Per Hunter	14.5±51%	13.4±44%	16.6±15%	16.7±17%	8.6±14%	12.0±15%
<hr/>						
Goose Species Composition						
Canada Goose	22,500	16,514	10,127	19,962	101,362	102,707
Snow Goose	0	486	44,241	51,754	793	2,698
Blue Goose	0	0	28,783	36,967	476	2,890
Ross's Goose	0	0	533	0	0	578
White-fronted Goose	0	0	29,316	26,616	1,269	1,927
Brant	0	0	0	0	0	0
Other Geese	0	0	0	0	0	0
Total Goose Harvest	22,500±59%	17,000±54%	113,000±27%	135,300±23%	103,900±17%	110,800±21%
Total Active Goose Hunters	5,500±33%	4,900±42%	22,800±15%	24,000±15%	27,900±10%	26,400±10%
Total Goose Hunter Days Afield	19,700±38%	40,000±90%	85,800±19%	108,800±25%	217,700±14%	187,900±13%
Seasonal Goose Harvest Per Hunter	4.1±67%	3.5±69%	5.0±31%	5.6±27%	3.7±19%	4.2±23%
<hr/>						
Active Waterfowl Hunters	12,900±24%	10,600±28%	68,900±8%	65,500±9%	42,100±7%	38,100±9%
<hr/>						
Sample Sizes						
Duck Wings	525	1,022	3,539	2,588	1,712	1,938
Goose Tails	11	35	212	183	655	575

Table 1B. Preliminary estimates of waterfowl harvest and hunter activity in the Mississippi Flyway during the 2004 and 2005 hunting seasons.

Duck Species Composition	Indiana		Iowa		Kentucky	
	2004	2005	2004	2005	2004	2005
Mallard	71,569	76,069	54,700	77,872	130,324	115,244
Domestic Mallard	0	404	224	540	878	435
Black Duck	1,961	2,154	224	180	5,266	9,133
Mallard x Black Duck Hybrid	163	0	224	180	0	0
Mottled Duck	0	0	0	0	0	0
Gadwall	2,778	11,713	10,761	9,891	8,337	16,526
Wigeon	1,634	942	4,484	2,338	3,510	6,523
Green-winged Teal	3,922	7,809	16,814	21,221	7,021	5,219
Blue-winged/Cinnamon Teal	2,451	5,789	28,471	39,026	2,194	6,958
Northern Shoveler	654	2,558	3,811	4,496	1,755	1,305
Northern Pintail	654	1,077	3,139	4,316	4,388	1,740
Wood Duck	14,379	17,099	52,906	38,127	17,113	16,091
Redhead	490	135	897	1,259	1,755	1,740
Canvasback	0	404	448	180	878	435
Greater Scaup	163	539	448	180	1,316	435
Lesser Scaup	490	539	1,345	899	5,704	4,349
Ring-necked Duck	1,307	539	5,380	3,237	2,633	435
Goldeneyes	163	942	0	360	0	435
Bufflehead	2,941	1,346	224	360	3,510	0
Ruddy Duck	0	269	0	0	0	0
Long-tailed Duck	0	0	0	0	0	0
Eiders	0	0	0	0	0	0
Scoters	0	0	0	0	0	0
Hooded Merganser	980	269	0	540	878	0
Other Mergansers	0	404	0	0	439	0
Other Ducks	0	0	0	0	0	0
Total Duck Harvest	106,700±18%	131,000±29%	184,500±13%	205,200±21%	197,900±33%	187,000±30%
Total Active Duck Hunters	13,000±11%	13,300±11%	20,400±10%	17,300±12%	12,100±19%	15,700±19%
Total Duck Hunter Days Afield	102,000±18%	100,100±16%	203,000±19%	128,900±17%	151,200±37%	138,600±28%
Seasonal Duck Harvest Per Hunter	8.2±21%	9.8±31%	9.0±17%	11.8±24%	16.4±38%	12.0±36%
<hr/>						
<u>Goose Species Composition</u>						
Canada Goose	69,900	57,975	70,257	78,615	45,031	35,035
Snow Goose	0	206	348	585	495	865
Blue Goose	0	206	696	0	495	0
Ross's Goose	0	103	0	0	0	0
White-fronted Goose	0	411	0	0	1,979	0
Brant	0	0	0	0	0	0
Other Geese	0	0	0	0	0	0
Total Goose Harvest	69,900±22%	58,900±16%	71,300±26%	79,200±20%	48,000±47%	35,900±33%
Total Active Goose Hunters	14,900±10%	12,900±10%	15,000±11%	15,500±13%	11,200±20%	9,800±23%
Total Goose Hunter Days Afield	111,300±14%	90,200±13%	118,300±19%	103,200±18%	106,500±34%	73,500±31%
Seasonal Goose Harvest Per Hunter	4.7±24%	4.6±19%	4.8±29%	5.1±24%	4.3±51%	3.7±41%
<hr/>						
Active Waterfowl Hunters	15,700±10%	14,900±10%	23,900±9%	20,800±11%	12,900±18%	16,400±19%
<hr/>						
<u>Sample Sizes</u>						
Duck Wings	653	973	823	1,141	451	430
Goose Tails	350	573	205	406	97	83

Table 1B. Preliminary estimates of waterfowl harvest and hunter activity in the Mississippi Flyway during the 2004 and 2005 hunting seasons.

Duck Species Composition	Louisiana		Michigan		Minnesota	
	2004	2005	2004	2005	2004	2005
Mallard	80,355	101,308	158,927	135,463	179,277	169,582
Domestic Mallard	0	0	1,098	185	838	240
Black Duck	365	0	9,659	9,412	279	719
Mallard x Black Duck Hybrid	183	306	1,098	1,107	558	0
Mottled Duck	34,699	25,097	0	0	0	0
Gadwall	183,904	168,949	5,707	5,168	31,276	15,090
Wigeon	27,577	23,873	6,366	3,507	24,574	13,174
Green-winged Teal	116,333	149,361	22,829	20,486	44,959	27,545
Blue-winged/Cinnamon Teal	157,971	92,126	2,634	5,168	106,114	50,539
Northern Shoveler	33,968	44,992	439	2,399	17,313	13,174
Northern Pintail	15,523	33,667	9,878	3,137	14,242	9,820
Wood Duck	77,981	109,572	39,732	32,113	127,616	98,204
Redhead	3,287	7,346	3,293	12,181	9,494	16,767
Canvasback	1,461	7,040	0	1,476	4,747	8,623
Greater Scaup	1,644	1,836	7,683	10,335	3,072	1,437
Lesser Scaup	26,116	36,728	12,951	7,013	12,008	12,934
Ring-necked Duck	52,414	65,498	8,561	7,567	75,118	75,689
Goldeneyes	183	0	11,195	3,507	9,494	7,186
Bufflehead	1,278	1,224	21,073	15,687	8,936	3,832
Ruddy Duck	0	306	220	1,476	1,955	479
Long-tailed Duck	0	0	1,098	2,030	558	0
Eiders	0	0	0	0	0	0
Scoters	0	0	1,098	2,768	838	719
Hooded Merganser	3,835	4,285	4,171	1,476	9,215	4,790
Other Mergansers	731	0	3,293	738	1,117	958
Other Ducks	2,192	4,285	0	0	0	0
Total Duck Harvest	822,000±13%	877,800±14%	333,000±15%	284,400±12%	683,600±10%	531,500±12%
Total Active Duck Hunters	52,200±10%	48,400±11%	43,100±9%	40,900±10%	89,600±7%	71,000±8%
Total Duck Hunter Days Afield	449,500±14%	333,000±15%	270,600±10%	225,200±11%	595,600±12%	404,100±11%
Seasonal Duck Harvest Per Hunter	15.7±16%	18.2±18%	7.7±17%	7.0±16%	7.6±13%	7.5±15%
<hr/>						
Goose Species Composition						
Canada Goose	0	2,962	130,000	141,800	234,062	207,266
Snow Goose	29,351	25,913	0	0	360	234
Blue Goose	38,093	68,115	0	0	1,079	0
Ross's Goose	624	1,481	0	0	0	0
White-fronted Goose	51,832	59,230	0	0	0	0
Brant	0	0	0	0	0	0
Other Geese	0	0	0	0	0	0
Total Goose Harvest	119,900±36%	157,700±26%	130,000±15%	141,800±16%	235,500±13%	207,500±13%
Total Active Goose Hunters	17,000±16%	19,500±14%	34,300±9%	38,000±10%	72,100±7%	58,600±9%
Total Goose Hunter Days Afield	96,000±23%	116,800±26%	177,200±12%	186,600±12%	470,600±11%	366,300±12%
Seasonal Goose Harvest Per Hunter	7.1±39%	8.1±30%	3.8±17%	3.7±18%	3.3±15%	3.5±16%
<hr/>						
Active Waterfowl Hunters	54,200±10%	50,100±11%	53,900±8%	52,300±9%	107,400±6%	81,000±8%
<hr/>						
Sample Sizes						
Duck Wings	4,501	2,868	1,517	1,541	2,448	2,219
Goose Tails	192	213	540	589	655	888

Table 1B. Preliminary estimates of waterfowl harvest and hunter activity in the Mississippi Flyway during the 2004 and 2005 hunting seasons.

Duck Species Composition	Mississippi		Missouri		Ohio	
	2004	2005	2004	2005	2004	2005
Mallard	127,029	155,981	175,545	242,104	77,507	59,826
Domestic Mallard	0	227	193	559	212	1,035
Black Duck	507	453	0	559	2,973	3,312
Mallard x Black Duck Hybrid	0	0	0	0	425	207
Mottled Duck	0	0	0	0	0	0
Gadwall	50,203	48,291	59,030	65,368	1,911	9,730
Wigeon	9,128	8,162	11,189	9,498	1,911	1,449
Green-winged Teal	19,777	32,874	25,850	39,854	11,892	7,038
Blue-winged/Cinnamon Teal	1,521	2,494	6,173	17,506	4,459	6,003
Northern Shoveler	11,410	14,510	12,539	26,073	1,911	1,449
Northern Pintail	3,550	3,854	4,051	10,988	849	1,035
Wood Duck	40,314	26,752	18,326	25,514	26,968	17,389
Redhead	761	1,587	386	3,166	1,062	1,242
Canvasback	254	0	0	931	0	414
Greater Scaup	254	0	0	186	1,062	207
Lesser Scaup	11,156	2,721	2,315	3,725	1,486	2,484
Ring-necked Duck	5,832	4,081	9,645	14,154	1,486	5,175
Goldeneyes	0	0	193	1,490	849	1,242
Bufflehead	1,014	680	193	0	1,062	2,691
Ruddy Duck	507	0	386	186	637	207
Long-tailed Duck	0	0	0	0	0	0
Eiders	0	0	0	0	0	0
Scoters	0	0	386	0	0	0
Hooded Merganser	6,085	1,134	1,929	2,980	1,699	1,656
Other Mergansers	0	0	772	372	637	207
Other Ducks	0	0	0	186	0	0
Total Duck Harvest	289,300±19%	303,800±26%	329,100±19%	465,400±28%	141,000±17%	124,000±17%
Total Active Duck Hunters	19,200±14%	18,200±22%	28,500±13%	28,700±13%	21,500±17%	20,300±18%
Total Duck Hunter Days Afield	130,600±14%	118,200±26%	213,600±18%	221,700±20%	134,600±19%	122,700±17%
Seasonal Duck Harvest Per Hunter	15.1±24%	16.7±34%	11.5±23%	16.2±31%	6.6±24%	6.1±25%
<hr/>						
Goose Species Composition						
Canada Goose	8,707	2,864	8,774	39,270	96,000	90,100
Snow Goose	5,378	8,591	25,544	25,148	0	0
Blue Goose	4,354	11,045	11,772	12,574	0	0
Ross's Goose	1,024	1,227	2,777	1,548	0	0
White-fronted Goose	1,537	3,273	333	1,161	0	0
Brant	0	0	0	0	0	0
Other Geese	0	0	0	0	0	0
Total Goose Harvest	21,000±29%	27,000±55%	49,200±44%	79,700±35%	96,000±17%	90,100±16%
Total Active Goose Hunters	6,500±25%	4,600±39%	13,100±18%	16,200±15%	27,000±14%	23,000±15%
Total Goose Hunter Days Afield	31,800±40%	17,000±46%	59,900±24%	71,400±20%	160,000±18%	143,900±17%
Seasonal Goose Harvest Per Hunter	3.2±38%	5.9±68%	3.8±47%	4.9±38%	3.6±22%	3.9±22%
<hr/>						
Active Waterfowl Hunters	19,400±14%	18,300±22%	30,900±12%	33,700±12%	26,500±15%	25,400±17%
<hr/>						
Sample Sizes						
Duck Wings	1,141	1,340	1,706	2,499	664	599
Goose Tails	82	66	443	412	270	346

Table 1B. Preliminary estimates of waterfowl harvest and hunter activity in the Mississippi Flyway during the 2004 and 2005 hunting seasons.

Duck Species Composition	Tennessee		Wisconsin		Flyway Total	
	2004	2005	2004	2005	2004	2005
Mallard	191,225	92,869	173,400	118,808	2,199,931	2,049,383
Domestic Mallard	0	327	327	0	5,015	4,539
Black Duck	7,426	2,943	2,945	2,254	35,692	36,365
Mallard x Black Duck Hybrid	0	327	0	0	2,651	2,849
Mottled Duck	0	0	0	0	35,018	26,333
Gadwall	56,625	22,890	17,340	8,049	654,488	635,321
Wigeon	14,852	4,578	15,050	11,269	149,793	121,240
Green-winged Teal	14,852	8,502	44,168	36,705	498,019	513,850
Blue-winged/Cinnamon Teal	464	1,308	21,266	44,110	365,488	314,079
Northern Shoveler	1,857	3,924	3,926	3,864	158,905	195,542
Northern Pintail	2,321	3,924	11,451	3,542	90,542	107,276
Wood Duck	38,524	30,084	79,829	77,596	729,608	673,507
Redhead	5,570	1,962	4,908	8,693	35,334	62,051
Canvasback	464	1,308	1,636	4,830	10,824	32,786
Greater Scaup	464	0	5,235	5,474	28,056	24,812
Lesser Scaup	4,641	3,924	10,797	9,015	108,534	111,357
Ring-necked Duck	17,637	7,848	9,815	12,557	233,979	240,090
Goldeneyes	0	327	4,908	5,152	30,290	23,420
Bufflehead	1,392	0	12,105	13,201	59,789	42,024
Ruddy Duck	464	0	0	644	5,227	4,235
Long-tailed Duck	0	0	3,272	2,898	4,928	4,928
Eiders	0	0	0	0	0	0
Scoters	0	327	654	322	4,286	4,921
Hooded Merganser	1,857	327	5,889	4,830	47,469	30,454
Other Mergansers	464	0	982	1,288	8,808	4,164
Other Ducks	0	0	0	0	2,829	4,471
Total Duck Harvest	361,100±41%	187,700±32%	429,900±10%	375,100±12%	5,505,500±5%	5,270,000±5%
Total Active Duck Hunters	21,500±29%	13,100±33%	67,400±8%	56,100±10%		
Total Duck Hunter Days Afield	210,700±35%	103,900±38%	447,100±9%	393,900±16%	3,857,300±4%	3,075,500±5%
Seasonal Duck Harvest Per Hunter	16.8±50%	14.3±45%	6.4±13%	6.7±16%		
<hr/>						
Goose Species Composition						
Canada Goose	58,100	26,400	97,300	106,988	952,120	928,457
Snow Goose	0	0	0	0	106,509	116,479
Blue Goose	0	0	0	675	85,747	132,472
Ross's Goose	0	0	0	0	4,958	4,936
White-fronted Goose	0	0	0	338	86,266	92,956
Brant	0	0	0	0	0	0
Other Geese	0	0	0	0	0	0
Total Goose Harvest	58,100±52%	26,400±52%	97,300±16%	108,000±17%	1,235,600±7%	1,275,300±6%
Total Active Goose Hunters	17,800±29%	11,600±33%	51,100±9%	51,100±9%		
Total Goose Hunter Days Afield	117,700±38%	95,400±57%	314,400±12%	327,600±15%	2,086,800±5%	1,928,500±6%
Seasonal Goose Harvest Per Hunter	3.3±60%	2.3±62%	1.9±18%	2.1±19%		
<hr/>						
Active Waterfowl Hunters	22,300±28%	13,200±32%	88,500±7%	82,300±8%		
<hr/>						
Sample Sizes						
Duck Wings	778	574	1,314	1,165	21,772	20,897
Goose Tails	32	59	289	320	4,033	4,748

Table 1C. Preliminary estimates of waterfowl harvest and hunter activity in the Central Flyway during the 2004 and 2005 hunting seasons.

Duck Species Composition	Colorado		Kansas		Nebraska	
	2004	2005	2004	2005	2004	2005
Mallard	65,582	48,352	133,582	84,193	95,874	89,415
Domestic Mallard	0	0	0	0	121	0
Black Duck	0	0	0	0	0	0
Mallard x Black Duck Hybrid	0	0	0	0	0	0
Mottled Duck	0	0	0	0	0	0
Gadwall	9,038	11,534	41,374	21,629	12,848	9,495
Wigeon	11,008	8,326	13,371	7,332	11,272	9,043
Green-winged Teal	11,239	10,006	31,913	15,397	22,787	17,408
Blue-winged/Cinnamon Teal	11,935	9,548	25,985	11,975	10,666	19,330
Northern Shoveler	3,128	3,972	5,298	4,277	2,424	3,617
Northern Pintail	1,390	993	3,280	3,666	3,030	3,052
Wood Duck	2,781	1,222	3,027	1,589	3,273	4,748
Redhead	579	1,680	2,018	3,788	970	3,391
Canvasback	0	306	252	489	0	452
Greater Scaup	116	0	126	0	0	113
Lesser Scaup	927	458	1,766	244	848	339
Ring-necked Duck	1,390	1,451	4,793	2,688	1,333	2,487
Goldeneyes	2,665	687	1,514	122	364	226
Bufflehead	348	229	1,009	122	485	1,356
Ruddy Duck	0	153	126	122	121	0
Long-tailed Duck	0	0	0	0	0	0
Eiders	0	0	0	0	0	0
Scoters	0	0	126	0	0	113
Hooded Merganser	116	153	1,388	367	485	0
Other Mergansers	1,159	229	126	0	0	113
Other Ducks	0	0	126	0	0	0
Total Duck Harvest	123,400±16%	99,300±16%	271,200±21%	158,000±21%	166,900±12%	164,700±18%
Total Active Duck Hunters	13,600±11%	12,300±13%	19,200±13%	11,600±17%	16,800±10%	15,600±12%
Total Duck Hunter Days Afield	85,400±14%	66,700±14%	124,000±15%	87,700±23%	129,100±10%	110,900±15%
Seasonal Duck Harvest Per Hunter	9.1±20%	8.1±21%	14.1±25%	13.7±27%	9.9±15%	10.6±22%

Goose Species Composition						
Canada Goose	64,395	74,768	80,218	99,178	62,672	100,078
Snow Goose	9,199	10,776	11,231	6,211	4,242	7,992
Blue Goose	242	333	3,646	1,165	2,893	2,361
Ross's Goose	2,542	1,222	2,917	776	1,350	1,271
White-fronted Goose	121	0	5,688	970	1,543	1,998
Brant	0	0	0	0	0	0
Other Geese	0	0	0	0	0	0
Total Goose Harvest	76,500±16%	87,100±17%	103,700±19%	108,300±35%	72,700±16%	113,700±16%
Total Active Goose Hunters	14,700±11%	14,600±11%	15,500±14%	12,000±18%	15,100±10%	15,400±11%
Total Goose Hunter Days Afield	92,200±13%	84,300±12%	98,000±19%	84,800±26%	117,500±12%	129,200±14%
Seasonal Goose Harvest Per Hunter	5.2±19%	6.0±20%	6.7±23%	9.0±39%	4.8±18%	7.4±19%

Active Waterfowl Hunters	21,000±9%	19,500±10%	23,900±12%	13,600±16%	21,000±9%	19,200±10%

Sample Sizes						
Duck Wings	1,065	1,300	2,150	1,293	1,377	1,457
Goose Tails	632	784	711	558	377	626

Table 1C. Preliminary estimates of waterfowl harvest and hunter activity in the Central Flyway during the 2004 and 2005 hunting seasons.

Duck Species Composition	New Mexico		North Dakota		Oklahoma	
	2004	2005	2004	2005	2004	2005
Mallard	17,068	11,280	223,924	233,142	186,755	125,375
Domestic Mallard	32	74	117	115	173	0
Black Duck	0	0	0	115	0	0
Mallard x Black Duck Hybrid	0	0	117	0	0	0
Mottled Duck	0	0	0	0	0	0
Gadwall	4,396	5,232	125,440	95,382	69,687	57,475
Wigeon	4,041	4,527	44,458	22,286	23,171	16,307
Green-winged Teal	2,586	6,122	31,389	21,594	25,592	29,807
Blue-winged/Cinnamon Teal	550	705	25,205	34,758	3,285	8,955
Northern Shoveler	2,004	1,187	22,404	20,208	7,781	8,688
Northern Pintail	743	1,150	21,004	20,670	5,706	5,614
Wood Duck	485	519	2,217	1,963	8,300	10,426
Redhead	97	408	7,935	20,785	2,248	2,005
Canvasback	65	37	4,784	7,621	346	1,470
Greater Scaup	0	0	350	462	346	134
Lesser Scaup	0	37	20,187	21,709	1,383	2,406
Ring-necked Duck	743	668	8,168	10,277	11,413	14,168
Goldeneyes	226	334	467	115	1,902	535
Bufflehead	162	37	2,684	7,275	173	401
Ruddy Duck	129	0	117	115	173	267
Long-tailed Duck	0	0	0	115	0	0
Eiders	0	0	0	0	0	0
Scoters	0	0	117	0	0	0
Hooded Merganser	65	37	817	693	865	1,069
Other Mergansers	453	111	0	0	0	0
Other Ducks	1,455	334	0	0	0	0
Total Duck Harvest	35,300±30%	32,800±38%	541,900±8%	519,400±8%	349,300±22%	285,100±32%
Total Active Duck Hunters	3,300±18%	2,900±20%	36,900±5%	36,300±5%	15,300±13%	16,100±15%
Total Duck Hunter Days Afield	25,600±35%	16,700±28%	194,200±8%	186,700±7%	130,300±18%	107,700±24%
Seasonal Duck Harvest Per Hunter	10.7±35%	11.4±43%	14.7±9%	14.3±9%	22.8±25%	17.8±35%
<hr/>						
<u>Goose Species Composition</u>						
Canada Goose	5,510	3,778	118,427	133,043	41,630	29,545
Snow Goose	1,017	2,167	9,568	6,388	2,140	6,591
Blue Goose	0	0	8,079	12,775	389	2,386
Ross's Goose	2,373	1,556	213	913	1,167	2,500
White-fronted Goose	0	0	1,914	183	4,280	1,477
Brant	0	0	0	0	195	0
Other Geese	0	0	0	0	0	0
Total Goose Harvest	8,900±59%	7,500±35%	138,200±13%	153,300±13%	49,800±27%	42,500±21%
Total Active Goose Hunters	2,300±23%	2,000±24%	24,700±6%	26,500±6%	10,000±14%	9,900±18%
Total Goose Hunter Days Afield	11,400±37%	8,300±36%	123,100±9%	132,900±9%	44,500±17%	42,900±24%
Seasonal Goose Harvest Per Hunter	3.9±63%	3.8±42%	5.6±14%	5.8±14%	5.0±31%	4.3±27%
<hr/>						
Active Waterfowl Hunters	4,300±17%	3,700±18%	40,500±4%	40,600±5%	16,500±13%	17,500±15%
<hr/>						
<u>Sample Sizes</u>						
Duck Wings	1,092	884	4,644	4,498	2,020	2,133
Goose Tails	105	135	1,300	840	256	374

Table 1C. Preliminary estimates of waterfowl harvest and hunter activity in the Central Flyway during the 2004 and 2005 hunting seasons.

Duck Species Composition	South Dakota		Texas		Wyoming	
	2004	2005	2004	2005	2004	2005
Mallard	93,993	81,701	117,021	171,208	24,975	22,574
Domestic Mallard	0	93	1,979	764	0	163
Black Duck	0	0	0	0	0	0
Mallard x Black Duck Hybrid	194	0	0	0	0	0
Mottled Duck	0	0	14,133	14,904	0	0
Gadwall	35,867	28,511	178,924	269,041	4,290	2,992
Wigeon	17,593	7,478	97,800	126,495	3,241	2,665
Green-winged Teal	17,982	14,396	124,653	241,526	4,861	2,393
Blue-winged/Cinnamon Teal	14,289	14,770	134,264	133,756	1,716	1,142
Northern Shoveler	9,331	8,974	51,444	86,368	953	490
Northern Pintail	4,763	5,141	22,330	37,834	477	490
Wood Duck	3,791	4,020	50,031	42,038	95	272
Redhead	2,236	3,926	18,373	40,127	95	326
Canvasback	583	561	2,827	6,497	0	54
Greater Scaup	583	280	2,261	1,529	0	0
Lesser Scaup	8,068	4,207	33,071	24,840	477	163
Ring-necked Duck	2,138	2,057	37,311	42,802	477	218
Goldeneyes	583	467	283	382	667	1,197
Bufflehead	2,236	1,309	6,219	3,822	191	490
Ruddy Duck	778	467	565	1,146	0	218
Long-tailed Duck	0	0	0	0	0	54
Eiders	0	0	0	0	0	0
Scoters	0	0	0	0	0	0
Hooded Merganser	194	654	1,979	5,732	95	0
Other Mergansers	97	0	1,696	764	191	0
Other Ducks	0	187	12,437	3,822	0	0
Total Duck Harvest	215,300±17%	179,200±14%	909,600±40%	1,255,400±23%	42,800±22%	35,900±16%
Total Active Duck Hunters	18,800±10%	15,500±10%	84,900±20%	91,500±18%	3,400±19%	3,600±17%
Total Duck Hunter Days Afield	110,200±16%	86,200±15%	497,000±42%	488,500±25%	31,300±42%	19,700±18%
Seasonal Duck Harvest Per Hunter	11.5±20%	11.6±18%	10.7±45%	13.7±29%	12.6±29%	9.9±23%
<hr/>						
Goose Species Composition						
Canada Goose	96,663	78,822	43,489	83,145	22,602	19,380
Snow Goose	16,719	13,400	114,069	167,330	198	609
Blue Goose	13,207	9,459	19,249	54,045	0	0
Ross's Goose	1,264	473	34,221	44,691	0	55
White-fronted Goose	1,545	946	37,072	108,089	0	0
Brant	0	0	0	0	0	0
Other Geese	0	0	0	0	0	55
Total Goose Harvest	129,400±15%	103,100±22%	248,100±27%	457,300±24%	22,800±23%	20,100±18%
Total Active Goose Hunters	19,200±9%	15,400±10%	47,400±23%	58,800±18%	3,600±17%	4,000±15%
Total Goose Hunter Days Afield	122,600±13%	93,300±14%	140,600±25%	183,500±26%	24,800±30%	20,900±18%
Seasonal Goose Harvest Per Hunter	6.7±18%	6.7±24%	5.2±36%	7.8±30%	6.3±29%	5.0±24%
<hr/>						
Active Waterfowl Hunters	25,100±8%	22,300±8%	194,200±9%	110,400±17%	5,600±15%	6,100±12%
<hr/>						
Sample Sizes						
Duck Wings	2,215	1,917	3,218	3,285	449	660
Goose Tails	921	654	348	440	115	363

Table 1C. Preliminary estimates of waterfowl harvest and hunter activity in the Central Flyway during the 2004 and 2005 hunting seasons.

Duck Species Composition	Flyway Total	
	2004	2005
Mallard	958,774	867,238
Domestic Mallard	2,422	1,211
Black Duck	0	115
Mallard x Black Duck Hybrid	311	0
Mottled Duck	14,133	14,904
Gadwall	481,863	501,290
Wigeon	225,956	204,460
Green-winged Teal	273,004	358,649
Blue-winged/Cinnamon Teal	227,893	234,939
Northern Shoveler	104,769	137,781
Northern Pintail	62,724	78,610
Wood Duck	74,000	66,796
Redhead	34,551	76,438
Canvasback	8,857	17,487
Greater Scaup	3,782	2,518
Lesser Scaup	66,727	54,404
Ring-necked Duck	67,768	76,816
Goldeneyes	8,671	4,066
Bufflehead	13,505	15,041
Ruddy Duck	2,009	2,489
Long-tailed Duck	0	170
Eiders	0	0
Scoters	243	113
Hooded Merganser	6,003	8,705
Other Mergansers	3,721	1,218
Other Ducks	14,018	4,343
Total Duck Harvest	2,655,700±15%	2,729,800±11%
Total Active Duck Hunters		
Total Duck Hunter Days Afield	1,327,000±16%	1,170,800±11%
Seasonal Duck Harvest Per Hunter		

Goose Species Composition		
Canada Goose	535,606	621,738
Snow Goose	168,384	221,463
Blue Goose	47,705	82,524
Ross's Goose	46,047	53,457
White-fronted Goose	52,163	113,663
Brant	195	0
Other Geese	0	55
Total Goose Harvest	850,200±9%	1,092,900±11%
Total Active Goose Hunters		
Total Goose Hunter Days Afield	774,700±6%	779,900±8%
Seasonal Goose Harvest Per Hunter		

Active Waterfowl Hunters		

Sample Sizes		
Duck Wings	18,230	17,427
Goose Tails	4,765	4,774

Table 1D. Preliminary estimates of waterfowl harvest and hunter activity in the Pacific Flyway during the 2004 and 2005 hunting seasons.

Duck Species Composition	Arizona		California		Idaho	
	2004	2005	2004	2005	2004	2005
Mallard	11,295	14,905	359,723	349,758	122,102	172,669
Domestic Mallard	54	0	1,394	1,062	97	255
Black Duck	0	0	0	0	0	0
Mallard x Black Duck Hybrid	0	0	0	0	0	0
Mottled Duck	0	0	0	0	0	0
Gadwall	3,480	2,905	132,566	105,034	6,125	10,210
Wigeon	3,854	2,981	196,846	176,871	18,860	29,352
Green-winged Teal	4,871	10,777	348,748	297,573	14,485	17,867
Blue-winged/Cinnamon Teal	2,302	4,968	57,312	58,160	1,555	255
Northern Shoveler	2,248	2,675	147,722	128,802	2,625	4,339
Northern Pintail	535	2,599	98,771	115,657	3,403	6,509
Wood Duck	0	0	22,472	39,437	1,847	2,680
Redhead	910	382	9,581	7,834	2,042	1,021
Canvasback	54	459	11,497	4,780	194	255
Greater Scaup	161	76	10,278	2,789	389	255
Lesser Scaup	268	688	25,956	8,366	2,430	3,190
Ring-necked Duck	2,891	6,191	31,356	16,731	3,305	2,425
Goldeneyes	642	306	4,703	3,585	5,930	5,615
Bufflehead	107	688	15,852	7,170	1,847	510
Ruddy Duck	161	306	3,484	2,257	194	255
Long-tailed Duck	0	0	0	0	97	0
Eiders	0	0	0	0	0	0
Scoters	0	0	523	398	0	0
Hooded Merganser	54	76	1,219	664	292	638
Other Mergansers	0	76	697	266	681	0
Other Ducks	214	841	0	0	0	0
Total Duck Harvest	34,100±20%	51,900±48%	1,480,700±21%	1,327,200±15%	188,500±16%	258,300±16%
Total Active Duck Hunters	3,700±15%	3,000±23%	52,900±11%	47,000±10%	17,100±12%	18,500±12%
Total Duck Hunter Days Afield	21,100±18%	19,400±30%	554,600±16%	486,700±15%	105,700±16%	110,600±15%
Seasonal Duck Harvest Per Hunter	9.2±25%	17.3±53%	28.0±23%	28.3±18%	11.0±20%	14.0±20%
<hr/>						
Goose Species Composition						
Canada Goose	1,200	1,360	44,492	49,182	62,327	73,738
Snow Goose	1,200	204	35,355	46,653	124	140
Blue Goose	0	0	0	281	0	0
Ross's Goose	0	136	10,329	7,729	249	0
White-fronted Goose	0	0	39,924	42,156	0	421
Brant	0	0	800	900	0	0
Other Geese	0	0	0	0	0	0
Total Goose Harvest	2,400±51%	1,700±58%	130,900±14%	146,900±21%	62,700±20%	74,300±17%
Total Active Goose Hunters	1,300±28%	800±45%	38,200±11%	32,300±11%	13,300±12%	16,000±10%
Total Goose Hunter Days Afield	8,300±44%	3,700±47%	273,000±15%	248,300±17%	87,300±18%	101,300±17%
Seasonal Goose Harvest Per Hunter	1.8±58%	2.1±74%	3.4±18%	4.5±24%	4.7±24%	4.6±20%
<hr/>						
Active Waterfowl Hunters	4,000±14%	3,400±21%	54,700±11%	48,600±10%	19,500±11%	22,200±11%
<hr/>						
Sample Sizes						
Duck Wings	637	679	8,500	9,995	1,939	2,024
Goose Tails	18	25	668	1,051	504	529

Table 1D. Preliminary estimates of waterfowl harvest and hunter activity in the Pacific Flyway during the 2004 and 2005 hunting seasons.

Duck Species Composition	Montana		Nevada		Oregon	
	2004	2005	2004	2005	2004	2005
Mallard	88,042	85,748	12,367	12,639	89,792	142,771
Domestic Mallard	94	57	46	0	129	96
Black Duck	0	0	0	0	0	0
Mallard x Black Duck Hybrid	0	0	0	0	0	0
Mottled Duck	0	0	0	0	0	0
Gadwall	4,701	3,879	7,087	9,231	10,450	18,376
Wigeon	8,414	5,078	2,501	2,834	36,833	51,182
Green-winged Teal	6,628	6,276	5,743	10,265	41,155	61,091
Blue-winged/Cinnamon Teal	2,068	2,225	556	1,341	645	385
Northern Shoveler	1,645	1,769	4,400	4,366	14,643	15,874
Northern Pintail	1,833	2,168	834	3,370	16,643	27,900
Wood Duck	752	1,084	139	728	7,612	10,871
Redhead	1,034	1,255	1,204	1,800	0	577
Canvasback	235	742	324	460	323	289
Greater Scaup	47	57	0	0	5,677	4,137
Lesser Scaup	1,504	1,084	232	153	7,934	5,772
Ring-necked Duck	705	1,483	695	1,111	6,580	6,446
Goldeneyes	1,880	1,940	556	115	1,290	1,828
Bufflehead	517	171	278	536	14,578	5,388
Ruddy Duck	188	0	93	575	258	481
Long-tailed Duck	47	0	0	0	0	0
Eiders	0	0	0	0	0	0
Scoters	0	0	0	0	452	481
Hooded Merganser	141	228	46	38	839	962
Other Mergansers	423	57	0	38	968	2,598
Other Ducks	0	0	0	0	0	96
Total Duck Harvest	120,900±13%	115,300±20%	37,100±16%	49,600±15%	256,800±21%	357,600±19%
Total Active Duck Hunters	14,400±12%	12,100±15%	3,500±19%	3,600±17%	18,500±17%	18,700±12%
Total Duck Hunter Days Afield	71,500±13%	64,300±19%	19,900±25%	22,200±17%	124,900±17%	142,000±17%
Seasonal Duck Harvest Per Hunter	8.4±18%	9.6±24%	10.6±25%	13.6±23%	13.9±27%	19.1±22%
<hr/>						
<u>Goose Species Composition</u>						
Canada Goose	43,859	35,937	5,235	6,414	67,610	61,600
Snow Goose	1,302	2,532	183	309	945	2,877
Blue Goose	0	0	0	77	0	0
Ross's Goose	340	162	0	0	73	0
White-fronted Goose	0	269	183	0	1,672	1,523
Brant	0	0	0	0	0	0
Other Geese	0	0	0	0	0	0
Total Goose Harvest	45,500±15%	38,900±22%	5,600±27%	6,800±23%	70,300±23%	66,000±29%
Total Active Goose Hunters	12,800±13%	9,700±16%	2,400±21%	2,500±19%	13,300±16%	11,500±14%
Total Goose Hunter Days Afield	61,900±22%	42,500±18%	10,500±28%	11,900±24%	82,400±25%	66,600±21%
Seasonal Goose Harvest Per Hunter	3.6±19%	4.0±27%	2.3±34%	2.8±30%	5.3±28%	5.7±32%
<hr/>						
Active Waterfowl Hunters	19,400±10%	14,500±13%	4,000±18%	4,200±16%	21,100±16%	20,800±12%
<hr/>						
<u>Sample Sizes</u>						
Duck Wings	2,572	2,021	801	1,295	3,981	3,717
Goose Tails	804	722	92	88	967	780

Table 1D. Preliminary estimates of waterfowl harvest and hunter activity in the Pacific Flyway during the 2004 and 2005 hunting seasons.

Duck Species Composition	Utah		Washington		Flyway Total	
	2004	2005	2004	2005	2004	2005
Mallard	67,935	85,014	178,118	212,209	929,374	1,075,713
Domestic Mallard	75	169	168	95	2,057	1,735
Black Duck	0	0	0	0	0	0
Mallard x Black Duck Hybrid	0	0	0	95	0	95
Mottled Duck	0	0	0	0	0	0
Gadwall	25,898	34,782	12,081	7,436	202,387	191,852
Wigeon	16,740	21,443	62,840	57,771	346,888	347,513
Green-winged Teal	28,825	51,836	29,113	40,993	479,569	496,678
Blue-winged/Cinnamon Teal	7,582	9,793	503	191	72,523	77,318
Northern Shoveler	19,667	14,943	10,739	12,679	203,689	185,448
Northern Pintail	10,209	23,385	9,313	21,450	141,540	203,037
Wood Duck	75	0	3,440	1,335	36,337	56,135
Redhead	4,804	5,910	3,104	2,097	22,679	20,877
Canvasback	976	1,520	1,342	858	14,945	9,362
Greater Scaup	450	422	5,034	3,909	22,035	11,645
Lesser Scaup	2,552	3,799	10,655	5,053	51,531	28,105
Ring-necked Duck	2,252	3,039	8,138	10,677	55,922	48,103
Goldeneyes	5,930	6,923	4,866	7,150	25,798	27,461
Bufflehead	1,727	4,306	8,977	7,531	43,883	26,301
Ruddy Duck	1,802	1,773	168	95	6,347	5,742
Long-tailed Duck	0	84	252	0	396	84
Eiders	0	0	0	0	0	0
Scoters	0	84	2,265	2,383	3,239	3,347
Hooded Merganser	75	84	1,426	1,430	4,092	4,121
Other Mergansers	1,126	591	671	667	4,565	4,293
Other Ducks	0	0	84	95	298	1,032
Total Duck Harvest	198,700±14%	269,900±19%	353,300±14%	396,200±16%	2,670,200±12%	2,826,000±8%
Total Active Duck Hunters	16,400±11%	17,000±11%	22,400±10%	23,400±10%		
Total Duck Hunter Days Afield	116,600±15%	122,900±17%	163,200±13%	166,300±13%	1,177,200±8%	1,134,500±8%
Seasonal Duck Harvest Per Hunter	12.1±18%	15.9±22%	15.8±17%	17.0±19%		
<hr/>						
Goose Species Composition						
Canada Goose	20,940	30,394	72,147	68,195	317,810	326,820
Snow Goose	80	0	1,535	10,713	40,724	63,428
Blue Goose	0	0	0	0	0	358
Ross's Goose	80	0	0	0	11,070	8,026
White-fronted Goose	0	106	118	691	41,897	45,167
Brant	0	0	500	1,100	1,300	2,000
Other Geese	0	0	0	0	0	0
Total Goose Harvest	21,100±17%	30,500±18%	74,300±17%	80,700±16%	412,800±8%	445,800±9%
Total Active Goose Hunters	10,800±11%	10,800±12%	13,200±12%	15,000±9%		
Total Goose Hunter Days Afield	69,000±17%	70,900±16%	66,400±14%	86,300±14%	658,800±8%	631,500±8%
Seasonal Goose Harvest Per Hunter	2.0±20%	2.8±22%	5.6±21%	5.3±19%		
<hr/>						
Active Waterfowl Hunters	17,300±10%	19,300±10%	26,200±9%	26,600±9%		
<hr/>						
Sample Sizes						
Duck Wings	2,647	3,197	4,211	4,156	25,288	27,084
Goose Tails	264	289	635	702	3,952	4,186

Table 1E. Preliminary estimates of waterfowl harvest and hunter activity in Alaska and the entire US during the 2004 and 2005 hunting seasons.

Duck Species Composition	Alaska		United States Total	
	2004	2005	2004	2005
Mallard	21,479	30,288	4,548,774	4,466,927
Domestic Mallard	0	0	19,548	17,041
Black Duck	0	0	111,954	129,886
Mallard x Black Duck Hybrid	0	0	11,819	16,600
Mottled Duck	0	0	64,489	51,936
Gadwall	969	1,153	1,367,215	1,363,954
Wigeon	8,559	7,622	752,838	701,701
Green-winged Teal	7,994	10,631	1,378,600	1,500,479
Blue-winged/Cinnamon Teal	0	50	739,874	703,534
Northern Shoveler	2,180	4,513	480,612	541,956
Northern Pintail	6,056	5,767	312,087	412,029
Wood Duck	0	0	1,123,371	1,119,921
Redhead	81	251	98,490	168,908
Canvasback	81	351	44,664	64,420
Greater Scaup	807	802	71,934	58,014
Lesser Scaup	888	1,404	293,772	258,968
Ring-necked Duck	1,776	1,153	436,987	475,184
Goldeneyes	3,634	2,908	81,522	76,694
Bufflehead	1,615	2,407	173,140	141,713
Ruddy Duck	81	0	18,526	24,175
Long-tailed Duck	124	0	26,356	20,181
Eiders	0	0	21,585	22,893
Scoters	2,102	3,490	60,487	53,997
Hooded Merganser	0	0	85,014	77,318
Other Mergansers	2,349	285	39,542	28,021
Other Ducks	2,225	1,425	22,494	14,347
Total Duck Harvest	63,000±10%	74,500±14%	12,385,700±5%	12,510,800±4%
Total Active Duck Hunters ^a	4,800±5%	5,700±7%		
Total Duck Hunter Days Afield ^d	26,300±11%	31,100±14%	7,367,700±4%	6,479,200±3%
Seasonal Duck Harvest Per Hunter ^a	11.7±11%	12.2±15%		
<hr/>				
Goose Species Composition				
Canada Goose	4,519	4,200	2,453,474	2,655,730
Snow Goose	0	46	347,164	436,811
Blue Goose	0	0	133,453	216,063
Ross's Goose	0	0	62,075	66,420
White-fronted Goose	2,181	554	182,507	252,426
Brant	600	700	20,787	33,100
Other Geese	0	0	640	151
Total Goose Harvest	7,300±22%	5,500±40%	3,200,400±4% ^c	3,660,700±4%
Total Active Goose Hunters ^b	2,000±10%	1,700±20%		
Total Goose Hunter Days Afield ^b	9,500±16%	6,900±32%	4,211,486±3%	4,143,100±4%
Seasonal Goose Harvest Per Hunter ^b	3.4±24%	2.9±44%		
<hr/>				
Active Waterfowl Hunters	5,200±5%	6,200±7%		
<hr/>				
Sample Sizes				
Duck Wings	751	1,455	82,464	85,185
Goose Tails	45	111	20,722	23,834

^a Duck hunter statistics do not include sea duck hunter statistics for states with special sea duck seasons: Connecticut, Delaware, Maine, Maryland, Massachusetts, New Hampshire, New Jersey, New York, Rhode Island, Virginia, and Alaska. (Refer to Table 2.)

^b Goose hunter statistics do not include brant hunter statistics for coastal states with brant seasons: Connecticut, Delaware, Maryland, Massachusetts, New Jersey, New York, North Carolina, Rhode Island, Virginia, California, Oregon, Washington, and Alaska. (Refer to Table 3.)

^c Harvest estimate contains 300 geese harvested in Florida for which there were no species composition estimates from the Parts Collection Survey.