



News: [Available Now in NWISWeb](#)

Peak Streamflow for the Nation

USGS 01536500 Susquehanna River at Wilkes-Barre, PA

Available data for this site

Surface-water: Peak streamflow



Luzerne County, Pennsylvania				Output formats			
Hydrologic Unit Code 02050107				Table			
Latitude 41°15'03", Longitude 75°52'52" NAD27				Graph			
Drainage area 9,960 square miles				Tab-separated file			
Gage datum 510.86 feet above sea level NAVD88				WATSTORE formatted file			
				Reselect output format			
Water Year	Date	Gage Height (feet)	Stream-flow (cfs)	Water Year	Date	Gage Height (feet)	Stream-flow (cfs)
1787	Oct. 05, 1786		189,000 ⁷	1946	May 29, 1946	32.01	210,000
1807	Apr. 1807		202,000 ⁷	1947	Apr. 07, 1947	24.88	151,000
1809	Jul. 1809		95,200 ⁷	1948	Mar. 23, 1948	28.76	193,000
1833	May 14, 1833		176,000 ⁷	1949	Dec. 31, 1948	17.39	82,700
1865	Mar. 18, 1865	33.10	232,000 ⁷	1950	Mar. 30, 1950	27.04	172,000
1891	Jan. 24, 1891	26.80	164,000	1951	Apr. 01, 1951	22.72	128,000
1892	Apr. 04, 1892	21.60	112,000	1952	Mar. 13, 1952	22.39	124,000
1893	May 05, 1893	22.02	115,000	1953	Dec. 12, 1952	19.43	98,000
1894	May 21, 1894	20.00	97,100	1954	May 05, 1954	16.85	78,900
1895	Apr. 10, 1895	21.82	113,000	1955	Mar. 03, 1955	17.80	85,900
1896	Apr. 01, 1896	24.00	135,000	1956	Mar. 09, 1956	28.17	186,000
1897	Oct. 15, 1896	19.00	88,600	1957	Apr. 07, 1957	20.48	107,000
1898	Apr. 26, 1898	17.82	78,900	1958	Apr. 08, 1958	26.80	170,000
1899	Mar. 06, 1899	18.22	82,100	1959	Jan. 23, 1959	21.14	113,000
1900	Mar. 02, 1900	19.70	94,500	1960	Apr. 02, 1960	29.60	184,000
1901	Nov. 28, 1900	22.00	115,000	1961	Feb. 27, 1961	26.20	163,000
1902	Mar. 02, 1902	31.40	213,000	1962	Apr. 02, 1962	22.84	128,000
1903	Mar. 25, 1903	22.40	119,000	1963	Mar. 28, 1963	22.26	131,000
1904	Mar. 09, 1904	30.60	204,000	1964	Mar. 10, 1964		188,000
1905	Mar. 26, 1905	23.40	129,000	1965	Feb. 14, 1965	11.10	44,600
1906	Apr. 01, 1906	18.10	81,300	1966	Feb. 15, 1966	18.25	93,500
				1967	Mar. 29, 1967	17.16	84,800

1907	Mar. 16, 1907	16.00	65,500	1968	Mar. 24, 1968	19.19	101,000
1908	Feb. 17, 1908	23.50	130,000	1969	Apr. 07, 1969	16.57	80,500
1909	May 02, 1909	23.00	125,000	1970	Apr. 04, 1970	20.92	115,000
1910	Mar. 03, 1910	26.10	157,000	1971	Mar. 17, 1971	20.28	110,000
1911	Mar. 29, 1911	19.70	94,500	1972	Jun. 24, 1972	40.91	345,000
1912	Apr. 03, 1912	23.20	127,000	1973	Apr. 06, 1973	18.04	91,800
1913	Mar. 28, 1913	28.50	184,000	1974	Dec. 28, 1973	18.24	93,400
1914	Mar. 29, 1914	28.30	182,000	1975	Sep. 27, 1975	35.06	228,000
1915	Feb. 26, 1915	23.30	127,000	1976	Feb. 19, 1976	21.34	118,000
1916	Apr. 02, 1916	26.50	160,000	1977	Sep. 26, 1977	21.62	121,000
1917	Mar. 28, 1917	17.70	75,700	1978	Jan. 27, 1978	21.08	116,000
1918	Mar. 15, 1918	23.00	124,000	1979	Mar. 07, 1979	31.02	192,000
1919	May 24, 1919	16.60	66,900	1980	Mar. 23, 1980	19.50	104,000
1920	Mar. 13, 1920	26.00	155,000	1981	Feb. 22, 1981	19.57	104,000
1921	Mar. 10, 1921	19.00	86,600	1982	Oct. 29, 1981	17.24	86,400
1922	Nov. 29, 1921	22.30	117,000	1983	Apr. 16, 1983	23.86	138,000
1923	Mar. 05, 1923	19.60	91,800	1984	Dec. 14, 1983	29.76	192,000
1924	Apr. 08, 1924	23.50	129,000	1985	Mar. 14, 1985	13.04	55,800
1925	Feb. 13, 1925	25.10	145,000	1986	Mar. 16, 1986	27.36	172,000
1926	Mar. 26, 1926	19.40	90,100	1987	Apr. 05, 1987	19.22	98,500
1927	Nov. 17, 1926	22.70	121,000	1988	May 21, 1988	16.88	82,200
1928	Oct. 20, 1927	24.70	141,000	1989	May 12, 1989	21.12	117,000
1929	Apr. 22, 1929	26.40	159,000	1990	Feb. 18, 1990	15.75	74,900
1930	Mar. 09, 1930	16.70	67,600	1991	Oct. 25, 1990	22.69	134,000
1931	Mar. 30, 1931	17.60	74,700	1992	Mar. 28, 1992	18.46	92,000
1932	Apr. 02, 1932	20.50	107,000	1993	Apr. 02, 1993	29.87	185,000
1933	Aug. 25, 1933	19.72	99,800	1994	Mar. 26, 1994	24.16	148,000
1934	Mar. 06, 1934	18.00	85,500	1995	Jan. 22, 1995	15.76	72,100
1935	Jul. 10, 1935	25.39	151,000	1996	Jan. 20, 1996	34.45	221,000
1936	Mar. 20, 1936	33.07	232,000	1997	Nov. 10, 1996	23.57	128,000
1937	Jan. 23, 1937	17.15	77,300	1998	Jan. 09, 1998	24.79	138,000
1938	Sep. 24, 1938	14.70	64,900	1999	Jan. 25, 1999	21.59	112,000
1939	Feb. 22, 1939	23.80	137,000	2000	Feb. 29, 2000	23.66	129,000
1940	Apr. 01, 1940	31.53	212,000	2001	Apr. 11, 2001	19.49	96,800
1941	Apr. 07, 1941	23.50	138,000	2002	Mar. 28, 2002	17.02	78,900
1942	Mar. 11, 1942	20.62	111,000	2003	Mar. 22, 2003	22.84	122,000
1943	Jan. 01, 1943	29.37	191,000	2004	Sep. 19, 2004	34.96	227,000
1944	May 09, 1944	18.50	90,000	2005	Apr. 04, 2005	30.88	189,000
1945	Mar. 05, 1945	21.80	119,000	2006	Jun. 28, 2006	34.14	218,000

█ Peak Streamflow Qualification Codes.

- 7 -- Discharge is an Historic Peak

[Questions about sites/data?](#)

[Feedback on this web site](#)

Surface Water for USA: Peak Streamflow

<http://waterdata.usgs.gov/nwis/peak?>

[Top](#)

[Explanation of terms](#)

Retrieved on 2008-01-23 09:23:48 EST

Department of the Interior, U.S. Geological Survey

[Privacy Statement](#) || [Disclaimer](#) || [Accessibility](#) || [FOIA](#) || [News](#) || [Automated Retrievals](#)

1.33 1.32 nadww01